Kinds of collisions

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Separate momentum conservation from kinetic-energy conservation.

SUCCESS CRITERIA - I can...

1. Identify the system and external-impulse assumption.
2. Recognize sticking as perfectly inelastic.
3. Use kinetic energy to distinguish elastic from inelastic.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

01 Bring back an earlier idea

A positive triangular force pulse lasts 0.3 s and peaks at 50 N. Find impulse and velocity change for a 0.6 kg object.

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $p_{total,\,i} = p_{total,\,f}$; $K = \frac{1}{2}mv^2$.
Negligible external impulse. Elastic collisions also have $K_{total,\,i} = K_{total,\,f}$; sticking transforms some kinetic energy.

Worked reasoning: A 1 kg cart at 4 m/s joins a 1 kg cart at rest. Initial momentum is 4 kg·m/s. Together, 2 kg move at 2 m/s; sticking is one possible collision outcome.

Your turn: Draw before and after snapshots with masses and velocities.

Marzano check - circle: ① ② ③

03 Represent and interpret

Sketch before/after for a collision where two carts stick. Label one common final velocity, not two different final velocities.

Before contact: add velocity arrows.



Marzano check - circle: ① ② ③

04 Solve and justify

For that collision, calculate kinetic energy before and after. What fraction of initial kinetic energy is transformed?

Marzano check - circle: ① ② ③

Kinds of collisions

antocciphysics

Continue down each column.

05 Analyze the reasoning

A classmate says energy is destroyed in an inelastic collision. Rewrite the claim accurately.

Marzano check - circle: 1 2 3

06 Choose a method

A projectile launches horizontally at 6 m/s from height 45 m. Use g=10 and no drag. Find flight time, range and final vertical velocity.

Marzano check - circle: 1 2 3

07 Exit check

Two equal masses collide elastically head-on, one initially at rest. Give their final velocities relative to initial moving speed u.

Marzano check - circle: 1 2 3

08 STRETCH: Apply it another way

Return to the worked example in problem 2. For the same initial state, test final velocities (0, 4), (1, 3) and (2, 2) m/s for momentum conservation. Which pairs represent sticking?

Marzano check - circle: 1 2 3