Collision lab

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Test momentum conservation with measured before-and-after velocities.

SUCCESS CRITERIA - I can...

1. Record masses, signs and velocities consistently.
2. Compare total momentum before and after.
3. Discuss external impulse and measurement variation.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

01 Bring back an earlier idea

A 3 kg object slows from 7 to 3 m/s in 1 s. Find impulse and average net force. Repeat the force calculation for the same velocity change over 2 s.

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $p_{total} = m_1v_1 + m_2v_2$; $\Delta p_{total} = p_{total,\,f} - p_{total,\,i}$. Compare just before/after collision. Use approved carts; record actual trials separately from practice data.

Worked reasoning: Supplied trials give total momenta 6.0 before and 5.8 kg·m/s after. The change is -0.2 kg·m/s. Compare this with measurement uncertainty before attributing it to a new physical effect.

Your turn: Draw a before-and-after momentum comparison and name one possible external interaction.

Marzano check - circle: ① ② ③

03 Represent and interpret

Supplied case: cart A is .50 kg at+.40 m/s; B is .50 kg at rest. After sticking, both move at+.20 m/s. Find total momentum before and after.

Cart	Before (m/s)	After (m/s)
A: 0.50 kg	+0.40	+0.20
B: 0.50 kg	0	+0.20

Marzano check - circle: ① ② ③

04 Solve and justify

Measured masses .50 and .75 kg; initial velocities+.60 and 0 m/s; final common velocity+.23 m/s. Find initial/final total momentum and percent deviation relative to initial.

Marzano check - circle: ① ② ③

Read down the left column, then down the right. Use the open space to draw, calculate and explain.

05 Analyze the reasoning

Design a table for three trials with masses and signed velocities before/after. Name one possible external impulse and one measurement limitation.

Marzano check - circle: 1 2 3

06 Choose a method

Launch at 40 m/s from level ground at 30° or 60°. Use g=10 and no drag. Compare ranges and flight times.

Marzano check - circle: 1 2 3

07 Exit check

A nonzero initial momentum is .40 kg·m/s and final is .38. Find percent deviation and state why this is not automatically a 2% uncertainty.

Marzano check - circle: 1 2 3

08 STRETCH: Apply it another way

Initial total is 2.0±0.1 and final total 1.8±0.1 kg·m/s. Find worst-case bounds for the change. If contact lasts 0.2 s, bound average external force.

Marzano check - circle: 1 2 3