Specific heat

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use mass, material and temperature change to calculate heating energy.

SUCCESS CRITERIA - I can...

1. Identify ΔT rather than final temperature alone.
2. Use Q=mcΔT with matching units.
3. Compare materials through specific heat.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “specific heat” and “heat” to explain your model or result. Sentence starters are optional.

specific heat: energy per mass needed for a one-degree temperature change

heat: energy transferred because of a temperature difference

temperature: a measure of thermal state; it is not an energy amount

01 Bring back an earlier idea

A 3 kg cart descends 5 m from rest.
Use g=10; losses are 6 J.
Find bottom speed.

Sentence starter: I found … [unit]. This value means … in this situation.

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $Q = mc\Delta T$; $\Delta T = T_f - T_i$.
No phase change. A temperature difference of 1°C equals 1 K.

Worked reasoning: A 2 kg sample with c=100 J/(kg·°C) warms by 3°C. Heat absorbed is Q=mcΔT=600 J, with no phase change or work transfer in this model.

Your turn: Draw an energy arrow into the sample and show which three factors produce 600 J.

Sentence starter: The … in my model represents … . Its label shows … .

Marzano check - circle: ① ② ③

03 Represent and interpret

Two equal masses receive the same energy. Material A has a larger specific heat than B. Which has the smaller temperature rise?

Sentence starter: Both … . They differ in … because … .



A: larger c



B: smaller c

Each outline represents the labeled sample or container.

Marzano check - circle: ① ② ③

04 Solve and justify

A .20 kg metal sample with c=450 J/(kg·°C) absorbs 2700 J.
Find its temperature rise and final temperature if it starts at 18°C.

Sentence starter: I found … [unit]. This value means … in this situation.

Marzano check - circle: ① ② ③

Read down the left column, then down the right. Use the open space to draw, calculate and explain.

Specific heat

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.

05 Analyze the reasoning

Why is multiplying by the final temperature instead of ΔT a mistake?

Sentence starter: The step I would change is … . The evidence is … .

Marzano check - circle: 1 2 3

06 Choose a method

A cart starts from rest at height 4 m. Can it reach 6 m with no external energy input or losses? Justify using kinetic energy.

Word help: kinetic energy = energy associated with motion

Sentence starter: Under the assumption …, the evidence … supports … because … .

Marzano check - circle: 1 2 3

07 Exit check

A .50 kg sample needs 4200 J to warm 4°C.
Find c and state a necessary assumption.

Sentence starter: Under the assumption …, the evidence … supports … because … .

Marzano check - circle: 1 2 3

08 STRETCH: Apply it another way

A 0.5 kg material absorbs 900 J and warms 6°C.
Find c. How much heat warms 1.2 kg of it by 15°C?

Sentence starter: I found … [unit]. This value means … in this situation.

Marzano check - circle: 1 2 3