Heat is not temperature

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Distinguish temperature from energy transferred because of a temperature difference.

SUCCESS CRITERIA - I can...

1. Compare temperature with thermal energy.
2. Identify the direction of spontaneous heat transfer.
3. Explain why amount and material matter.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

01 Bring back an earlier idea

For fixed GM, launch radius becomes 9 times as large. Compare ideal escape speeds and name the equation.

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $Q = mc\Delta T$.
For heating without a phase change: Q is transferred heat, m is mass, c is specific heat. Heat and temperature are different quantities.

Worked reasoning: A cup and a bathtub can both be at 40°C. Equal temperature does not imply equal internal energy: amount and type of material also matter.

Your turn: Draw equal temperature indicators but different amounts of water. Predict heat-flow direction if the water samples are brought into thermal contact at the same temperature.

Marzano check - circle: ① ② ③

03 Represent and interpret

A cup and a bathtub contain the same substance at 40°C. Are their temperatures equal? Must their total internal energies be equal?



Cup: 40°C Tub: 40°C

Each outline represents the labeled sample or container.

Marzano check - circle: ① ② ③

04 Solve and justify

Two samples of the same material are at the same temperature; one has three times the mass. Compare energy needed for the same temperature rise with no phase change.

Marzano check - circle: ① ② ③

Heat is not temperature

antocciphysics

Continue down each column.

05 Analyze the reasoning

A student says “cold flows into a hot drink.” Rewrite the explanation in terms of energy transfer.

Marzano check - circle: 1 2 3

06 Choose a method

A point-mass pendulum drops 0.8 m vertically from rest. Use g=10 and neglect drag. Find bottom speed.

Marzano check - circle: 1 2 3

07 Exit check

Can equal-temperature objects still contain different internal energies? Give two reasons.

Marzano check - circle: 1 2 3

08 STRETCH: Apply it another way

Two equal masses of water start at 20°C and 60°C and mix in isolation without phase change. Find final temperature, then explain why this averaging rule would fail for unequal masses.

Marzano check - circle: 1 2 3