

HORIZONTAL AND VERTICAL LOGO

There are two versions of the logo to pick from.

The horizontal logo is our primary logo, but for narrow applications, we may use the vertical logo.



LOGO COLORS

It is important that our logo always match the selected colors when reproducing across various materials. For fine print applications, use the PMS or CMYK values to ensure colors are reproduced accurately. For digital or on-screen purposes, use the RGB or HEX values.



PMS: 2357
CMYK: 52 / 100 / 40 / 30
RGB: 109 / 23 / 78
HEX: #6D174E


PMS: 3564
CMYK: 0 / 70 / 92 / 0
RGB: 242 / 111 / 45
HEX: #F26F2D

SCALE AND AREA OF ISOLATION

Our logo is designed to scale to small sizes on print and screen. The horizontal version can scale down to 1 inch (2.54 centimeters) or 96 pixels. The vertical version can scale down to 0.5 inch (1.27 centimeters) or 48 pixels. Sometimes, the available surface will be too small to print the logo at these sizes. Reproducing a logo on small promotional items is often challenging. In such cases, make the logo as big as space allows.

The minimum margins around the logo are shown on the right. Keep margins as wide as possible, exceeding the standard values if space allows.

MINIMUM SIZE



AREA OF ISOLATION



FILE FORMATS AND WHEN TO USE

In most applications, the full-color version of the logo should be used, but some situations require a different version. For single-color documents, use the one-color (black) version. If the logo is used on a dark background color or photograph, use the semi-reversed or reversed versions. These files have been provided in AI, EPS, PDF, JPG, and PNG file formats. For most design software, AI or EPS works best. For Microsoft Office software, png or jpg work best. If you require a transparent background, use PNG.



LOGO RULES

Maintaining consistency across all materials we produce is important for our brand. It is crucial that the logo retains its integrity and never gets misused as shown in the examples below.



Do not replace the logotype with another typeface.



Do not stretch, condense, or distort the logo in any way.



Do not alter the orientation of the symbol and logotype.



Do not rotate the logo to an alternate angle.



Do not place the logo on an image or a distracting background.



Do not change the colors of the logo.



Do not add drop shadows or other effects to the logo.



Do not use the logo in part. Both the symbol and logotype are one unit.

COLORS

Level 1

The colors on this page are our Level 1 colors. The colors on the following page, Level 2 and Level 3, are the supporting players and should be used in decreasing order of importance.

PMS: 2357
CMYK: 52 / 100 / 40 / 30
RGB: 109 / 23 / 78
HEX: #6D174E

PMS: 3564
CMYK: 0 / 70 / 92 / 0
RGB: 242 / 111 / 45
HEX: #F26F2D

PMS: 7700
CMYK: 93 / 61 / 38 / 19
RGB: 20 / 85 / 113
HEX: #145571

PMS: 6128
CMYK: 74 / 15 / 23 / 0
RGB: 40 / 166 / 188
HEX: #28A6BC

PMS: 4025
CMYK: 19 / 36 / 84 / 1
RGB: 206 / 160 / 74
HEX: #CEA04A

PMS: 7680
CMYK: 83 / 100 / 20 / 8
RGB: 81 / 42 / 117
HEX: #512A75

PMS: 425
CMYK: 63 / 55 / 55 / 29
RGB: 89 / 89 / 88
HEX: #595958

COLORS

Level 2 and 3

Colors are the supporting players in our color family and should never dominate the Level 1 colors.

LEVEL 2 → PMS: 1375 CMYK: 2 / 41 / 99 / 0 RGB: 245 / 163 / 29 HEX: #F5A31D	PMS: 600 CMYK: 5 / 6 / 47 / 0 RGB: 244 / 229 / 156 HEX: #F4E59C	PMS: 2234 CMYK: 66 / 21 / 38 / 1 RGB: 91 / 160 / 160 HEX: #5BA0A0	PMS: 637 CMYK: 59 / 0 / 16 / 0 RGB: 85 / 197 / 213 HEX: #55C5D5	PMS: 2063 CMYK: 46 / 98 / 17 / 2 RGB: 150 / 41 / 124 HEX: #96297C	PMS: 2345 CMYK: 0 / 76 / 51 / 0 RGB: 240 / 99 / 103 HEX: #F06367	PMS: COOL GRAY 2 CMYK: 18 / 13 / 16 / 0 RGB: 208 / 209 / 205 HEX: #D0D1CD
LEVEL 3 → PMS: 7401 CMYK: 1 / 14 / 39 / 0 RGB: 251 / 218 / 165 HEX: #FBDAA5	PMS: 7401 CMYK: 2 / 2 / 17 / 0 RGB: 251 / 244 / 216 HEX: #FBF4D8	PMS: 551 CMYK: 36 / 7 / 19 / 0 RGB: 163 / 204 / 204 HEX: #A3CCCC	PMS: 7457 CMYK: 24 / 0 / 7 / 0 RGB: 187 / 232 / 238 HEX: #BBE8EE	PMS: 4080 CMYK: 14 / 37 / 2 / 0 RGB: 213 / 169 / 203 HEX: #D5A9CB	PMS: 182 CMYK: 0 / 29 / 13 / 0 RGB: 249 / 193 / 194 HEX: #F9C1C2	PMS: 663 CMYK: 6 / 4 / 5 / 0 RGB: 236 / 237 / 235 HEX: #ECEDEB

TYPOGRAPHY

Typography plays a pivotal role in branding. The balance of readability, aesthetics, and uniqueness in typography enhances brand recall and resonates with the audience on a subconscious level.

Mackinac Tenon

BRAND TYPEFACES

Our two brand typefaces are Mackinac and Tenon.

Mackinac is our primary typeface.
Tenon is our secondary typeface.

Mackinac

Tenon

Book
Medium
Bold

Book is our primary weight use.
The medium version may be used
for the text that needs slightly
thicker weight. Bold should only
be used for subheads.

Bold
Regular

Bold is used for emphasis in the
top-level headlines.
Bold can also be used for labels.
Regular is used mainly for small print.

TYPOGRAPHICAL HIERARCHY

Typographical hierarchy is a crucial design principle in typography that establishes a visual hierarchy within a text. It uses variations in font size, weight, style, and spacing to guide readers through content, emphasizing important information and creating a structured and organized reading experience.

EXAMPLE OF
WEB TYPOGRAPHY

Because we see the
forest and the trees

Headline 1

Insights from our experts

Headline 2

Stay up to date on our viewpoints

Headline 3

5 Tips to Keep in Mind When
Filing Your 2022 Tax Returns

Headline 4

CAREERS AT DOEREN MAYHEW

Headline 5 / Overheads

Forbes Magazine

Headline 6

TAX RETURNS | 6M READ

Category Tags / Labels

BROWSE ALL INSIGHTS

Button Text / Small

BROWSE ALL INSIGHTS

Button Text / Regular

SUBSCRIBE TO VIEWPOINT

Button Text / Large

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

Paragraph / Large

MIXING TYPEFACES

The most prominent headline in any application uses Mackinac Book and Tennon Bold. This treatment should only be used for the highest-level message per deliverable — for example, H1 headers on a webpage or the title in a whitepaper.

The bold typeface emphasizes the most important part of the headline.

This is the most prominent
headline on this page, and
**the bold typeface emphasizes
its important part.**

SETTING COPY

Paying careful attention to the visual presentation of written text is essential. Aim for a line length of 45 to 90 characters to create a balanced appearance. Maintaining an even ragged edge for paragraphs creates neat and organized text blocks. A thoughtful approach to both line spacing and line length enhances readability and visual appeal.

On the right are two examples of how we set our type in detail. They are not meant to be followed exactly in every case but are a handy reference for our typographic design.

EXAMPLES OF SETTING COPY

- A column width that makes the text easy to read.
- Headline 22/24 pt Mackinac Book 0.125" line space
- Body copy 10/15 pt Mackinac Book 0.125" line space
- Subhead 12/16 pt Mackinac Bold 0.0625" line space

A Local Look

After a rough five years in Michigan, the future is looking bright for 2014. In 2013 alone, the state saw a 1.5% job growth rate in the construction industry — a key indicator that the local economy and industry are bouncing back.

The Big Picture

- State job growth rose 1.6% in December 2013 from a year ago; national job growth rose 1.6%
- State unemployment averaged 7.7% in December 2013; the national average was 6.7%
- Personal income rose 3.9% to \$391.5 billion in Q3 2013 from a year ago

-
- Headline 26/30 pt Mackinac Medium 0.125" line space
 - Body copy 9.5/17 pt Mackinac Book 0.125" line space
 - Subhead 12/16 pt Mackinac Bold 0.0625" line space

Quisque a lectus donec.

Dalgendunt quassin

When Phasellus ultrices nulla quis nibh. Quisque a lectus. Donec consectetuer ligula vulputate sem tristique cursus. Nam nulla quam gravida non commodo a sodales sit amet nisi. hasellus ultrices nulla quis nibh. Quisque a lectus. Donec consectetuer ligula vulputate sem tristique cursus. Nam nulla quam gravida non commodo.

PMS: BLACK
CMYK: 0 / 0 / 0 / 100
RGB: 0 / 0 / 0
HEX: #000000

PMS: 2357
CMYK: 52 / 100 / 40 / 30
RGB: 109 / 23 / 78
HEX: #6D174E

PMS: 7700
CMYK: 93 / 61 / 38 / 19
RGB: 20 / 85 / 113
HEX: #145571

PMS: 3564
CMYK: 0 / 70 / 92 / 0
RGB: 242 / 111 / 45
HEX: #F26F2D

TYPOGRAPHY AND COLORS

The colors on the left are the most preferred for our typography.

We can use bright, expressive colors to highlight our impressive numbers.

Insurance Support

► Insurance is a vital key to help your business resume its normal operations. Key coverage areas in the case of a natural disaster include:

Property Insurance

Contact your insurance provider to help assess the damage/loss your business experienced and determine what is/is not covered under your current policy.

Flood Insurance

Typical property insurance policies exclude flood damage. If your business suffered from flood damage, work with your insurer to determine whether now may be the time to obtain flood insurance.

Business Interruption Insurance

Covers the profits a business would have earned, based on its own records, had the disaster not occurred. It also pays for the operating expenses that continue, such as payroll, even though the business activities come to a temporary halt.

Extra Expense Insurance

Reimburses you for what you spend, over and above your normal operating expenses, to avoid having to shut down during the restoration period.

Business Damage Claims

Businesses need to be prepared to produce organized records to ensure the damage claim directly reflects what would have been made had the loss not interrupted your normal operations. Insurers will want to review supporting evidence such as contracts, orders, inventory, sales and more, to ensure fraudulent claims are not being made.

Our Valuation and Litigation Support Group specializes in assisting clients with insurance claims, including business interruptions calculations and property loss/damage quantification, by using a thorough approach to support investigations in matters involving economic loss under any number of circumstances.

For assistance with navigating this process, contact our valuation experts:

Bruce Knapp,
CPA/ABV/CFE, CFE, CVA
248.244.3218 |
knapp@doeren.com

Sean Sarsfield,
CPA/CFE, CFE, CVA
281.624.8872
sarsfield@doeren.com

DOEREN.COM BUSINESS DISASTER RECOVERY GUIDE

Spending Snapshot

Although overall U.S. spending in 2013 was on the rise, the tail end of the year saw a slight decrease.

- December total commercial construction spending was \$493.0 billion, up 0.1% from November
- Private construction was up 8.0% from a year ago at \$663.0 billion in December
- Nonresidential building construction spending was \$296.5 billion, down 1.5% for the year
- Commercial (mainly retail) construction spending fell 1.3% in December after a 5.3% surge in November; spending for the year was up 8.8%
- Heavy engineering (non-building) construction spending was \$288.5 billion, up 0.7% in December after rising 0.4% in November, but down 3.9% for the year
- New residential construction spending in December was \$221.7 billion, up 2.6% in December after increasing 1.8% in November and up 28.9% for the overall year
- December new home sales plunged 7.0% to 414,000 after dropping 3.0% in November. Overall sales were 428,000, an increase of 16.3% over 2012
- Highway and street construction was \$81.2 billion in 2013, 1.0% above the previous year

National Construction Spending

2009:

\$903,201

2010:

\$804,561

2011:

\$788,014

2012:

\$856,953

2013:

\$930,493

(In millions)
Source: U.S. Census Bureau

Industry Specific Spending


- Health care construction spending was down 1.5% in December after dropping 2.7% in November. For the year, spending was down 2.5%
- Education construction spending was \$82.4 billion at the close of 2013, 8.4% below the amount spent in previous years
- Manufacturing construction spending dropped 4.0% in December after advancing 1.2% in November. Nonetheless, spending was up 5.4% for the year; construction industry usually reflects the health of a country's overall economy.

DOEREN.COM CONSTRUCTION MARKET

21

EXAMPLES OF MIXING TYPEFACES

A headline that
builds interest »





TAX OUTSOURCING ADVISORY ASSURANCE

BaLest volorecae eius. Simus aut aut quatem est, qui
voloris voluptam debissum, sedi vitat quuntia verum
liaspedi commisc iatur? Taturiat ut volorent rection
emporem harum quidit latur? Ut prat pligniet esto.
[Let us help you find the way at Doeren.com](#) »

TAX » OUTSOURCING » ADVISORY » ASSURANCE

A headline that
builds interest »





DOEREN.COM

BaLest volorecae eius. Simus aut aut quatem est, qui voloris
voluptam debissum, sedi vitat quuntia verum liaspedi commisc
iatur? Taturiat ut volorent rection emporem harum quidit
latur? Ut prat pligniet esto molende llaborem con consequatur?
[Let us help you find the way at Doeren.com](#) »



» Checklist of
Internal Controls

Enhance your company's protection,
accountability, and fraud prevention.



TYPOGRAPHY FOR WORD AND PC APPLICATIONS

For all MS Office usage, these are the recommended fonts. The Google fonts Libre Baskerville and Archivo Bold are released under open-source licenses and are available worldwide.

If you're unable to find them, use the system fonts Georgia and Arial Bold.

GOOGLE
FONTS

Libre
Baskerville
Archivo

DEFAULT
FONTS

Georgia
Verdana