For this testing file, you should be getting the following output:

```
--- FCFS ---

Average Turnaround Time: 1098.400

Average Waiting Time: 1075.100

Throughput: 0.043


--- SJFP ---

Average Turnaround Time: 692.190

Average Waiting Time: 668.890

Throughput: 0.043


--- Priority ---

Average Turnaround Time: 1036.090

Average Waiting Time: 1012.790

Throughput: 0.043
```

Note: Your Priority and SJFP output *might* vary slightly due to how you're breaking ties between equal priorities and remaining burst times respectively.

You should be building a Gantt chart on paper with simple examples (~5 processes), doing the math by hand, then verifying that your code produces the same results before you try to run your code on 100+ process inputs.

Here's an easy sample input for FCFS to verify by hand:

```
1,0,3,5

2,2,4,2

3,3,1,3

4,8,3,4

5,10,4,1
```

You should be getting this output:

```
--- FCFS ---
Average Turnaround Time: 4.200
Average Waiting Time: 1.200
Throughput: 0.333

--- SJFP ---
Average Turnaround Time: 3.600
Average Waiting Time: 0.600
Throughput: 0.333

--- Priority ---
Average Turnaround Time: 5.400
Average Waiting Time: 2.400
Throughput: 0.333
```