



## compress-gzip-results

Intel Celeron N3060 testing with a HP 8320 v19.16 (F.10 BIOS) and Intel Atom/Celeron/Pentium x5-E8000/J3xxx/N3xxx IGP on Arch Linux via the Phoronix Test Suite.

### Test Systems:

#### gzip

Processor: Intel Celeron N3060 @ 2.48GHz (2 Cores), Motherboard: HP 8320 v19.16 (F.10 BIOS), Chipset: Intel Atom/Celeron/Pentium, Memory: 4096MB, Disk: 500GB Western Digital WD5000LPCX-6, Graphics: Intel Atom/Celeron/Pentium x5-E8000/J3xxx/N3xxx IGP (600MHz), Audio: Realtek ALC3227, Network: Realtek RTL8111/8168/8411 + Realtek RTL8723DE 802.11b/g/n

OS: Arch Linux, Kernel: 5.14.6-arch1-1 (x86\_64), Desktop: KDE Frameworks, Display Server: X Server 1.20.13, Compiler: GCC 11.1.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise

Processor Notes: Scaling Governor: intel\_cpufreq schedutil - CPU Microcode: 0x40e

Security Notes: itlb\_multihit: Not affected + l1tf: Not affected + mds: Vulnerable: Clear buffers attempted no microcode; SMT disabled + meltdown: Mitigation of PTI +

spec\_store\_bypass: Not affected + spectre\_v1: Mitigation of usercopy/swapgs barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Full generic retpoline  
STIBP: disabled RSB filling + srbds: Not affected + tsx\_async\_abort: Not affected

## gzip

**Gzip Compression - L.S.T.A.T.t.g (sec)** 108.220

**Standard Deviation** 16.6%

---

*This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 24 September 2021 04:53.*