

Dyad



Contents

About Darklinear Solutions	
Introduction	1
Findings Summary	I
Findings	2
H-1: DNFT holders can inflate their collateral ratios and mint DYAD against kerosene by	
adding vaults to the wrong vault array	2
H-2: Kerosene deposited into unbounded kerosene vault can never be withdrawn	4
H-3: Vaults subsidizing collateral with kerosene may not have enough exogenous collateral	
to incentivize liquidation	6
M-1: ExoCollat requirement can be violated	7
I - V	0



About Darklinear Solutions

Darklinear Solutions provides unrivaled security for blockchain applications, from the bytecode to the browser. With years of experience in smart contract development and traditional software engineering, we find the bugs that others miss. Learn more at darklinear.com.

Introduction

Dyad is a debt-based stablecoin, pegged to the US Dollar and deployed on Ethereum mainnet. It implements a novel form of subsidized collateral in the form of its token, Kerosene. This review consists of issues discovered during the course of Code4rena's competitive audit for Dyad in April 2024. It does not represent a full and exhaustive audit of the protocol.

The findings described below are classified according to Code4rena's standards.

_

Findings Summary

Classification	Finding
High risk (H-1)	DNFT holders can inflate their collateral ratios and mint DYAD against kerosene by adding vaults to the
TT. 1 . 1 (TT)	wrong vault array
High risk (H-2)	Kerosene deposited into unbounded kerosene vault can never be withdrawn
High risk (H-3)	Vaults subsidizing collateral with kerosene may not
	have enough exogenous collateral to incentivize
	liquidation
Medium risk (M-1)	ExoCollat requirement can be violated
Low risk (L-1)	Kerosene denominator can be manipulated



Findings

H-1: DNFT holders can inflate their collateral ratios and mint DYAD against kerosene by adding vaults to the wrong vault array

Impact:

- There are two arrays of vaults defined in VaultManagerV2: vaults and vaultsKerosene. vaults is meant to include the vaults for exogenous collateral (WETH and wstETH), and is used to getNonKeroseneValue. vaultsKerosene is meant to include the vaults for bounded and unbounded kerosene, and is used to getKeroseneValue
- Since the unbounded kerosene vault is licensed like the WETH and wstETH vaults in the deploy script, it can be erroneously added to the exogenous vaults array using the add function
- Since the WETH and wstETH vaults are licensed by the KeroseneManager in the deploy script, they can be erroneously added to the vaultsKerosene array using the function addKerosene
- Since the bounded and unbounded kerosene vaults are not meant to be licensed by the KeroseneManager, they cannot be added to the vaultsKerosene array as intended
- Adding the exogenous collateral vaults to both arrays will cause the collateral to be counted twice in the calculation of the collateral ratio, allowing users to artificially prevent their own liquidations
- Adding the unbounded kerosene vault to the vaults array will cause its value to be included in the position's NonKeroseneValue, which will allow for DYAD to be minted against it. This allows malicious users to mint DYAD against kerosene (which undermines the value of both)

Proof of Concept:

- Impact #I: The bounded and unbounded kerosene vaults are meant to be added to the vaultsKerosene array via VaultManagerV2.addKerosene, but they are not meant to be licensed by the KeroseneManager (confirmed by the team). This is because the KeroseneManager licensing is meant to track the vaults contributing to the TVL in kerosene's assetPrice calculation i.e., all the vaults except the ones that are meant to be added to the vaultsKerosene array in VaultManagerV2. So, when addKerosene checks the following, it excludes the vaults it is meant to include, and includes the vaults it is meant to exclude:
- if (!keroseneManager.isLicensed(vault)) revert VaultNotLicensed();
- Impact #2: Unlike the bounded and unbounded kerosene vaults, the WETH and wstETH vaults are licensed by the KeroseneManager in the deploy script, so they can be added to vaultsKerosene via addKerosene. By providing the same WETH or wstETH vault to both add and addKerosene, the value of the position's collateral in that vault will be counted twice when the total USD value of the DNFT is calculated: once when getNonKeroseneValue calculates the USD value of the collateral in each vault in the vaults array, and again when getKeroseneValue calculates the USD value of the collateral in each vault in the vaultsKerosene array. This inflates the position's collatRatio, and can be used maliciously to avoid liquidation:



```
function getTotalUsdValue(
   uint id
)
  public
  view
  returns (uint) {
    return getNonKeroseneValue(id) + getKeroseneValue(id);
}
```

• Impact #3: The unbounded kerosene vault is licensed by the Licenser along with the WETH and wstETH vaults in the deploy script.

Since vaultLicenser.isLicensed(unboundedKeroseneVault) is true, the kerosene vault can be added to the normal vaults array and treated like normal collateral. This is catastrophic, because it allows users to bypass the NotEnoughExoCollat requirement and mintDyad against kerosene instead:

```
function mintDyad(
    uint id,
    uint amount,
    address to
)
    external
    isDNftOwner(id)
{
        // getNonKeroseneValue iterates over `vaults` array,
        // which can include unbounded kerosene vault

        uint newDyadMinted = dyad.mintedDyad(address(this), id) + amount;
        if (getNonKeroseneValue(id) < newDyadMinted)
            revert NotEnoughExoCollat();
        dyad.mint(id, to, amount);

        // ...
}</pre>
```

Recommended Mitigation Steps:

I. The licenser check in addKerosene should be changed from:

```
if (!keroseneManager.isLicensed(vault))
to:
   if (!vaultLicenser.isLicensed(vault))
```

- 2. address public immutable kerosene should be defined in state and set in the constructor
- 3. addKerosene should require that vault.asset() == kerosene
- 4. add should require that vault.asset() != kerosene



H-2: Kerosene deposited into unbounded kerosene vault can never be withdrawn

Impact:

- VaultManagerV2. withdraw calculates the USD value of the amount of collateral that the user is attempting to withdraw. It does this to ensure that the exogenous collateral value does not fall below the value of the user's mintedDyad
- In order to calculate the USD value, the function calls _vault.oracle().decimals()
- This will revert when the vault is for unbounded kerosene, since kerosene vaults do not have an oracle (or an oracle())
- Since no such check exists for deposit, users will be able to deposit kerosene into the unbounded vault, but will never be able to withdraw it

Proof of Concept: The standard Vault.sol sets its oracle as a public state variable in the contructor:

```
IAggregatorV3 public immutable oracle;
  constructor(
      IVaultManager _vaultManager,
                    _asset,
      IAggregatorV3 _oracle
      vaultManager = _vaultManager;
                      = _asset;
      asset
      oracle
                      = _oracle;
  }
The constructor of Vault.kerosine.sol does not:
  constructor(
      IVaultManager
                      _vaultManager,
      ERC20
                       _asset,
      KerosineManager _kerosineManager
                      = _vaultManager;
      vaultManager
                       = _asset;
      kerosineManager = _kerosineManager;
This simple test also eliminates any doubt:
  function testOracle() public {
      // defined like it is in `withdraw`
      Vault vault = Vault(address(contracts.unboundedKerosineVault));
      vm.expectRevert();
      vault.oracle();
  }
```



Recommended Mitigation Steps:

_vault.oracle() is only called because of the check on the NonKeroseneAmount, which would be unaffected by a kerosene withdrawal. All this logic can therefore be applied only on the condition that vault.asset() !== kerosene, like so:

```
function withdraw(
    uint
            id,
    address vault,
    uint
            amount,
    address to
   public
   isDNftOwner(id)
{
    if (idToBlockOfLastDeposit[id] == block.number)
        revert DepositedInSameBlock();
    Vault _vault = Vault(vault);
    // and set it in the constructor
    if (_vault.asset() !== kerosene) {
        uint dyadMinted = dyad.mintedDyad(address(this), id);
        uint value = amount * _vault.assetPrice()
            * 1e18
            / 10**_vault.oracle().decimals()
            / 10**_vault.asset().decimals();
        if (getNonKeroseneValue(id) - value < dyadMinted)</pre>
            revert NotEnoughExoCollat();
    }
    _vault.withdraw(id, to, amount);
    if (collatRatio(id) < MIN_COLLATERIZATION_RATIO)</pre>
        revert CrTooLow();
}
```



H-3: Vaults subsidizing collateral with kerosene may not have enough exogenous collateral to incentivize liquidation

Impact:

- The 20% liquidation reward comes from the liquidated DNFT's exogenous collateral vaults (WETH and wstETH)
- Kerosene can be used to subsidize a vault's collateral ratio up to the point that a position's minted DYAD is only backed 1:1 by exogenous collateral
- If a position does not have enough exogenous collateral to fund a sufficient reward, the position may not be liquidated in a timely manner (resulting in unbacked DYAD)
- If a position utilizes kerosene to the fullest extent and maintains a 150% collateral ratio with only a 1:1 ratio of exogenous collateral to minted DYAD, and the price of the exogenous collateral falls, the liquidator would actually incur a cost by liquidating the vault
- Ultimately, this means that the incentive mechanism meant to keep the protocol in good health
 will not function as intended, under-collateralized positions will not be liquidated, and the
 DYAD minted by those positions will be unbacked. This greatly compromises DYAD's dollar
 peg

Proof of Concept:

• First, the following fuzz test confirms that the liquidation reward is entirely funded by the collateral belonging to the liquidated position. This is intentional, since an attempt to move more than the value of the position's deposits would revert, but it is still important to establish.

```
function test_liquidationCalc(
    uint256 collateralRatio, uint256 totalCollateral
) public {
    collateralRatio = bound(collateralRatio, 1e18, 1.5e18);
    vm.assume(collateralRatio < 1.5e18);</pre>
    totalCollateral = bound(totalCollateral, 0, 1000000 * 1e18);
    uint256 liquidationEquityShare =
        (collateralRatio - 1e18).mulWadDown(0.2e18);
    uint256 liquidationAssetShare
        (liquidationEquityShare + 1e18).divWadDown(collateralRatio);
    assertLe(liquidationAssetShare, 1e18);
    assertLe(
        totalCollateral.mulWadUp(liquidationAssetShare),
        totalCollateral
    );
}
```

- Having confirmed this, it can also be established that:
 - 1. A liquidator must always pay the entirety of a position's outstanding minted DYAD
 - 2. The amount of collateral the liquidator receives is always less than or equal to the total exogenous collateral deposited by the liquidated position
 - 3. Only exogenous collateral vaults are liquidated, not kerosene



- With these basic rules defined, imagine the following scenario:
 - A user deposits \$100 worth of WETH
 - The same user deposits \$50 worth of kerosene
 - The user mints 100 DYAD, setting their collateral ratio at the minimum of 150%, but only backing their DYAD debt 1:1 with WETH
 - The price of WETH falls, and the user's exogenous collateral is now worth \$90
 - Liquidating the vault would now require burning \$100 worth of DYAD, but would yield the liquidator only \$90 worth of WETH

Recommended Mitigation Steps:

Most importantly, consider liquidating a position's kerosene deposits along with their exogenous collateral. This would allow liquidators to at least be compensated for the full cost of liquidation in most situations.

For a larger-scale approach, Dutch auctions could be implemented for liquidations, allowing for collateral to be liquidated more efficiently.

M-1: ExoCollat requirement can be violated

Impact:

- VaultManagerV2 requires that, in order for a DNFT holder to mint DYAD against their
 position, the position must have enough value locked in exogenous collateral vaults (i.e., WETH
 and wstETH) to cover the full value of the minted debt
- This requirement exists to ensure that DYAD cannot be backed by kerosene alone
- Since this rule is only enforced when DYAD is minted or exogenous collateral is withdrawn, it will not always hold
- This risks unbacked DYAD, loss of faith in the peg, and issues with the calculation of the assetPrice of kerosene

Proof of Concept:

• The requirement described above is defined in both mintDyad and withdraw:

```
// mintDyad:
if (getNonKeroseneValue(id) < newDyadMinted)
    revert NotEnoughExoCollat();

// withdraw:
if (getNonKeroseneValue(id) - value < dyadMinted)
    revert NotEnoughExoCollat();</pre>
```

- It is not, however, considered in any other context where the collateral ratio is checked. This means that, over time, this requirement will not necessarily prevent kerosene from being over-represented in terms of DYAD's total collateral composition. Consider the following scenario:
 - 1. A user deposits \$100 worth of WETH and \$50 worth of kerosene
 - 2. The user mints 100 DYAD
 - 3. The value of WETH falls, such that the collateral is now worth \$90 and the position is under-collateralized



- 4. To return the position to good standing, the user deposits \$10 worth of kerosene
- 5. The position is now in good health according to the protocol, despite having 10 DYAD backed solely by kerosene
- 6. The user cannot withdraw their WETH until getNonKeroseneValue(id) value < dyadMinted, but the risks to DYAD will persist until they do so (or until the position is liquidated)

Recommended Mitigation Steps: Despite the added complexity for the end user to consider, it would be better for the protocol if positions could be liquidated both when their total collateral ratio falls below the minimum and when getNonKeroseneValue(id) < dyadMinted.

L-1: Kerosene denominator can be manipulated

Impact:

- The kerosene denominator, used in the calculation of the kerosene assetPrice, subtracts the kerosene remaining to be distributed from its total supply. It defines the former by querying the balance of the MAINNET_OWNER
- This makes it possible for an attacker to manipulate the assetPrice of kerosene, by sending kerosene to MAINNET_OWNER and increasing the value of the denominator. They could exploit this to force vaults into liquidatable states
- This is low-severity, because it would require a large amount of kerosene to be sent to the MAINNET_OWNER and lost forever. It is still worth fixing, however, because it is plausible that a vault on the brink of liquidation could have enough collateral at stake to compensate the attacker for their kerosene donation

Recommended Mitigation Steps:

Consider storing the distributed amount of kerosene as a state variable in the denominator.