CMPS 4553/5443 Top CMPT: Computational Methods NAME DUE:

DUE: Tuesday, Oct 5, 2021

Guest Presenter Prof. Griff Topic Spatial Water Processing

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45		Gregoring: What growing entitles	Yes Allar Createring
9:45- 10:00	9:51	(ather whomps for follows	
	9.05	: Game Effery With data	
10:00- 10:15	13-64	Moreocenen: (Alectate hash Mining Cothbus to Historications Official point Math for Cipa's) R. Proes - Star Conditions	Just about the last
10:15- 10:30	10:22	Strone Fus - e Mongo DB	Are Cus, a cus
10:30- 10:45	(0.3	Aws Hand dat Pressing DS Charo Cusualium Data Charles	

CMPS 4553/5443 Top CMPT: Computat	ional Methods	NAME_	Turker 184		D'a	
Homework 5		DUE:	Tuesday,	Oct 5, 2021		
Or Guiffin Guest Presenter Topic	Spatial	Do	ita	Intro		

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	9:38	date available	what is big date (1)
			Want is officiate (2)
9:45- 10:00	9:48	Data structures to	
	9;50	A Bq:55 @1:58	
10:00- 10:15		D @ 10:08 @ 60:02	between a tre and a Graph 3
10:15-		10:13 A	
10:30	10,02	⊕ © ©10;26	54 G
			in the second se
10:30- 10:45	(0:36		How much date processing is involved in 445 @
	10:44	Went through some data Visualization	a way w

Oblisate: makes code less human readable. Make it more difficult for humans to get the full picture

@Finding different ways to stoore spaced date

(8) RTrees, Atrees, KOTores How you would store exacial data to look up fast

OBlock chain: adding hackes to a chain that follows a coin persistently Intrees: once of the first ways to store 2d cordinates and have a viable way to look Them up

look up: binary trees

Eduad Trees: Good for Colisies delection

ÉKOTree: K dimensional trees

3 A Thee was no cyle but a braph does

@ DBS can: clustering algorithm.
K mean Groups shows
non-spacial Pota.
Visualizing tool

(d) Data Formets CSV, Ison, Devison, Lata Kenses, Shape files

DGeodon: storing see totation data in son

Ison they rathe rains

or data that can be processed

(b) Databeises:

- PostgreSQL (Postais) that can
handle spacial data

7 Mysql (Maria DB); relationed
Pataboss

-> MongoB: stores I son directly

Oshare files: to file type
That stores 2d data
7 a fis is commanther one that
is free

Goepends on the what yourd your want. They have several options like sah, ect.
Aws is similar to digital orean

OTOOLS:

Arc Gis (so not free)

AGIS (Free!)

Pholy

Mapping Mappor (Photos)

Xarray

+Geofinder

003 ravascript "Custom charts Data menalization

Oxarray 30 ara arrays

CMPS 4553/5443 Top CMPT: Computational Methods	NAME_		
Homework 5	DUE:	Tuesday, Øct 5, 2021	

Guest Presenter Gilhn Topic Spahal Data Intro

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	4.34 4.44	Starts spelling out of a computer but there is not enough noom	The disposic between two xiy points alerts you of you are in a certain range of something
9:45- 10:00	9:46	Ofuscating: takes all are surpt data, read ble functions Companies like Air bib do not are give for each location that are sufficient application that are some data startures to shore spatial data.	Grapps, & Trees, Quad Trees Bivery Trees, No Tree, 1985can, Uneans Games need spechal date structures For Ollision detection
10:00- 10:15	10:00	Block chains makes cypto curreny Scurre everytimic a those happeas two partners consider a receipt, calculate the hash and ensures that resummer the hash analysis added in a coun and conjunct known and is very hyable	io:03 litres are ore of the first data strutures to store two dirensional ky coordinates - can be extended to three dimension - can store lines and polygons
10:15- 10:30	-	Spatial data is well formed and very visual.	-Post Gis allows you to Shore spot al date. Mango OB - shores Ison really well Mysal (Mana DB) & Post Grown Mang and awail alle relational databases
10:30- 10:45	10:36	What over some good, library holis ? for spatial doth! Star learned to write a ata trium Chans and about visualizing data. They are interactive and clean	plotly charling for python

CMPS 4553/5443 Top CMPT: Computational Methods NAME

Homework 5

DUE: Tuesday, Oct 5, 2021

Guest Presenter D. Gniffly Topic Space Beto

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	940	What is big date?	large data rets over a terobute Data is considered large after it starts spill over of one computer
9:45- 10:00	10:05	Date Infonction is concealed and coole transtury to smoothing.	γ)
10:00- 10:15	10:15	Kiretz are first date structure testine 2D considerates Quad tree are good for culting a defection	
10:15- 10:30	10:20	Seo Bon is on ideal way to store and represent spectral election. It dots to structured it con be presented in a way that is Visually appealing	
10:30- 10:45	1037	DB Charls art concerned with Visualizing data. I should learn to use clutte from: 1 just in case	

CMPS 4553/5443 Top CMPT: Computational Methods NAMI

Homework 5

DUE: Tuesday, Oct 5, 2021

Guest Presenter Griffin Topic Data Structures

Time	NOTE/Question	Answer, if a question
વ:41	What is big data considered as?	Data that is so large a or complex that traditional method are rearly impossible to process them.
97.55	Quad Trees and R Trees are what are typically used for any spacial data or storing points because they are efficient	
D:10	Trees and graphs are both similarly but trees have a rook and do NOT have excles, which is possible	[2] 20 10 10 10 10 10 10 10 10 10 10 10 10 10
10:29	What is the difference/ benefits between csv	csv files are smaller and easier to use while ison formats an volds data better/niter for various/different week
10:44	Geoson/Geojson is a form of joon which holds spatial data (lat, long I believe) and holds locations almost like needles on a map. Also github will directly the states of a map.	
	9:41 9:55 0:10	Q:41 considered as? Q:55 are what are typically used for any spacial data or storing points because they are efficient. Trees and graphs are both similarly but these have a rook and do NOT have cycles, which is possible within a graph. What is the difference benefits between csu and Jeon.

CMPS 4553/5443 Top CMPT: Computational Methods NAM

Homework 5

DUE: Tuesday, Oct 5, 2021

caffic		rucsuuy,	•
Guest Presenter Topic Spatial	Sata		

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	9:34	Geo fencing example: going to the gym and your phone automatically opening the gym app.	
9:45- 10:00	q·53	Without spacial data games will basically be out she doon.	
10:00- 10:15	10:04	R Trees were one of the first to stone 2D coordinates.	
10:15- 10:30	10120	GEOTSON is a Structured way to store data. GROSSON files show in eithub (pretty of	sool)
10:30- 10:45	10:40	Arity interesting topic "Spatial Data"	

CMPS 4553/5443 Top CMPT: Computational Methods	NATIVIE	
Homework 5	DUE: Tuesday, Oct 5, 2021	

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	લવક	What is alafuscation?	scrambles and restructures code.
9:45- 10:00	958	Block-chain in empto, whats it purpose?	Track and verify
10:00- 10:15	1005	2 tres, One of the first, data structures to store 20. coordinates.	
10:15- 10:30	1030	Databases reinforce data integrity and the ability to rollback.	
10:30- 10:45	1038	Data Visualization -03: Summy	

CMPS 4553/5443 Top CMPT: Computational Methods	NAMES
Homework 5	DUE: Tuesday, Oct 5, 2021

Dr. Griff:	Date 1 00 1	
Guest Presenter Topic	Paria / Leta	

Interval Ti	me NOTE/Question	Answer, if a question
9:30- 9:45	who geographic thinking	Gleographical data hay two vise fill traits. First geographic data has a location in space - fine , and this location can be used directly to make better precision or inferences.
9:45- 10:00	Sugapira (vaces)	Ostography process are impresented using objects, fields and retworks. Objects are discrets entities that oca specific position is spap and timp.
10:00-	Deter Sun 8 Algar use?	graphs RTreen Que tres BTrees KO Tree
10:15- 10:30	Disa format, (which date formulas?)	The following Variant file formed in who spatial data is typically covered mongo PI.
10:30- 10:45	Tools	Arcare (this is not free tool) a big (free) Ploty replant Lapes. Xarray Beepiner

Guest Presenter Griffin Topic Spatial Data Intro

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	q:39	What are the useful traits of Geographical Data?	designaphric data ils mubiquitous -everything has location in space and time -can be used to make better
9:45- 10:00	9:46	what is obfuscating in Coding?	Taking all readability and erases it and renames it and Crams it all together Much like obfuscated i a vascro
10:00- 10:15	10:60	Structures used to implement spatial data?	- these implemented in Structures like RTrees, Btrees, Quad Trees, KOTTERS etc - without spatial Data; then thigs such as games
10:15- 10:30	0 ;17	What does clustering algorithms do for us? - Data formats for spatial data + CSV, JSON, GeoJson	and bitcoin would not be a thing.
10:30- 10:45	10:38	Uisualizing data → ID3 & java script Data Driven Charts (helps visualizing Data C D3JS)	- Plotly in python Map box Layers > Charting library for python that we bloased integrates

> all these use datastructure Called "dataFrome"
> xarray 4 30 data frames

> what is data shaving? -> example Ployly with time, x,y

coordinate and visual

lizes data

CMPS 4553/5443 Top CMPT: Computational Methods NAME
Homework 5

DUE: Tuesday, Oct 5, 2021

Guest Presenter Dr. Griffin Topic Spatial Data Processing

Interval		NOTE/Question	Answer, if a question
9:30- /	9:35	What is spatial data processing?	Minipulating data that has a direct
9:45	9:40	What is goo fencing?	or indirect reference to a specific
/	994	What is long data?	The use of GR or RFID tech. to weater virtual geographic
9:45-	4:50	What is obprecution?	boundary enalling software to
10:00 /	9:53	What is obbuscution? Always have a burner phone.	trigger a response based on location.
		Phone.	PEXTURNELY large data Sets that
10:00- 10:15		R-Trees, One of the first data Structures to Store	to reveal patiens, trends and associations, especially relating to human behavior and
		geospatial points, (stores then through boundary boxes,)	interactions. The action of making
10:15- 10:30	10:17	Qual Trees: good for collision	Something Obscure unclear
		Call act to	The state of the state of
		Many dimensions you want to	or unintelligible. Done to code so it is not easily interpretable.)
10:30- 10:45	10:31	Data formats: CSU, Tson,	3 K - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
		geo json, data bases,	
	(O:40•	Shape files. Chart visualizers are aweso	ne,

:CMPS 4553/5443 Top CMPT: Computational Methods

Nar Due: Tuesday Oct 5th, 2021

Guest Presenter: Dr. Griffin Topic: Spatial Data Processing

Write down a major point or a question with the answer for each 15 minute interval of the guest presentation. Use the table below to record the time you make the note.

1) Time: (9:35)

Question/Note: What is spatial data processing?

Answer, if a question: Manipulating data that has a direct or indirect reference to a specific location or geographical area.

2) Time(9:40)

Question/Note: What is geofencing?

Answer, if a question: The use of GPS or RFID technology to create a virtual geographic boundary, enabling software to trigger a response based on location.

3) Time(9:44)

Question/Note:What is big data?

Answer, if a question: Extremely large datasets that may be analyzed computationally to reveal patterns, trends and associations, especially relating to human behaviour and interactions.

4) Time(9:50)

Question/Note: What is obfuscation?

Answer, if a question: The action of making something obscure, unclear, or unintelligible.(Done to code so it is not easily interpretable)

5) Time(9:53)

Question/Note: Always have a burner phone.

Answer, if a question: N/A

6) Time(10:00)

Question/Note:

R-Trees, one of the first data structures to store geospatial points; stores them through boundary boxes.R-trees are tree data structures used for spatial access methods, i.e., for indexing multi-dimensional information such as geographical coordinates, rectangles or polygons. The R-tree was proposed by Antonin Guttman in 1984 and has found significant use in both theoretical and applied contexts.

A common real-world usage for an R-tree might be to store spatial objects such as restaurant locations or the polygons that typical maps are made of: streets, buildings, outlines of lakes, coastlines, etc. and then find answers quickly to queries such as "Find all museums within 2 km of my current location", "retrieve all road segments within 2 km of my location" (to

display them in a navigation system) or "find the nearest gas station" (although not taking roads into account). The R-tree can also accelerate nearest neighbor search for various distance metrics, including great-circle distance.)

Answer, if a question: N/A

7) Time(10:17)

Question/Note:

Good for collision detection.

Quad Trees: Quadtrees are trees implemented to efficiently store data of points on a two-dimensional space. In this tree, each node has a maximum of four children.

We can build a quadtree from a two-dimensional area implementing the following steps

- The current two dimensional space is divided into four boxes.
- If a box consists of one or more points in it, build a child object, storing in it the two dimensional space of the box.
- If a box does not contain any points, do not build a child for it.
- Perform recursion for each of the children.

Quadtrees are implemented in image compression, where each node consists of the average colour of each of its children.

The deeper we visit in the tree, the more the detail of the image.

Quadtrees are also implemented in searching for nodes in a two-dimensional area. For instance, if we wanted to compute the closest point to given coordinates, we can do it by implementing quadtrees.

Answer, if a question: N/A

8) Time(10:17)

Question/Note:

KD Trees:In computer science, a k-d tree (short for k-dimensional tree) is a space-partitioning data structure for organizing points in a k-dimensional space. k-d trees are a useful data structure for several applications, such as searches involving a multidimensional search key (e.g. range searches and nearest neighbor searches) and creating point clouds. k-d trees are a special case of binary space partitioning trees.

Answer, if a question: N/A

9) Time(10:31)

Question/Note:

Data formats: csv, json, geojson, databases, shape files

Answer, if a question: N/A

10) Time(10:40)

Question/Note: Chart Visualizers are awesome! (e.g D3.js it is a javascript chart visualizer)

CMPS 4553/5443 Top CMPT: Computational Methods	NAME.	
Homework 5	DUE: Tuesday, O	t 5, 2021

Guest Presenter <u>Tb</u>	_Topic	Spacial	Dota	

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	arri	what is big data	culter data is too large for single computers to handle
9:45- 10:00	9.54	what is a block Chain	Liet of transactions
10:00- 10:15	p:06	R trees can Store poins	
10:15- 10:30		Geo; son is a superset of joon, con store spaciot data	
10:30- 10:45	10:41	DD3 can visualize data from your obcuments	

CMPS 4553/5443 Top CMPT: Computational Methods	NAME	b
Homework 5	DUE: Tuesday, Oct 5, 2021	

Guest Presenter	Griffin Top	ic So	ortin	D212		
	<u> </u>	·· 	<u> </u>	-7		

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45		Cheo-Fencions: crossing z certal location & grating notifical of z person's Location	
9:45- 10:00		Dur Strudures & Algorithms for spall dar: Erzphs, Rices, Qualitres, ND Tree, DBS (201) Knews. Qualitres store special dar for collision detection	
10:00- 10:15		File Formers in which spenish, death is formal; as a project of Shape Files	
10:15- 10:30		RTrees were the first dur structure to store wordness. Pur the wordness in a boundary box o place it in an Atree	
10:30- 10:45		Tools to use for prousury special det ve: Archis, Qais, Plothy, Prepoux Layers, Xvrry, & Geopulus	

CMPS 4553/5443 Top CMPT: Computational Methods	NAME
Homework 5	DUE: Tuesday, Oct 5, 2021

Dr. Cari	ffin			_	
Guest Presenter	_ Topic _	Spatral	Data	Processing	

Interval	Time	NOTE/Question	Answer, if a question
9:30- 9:45	4:40	two useful trasts: Obserything has a location O it is subjections	
9:45- 10:00	9:46	An objuscate turns readable function names, renames everything, such still of white and shoves everything tosettle to	make it abscure
10:00- 10:15	10:4	A trees are first data Structure to Stare Goodmates.	
10:15- 10:30	þ:26	Databases are fast, Standard places to hold data that maintain data integrity	
10:30- 10:45	10:39	Data Frames are Crucial for data visualization. Xamuy, plotly, seopandas, B3,	