

Access Control Policy

1. Document Control

1.1 Version History

	Document Version	Revision Description	Document Author
14 Sep 2026		Rebranded from TecPal to Megtech; updated and clarified access control controls	Security & Compliance Team

1.2 Document Approval

Approver	Title / Role	Approval Date
Executive Management	Managing Director / CISO	Pending Approval

2. Introduction

2.1 Purpose

The Access Control Policy ("this policy", "ACP") is established to govern access to Megtech information and information processing facilities based on business and security requirements. The controls outlined herein are designed to mitigate the risk of unauthorized access, exposure, alteration, or destruction of Megtech information assets.

This policy establishes baseline requirements. The implementation of stricter security controls beyond the scope of this policy is encouraged where appropriate.

2.2 Scope

This policy applies to Megtech and its affiliates. All full-time employees, part-time staff, contractors, consultants, and third-party vendors who interact with Megtech systems, networks, or data are required to comply. These requirements apply to all physical and logical assets, cloud environments, internal networks, and applications owned or operated by Megtech.

3. Roles and Responsibilities

Stakeholder	Responsibility

Megtech Employee / Contractor	Utilize Megtech systems, networks, and data solely for authorized business purposes in accordance with role definitions and least privilege principles.
Department Manager / Asset Owner	Review and formally authorize all user access requests and role changes. Conduct recurring access reviews for reporting personnel.
IT & Security Department	Provision, alter, and revoke access rights strictly upon authorized approval. Enforce multi-factor authentication, network segregation, and privileged account security. Assist managers during access reviews.

4. Access Control General Requirements

4.1 User Access

Access must be granted on a strict **need-to-know** and **least privilege** basis, ensuring users are assigned only the minimum capabilities necessary to execute their assigned job functions.

- **4.1.1 User Access Registration and Modification:**

-

- Creation of new access accounts and modifications to existing privileges require documented authorization from the relevant Department Manager.

-

- Privileges must never be pre-provisioned or activated prior to receiving completed formal approvals.

-

- Generic or shared accounts are prohibited; all credentials must be uniquely attributable to an individual user.

-

- **4.1.2 Access Right De-Registration:**

-

- Access rights must be revoked immediately upon the termination of an employee, contractor, or third-party agreement.

-

- For scheduled departures, HR must notify IT in advance; for involuntary terminations, access must be revoked synchronously with notification.

-

- Access must be promptly modified or revoked when an employee transitions between roles or departments.
-

4.2 Privileged Access Rights

Privileged access (e.g., domain admin, root, cloud console administration) introduces elevated operational risk and must be strictly governed:

- Privileged access must be assigned to dedicated administrative accounts separate from standard user accounts (e.g., standard email/browsing accounts must not hold administrative rights).
-
- Privileged actions must only be performed when required for specific administrative duties, leveraging Just-In-Time (JIT) access or temporary privilege elevation where available.
-
- All privileged activity must be uniquely logged and traceable to a specific individual.
-
- Privileged accounts must be configured with session timeouts and explicit credential expiration periods.
-

4.3 Network Access Control

Access to Megtech networks and associated networked services is restricted to authorized devices and personnel:

- Network perimeters must enforce logical segmentation (e.g., separating production environments, development environments, and corporate office networks).
-
- Remote access to Megtech networks and cloud infrastructure requires approved, encrypted communication channels (e.g., secure enterprise VPN, Zero Trust Network Access).
-
- Network traffic must be continuously monitored using security mechanisms such as Intrusion Detection/Prevention Systems (IDS/IPS) and network flow analysis.
-

4.4 Access to Utility Programs

Utility programs capable of overriding or bypassing system and application controls (e.g., disk partitioners, diagnostic tools, unauthorized debuggers, system recovery utilities) must be strictly controlled:

- Execution and installation of utility software are restricted to authorized IT and security administrators.
-
- Deployment and execution of administrative utilities must be logged and monitored for unauthorized usage or anomaly detection.
-

5. Access Authentication

Access to Megtech information systems, applications, and infrastructure requires robust authentication mechanisms aligned with data sensitivity:

- **Multi-Factor Authentication (MFA):** Mandatory for all remote access connections, administrative/privileged access, cloud management consoles, and SaaS applications housing sensitive corporate data.
-
- **Credential Hygiene:** User credentials must align with the enterprise **Password and Identity Policy** (enforcing complexity, length standards, rotation intervals where applicable, and automated account lockout after repeated failed attempts).
-
- **Single Sign-On (SSO):** Where technically feasible, centralize identity through enterprise SSO and Identity Provider (IdP) platforms to enforce unified credential policies and centralized revocation.
-

6. Access Right Review

User access rights across Megtech systems, code repositories, networks, and databases must be audited periodically to prevent privilege creep and remove orphaned accounts:

- **Standard User Accounts:** Reviewed by Department Managers at least semi-annually.
-
- **Privileged Accounts:** Reviewed by the Security/IT team and asset owners at least quarterly.
-
- Inappropriate, outdated, or redundant access identified during audits must be revoked within 24 hours of discovery.
-

7. Auditing and Logging of Access Control

System events, user authentication, and privileged activities must be captured to support anomaly detection, threat hunting, and compliance requirements:

- Event logs must record sign-in attempts (successful and failed), privilege escalation, permission adjustments, and administrative commands.
-
- Audit logs must be forwarded to a centralized, tamper-resistant logging facility or SIEM system with restricted read-only permissions.
-
- Log retention windows must comply with statutory, regulatory, and internal policy requirements (referenced in the *Megtech Logging and Auditing Policy*).
-

8. Review of this Policy

This policy must be reviewed at least annually, or immediately following significant operational changes, structural reorganizations, or identified security incidents, to ensure alignment with business requirements and applicable legal/regulatory standards.

Would you like to tailor Section 4.3 and Section 5 to reflect specific identity architectures (such as Okta, Google Workspace, or Entra ID) and remote access setups (such as Tailscale or corporate IP allowlists)?