class11

Ethan Harding (PID A15468670)

11/2/2021

Intro to PDB

```
db <- read.csv("Data Export Summary.csv", row.names=1)
head(db)
```

```
##                           X.ray   NMR   EM Multiple.methods Neutron Other  Total
## Protein (only)          142303 11804 5999              177      70    32 160385
## Protein/Oligosaccharide   8414    31  979                5       0     0   9429
## Protein/NA                7491   274 1986                3       0     0   9754
## Nucleic acid (only)       2368  1372   60                8       2     1   3811
## Other                      149    31    3                0       0     0    183
## Oligosaccharide (only)      11     6    0                1       0     4     22
```

Q1: What percentage of structures in the PDB are solved by X-Ray and Electron Microscopy.

```
round(sum(db$X.ray)/ sum(db$Total) * 100, 2)
```

```
## [1] 87.55
```

```
round(sum(db$EM)/ sum(db$Total) * 100, 2)
```

```
## [1] 4.92
```

Q2: What proportion of structures in the PDB are protein?

```
round(db$Total[1] / sum(db$Total) * 100, 2)
```

```
## [1] 87.36
```

Q3: Type HIV in the PDB website search box on the home page and determine how many HIV-1 protease structures are in the current PDB?

There are 1828 HIV-1 protease strctures in the current PDB.

Visualizing the HIV-1 Protease structure using VMD

> Q4: Water molecules normally have 3 atoms. Why do we see just one atom per water molecule in this structure?

We only see just one atom per water molecule because Hydrogen is too small to be seen via X-Ray Crystallography.

> Q5: There is a conserved water molecule in the binding site. Can you identify this water molecule? What residue number does this water molecule have (see note below)?

Residue 308



Using Bio3D

First, load the Bio3D library

```
library(bio3d)

pdb <- read.pdb("1hsg.pdb")
pdb
```

```
##
##  Call:  read.pdb(file = "1hsg.pdb")
##
##    Total Models#: 1
##      Total Atoms#: 1686,  XYZs#: 5058  Chains#: 2  (values: A B)
##
##      Protein Atoms#: 1514  (residues/Calpha atoms#: 198)
##      Nucleic acid Atoms#: 0  (residues/phosphate atoms#: 0)
##
##      Non-protein/nucleic Atoms#: 172  (residues: 128)
##      Non-protein/nucleic resid values: [ HOH (127), MK1 (1) ]
##
##    Protein sequence:
##       PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGIGGFIKVRQYD
##       QILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFPQITLWQRPLVTIKIGGQLKE
##       ALLDTGADDTVLEEMSLPGRWKPKMIGGIGGFIKVRQYDQILIEICGHKAIGTVLVGPTP
##       VNIIGRNLLTQIGCTLNF
##
## + attr: atom, xyz, seqres, helix, sheet,
##         calpha, remark, call
```

```
aa123( pdbseq(pdb) )
```

```
##   [1] "PRO" "GLN" "ILE" "THR" "LEU" "TRP" "GLN" "ARG" "PRO" "LEU" "VAL" "THR"
##  [13] "ILE" "LYS" "ILE" "GLY" "GLY" "GLN" "LEU" "LYS" "GLU" "ALA" "LEU" "LEU"
##  [25] "ASP" "THR" "GLY" "ALA" "ASP" "ASP" "THR" "VAL" "LEU" "GLU" "GLU" "MET"
##  [37] "SER" "LEU" "PRO" "GLY" "ARG" "TRP" "LYS" "PRO" "LYS" "MET" "ILE" "GLY"
##  [49] "GLY" "ILE" "GLY" "GLY" "PHE" "ILE" "LYS" "VAL" "ARG" "GLN" "TYR" "ASP"
##  [61] "GLN" "ILE" "LEU" "ILE" "GLU" "ILE" "CYS" "GLY" "HIS" "LYS" "ALA" "ILE"
##  [73] "GLY" "THR" "VAL" "LEU" "VAL" "GLY" "PRO" "THR" "PRO" "VAL" "ASN" "ILE"
##  [85] "ILE" "GLY" "ARG" "ASN" "LEU" "LEU" "THR" "GLN" "ILE" "GLY" "CYS" "THR"
##  [97] "LEU" "ASN" "PHE" "PRO" "GLN" "ILE" "THR" "LEU" "TRP" "GLN" "ARG" "PRO"
## [109] "LEU" "VAL" "THR" "ILE" "LYS" "ILE" "GLY" "GLY" "GLN" "LEU" "LYS" "GLU"
## [121] "ALA" "LEU" "LEU" "ASP" "THR" "GLY" "ALA" "ASP" "ASP" "THR" "VAL" "LEU"
## [133] "GLU" "GLU" "MET" "SER" "LEU" "PRO" "GLY" "ARG" "TRP" "LYS" "PRO" "LYS"
## [145] "MET" "ILE" "GLY" "GLY" "ILE" "GLY" "GLY" "PHE" "ILE" "LYS" "VAL" "ARG"
## [157] "GLN" "TYR" "ASP" "GLN" "ILE" "LEU" "ILE" "GLU" "ILE" "CYS" "GLY" "HIS"
## [169] "LYS" "ALA" "ILE" "GLY" "THR" "VAL" "LEU" "VAL" "GLY" "PRO" "THR" "PRO"
## [181] "VAL" "ASN" "ILE" "ILE" "GLY" "ARG" "ASN" "LEU" "LEU" "THR" "GLN" "ILE"
## [193] "GLY" "CYS" "THR" "LEU" "ASN" "PHE"
```

The ATOM records

```
head(pdb$atom)
```

```
##   type eleno elety  alt resid chain resno insert      x      y     z o     b
## 1 ATOM     1     N <NA>   PRO     A     1   <NA> 29.361 39.686 5.862 1 38.10
## 2 ATOM     2    CA <NA>   PRO     A     1   <NA> 30.307 38.663 5.319 1 40.62
## 3 ATOM     3     C <NA>   PRO     A     1   <NA> 29.760 38.071 4.022 1 42.64
## 4 ATOM     4     O <NA>   PRO     A     1   <NA> 28.600 38.302 3.676 1 43.40
## 5 ATOM     5    CB <NA>   PRO     A     1   <NA> 30.508 37.541 6.342 1 37.87
## 6 ATOM     6    CG <NA>   PRO     A     1   <NA> 29.296 37.591 7.162 1 38.40
##   segid elesy charge
## 1  <NA>     N   <NA>
## 2  <NA>     C   <NA>
## 3  <NA>     C   <NA>
## 4  <NA>     O   <NA>
## 5  <NA>     C   <NA>
## 6  <NA>     C   <NA>
```

Q7: How many amino acid residues are there in this pdb object?

198 amino acid residues

Q8: Name one of the two non-protein residues?

MK1

Q9: How many protein chains are in this structure?

2 protein chains in this structure