





Form1

logo

ID Departemen:
HR: HR
ENG: Engineer
DEV: Developer
PM: Product M
FIN: Finance

Nama Karyawan: Archie
Dep. Karyawan: PM

Insert Edit Delete

Insert FAIL!

Error: Unable to connect to a suitable host. Check inner exception for more details.

private void Form1_Load(object sender, EventArgs e)
{
 try
 {
 conn = new NpgsqlConnection(connstring);
 conn.Open();
 dgvKaryawan.DataSource = null;
 sql = "SELECT * FROM karyawan INNER JOIN departemen ON departemen.id_dep = karyawan.id_dep";
 cmd = new NpgsqlCommand(sql, conn);
 dt = new DataTable();
 NpgsqlDataReader rd = cmd.ExecuteReader();
 dt.Load(rd);
 dgvKaryawan.DataSource = dt;
 }
}

Events

Process Memory (MB)

CPU (% of all processors)

Summary Events Memory Usage CPU Usage

Show Events (0 of 0)

Memory Usage

CPU Usage

Record CPU Profile

Error List

Code	Description	Project	File	Line	Suppression State
CS0505	Inconsistent accessibility: return type 'List<Karyawan>' is less accessible than method 'KaryawanInterface.getKaryawan()'	Responsi	IKaryawanInterface.cs	11	Active
CS0737	'Responsi' does not implement interface member 'KaryawanInterface.getKaryawan()': 'Responsi.getKaryawan()' cannot implement an interface member because it is not public.	Responsi	IKaryawanInterface.cs	14	Active
CS0418	Non-nullable field 'conn' must contain a non-null value when exiting method. Consider declaring as 'NpgsqlConnection? conn'.	Responsi	Form1.cs	8	Active

Ready

Breaking news
Get caught up

11 0/0 2 16 main 15 responsi_jumpo

9:27 AM
12/12/2023