

**NATIONAL SUBSTANCE USE AND
MENTAL HEALTH SERVICES SURVEY
(N-SUMHSS), 2021:
CODEBOOK**

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration

National Substance Use and Mental Health Services Survey (N-SUMHSS), 2021: Codebook

Acknowledgements

This data file codebook was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), under Contract No. 75S20320C00001. Heydy Juarez served as the Contracting Officer's Representative (COR) at SAMHSA's Center for Behavioral Health Statistics and Quality (CBHSQ).

Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below:

Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA (BHSISHelpdesk@hendall.com)

Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Recommended Citation

Substance Abuse and Mental Health Services Administration, National Substance Use and Mental Health Services Survey (N-SUMHSS), 2021: Codebook. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2023.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work (BHSISHelpdesk@hendall.com)

Disclaimers

Data users acknowledge that SAMHSA bears no responsibility for use of the data or for interpretations or inferences based upon such uses.

The Substance Abuse and Mental Health Services Administration (SAMHSA) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, religion, or sex (including pregnancy, sexual orientation, and gender identity). SAMHSA does not exclude people or treat them differently because of race, color, national origin, age, disability, religion, or sex (including pregnancy, sexual orientation, and gender identity). La Administración de Servicios de Salud Mental y Abuso de Sustancias (SAMHSA, por sus siglas en inglés) cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad, o sexo (incluido el embarazo, la orientación sexual y la identidad de género). SAMHSA no excluye a las personas ni las trata de manera diferente debido a su raza, color, origen nacional, edad,

discapacidad, religión o sexo (incluido el embarazo, la orientación sexual y la identidad de género).

Violations

If SAMHSA determines these terms of use agreements have been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

Description of the National Substance Use and Mental Health Services Survey (N-SUMHSS)

For more than two decades, SAMHSA has been collecting data on the substance use and mental health services offered by treatment facilities across the United States, its territories, and the District of Columbia. In previous years, facilities reported their service offerings using two surveys—the National Survey of Substance Abuse Treatment Services (N-SSATS) and the National Mental Health Services Survey (N-MHSS). Beginning in 2021, N-SSATS and N-MHSS were combined into one survey—the National Substance Use and Mental Health Services Survey (N-SUMHSS). The goal of combining N-SSATS and N-MHSS was to reduce the burden on the facilities offering both substance use and mental health services, reduce the use of government resources to collect data, and increase the rate at which data can be produced by implementing one streamlined survey effort.

The 2021 N-SUMHSS was conducted from April 2021 through January 2022. The N-SUMHSS collects information from all known facilities in the United States, its territories, and the District of Columbia, both public and private, that provide substance use and/or mental health treatment services.¹ The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-SUMHSS.

The N-SUMHSS provides a mechanism for quantifying the diverse characteristics and composition of the U.S. substance use and mental health treatment delivery systems. The N-SUMHSS is designed to collect data on the location, characteristics, and utilization of organized substance use and mental health treatment services for facilities within the scope of the survey across the United States, its territories, and the District of Columbia.²

The N-SUMHSS collects multipurpose data that can be used to:

- assist SAMHSA, state and local governments in assessing the nature and extent of services provided in state-supported, state-operated, and private non-profit and for-profit substance use and mental health treatment facilities, and in forecasting substance use and mental health treatment resource requirements;
- update SAMHSA's Inventory of Substance Use and Mental Health Treatment Facilities (I-TF), an inventory of all known substance use and mental health treatment facilities in the United States, its territories, and the District of Columbia, which can be used as a foundation for future surveys of these facilities;
- describe the nature and scope of substance use and mental health treatment services and conduct comparative analyses about the nation, regions, and states;
- generate the National Directory of Drug and Alcohol Abuse Treatment Facilities, a compendium of facilities approved by state substance use agencies for the provision of substance use treatment; and

¹ In the 2021 N-SUMHSS report, entities responding to the N-SUMHSS are referred to as “facilities.”

² In the 2021 N-SUMHSS, territories included American Samoa, Guam, the Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Palau, Puerto Rico, and the U.S. Virgin Islands.

- update the information in SAMHSA’s online FindTreatment.gov, a searchable database of public and private facilities for the provision of substance use and mental health treatment. The FindTreatment.gov is available at: <https://findtreatment.gov>.

Data Collection Procedures for the 2021 N-SUMHSS

Field period and reference date

The field period for the 2021 N-SUMHSS, which included mailing and data collection operations, ran from April 30, 2021, through January 10, 2022. The reference date was March 31, 2021.

Survey Universe

The survey universe for the 2021 N-SUMHSS included 32,371 facilities across the United States, its territories, and the District of Columbia, of which 4,073 were found to be either closed or ineligible. Out of 28,298 facilities eligible for inclusion in the 2021 N-SUMHSS, 18,615 facilities provided substance use treatment services, 12,723 provided mental health treatment services, and 3,040 facilities provided both substance use and mental health treatment services.^{3,4}

Below are the major activities undertaken to make sure SAMHSA has the most complete and accurate universe of facilities possible:

- The survey database is updated to be composed of (1) those facilities that were included in the most recent survey and are in-scope, and (2) newly identified facilities that became known during the previous survey collection and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) and state substance abuse agencies (SSAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using the I-TF online. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-TF; newly identified facilities are screened for eligibility before being added to the survey database.
- Augmentation includes several activities undertaken by our contractor staff. Contact is made on an annual basis to obtain current facility listings from Data Axe (formerly the American Business Index [ABI]), and the American Hospital Association (AHA). These listings are cross-checked against the existing I-TF database and any new facilities are screened (through an augmentation screener questionnaire conducted via phone interview) for eligibility to be included in the database for the upcoming survey. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a “between survey update.” Facilities that meet the requirements of being active, providing substance use and/or mental health treatment services as defined by SAMHSA, and responding to the annual N-SUMHSS survey are listed on

³ Facility counts are not mutually exclusive because facilities offering both substance use and mental health treatment services are included in substance use and mental health facility counts.

⁴ Counts by type of facility reported here will not match those included in the frequencies for the FOCUS variable because reported counts are based on I-TF status and not on survey response to survey question one.

SAMHSA's FindTreatment.gov, in the National Directory of Mental Health Treatment Facilities and in the National Directory of Drug and Alcohol Abuse Treatment Facilities.

Survey coverage

The following types of substance use and mental health treatment facilities were included in the 2021 N-SUMHSS:

- *Psychiatric hospitals* are facilities licensed and operated as either state/public psychiatric hospitals or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less-than-24-hour care (i.e., outpatient, partial hospitalization/day treatment), but these additional service settings are not requirements.
- *General hospitals with a separate inpatient substance use and/or psychiatric unit* are licensed general hospitals (public or private) that provide inpatient substance use and mental health services in separate units. These units must have specifically allocated staff and space for the treatment of persons with substance use problems and/or mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- *State hospitals* are hospitals funded and operated by the government of a state.
- *Veterans Affairs (VA) medical centers* are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate substance use and/or psychiatric inpatient units, residential treatment programs, and/or outpatient clinics.
- *Certified community behavioral health clinics* are responsible for directly providing (or contracting with partner organizations to provide) nine types of services, with an emphasis on the provision of 24-hour crisis care, utilization of evidence-based practices, care coordination, and integration with physical health care.
- *Partial hospitalization/day treatment facilities* provide only partial day substance use and mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule.
- *Outpatient facilities* provide only outpatient substance use and/or mental health services to ambulatory clients, typically for less than three hours at a single visit. The services may include detoxification, methadone and/or buprenorphine treatment.
- *Residential treatment centers (RTCs) for children* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18 years. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree.
- *Residential treatment centers (RTCs) for adults* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.

- *Multi-setting mental health facilities*⁵ provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or partial hospitalization/ day treatment), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.
- *Community mental health centers* (CMHCs) provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- *Other types of residential treatment facilities* refer to facilities not licensed as psychiatric hospitals. The primary purpose of other types of residential treatment facilities is to provide individually planned programs of mental health treatment services in a residential care setting; such facilities are not specifically for children or adults only.
- *Other* refers to another type of hospital or mental health facility not defined in the categories above.

Exclusions

The survey universe for the 2021 N-SUMHSS excluded: (1) Department of Defense (DoD) military mental health treatment facilities; (2) individual private practitioners or small group practices not licensed as a substance use and/or mental health clinic or center; and (3) jails or prisons.

Mental health facilities are not eligible for inclusion in the survey universe if they do not fall under at least one of the categories specified under *Survey Coverage* and only provide one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, or legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the survey universe for the N-SUMHSS.

Beginning in 2000, halfway houses that did not provide substance use treatment were included in the I-TF and in survey universe so that they could be listed in the National Directory of Drug and Alcohol Abuse Treatment Facilities and on SAMHSA's FindTreatment.gov (<https://findtreatment.gov>). These facilities are excluded from analyses and public use data files.

Content

The 2021 N-SUMHSS questionnaire contained 68 numbered questions (see SAMHSA.gov for an [online version](#) of the questionnaire). The survey consisted of two introductory questions and four separate modules. The introductory questions requested information on the primary

⁵ The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

treatment focus of the facility and whether the facility was a jail. These two questions indicated which sections of the survey each facility would be asked to complete. Facilities providing both substance use and mental health treatment services were asked to complete all four modules, while those providing only substance use were asked to complete Modules A, C, and a portion of Module D. Mental health treatment facilities that did not also offer substance use treatment services were asked to complete Modules B, C, and a portion of D. In addition, facilities operated by the Department of Veteran's Affairs (VA) were asked to complete additional questions regarding VA services offered. These addenda included an additional seven questions for substance use facilities and twelve questions for mental health facilities.

Introductory topics included:

- primary treatment focus;
- jail, prison, or detention center status.

Topics included in the substance use portion of the survey (Module A) included:

- substance use treatment services available;
- detoxification from alcohol, benzodiazepines, opioids, cocaine methamphetamines, or other drugs and routine use of medication during detoxification;
- type of care provided, i.e.;
 - outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance or naltrexone treatment),
 - residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification), and
 - hospital inpatient treatment services (inpatient treatment, inpatient detoxification);
- treatment services offered (assessment and pre-treatment services, medical services, recovery support services, education and counseling services, pharmacotherapies, testing, transitional services, ancillary services, and other services);
- treatment available for opioid use disorder;
- treatment available for alcohol use disorder;
- clinical therapeutic approaches;
- provision of treatment services in sign language and/or in languages other than English;
- special programs or groups provided for specific client types;
- licensure, certification, or accreditation agencies or organizations;
- payment type or insurance accepted;

Topics in the mental health portion of the survey (Module B) included:

- services offered;
- type of care provided, i.e.;

- 24-hour hospital inpatient,
 - 24-hour residential,
 - partial hospitalization/day treatment, and
 - outpatient treatment services;
- type of mental health facility (e.g., psychiatric hospital, separate inpatient unit of a general hospital, state hospital, residential treatment center for children, etc.);
- treatment modalities for mental health treatment;
- use of antipsychotics and type of medications used;
- services offered (intensive case management, court-ordered treatment, integrated primary care services, education services, suicide prevention services, etc.);
- age groups accepted for treatment;
- special programs or groups provided for specific client types;
- availability of emergency psychiatric services;
- provision of treatment services in sign language and/or in languages other than English;
- quality improvement practices;
- use of seclusion or restraint;
- payment types or insurance accepted;
- licensure, certification, or accreditation agencies or organizations;

Topics in the treatment facility information portion of the survey (Module C) included:

- Federally Qualified Health Center (FQHC) status;
- facility operating entity;
- religious or faith-based organization affiliation;
- facility smoking and vaping policies;
- payment and fee information;
- listing preferences for SAMHSA's online FindTreatment.gov and Directory;
- parent organization information, if applicable;

Topics in the client counts portion of the survey (Module D) included:

- number of facilities included in the counts;
- number of clients receiving inpatient, residential, and outpatient substance use disorder treatment services on March 31, 2021;
- number of inpatient and residential beds designated for substance use disorder treatment on March 31, 2021;
- number of clients in treatment for use of 1) both alcohol and substances other than alcohol; 2) only alcohol; 3) only substances other than alcohol;

- percentage of substance use clients with diagnosed co-occurring mental disorder and substance use disorder;
- number of substance use disorder treatment admissions for the most recent 12-month period;
- number of clients receiving inpatient, residential, and outpatient mental health treatment on March 31, 2021;
- number of inpatient and residential beds designated for mental health disorder treatment on March 31, 2021;
- number of mental disorder treatment admissions, readmissions, and incoming transfers between April 1, 2020, and March 31, 2021;
- percentage of total admissions that were military veterans.

Data collection

There were three data collection modes employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately three weeks before the survey launch date (April 30, 2021), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-SUMHSS. The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including a SAMHSA cover letter, a state-specific letter of support, information on completing the survey on the web, and a fact sheet of frequently asked questions) was mailed to each facility on April 30, 2021. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or asking for a paper questionnaire to complete and return via postal mail. In August 2021, another similar packet was sent to non-responding facilities, this time including a copy of the questionnaire, a definitions packet, and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Facilities completing the questionnaire on the Internet had access to hyperlinks to an information site containing definitions of the survey elements. Multiple reminder letters were sent to non-respondents over the course of the data collection period via mail and e-mail. To increase the survey response rate, state substance use and mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. CATI follow-up (assisted telephone interviews) of non-respondents began in August 2021 and ended in late November 2021.

Eligibility and unit response rate

Table 1.1 presents a summary of eligibility and response rate information. Of the 15,430 mental health treatment facilities in the survey, 17.5 percent were found to be ineligible for the survey because they did not fulfill the requirements. Reasons for ineligibility included the following: the facilities did not provide mental health treatment services, had a primary treatment focus of substance use services or general health care, provided treatment for incarcerated persons only (i.e., in jails or prisons), were an individual or small group mental health practice not licensed or certified as a mental health center or clinic, or were closed. Of the 20,687 substance use treatment facilities in the survey, 10 percent were found to be ineligible for the survey because they had closed or did not provide substance use treatment or detoxification.

Table 1.1. N-SUMHSS treatment facilities by status, mode of response, and type of facility: 2021

	Mental Health		Substance Use		Substance Use and Mental Health ¹	
	Number	Percent	Number	Percent	Number	Percent
Total facilities in survey	15,430	100	20,687	100	3,746	100
Closed/ineligible	2,707	17.5	2,072	10	706	18.8
Eligible	12,723	82.5	18,615	90	3,040	81.2
Total eligible	12,723	100	18,615	100	3,040	100
Non-respondents	3,552	27.9	4,272	22.9	544	17.9
Respondents	9,171	72.1	14,343	77.1	2,496	82.1
Excluded from report ²	5	0	177	1	40	1.3
Roll-ups ³	116	1	156	0.8	18	0.6
Eligible for report	9,050	71.1	14,010	75.3	2,438	80.2
Mode of response	9,050	100	14,010	100	2,438	100
Internet	8,929	98.7	13,760	98.2	2,424	99.4
Mail	90	1	100	0.7	11	0.5
Telephone	31	0.3	150	1.1	3	0.1

¹ Facility counts and percentages are not mutually exclusive because facilities offering both substance use and mental health treatment services are included in substance use and mental health facility counts. Therefore, caution should be exercised while adding, comparing, or interpreting counts and percentages across facility types.

² Facilities excluded from the substance use counts included 33 non-treatment halfway houses and 78 solo practices not approved by the state agency for inclusion.

³ Facilities whose client counts were included in or rolled into other facilities' counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Substance Use and Mental Health Services Survey (N-SUMHSS), 2021.

Facility Reporting and Selection for the 2021 N-SUMHSS Report

Of the 12,723 mental health facilities eligible for the survey, 9,171 (72.1 percent) completed the survey, including 5 facilities that did not provide direct mental health treatment services [Table 1.1]. These 5 facilities, which provided administrative services only, were excluded from the report, but have been included in SAMHSA's online FindTreatment.gov. In addition to the facilities that were excluded from the report, there were 116 mental health facilities whose client counts were included in or "rolled into" other facilities' counts and whose facility characteristics were not reported separately [Table 1.1]. After excluding the 5 out-of-scope mental health facilities and the roll-up of 116 mental health facilities, 9,050 eligible respondent mental health facilities were included in the 2021 N-SUMHSS report. Of the respondents that were eligible for

the report, 98.7 percent completed the survey on the web, 1 percent through the mail, and 0.3 percent on the telephone.

Of the 18,615 substance use facilities eligible for the survey, 14,343 (77.1 percent) completed the survey, including 33 halfway house facilities that did not provide substance use treatment, 78 facilities that were solo practitioners, and 66 facilities that provided administrative services only. These 177 facilities were excluded from the report but have been included in SAMHSA's online FindTreatment.gov. In addition to the facilities that were excluded from the report, there were 156 substance use facilities whose client counts were included in or "rolled into" other facilities' counts and whose facility characteristics were not reported separately [Table 1.1]. After excluding the 177 out-of-scope substance use facilities and the roll-up of 156 substance use facilities, 14,010 eligible respondent substance use facilities were included in the 2021 N-SUMHSS report. Of the respondents that were eligible for the report, 98.2 percent completed the survey on the web, 0.7 percent through the mail, and 1.1 percent on the telephone.

Of the mental health and substance use facilities eligible for the survey, 3,040 provided both mental health and substance use services. 2,496 (82.1 percent) of these completed the survey, including 40 whose mental health or substance use responses were excluded from the report and 18 whose client counts were included or "rolled into" other facilities' counts and whose facility characteristics were not reported separately. After the exclusion of these facilities, 2,438 eligible respondent facilities providing both mental health and substance use services were included in the 2021 N-SUMHSS report. Of these, 99.4 percent completed the survey on the web, 0.5 percent through the mail, and 0.1 percent on the telephone.

Quality Assurance

All completed mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry, automated quality assurance reviews were conducted on all survey response data. The reviews incorporated the rules used in manual editing in addition to consistency checks not readily identified by manual review.

Response Rates

The final unit response rate among facilities eligible for the survey was 78.83 percent.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be considered when interpreting data from the 2021 N-SUMHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- The N-SUMHSS is a voluntary survey, and while every effort is made to obtain responses from all known substance use and mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 21 percent facility non-response.
- The N-SUMHSS is a point-prevalence survey. It provides information on the substance use and mental health treatment system and its clients as of a pre-selected reference date (March 31, 2021). Client counts reported here do not represent annual totals. Rather, the N-SUMHSS provides a snapshot of substance use and mental health treatment facilities and clients on an average day or month.

- Multiple responses were allowed for certain questionnaire items (e.g., services provided in non-English languages and type of payment or insurance accepted for treatment services). Tabulations of data for these items include the total number of facilities reporting each response category.
- Reported client count totals that fell within a variance of +/- 10 and client percentages that fell within a variance of +/- 5 were not adjusted. Therefore, the public use file includes percentage values of greater than 100.
- The 2021 N-SUMHSS was an integration of the legacy N-SSATS and N-MHSS surveys. The creation of a single survey instrument created a data validation issue with the way facilities responded to Questions 1, 1a, A1, A1a, and B1 where respondents were asked about the type of services offered. Some facilities would only accept patients for either mental health or substance use treatment services. However, if that patient had a co-occurring substance use or mental health need outside of their intake diagnostic requirement, they would be offered treatment at that facility as well. For these facilities that will only accept either substance use or mental health clients, but will offer co-occurring treatment, a data change was made to accurately reflect their primary mode of treatment.

The integration of the N-SSATS and the N-MHSS surveys also introduced the possibility of duplicate records for facilities that had previously completed each survey. In 2021, facilities were only asked to complete the N-SUMHSS once. Facility information was carefully reviewed to ensure unduplicated information, but it is possible that duplicate facilities with updated contact information were not identified.

FREQUENCIES

Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn.

MASTERID: Master ID

Generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Variable Type: character

INMH: Facility is included in the mental health I-TF

Value	Label	Frequency	%
1	1 - Yes	15,430	47.7%
M	M - Missing Data	16,941	52.3%
	Total	32,371	100%

Variable Type: numeric

INSU: Facility is included in the substance use I-TF

Value	Label	Frequency	%
1	1 - Yes	20,687	63.9%
M	M - Missing Data	11,684	36.1%
	Total	32,371	100%

Variable Type: numeric

LOCATIONSTATE: Facility state

Value	Label	Frequency	%
AL	Alabama	380	1.2%
AK	Alaska	186	0.6%
AZ	Arizona	955	3.0%
AR	Arkansas	397	1.2%
CA	California	3,467	10.7%
CO	Colorado	652	2.0%
CT	Connecticut	462	1.4%
DE	Delaware	103	0.3%
DC	District of Columbia	80	0.2%
FL	Florida	1,438	4.4%
GA	Georgia	638	2.0%
HI	Hawaii	206	0.6%
ID	Idaho	298	0.9%
IL	Illinois	1,240	3.8%
IN	Indiana	719	2.2%
IA	Iowa	360	1.1%
KS	Kansas	310	1.0%
KY	Kentucky	795	2.5%
LA	Louisiana	458	1.4%
ME	Maine	425	1.3%
MD	Maryland	902	2.8%
MA	Massachusetts	903	2.8%
MI	Michigan	858	2.7%
MN	Minnesota	818	2.5%
MS	Mississippi	361	1.1%
MO	Missouri	534	1.6%
MT	Montana	273	0.8%
NE	Nebraska	264	0.8%
NV	Nevada	201	0.6%
NH	New Hampshire	208	0.6%
NJ	New Jersey	813	2.5%
NM	New Mexico	278	0.9%
NY	New York	1,916	5.9%
NC	North Carolina	1,098	3.4%
ND	North Dakota	128	0.4%
OH	Ohio	1,366	4.2%
OK	Oklahoma	371	1.1%
OR	Oregon	466	1.4%
ZZ	Other jurisdictions	23	0.1%
PA	Pennsylvania	1,292	4.0%
PR	Puerto Rico	210	0.6%
RI	Rhode Island	124	0.4%
SC	South Carolina	256	0.8%
SD	South Dakota	110	0.3%
TN	Tennessee	625	1.9%
TX	Texas	1,151	3.6%
UT	Utah	603	1.9%
VT	Vermont	125	0.4%

LOCATIONSTATE: Facility state

Value	Label	Frequency	%
VA	Virginia	588	1.8%
WA	Washington	882	2.7%
WV	West Virginia	254	0.8%
WI	Wisconsin	717	2.2%
WY	Wyoming	84	0.3%
Total		32,371	100%

Variable Type: character

FOCUS: Primary treatment focus (Q.1)

Value	Label	Frequency	%
1	1 - Substance use treatment services	6,633	20.5%
2	2 - Mental health services	5,808	17.9%
3	3 - Mix mental health & substance use treatment services	9,482	29.3%
4	4 - No mental health or substance use treatment services	479	1.5%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SUTRTMNT ALSO: Offered substance use treatment also (Q.1a)

Value	Label	Frequency	%
0	0 - No	4,163	12.9%
1	1 - Yes	1,645	5.1%
L	L - Logical Skip	16,594	51.3%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

JAIL: Jail, prison, or other (Q.2)

Value	Label	Frequency	%
0	0 - No	21,868	67.6%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,024	31.0%
Total		32,371	100%

Variable Type: numeric

OTHNONTX: Offered intake/assessment/referral (Q.A1)

Value	Label	Frequency	%
0	0 - No	816	2.5%
1	1 - Yes	16,870	52.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	9,998	30.9%
	Total	32,371	100%

Variable Type: numeric

DETOX: Offered detoxification (Q.A1)

Value	Label	Frequency	%
0	0 - No	13,742	42.5%
1	1 - Yes	3,973	12.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

TREATMT_SU: Offered substance use treatment (Q.A1)

Value	Label	Frequency	%
0	0 - No	939	2.9%
1	1 - Yes	16,776	51.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SMISEDSUD_SU: Offered co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorder (SUD) (Q.A1)

Value	Label	Frequency	%
0	0 - No	6,758	20.9%
1	1 - Yes	10,948	33.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	9,978	30.8%
Total		32,371	100%

Variable Type: numeric

ADMIN: Any other substance use services offered (Q.A1)

Value	Label	Frequency	%
0	0 - No	7,476	23.1%
1	1 - Yes	10,203	31.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,005	30.9%
Total		32,371	100%

Variable Type: numeric

MHTXSA: Offers mental health treatment to substance use clients (Q.A1a)

Value	Label	Frequency	%
0	0 - No	2,207	6.8%
1	1 - Yes	15,369	47.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,108	31.2%
Total		32,371	100%

Variable Type: numeric

MHTXNONSA: Offers mental health treatment to non-substance use clients (Q.A1a)

Value	Label	Frequency	%
0	0 - No	6,878	21.2%
1	1 - Yes	10,660	32.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

NOMHTX: Offers no mental health treatment (Q.A1a)

Value	Label	Frequency	%
0	0 - No	15,819	48.9%
1	1 - Yes	1,799	5.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,066	31.1%
Total		32,371	100%

Variable Type: numeric

DETXALC: Detoxify from alcohol (Q.A2)

Value	Label	Frequency	%
0	0 - No	1,894	5.9%
1	1 - Yes	3,562	11.0%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	22,057	68.1%
Total		32,371	100%

Variable Type: numeric

DETXBEN: Detoxify from benzodiazepines (Q.A2)

Value	Label	Frequency	%
0	0 - No	2,154	6.7%
1	1 - Yes	3,298	10.2%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	22,061	68.2%
Total		32,371	100%

Variable Type: numeric

DETXCOC: Detoxify from cocaine (Q.A2)

Value	Label	Frequency	%
0	0 - No	2,481	7.7%
1	1 - Yes	2,971	9.2%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	22,061	68.2%
	Total	32,371	100%

Variable Type: numeric

DETXMET: Detoxify from methamphetamines (Q.A2)

Value	Label	Frequency	%
0	0 - No	2,422	7.5%
1	1 - Yes	3,030	9.4%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	22,061	68.2%
Total		32,371	100%

Variable Type: numeric

DETXOP: Detoxify from opioids (Q.A2)

Value	Label	Frequency	%
0	0 - No	904	2.8%
1	1 - Yes	4,548	14.0%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	22,061	68.2%
Total		32,371	100%

Variable Type: numeric

DETXOTH: Detoxify from other substances (Q.A2)

Value	Label	Frequency	%
0	0 - No	4,414	13.6%
1	1 - Yes	977	3.0%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	22,122	68.3%
Total		32,371	100%

Variable Type: numeric

DETXMED: Routinely detoxification with medications (Q.A2a)

Value	Label	Frequency	%
0	0 - No	8,922	27.6%
1	1 - Yes	4,024	12.4%
L	L - Logical Skip	4,858	15.0%
M	M - Missing Data	14,567	45.0%
Total		32,371	100%

Variable Type: numeric

LOC15_SU: Solo practice (Q.A3)

Value	Label	Frequency	%
0	0 - No	16,750	51.7%
1	1 - Yes	792	2.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

CTYPE4: Hospital inpatient substance use care offered currently (Q.A4)

Value	Label	Frequency	%
0	0 - No	16,596	51.3%
1	1 - Yes	1,074	3.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,014	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPEHI1: Hospital inpatient detoxification care offered (Q.A4a)

Value	Label	Frequency	%
0	0 - No	164	0.5%
1	1 - Yes	908	2.8%
L	L - Logical Skip	21,283	65.7%
M	M - Missing Data	10,016	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPEHI2: Hospital inpatient treatment care offered (Q.A4a)

Value	Label	Frequency	%
0	0 - No	197	0.6%
1	1 - Yes	876	2.7%
L	L - Logical Skip	21,283	65.7%
M	M - Missing Data	10,015	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPE7: Non-hospital residential substance use care offered currently (Q.A5)

Value	Label	Frequency	%
0	0 - No	14,016	43.3%
1	1 - Yes	3,656	11.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,012	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPERC1: Non-hospital residential detoxification care offered (Q.A5a)

Value	Label	Frequency	%
0	0 - No	2,303	7.1%
1	1 - Yes	1,350	4.2%
L	L - Logical Skip	18,703	57.8%
M	M - Missing Data	10,015	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPERC3: Non-hospital residential short-term treatment offered (Q.A5a)

Value	Label	Frequency	%
0	0 - No	1,333	4.1%
1	1 - Yes	2,314	7.1%
L	L - Logical Skip	18,703	57.8%
M	M - Missing Data	10,021	31.0%
Total		32,371	100%

Variable Type: numeric

CTYPERC4: Non-hospital residential long-term treatment offered (Q.A5a)

Value	Label	Frequency	%
0	0 - No	834	2.6%
1	1 - Yes	2,819	8.7%
L	L - Logical Skip	18,703	57.8%
M	M - Missing Data	10,015	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPE1: Any outpatient substance use care offered currently (Q.A6)

Value	Label	Frequency	%
0	0 - No	3,552	11.0%
1	1 - Yes	14,123	43.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,009	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPE6: Outpatient detoxification offered (Q.A6a)

Value	Label	Frequency	%
0	0 - No	11,993	37.0%
1	1 - Yes	2,125	6.6%
L	L - Logical Skip	8,239	25.5%
M	M - Missing Data	10,014	30.9%
Total		32,371	100%

Variable Type: numeric

CTYPEML: Outpatient methadone maintenance offered (Q.A6a)

Value	Label	Frequency	%
0	0 - No	7,676	23.7%
1	1 - Yes	6,417	19.8%
L	L - Logical Skip	8,239	25.5%
M	M - Missing Data	10,039	31.0%
Total		32,371	100%

Variable Type: numeric

CTYPEOP: Day treatment/partial hospitalization offered (Q.A6a)

Value	Label	Frequency	%
0	0 - No	11,779	36.4%
1	1 - Yes	2,316	7.2%
L	L - Logical Skip	8,239	25.5%
M	M - Missing Data	10,037	31.0%
Total		32,371	100%

Variable Type: numeric

CTYPE2: Intensive outpatient treatment offered (Q.A6a)

Value	Label	Frequency	%
0	0 - No	7,004	21.6%
1	1 - Yes	7,096	21.9%
L	L - Logical Skip	8,239	25.5%
M	M - Missing Data	10,032	31.0%
Total		32,371	100%

Variable Type: numeric

CTYPE3: Regular outpatient treatment offered (Q.A6a)

Value	Label	Frequency	%
0	0 - No	911	2.8%
1	1 - Yes	13,203	40.8%
L	L - Logical Skip	8,239	25.5%
M	M - Missing Data	10,018	30.9%
Total		32,371	100%

Variable Type: numeric

SRVC89: Assessment screening substance use (Q.A7)

Value	Label	Frequency	%
0	0 - No	631	1.9%
1	1 - Yes	16,931	52.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,122	31.3%
	Total	32,371	100%

Variable Type: numeric

SRVC90: Assessment screening mental disorders (Q.A7)

Value	Label	Frequency	%
0	0 - No	2,855	8.8%
1	1 - Yes	14,665	45.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,164	31.4%
	Total	32,371	100%

Variable Type: numeric

SRVC1: Assessment comprehensive substance use (Q.A7)

Value	Label	Frequency	%
0	0 - No	1,494	4.6%
1	1 - Yes	16,053	49.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,137	31.3%
Total		32,371	100%

Variable Type: numeric

SRVC2: Assessment mental health (Q.A7)

Value	Label	Frequency	%
0	0 - No	6,030	18.6%
1	1 - Yes	11,454	35.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,200	31.5%
Total		32,371	100%

Variable Type: numeric

SRVCCOMPEXAM: Complete medical history and physical examination done (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,195	34.6%
1	1 - Yes	6,261	19.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,228	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC107: Assessment screening tobacco use (Q.A7)

Value	Label	Frequency	%
0	0 - No	3,526	10.9%
1	1 - Yes	13,981	43.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,177	31.4%
Total		32,371	100%

Variable Type: numeric

SRVC91: Assessment outreach (Q.A7)

Value	Label	Frequency	%
0	0 - No	6,115	18.9%
1	1 - Yes	11,371	35.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,198	31.5%
	Total	32,371	100%

Variable Type: numeric

SRVC93: Assessment interim services (Q.A7)

Value	Label	Frequency	%
0	0 - No	8,841	27.3%
1	1 - Yes	8,611	26.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,232	31.6%
Total		32,371	100%

Variable Type: numeric

SRVCEDCON: Assessment professional consultant (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,869	39.8%
1	1 - Yes	4,574	14.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,241	31.6%
Total		32,371	100%

Variable Type: numeric

NOPRETXSRVC: None of the above assessment or pretreatment services (Q.A7)

Value	Label	Frequency	%
0	0 - No	17,419	53.8%
1	1 - Yes	152	0.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,113	31.2%
Total		32,371	100%

Variable Type: numeric

SRVCORAL: Testing drug/alcohol oral fluid (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,049	34.1%
1	1 - Yes	6,019	18.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,616	32.8%
Total		32,371	100%

Variable Type: numeric

SRVC10: Testing blood/alcohol (Q.A7)

Value	Label	Frequency	%
0	0 - No	6,965	21.5%
1	1 - Yes	10,126	31.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,593	32.7%
	Total	32,371	100%

Variable Type: numeric

SRVC11: Testing drug/alcohol urine screen (Q.A7)

Value	Label	Frequency	%
0	0 - No	2,380	7.4%
1	1 - Yes	14,766	45.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,538	32.6%
Total		32,371	100%

Variable Type: numeric

SRVC73: Testing Hepatitis B (HBV) (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,996	37.1%
1	1 - Yes	5,056	15.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,632	32.8%
Total		32,371	100%

Variable Type: numeric

SRVC74: Testing Hepatitis C (HCV) (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,395	35.2%
1	1 - Yes	5,660	17.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,629	32.8%
Total		32,371	100%

Variable Type: numeric

SRVC14: Testing HIV (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,314	35.0%
1	1 - Yes	5,742	17.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,628	32.8%
Total		32,371	100%

Variable Type: numeric

SRVC15: Testing sexually transmitted disease (STD) (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,151	37.5%
1	1 - Yes	4,899	15.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,634	32.9%
Total		32,371	100%

Variable Type: numeric

SRVC16: Testing tuberculosis (TB) screen (Q.A7)

Value	Label	Frequency	%
0	0 - No	9,694	29.9%
1	1 - Yes	7,372	22.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,618	32.8%
Total		32,371	100%

Variable Type: numeric

SRVCMETA: Testing metabolic syndrome (Q.A7)

Value	Label	Frequency	%
0	0 - No	13,145	40.6%
1	1 - Yes	3,896	12.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,643	32.9%
Total		32,371	100%

Variable Type: numeric

NOTESTINGSRVC: None of the above testing services (Q.A7)

Value	Label	Frequency	%
0	0 - No	15,443	47.7%
1	1 - Yes	1,748	5.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,493	32.4%
	Total	32,371	100%

Variable Type: numeric

SRVCHAV: Medical Hepatitis A (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,491	38.6%
1	1 - Yes	2,228	6.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,965	40.1%
Total		32,371	100%

Variable Type: numeric

SRVCHBV: Medical Hepatitis B (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,460	38.5%
1	1 - Yes	2,261	7.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,963	40.0%
Total		32,371	100%

Variable Type: numeric

NOMEDSRVC: None of the above medical services (Q.A7)

Value	Label	Frequency	%
0	0 - No	2,377	7.3%
1	1 - Yes	12,481	38.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,826	39.6%
Total		32,371	100%

Variable Type: numeric

SRVC37: Transitional discharge plan (Q.A7)

Value	Label	Frequency	%
0	0 - No	1,151	3.6%
1	1 - Yes	16,354	50.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,179	31.4%
Total		32,371	100%

Variable Type: numeric

SRVC27: Transitional aftercare (Q.A7)

Value	Label	Frequency	%
0	0 - No	2,867	8.9%
1	1 - Yes	14,611	45.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,206	31.5%
	Total	32,371	100%

Variable Type: numeric

SRVCODED: Transitional naloxone and overdose education (Q.A7)

Value	Label	Frequency	%
0	0 - No	6,164	19.0%
1	1 - Yes	11,273	34.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,247	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCOUTCM: Transitional outcome follow-up after discharge (Q.A7)

Value	Label	Frequency	%
0	0 - No	5,749	17.8%
1	1 - Yes	11,690	36.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,245	31.6%
Total		32,371	100%

Variable Type: numeric

NOTRANSSRVC: None of the above transitional services (Q.A7)

Value	Label	Frequency	%
0	0 - No	17,117	52.9%
1	1 - Yes	418	1.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,149	31.4%
Total		32,371	100%

Variable Type: numeric

SRVC97: Recovery mentoring/peer support (Q.A7)

Value	Label	Frequency	%
0	0 - No	6,092	18.8%
1	1 - Yes	10,951	33.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,641	32.9%
Total		32,371	100%

Variable Type: numeric

SRVC102: Recovery self-help groups (Q.A7)

Value	Label	Frequency	%
0	0 - No	9,436	29.1%
1	1 - Yes	7,597	23.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,651	32.9%
Total		32,371	100%

Variable Type: numeric

SRVC39: Recovery housing assist (Q.A7)

Value	Label	Frequency	%
0	0 - No	5,626	17.4%
1	1 - Yes	11,423	35.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,635	32.9%
Total		32,371	100%

Variable Type: numeric

SRVC38: Recovery employment (Q.A7)

Value	Label	Frequency	%
0	0 - No	9,271	28.6%
1	1 - Yes	7,745	23.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,668	33.0%
Total		32,371	100%

Variable Type: numeric

SRVC36: Recovery assistance social services (Q.A7)

Value	Label	Frequency	%
0	0 - No	4,678	14.5%
1	1 - Yes	12,387	38.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,619	32.8%
Total		32,371	100%

Variable Type: numeric

SRVCCOACH: Recovery coach (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,868	36.7%
1	1 - Yes	5,137	15.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,679	33.0%
Total		32,371	100%

Variable Type: numeric

NORSSRVC: None of the above recovery support services (Q.A7)

Value	Label	Frequency	%
0	0 - No	15,337	47.4%
1	1 - Yes	1,800	5.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,547	32.6%
Total		32,371	100%

Variable Type: numeric

SRVC24: Education and counseling HIV/AIDS education (Q.A7)

Value	Label	Frequency	%
0	0 - No	7,410	22.9%
1	1 - Yes	10,021	31.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,253	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC104: Education and counseling Hepatitis education (Q.A7)

Value	Label	Frequency	%
0	0 - No	8,247	25.5%
1	1 - Yes	9,172	28.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,265	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC99: Education and counseling health education (Q.A7)

Value	Label	Frequency	%
0	0 - No	7,425	22.9%
1	1 - Yes	9,997	30.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,262	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC100: Education and counseling substance use education (Q.A7)

Value	Label	Frequency	%
0	0 - No	911	2.8%
1	1 - Yes	16,604	51.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,169	31.4%
Total		32,371	100%

Variable Type: numeric

SRVC105: Education and counseling smoking/tobacco cessation (Q.A7)

Value	Label	Frequency	%
0	0 - No	6,066	18.7%
1	1 - Yes	11,387	35.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,231	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC6: Education and counseling individual (Q.A7)

Value	Label	Frequency	%
0	0 - No	767	2.4%
1	1 - Yes	16,758	51.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,159	31.4%
Total		32,371	100%

Variable Type: numeric

SRVC5: Education and counseling group (Q.A7)

Value	Label	Frequency	%
0	0 - No	1,707	5.3%
1	1 - Yes	15,797	48.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,180	31.4%
Total		32,371	100%

Variable Type: numeric

SRVC4: Education and counseling family (Q.A7)

Value	Label	Frequency	%
0	0 - No	4,243	13.1%
1	1 - Yes	13,217	40.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,224	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC103: Education and counseling marital/couples (Q.A7)

Value	Label	Frequency	%
0	0 - No	8,238	25.4%
1	1 - Yes	9,183	28.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,263	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCVOCED: Education and counseling vocational (Q.A7)

Value	Label	Frequency	%
0	0 - No	13,674	42.2%
1	1 - Yes	3,714	11.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,296	31.8%
Total		32,371	100%

Variable Type: numeric

NOEDSRVC: None of the above education and counseling services (Q.A7)

Value	Label	Frequency	%
0	0 - No	17,448	53.9%
1	1 - Yes	90	0.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

SRVC49: Ancillary services case management (Q.A7)

Value	Label	Frequency	%
0	0 - No	3,050	9.4%
1	1 - Yes	14,351	44.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,283	31.8%
Total		32,371	100%

Variable Type: numeric

SRVCPRIMCARE: Ancillary services integrated primary care (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,753	39.4%
1	1 - Yes	4,560	14.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,371	32.0%
Total		32,371	100%

Variable Type: numeric

SRVC96: Ancillary social skills (Q.A7)

Value	Label	Frequency	%
0	0 - No	4,879	15.1%
1	1 - Yes	12,477	38.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,328	31.9%
Total		32,371	100%

Variable Type: numeric

SRVC50: Ancillary child care (Q.A7)

Value	Label	Frequency	%
0	0 - No	16,494	51.0%
1	1 - Yes	794	2.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,396	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC52: Ancillary domestic violence (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,298	34.9%
1	1 - Yes	6,021	18.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,365	32.0%
Total		32,371	100%

Variable Type: numeric

SRVC98: Ancillary intervention HIV (Q.A7)

Value	Label	Frequency	%
0	0 - No	13,742	42.5%
1	1 - Yes	3,550	11.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,392	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC59: Ancillary transportation assistance (Q.A7)

Value	Label	Frequency	%
0	0 - No	9,047	27.9%
1	1 - Yes	8,284	25.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,353	32.0%
Total		32,371	100%

Variable Type: numeric

SRVC101: Ancillary mental health services (Q.A7)

Value	Label	Frequency	%
0	0 - No	4,109	12.7%
1	1 - Yes	13,276	41.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,299	31.8%
Total		32,371	100%

Variable Type: numeric

SRVCSUICIDEPRREV: Ancillary suicide prevention services (Q.A7)

Value	Label	Frequency	%
0	0 - No	8,340	25.8%
1	1 - Yes	9,014	27.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,330	31.9%
Total		32,371	100%

Variable Type: numeric

SRVC48: Ancillary acupuncture (Q.A7)

Value	Label	Frequency	%
0	0 - No	16,388	50.6%
1	1 - Yes	895	2.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,401	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC75: Ancillary residential beds for children (Q.A7)

Value	Label	Frequency	%
0	0 - No	16,892	52.2%
1	1 - Yes	393	1.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,399	32.1%
Total		32,371	100%

Variable Type: numeric

NOANCSRVC: None of the above ancillary services (Q.A7)

Value	Label	Frequency	%
0	0 - No	17,101	52.8%
1	1 - Yes	351	1.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,232	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC117: Other gambling disorder (Q.A7)

Value	Label	Frequency	%
0	0 - No	10,349	32.0%
1	1 - Yes	4,647	14.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,688	39.2%
Total		32,371	100%

Variable Type: numeric

SRVC119: Other non-substance use addiction disorder (Q.A7)

Value	Label	Frequency	%
0	0 - No	8,472	26.2%
1	1 - Yes	6,535	20.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,677	39.2%
Total		32,371	100%

Variable Type: numeric

NOOTHSRVC: None of the above other (Q.A7)

Value	Label	Frequency	%
0	0 - No	7,502	23.2%
1	1 - Yes	7,595	23.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,587	38.9%
Total		32,371	100%

Variable Type: numeric

SRVC70: Pharmacotherapies disulfiram (Q.A7)

Value	Label	Frequency	%
0	0 - No	13,200	40.8%
1	1 - Yes	4,219	13.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,265	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC71: Pharmacotherapies naltrexone (oral) (Q.A7)

Value	Label	Frequency	%
0	0 - No	10,158	31.4%
1	1 - Yes	7,294	22.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,232	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC108: Pharmacotherapies naltrexone (extended-release, injectable) (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,054	34.1%
1	1 - Yes	6,381	19.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,249	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC88: Pharmacotherapies acamprosate (campral) (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,860	39.7%
1	1 - Yes	4,561	14.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,263	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC94: Pharmacotherapies nicotine replacement (Q.A7)

Value	Label	Frequency	%
0	0 - No	10,869	33.6%
1	1 - Yes	6,578	20.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,237	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC106: Pharmacotherapies non-nicotine cessation (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,691	36.1%
1	1 - Yes	5,748	17.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,245	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC95: Pharmacotherapies psychiatric disorders (Q.A7)

Value	Label	Frequency	%
0	0 - No	7,649	23.6%
1	1 - Yes	9,813	30.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,222	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC85: Pharmacotherapies methadone (Q.A7)

Value	Label	Frequency	%
0	0 - No	15,210	47.0%
1	1 - Yes	2,214	6.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,260	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC87: Pharm buprenorphine with naloxone (suboxone, bunavail, zubsolv, cassipa) (Q.A7)

Value	Label	Frequency	%
0	0 - No	9,797	30.3%
1	1 - Yes	7,658	23.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,229	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC86: Pharmacotherapies buprenorphine without naloxone (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,826	36.5%
1	1 - Yes	5,618	17.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,240	31.6%
Total		32,371	100%

Variable Type: numeric

SRVC129: Pharmacotherapies buprenorphine sub-dermal implant (probuphine) (Q.A7)

Value	Label	Frequency	%
0	0 - No	16,617	51.3%
1	1 - Yes	799	2.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,268	31.7%
Total		32,371	100%

Variable Type: numeric

SRVC130: Pharm buprenorphine (extended-release, injectable, for example, sublocade) (Q.A7)

Value	Label	Frequency	%
0	0 - No	14,444	44.6%
1	1 - Yes	2,980	9.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,260	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCMEDHIV: Pharmacotherapies for HIV treatment (Q.A7)

Value	Label	Frequency	%
0	0 - No	15,458	47.8%
1	1 - Yes	1,962	6.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,264	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCMEDPREEXP: Pharmacotherapies for pre-exposure prophylaxis (Q.A7)

Value	Label	Frequency	%
0	0 - No	16,425	50.7%
1	1 - Yes	987	3.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,272	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCMEDHCV: Pharmacotherapies for Hepatitis C (HCV) treatment (Q.A7)

Value	Label	Frequency	%
0	0 - No	15,217	47.0%
1	1 - Yes	2,204	6.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,263	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCMEDLOFE: Pharmacotherapies lofexidine (Q.A7)

Value	Label	Frequency	%
0	0 - No	16,244	50.2%
1	1 - Yes	1,163	3.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,277	31.7%
Total		32,371	100%

Variable Type: numeric

SRVCMEDCLON: Pharmacotherapies clonidine (Q.A7)

Value	Label	Frequency	%
0	0 - No	11,678	36.1%
1	1 - Yes	5,766	17.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,240	31.6%
Total		32,371	100%

Variable Type: numeric

SRVCMEDOTHCOND: Pharmacotherapies for other medical conditions (Q.A7)

Value	Label	Frequency	%
0	0 - No	14,871	45.9%
1	1 - Yes	2,552	7.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,261	31.7%
Total		32,371	100%

Variable Type: numeric

NOPHARMSRVC: None of the above pharmacotherapies (Q.A7)

Value	Label	Frequency	%
0	0 - No	12,518	38.7%
1	1 - Yes	5,045	15.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,121	31.3%
Total		32,371	100%

Variable Type: numeric

OTXNOMED: Drugs may originate at another site (Q.A8)

Value	Label	Frequency	%
0	0 - No	8,237	25.4%
1	1 - Yes	9,284	28.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,163	31.4%
Total		32,371	100%

Variable Type: numeric

OTXNAL: Uses naltrexone to treat opioid use disorder (Q.A8)

Value	Label	Frequency	%
0	0 - No	10,404	32.1%
1	1 - Yes	7,055	21.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,225	31.6%
Total		32,371	100%

Variable Type: numeric

OTXBUP: Uses buprenorphine to treat opioid use disorder (Q.A8)

Value	Label	Frequency	%
0	0 - No	10,120	31.3%
1	1 - Yes	7,350	22.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,214	31.6%
Total		32,371	100%

Variable Type: numeric

OTXFEDOTP: Federally-certified Opioid Treatment Program (OTP) (Q.A8)

Value	Label	Frequency	%
0	0 - No	15,468	47.8%
1	1 - Yes	1,978	6.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,238	31.6%
Total		32,371	100%

Variable Type: numeric

OTXFREE: Treats opioid addiction, but without methadone, buprenorphine, and/or naltrexone (Q.A8)

Value	Label	Frequency	%
0	0 - No	16,401	50.7%
1	1 - Yes	1,046	3.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,237	31.6%
Total		32,371	100%

Variable Type: numeric

OTXPAIN: Uses methadone or buprenorphine for other purposes (Q.A8)

Value	Label	Frequency	%
0	0 - No	16,335	50.5%
1	1 - Yes	1,097	3.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,252	31.7%
Total		32,371	100%

Variable Type: numeric

OTXNONE: Does not treat opioid use disorder (Q.A8)

Value	Label	Frequency	%
0	0 - No	15,384	47.5%
1	1 - Yes	2,213	6.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,087	31.2%
Total		32,371	100%

Variable Type: numeric

OUDWNET: Opioid use disorder medication source, prescribing entity in network (Q.A8a)

Value	Label	Frequency	%
0	0 - No	5,963	18.4%
1	1 - Yes	3,293	10.2%
L	L - Logical Skip	13,118	40.5%
M	M - Missing Data	9,997	30.9%
Total		32,371	100%

Variable Type: numeric

OUDWBUSREL: Opioid use disorder medication source, referral relationship with prescribing entity**(Q.A8a)**

Value	Label	Frequency	%
0	0 - No	5,514	17.0%
1	1 - Yes	3,742	11.6%
L	L - Logical Skip	13,118	40.5%
M	M - Missing Data	9,997	30.9%
Total		32,371	100%

Variable Type: numeric

**OUDWPERPROV: Opioid use disorder medication source, personal physician/health care provider
(Q.A8a)**

Value	Label	Frequency	%
0	0 - No	2,851	8.8%
1	1 - Yes	6,405	19.8%
L	L - Logical Skip	13,118	40.5%
M	M - Missing Data	9,997	30.9%
Total		32,371	100%

Variable Type: numeric

ONLYOUD: Serve only opioid use disorder clients (Q.A8b)

Value	Label	Frequency	%
0	0 - No	13,242	40.9%
1	1 - Yes	1,227	3.8%
L	L - Logical Skip	7,907	24.4%
M	M - Missing Data	9,995	30.9%
Total		32,371	100%

Variable Type: numeric

OPIOIDMAINT: Maintenance services with methadone or buprenorphine (Q.A8c)

Value	Label	Frequency	%
0	0 - No	2,604	8.0%
1	1 - Yes	6,574	20.3%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	10,063	31.1%
Total		32,371	100%

Variable Type: numeric

OPIOIDDRAW: Maintenance services with medical supervised withdrawal after period of stabilization
(Q.A8c)

Value	Label	Frequency	%
0	0 - No	4,740	14.6%
1	1 - Yes	4,424	13.7%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	10,077	31.1%
Total		32,371	100%

Variable Type: numeric

OPIOIDDETOX: Detoxification from opioids of use with methadone or buprenorphine (Q.A8c)

Value	Label	Frequency	%
0	0 - No	6,130	18.9%
1	1 - Yes	3,023	9.3%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	10,088	31.2%
Total		32,371	100%

Variable Type: numeric

OPIOIDDLOFE: Detoxification from opioids of use with lofexidine or clonidine (Q.A8c)

Value	Label	Frequency	%
0	0 - No	7,279	22.5%
1	1 - Yes	1,863	5.8%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	10,099	31.2%
Total		32,371	100%

Variable Type: numeric

OPIOIDNAL: Relapse prevention with naltrexone (Q.A8c)

Value	Label	Frequency	%
0	0 - No	3,327	10.3%
1	1 - Yes	5,839	18.0%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	10,075	31.1%
Total		32,371	100%

Variable Type: numeric

OPIOIDOTH: Medication services other (Q.A8c)

Value	Label	Frequency	%
0	0 - No	6,655	20.6%
1	1 - Yes	1,216	3.8%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	11,370	35.1%
Total		32,371	100%

Variable Type: numeric

NOOPIOIDMEDSRVC: None of the above medication services (Q.A8c)

Value	Label	Frequency	%
0	0 - No	8,404	26.0%
1	1 - Yes	784	2.4%
L	L - Logical Skip	13,130	40.6%
M	M - Missing Data	10,053	31.1%
Total		32,371	100%

Variable Type: numeric

AUDTXMEDELSE: Alcohol use disorder treatment but drugs may originate at another site (Q.A9)

Value	Label	Frequency	%
0	0 - No	8,774	27.1%
1	1 - Yes	8,613	26.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,297	31.8%
Total		32,371	100%

Variable Type: numeric

AUDTXDIS: Alcohol use disorder treatment with disulfiram (Q.A9)

Value	Label	Frequency	%
0	0 - No	13,557	41.9%
1	1 - Yes	3,760	11.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,367	32.0%
Total		32,371	100%

Variable Type: numeric

AUDTXNAL: Alcohol use disorder treatment with naltrexone (Q.A9)

Value	Label	Frequency	%
0	0 - No	11,064	34.2%
1	1 - Yes	6,276	19.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,344	32.0%
Total		32,371	100%

Variable Type: numeric

AUDTXACAM: Alcohol use disorder treatment with acamprosate (Q.A9)

Value	Label	Frequency	%
0	0 - No	13,380	41.3%
1	1 - Yes	3,939	12.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,365	32.0%
Total		32,371	100%

Variable Type: numeric

AUDTXFREE: Alcohol use disorder treatment without medication-assisted treatment (Q.A9)

Value	Label	Frequency	%
0	0 - No	14,936	46.1%
1	1 - Yes	2,403	7.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,345	32.0%
Total		32,371	100%

Variable Type: numeric

AUDTXNONE: Does not treat alcohol use disorder (Q.A9)

Value	Label	Frequency	%
0	0 - No	14,908	46.1%
1	1 - Yes	2,556	7.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,220	31.6%
Total		32,371	100%

Variable Type: numeric

AUDWNET: Alcohol use disorder medication source, prescribing entity in network (Q.A9a)

Value	Label	Frequency	%
0	0 - No	7,289	22.5%
1	1 - Yes	5,372	16.6%
L	L - Logical Skip	9,705	30.0%
M	M - Missing Data	10,005	30.9%
Total		32,371	100%

Variable Type: numeric

AUDWBUSREL: Alcohol use disorder medication source, referral relationship with prescribing entity**(Q.A9a)**

Value	Label	Frequency	%
0	0 - No	8,251	25.5%
1	1 - Yes	4,410	13.6%
L	L - Logical Skip	9,705	30.0%
M	M - Missing Data	10,005	30.9%
Total		32,371	100%

Variable Type: numeric

AUDWPERPROV: Alcohol use disorder medication source, personal physician/health care provider**(Q.A9a)**

Value	Label	Frequency	%
0	0 - No	4,769	14.7%
1	1 - Yes	7,893	24.4%
L	L - Logical Skip	9,705	30.0%
M	M - Missing Data	10,004	30.9%
Total		32,371	100%

Variable Type: numeric

ONLYAUD: Serve only alcohol use disorder clients (Q.A9b)

Value	Label	Frequency	%
0	0 - No	14,753	45.6%
1	1 - Yes	139	0.4%
L	L - Logical Skip	7,494	23.2%
M	M - Missing Data	9,985	30.8%
Total		32,371	100%

Variable Type: numeric

SACOUNOPIOID: Frequently uses substance use counseling for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,277	3.9%
1	1 - Yes	14,351	44.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,056	37.2%
Total		32,371	100%

Variable Type: numeric

SACOUNOTHSUB: Frequently uses substance use counseling for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,145	3.5%
1	1 - Yes	14,481	44.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,058	37.2%
Total		32,371	100%

Variable Type: numeric

_12STEPOPIOID: Frequently uses 12-step facilitation for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	743	2.3%
1	1 - Yes	6,901	21.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	20,040	61.9%
Total		32,371	100%

Variable Type: numeric

_12STEPOTHSUB: Frequently uses 12-step facilitation for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	450	1.4%
1	1 - Yes	7,187	22.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	20,047	61.9%
Total		32,371	100%

Variable Type: numeric

BRIEOFOPID: Frequently uses brief intervention for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,134	3.5%
1	1 - Yes	9,669	29.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	16,881	52.1%
Total		32,371	100%

Variable Type: numeric

BRIEFOTHSUB: Frequently uses brief intervention for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	675	2.1%
1	1 - Yes	10,132	31.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	16,877	52.1%
Total		32,371	100%

Variable Type: numeric

COGBTOPIOD: Frequently uses cognitive behavior therapy for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,416	4.4%
1	1 - Yes	13,145	40.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,123	40.5%
Total		32,371	100%

Variable Type: numeric

COGBTOTHSUB: Frequently uses cognitive behavior therapy for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	913	2.8%
1	1 - Yes	13,657	42.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,114	40.5%
Total		32,371	100%

Variable Type: numeric

**CONMGMTOID: Frequently uses contingency management/motivational incentives for opioid use
(Q.A10)**

Value	Label	Frequency	%
0	0 - No	669	2.1%
1	1 - Yes	6,082	18.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	20,933	64.7%
Total		32,371	100%

Variable Type: numeric

CONMGMTOTHSUB: Frequently uses contingency management/motivational incentives for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	612	1.9%
1	1 - Yes	6,127	18.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	20,945	64.7%
Total		32,371	100%

Variable Type: numeric

MOTIVATEOPIOID: Frequently uses motivational interviewing for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,264	3.9%
1	1 - Yes	13,300	41.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,120	40.5%
Total		32,371	100%

Variable Type: numeric

MOTIVATEOTHSUB: Frequently uses motivational interviewing for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	997	3.1%
1	1 - Yes	13,575	41.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,112	40.5%
Total		32,371	100%

Variable Type: numeric

TRAUMACOPIOID: Frequently uses trauma-related counseling for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,204	3.7%
1	1 - Yes	11,507	35.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	14,973	46.3%
Total		32,371	100%

Variable Type: numeric

TRAUMACOTHSUB: Frequently uses trauma-related counseling for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	674	2.1%
1	1 - Yes	12,045	37.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	14,965	46.2%
Total		32,371	100%

Variable Type: numeric

ANGERMOPIOD: Frequently uses anger management for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,200	3.7%
1	1 - Yes	9,570	29.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	16,914	52.3%
Total		32,371	100%

Variable Type: numeric

ANGERMOTHSUB: Frequently uses anger management for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	619	1.9%
1	1 - Yes	10,152	31.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	16,913	52.2%
Total		32,371	100%

Variable Type: numeric

MATRIXMOPIOID: Frequently uses matrix model for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	528	1.6%
1	1 - Yes	5,417	16.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	21,739	67.2%
Total		32,371	100%

Variable Type: numeric

MATRIXMOTHSUB: Frequently uses matrix model for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	446	1.4%
1	1 - Yes	5,497	17.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	21,741	67.2%
Total		32,371	100%

Variable Type: numeric

CRVOUCHEROPIOID: Frequently uses community reinforcement plus vouchers for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	285	0.9%
1	1 - Yes	1,285	4.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	26,114	80.7%
Total		32,371	100%

Variable Type: numeric

**CRVOUCHEROHTHSUB: Frequently uses community reinforcement plus vouchers for other substances
(Q.A10)**

Value	Label	Frequency	%
0	0 - No	219	0.7%
1	1 - Yes	1,339	4.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	26,126	80.7%
Total		32,371	100%

Variable Type: numeric

RELPREVOPIOID: Frequently uses relapse prevention for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,104	3.4%
1	1 - Yes	13,368	41.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,212	40.8%
Total		32,371	100%

Variable Type: numeric

RELPREVOTHSUB: Frequently uses relapse prevention for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,176	3.6%
1	1 - Yes	13,295	41.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,213	40.8%
Total		32,371	100%

Variable Type: numeric

TELEMEDOPIOID: Frequently uses telemedicine/telehealth therapy for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,201	3.7%
1	1 - Yes	11,280	34.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	15,203	47.0%
Total		32,371	100%

Variable Type: numeric

TELEMEDOTHSUB: Frequently uses telemedicine/telehealth therapy for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	1,003	3.1%
1	1 - Yes	11,486	35.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	15,195	46.9%
Total		32,371	100%

Variable Type: numeric

APPRCHOTHOPIOID: Frequently uses other treatment approach for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	292	0.9%
1	1 - Yes	1,960	6.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	25,432	78.6%
Total		32,371	100%

Variable Type: numeric

APPRCHOTHOTHSUB: Frequently uses other treatment approach for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	191	0.6%
1	1 - Yes	2,057	6.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	25,436	78.6%
Total		32,371	100%

Variable Type: numeric

NOAPPRCHOPIOID: No clinical/therapeutic approaches for opioid use (Q.A10)

Value	Label	Frequency	%
0	0 - No	15,580	48.1%
1	1 - Yes	13	0.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	12,091	37.4%
Total		32,371	100%

Variable Type: numeric

NOAPPRCHOTHSUB: No clinical/therapeutic approaches for other substances (Q.A10)

Value	Label	Frequency	%
0	0 - No	15,474	47.8%
1	1 - Yes	449	1.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,761	36.3%
Total		32,371	100%

Variable Type: numeric

DUI_DWI: Program for clients driving under the influence/driving while intoxicated (DUI/DWI)/other offenders (Q.A11)

Value	Label	Frequency	%
0	0 - No	14,269	44.1%
1	1 - Yes	3,264	10.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,151	31.4%
Total		32,371	100%

Variable Type: numeric

ONLYDUI: All substance use treatment for clients driving under the influence/driving while intoxicated (DUI/DWI) (Q.A11a)

Value	Label	Frequency	%
0	0 - No	3,180	9.8%
1	1 - Yes	68	0.2%
L	L - Logical Skip	19,138	59.1%
M	M - Missing Data	9,985	30.8%
Total		32,371	100%

Variable Type: numeric

MARIJUANA: All substance use treatment services for marijuana (Q.A12)

Value	Label	Frequency	%
0	0 - No	882	2.7%
1	1 - Yes	13,661	42.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,141	40.6%
Total		32,371	100%

Variable Type: numeric

STIMULANTS: All substance use treatment services for stimulants (Q.A12)

Value	Label	Frequency	%
0	0 - No	819	2.5%
1	1 - Yes	13,722	42.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,143	40.6%
Total		32,371	100%

Variable Type: numeric

OTHSUB: All substance use treatment services for other substances (Q.A12)

Value	Label	Frequency	%
0	0 - No	9,775	30.2%
1	1 - Yes	4,760	14.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	13,149	40.6%
Total		32,371	100%

Variable Type: numeric

SIGNLANG_SU: Substance use treatment in sign language (Q.A13)

Value	Label	Frequency	%
0	0 - No	10,503	32.4%
1	1 - Yes	7,017	21.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,164	31.4%
Total		32,371	100%

Variable Type: numeric

LANG_SU: Substance use treatment in language other than English (Q.A14)

Value	Label	Frequency	%
0	0 - No	7,978	24.6%
1	1 - Yes	9,514	29.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,192	31.5%
Total		32,371	100%

Variable Type: numeric

LANGPROV_SU: Substance use treatment language provided by staff counselor/interpreter/both**(Q.A14a)**

Value	Label	Frequency	%
1	1 - Staff counselor who speaks a language other than English	1,645	5.1%
2	2 - On-call interpreter brought in when needed	5,116	15.8%
3	3 - Both staff counselor and on-call interpreter	2,728	8.4%
L	L - Logical Skip	12,888	39.8%
M	M - Missing Data	9,994	30.9%
Total		32,371	100%

Variable Type: numeric

LANG16_SU: Staff counselors provide substance use treatment in Spanish (Q.A14a1)

Value	Label	Frequency	%
0	0 - No	534	1.6%
1	1 - Yes	3,824	11.8%
L	L - Logical Skip	18,029	55.7%
M	M - Missing Data	9,984	30.8%
Total		32,371	100%

Variable Type: numeric

LANG_B_SU: Staff counselors provide substance use treatment in any other language (Q.A14a2)

Value	Label	Frequency	%
0	0 - No	2,814	8.7%
1	1 - Yes	988	3.1%
L	L - Logical Skip	18,563	57.3%
M	M - Missing Data	10,006	30.9%
Total		32,371	100%

Variable Type: numeric

LANG1_SU: Substance use treatment in Hopi (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,110	3.4%
1	1 - Yes	21	0.1%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG2_SU: Substance use treatment in Lakota (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,114	3.4%
1	1 - Yes	17	0.1%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG3_SU: Substance use treatment in Navajo (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,077	3.3%
1	1 - Yes	54	0.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG21_SU: Substance use treatment in Ojibwa (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,119	3.5%
1	1 - Yes	12	0.0%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG4_SU: Substance use treatment in Yupik (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,118	3.5%
1	1 - Yes	13	0.0%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG5_SU: Substance use treatment in other American Indian/Alaska Native (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,092	3.4%
1	1 - Yes	26	0.1%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,373	32.0%
Total		32,371	100%

Variable Type: numeric

LANG6_SU: Substance use treatment in Arabic (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,006	3.1%
1	1 - Yes	125	0.4%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG7_SU: Substance use treatment in Chinese (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,010	3.1%
1	1 - Yes	121	0.4%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG8_SU: Substance use treatment in Creole (Q.A14b)

Value	Label	Frequency	%
0	0 - No	977	3.0%
1	1 - Yes	154	0.5%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG24_SU: Substance use treatment in Farsi (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,034	3.2%
1	1 - Yes	97	0.3%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG9_SU: Substance use treatment in French (Q.A14b)

Value	Label	Frequency	%
0	0 - No	973	3.0%
1	1 - Yes	158	0.5%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG10_SU: Substance use treatment in German (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,066	3.3%
1	1 - Yes	65	0.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG22_SU: Substance use treatment in Greek (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,090	3.4%
1	1 - Yes	41	0.1%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG25_SU: Substance use treatment in Hebrew (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,059	3.3%
1	1 - Yes	72	0.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG26_SU: Substance use treatment in Hindi (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,021	3.2%
1	1 - Yes	110	0.3%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG11_SU: Substance use treatment in Hmong (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,082	3.3%
1	1 - Yes	49	0.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG19_SU: Substance use treatment in Italian (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,051	3.2%
1	1 - Yes	80	0.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG23_SU: Substance use treatment in Japanese (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,074	3.3%
1	1 - Yes	57	0.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG12_SU: Substance use treatment in Korean (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,043	3.2%
1	1 - Yes	88	0.3%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG13_SU: Substance use treatment in Polish (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,009	3.1%
1	1 - Yes	122	0.4%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG14_SU: Substance use treatment in Portuguese (Q.A14b)

Value	Label	Frequency	%
0	0 - No	969	3.0%
1	1 - Yes	162	0.5%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG15_SU: Substance use treatment in Russian (Q.A14b)

Value	Label	Frequency	%
0	0 - No	965	3.0%
1	1 - Yes	166	0.5%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
Total		32,371	100%

Variable Type: numeric

LANG20_SU: Substance use treatment in Tagalog (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,035	3.2%
1	1 - Yes	96	0.3%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG17_SU: Substance use treatment in Vietnamese (Q.A14b)

Value	Label	Frequency	%
0	0 - No	1,042	3.2%
1	1 - Yes	89	0.3%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,360	32.0%
	Total	32,371	100%

Variable Type: numeric

LANG18_SU: Substance use treatment in other language (Q.A14b)

Value	Label	Frequency	%
0	0 - No	737	2.3%
1	1 - Yes	382	1.2%
L	L - Logical Skip	20,880	64.5%
M	M - Missing Data	10,372	32.0%
	Total	32,371	100%

Variable Type: numeric

FEMALESRV: Females served by this facility (Q.A15)

Value	Label	Frequency	%
0	0 - No	896	2.8%
1	1 - Yes	16,603	51.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,185	31.5%
	Total	32,371	100%

Variable Type: numeric

MALESRV: Males served by this facility (Q.A15)

Value	Label	Frequency	%
0	0 - No	874	2.7%
1	1 - Yes	16,692	51.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,118	31.3%
Total		32,371	100%

Variable Type: numeric

FEMALEMINYRS: Females lowest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	2,398	7.4%
13-17	13-17	1,722	5.3%
18-25	18-25	8,741	27.0%
26-64	26-64	35	0.1%
L	L - Logical Skip	9,326	28.8%
M	M - Missing Data	10,149	31.4%
Total		32,371	100%

Variable Type: numeric

FEMALENOMIN: Females no minimum age served (Q.A15)

Value	Label	Frequency	%
0	0 - Minimum Age	12,895	39.8%
1	1 - No Minimum Age	3,527	10.9%
L	L - Logical Skip	5,799	17.9%
M	M - Missing Data	10,150	31.4%
Total		32,371	100%

Variable Type: numeric

FEMALEMAXYRS: Females highest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	21	0.1%
13-17	13-17	219	0.7%
18-25	18-25	620	1.9%
26-64	26-64	134	0.4%
65 +	65 +	494	1.5%
L	L - Logical Skip	20,444	63.2%
M	M - Missing Data	10,439	32.2%
Total		32,371	100%

Variable Type: numeric

FEMALENOMAX: Females no maximum age served (Q.A15)

Value	Label	Frequency	%
0	0 - Maximum Age	1,488	4.6%
1	1 - No Maximum Age	14,645	45.2%
L	L - Logical Skip	5,799	17.9%
M	M - Missing Data	10,439	32.2%
	Total	32,371	100%

Variable Type: numeric

MALEMINYRS: Males lowest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	2,403	7.4%
13-17	13-17	1,739	5.4%
18-25	18-25	8,800	27.2%
26-64	26-64	36	0.1%
L	L - Logical Skip	9,260	28.6%
M	M - Missing Data	10,133	31.3%
Total		32,371	100%

Variable Type: numeric

MALENOMIN: Males no minimum age served (Q.A15)

Value	Label	Frequency	%
0	0 - Minimum Age	12,978	40.1%
1	1 - No Minimum Age	3,550	11.0%
L	L - Logical Skip	5,710	17.6%
M	M - Missing Data	10,133	31.3%
Total		32,371	100%

Variable Type: numeric

MALEMAXYRS: Males highest age served (Q.A15)

Value	Label	Frequency	%
0-12	0-12	13	0.0%
13-17	13-17	230	0.7%
18-25	18-25	623	1.9%
26-64	26-64	128	0.4%
65 +	65 +	560	1.7%
L	L - Logical Skip	20,466	63.2%
M	M - Missing Data	10,351	32.0%
Total		32,371	100%

Variable Type: numeric

MALENOMAX: Males no maximum age served (Q.A15)

Value	Label	Frequency	%
0	0 - Maximum Age	1,554	4.8%
1	1 - No Maximum Age	14,756	45.6%
L	L - Logical Skip	5,710	17.6%
M	M - Missing Data	10,351	32.0%
	Total	32,371	100%

Variable Type: numeric

SRVC30: Specific program/group for adolescents (Q.A15a)

Value	Label	Frequency	%
0	0 - No	12,226	37.8%
1	1 - Yes	4,323	13.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,135	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC120: Specific program/group for young adults (Q.A15a)

Value	Label	Frequency	%
0	0 - No	10,510	32.5%
1	1 - Yes	6,051	18.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,123	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC34: Specific program/group for adult women (Q.A15a)

Value	Label	Frequency	%
0	0 - No	7,670	23.7%
1	1 - Yes	8,914	27.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,100	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC33: Specific program/group for pregnant/postpartum women (Q.A15a)

Value	Label	Frequency	%
0	0 - No	11,430	35.3%
1	1 - Yes	5,121	15.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,133	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC64: Specific program/group for adult men (Q.A15a)

Value	Label	Frequency	%
0	0 - No	7,836	24.2%
1	1 - Yes	8,755	27.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,093	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC63_SU: Specific program/group for seniors or older adults (Q.A15a)

Value	Label	Frequency	%
0	0 - No	11,334	35.0%
1	1 - Yes	5,229	16.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,121	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC62_SU: Specific program/group for lesbian, gay, bisexual, transgender, queer/questioning (LGBTQ) (Q.A15a)

Value	Label	Frequency	%
0	0 - No	11,188	34.6%
1	1 - Yes	5,378	16.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,118	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC113_SU: Specific program/group for Veterans (Q.A15a)

Value	Label	Frequency	%
0	0 - No	11,506	35.5%
1	1 - Yes	5,059	15.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,119	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC114_SU: Specific program/group for active duty military (Q.A15a)

Value	Label	Frequency	%
0	0 - No	13,392	41.4%
1	1 - Yes	3,147	9.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,145	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC115_SU: Specific program/group for members of military families (Q.A15a)

Value	Label	Frequency	%
0	0 - No	12,954	40.0%
1	1 - Yes	3,592	11.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,138	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC61_SU: Specific program/group for criminal justice clients (Q.A15a)

Value	Label	Frequency	%
0	0 - No	9,632	29.8%
1	1 - Yes	6,943	21.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,109	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC31_SU: Specific program/group for clients with co-occurring disorders (Q.A15a)

Value	Label	Frequency	%
0	0 - No	6,392	19.7%
1	1 - Yes	10,201	31.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,091	34.3%
Total		32,371	100%

Variable Type: numeric

SRVCPAINSA: Specific program/group for clients with co-occurring pain and substance use (Q.A15a)

Value	Label	Frequency	%
0	0 - No	11,804	36.5%
1	1 - Yes	4,758	14.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,122	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC32_SU: Specific program/group for clients with HIV or AIDS (Q.A15a)

Value	Label	Frequency	%
0	0 - No	12,163	37.6%
1	1 - Yes	4,395	13.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,126	34.4%
Total		32,371	100%

Variable Type: numeric

SRVC121: Specific program/group for clients who have experienced sexual abuse (Q.A15a)

Value	Label	Frequency	%
0	0 - No	10,563	32.6%
1	1 - Yes	6,004	18.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,117	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC122_SU: Specific program/group for clients who have experienced domestic violence (Q.A15a)

Value	Label	Frequency	%
0	0 - No	10,640	32.9%
1	1 - Yes	5,928	18.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,116	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC116_SU: Specific program/group for clients who have experienced trauma (Q.A15a)

Value	Label	Frequency	%
0	0 - No	7,965	24.6%
1	1 - Yes	8,615	26.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,104	34.3%
Total		32,371	100%

Variable Type: numeric

SRVC35_SU: Specific program/group for other groups (Q.A15a)

Value	Label	Frequency	%
0	0 - No	15,046	46.5%
1	1 - Yes	1,470	4.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,168	34.5%
Total		32,371	100%

Variable Type: numeric

NOSPECGRP_SU: None of the above are offered specifically tailored programs (Q.A15a)

Value	Label	Frequency	%
0	0 - No	13,962	43.1%
1	1 - Yes	2,710	8.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	11,012	34.0%
Total		32,371	100%

Variable Type: numeric

EARMARK: Receive any federal, state, county, or local funds (Q.A16)

Value	Label	Frequency	%
1	1 - Yes	8,442	26.1%
2	2 - No	7,804	24.1%
3	3 - Don't Know	1,244	3.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,194	31.5%
Total		32,371	100%

Variable Type: numeric

REVCHK3: Free treatment to all clients (Q.A17)

Value	Label	Frequency	%
0	0 - No	16,976	52.4%
1	1 - Yes	382	1.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,326	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK1_SU: Substance use-accepts cash or self-payment (Q.A17)

Value	Label	Frequency	%
0	0 - No	2,007	6.2%
1	1 - Yes	15,341	47.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK8_SU: Accepts Medicare payments (Q.A17)

Value	Label	Frequency	%
0	0 - No	8,847	27.3%
1	1 - Yes	8,501	26.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK5_SU: Accepts Medicaid payments (Q.A17)

Value	Label	Frequency	%
0	0 - No	4,322	13.4%
1	1 - Yes	13,026	40.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK10_SU: Accepts state financed health insurance (Q.A17)

Value	Label	Frequency	%
0	0 - No	8,723	26.9%
1	1 - Yes	8,625	26.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK15_SU: Accepts federal military insurance such as uniformed services health care program (TRICARE) (Q.A17)

Value	Label	Frequency	%
0	0 - No	10,035	31.0%
1	1 - Yes	7,313	22.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK2_SU: Accepts private health insurance (Q.A17)

Value	Label	Frequency	%
0	0 - No	4,339	13.4%
1	1 - Yes	13,009	40.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK4_SU: Accepts SAMHSA funding/block grant (Q.A17)

Value	Label	Frequency	%
0	0 - No	13,774	42.6%
1	1 - Yes	3,574	11.0%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK17_SU: Accepts Indian Health Service (IHS)/Tribal/Urban (ITU) funds (Q.A17)

Value	Label	Frequency	%
0	0 - No	15,423	47.6%
1	1 - Yes	1,925	5.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,336	31.9%
Total		32,371	100%

Variable Type: numeric

REVCHK2A_SU: Accepts other payments (Q.A17)

Value	Label	Frequency	%
0	0 - No	16,239	50.2%
1	1 - Yes	909	2.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,536	32.5%
Total		32,371	100%

Variable Type: numeric

HOSPITAL: Located in/operated by hospital (Q.A18)

Value	Label	Frequency	%
0	0 - No	15,623	48.3%
1	1 - Yes	1,883	5.8%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,178	31.4%
Total		32,371	100%

Variable Type: numeric

LOCS: Hospital type (Q.A18a)

Value	Label	Frequency	%
1	1 - General	1,306	4.0%
2	2 - Psychiatric	488	1.5%
3	3 - Other specialty	79	0.2%
L	L - Logical Skip	20,518	63.4%
M	M - Missing Data	9,980	30.8%
Total		32,371	100%

Variable Type: numeric

SNF: Provide skilled nursing facility (Q.A19)

Value	Label	Frequency	%
0	0 - No	16,464	50.9%
1	1 - Yes	288	0.9%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,932	33.8%
Total		32,371	100%

Variable Type: numeric

LOC5: Transitional, halfway or sober housing (Q.A20)

Value	Label	Frequency	%
0	0 - No	16,108	49.8%
1	1 - Yes	1,466	4.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,110	31.2%
Total		32,371	100%

Variable Type: numeric

LICENSED_SU: Licensed/certified by state substance use agency (Q.A21)

Value	Label	Frequency	%
0	0 - No	5,284	16.3%
1	1 - Yes	11,712	36.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,688	33.0%
Total		32,371	100%

Variable Type: numeric

LICENMH_SU: Licensed/certified by mental health department (Q.A21)

Value	Label	Frequency	%
0	0 - No	10,121	31.3%
1	1 - Yes	6,835	21.1%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,728	33.1%
Total		32,371	100%

Variable Type: numeric

LICENPH_SU: Licensed/certified by state health department (Q.A21)

Value	Label	Frequency	%
0	0 - No	9,273	28.6%
1	1 - Yes	7,685	23.7%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,726	33.1%
Total		32,371	100%

Variable Type: numeric

LICENHOS_SU: Licensed/certified by hospital authority (Q.A21)

Value	Label	Frequency	%
0	0 - No	16,094	49.7%
1	1 - Yes	822	2.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,768	33.3%
Total		32,371	100%

Variable Type: numeric

JCAHO_SU: Accredited by the Joint Commission (JC) (Q.A21)

Value	Label	Frequency	%
0	0 - No	12,646	39.1%
1	1 - Yes	4,294	13.3%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,744	33.2%
	Total	32,371	100%

Variable Type: numeric

CARF_SU: Accredited by Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.A21)

Value	Label	Frequency	%
0	0 - No	11,893	36.7%
1	1 - Yes	5,050	15.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,741	33.2%
Total		32,371	100%

Variable Type: numeric

NCQA: Accredited National Committee for Quality Assurance (NCQA) (Q.A21)

Value	Label	Frequency	%
0	0 - No	16,535	51.1%
1	1 - Yes	380	1.2%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,769	33.3%
Total		32,371	100%

Variable Type: numeric

COA_SU: Accredited by Council on Accreditation (COA) (Q.A21)

Value	Label	Frequency	%
0	0 - No	16,083	49.7%
1	1 - Yes	832	2.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,769	33.3%
Total		32,371	100%

Variable Type: numeric

HFAP: Accredited by Healthcare Facilities Accreditation Program (HFAP) (Q.A21)

Value	Label	Frequency	%
0	0 - No	16,760	51.8%
1	1 - Yes	155	0.5%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,769	33.3%
Total		32,371	100%

Variable Type: numeric

OTP: Accredited by SAMHSA certification for opioid treatment program (OTP) (Q.A21)

Value	Label	Frequency	%
0	0 - No	15,173	46.9%
1	1 - Yes	1,753	5.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,758	33.2%
Total		32,371	100%

Variable Type: numeric

DEA: Accredited by Drug Enforcement Agency (DEA) (Q.A21)

Value	Label	Frequency	%
0	0 - No	15,100	46.6%
1	1 - Yes	1,826	5.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,758	33.2%
Total		32,371	100%

Variable Type: numeric

OTHSTATE_SU: Accredited by other federal/state/local agency (Q.A21)

Value	Label	Frequency	%
0	0 - No	15,749	48.7%
1	1 - Yes	1,174	3.6%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,761	33.2%
Total		32,371	100%

Variable Type: numeric

NOLICEN_SU: Not licensed, certified or accredited for substance use services (Q.A21)

Value	Label	Frequency	%
0	0 - No	16,006	49.4%
1	1 - Yes	1,089	3.4%
L	L - Logical Skip	4,687	14.5%
M	M - Missing Data	10,589	32.7%
Total		32,371	100%

Variable Type: numeric

MHINTAKE: Offered mental health intake (Q.B1)

Value	Label	Frequency	%
0	0 - No	828	2.6%
1	1 - Yes	9,332	28.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

MHDIAEVAL: Offered mental health diagnostic evaluation (Q.B1)

Value	Label	Frequency	%
0	0 - No	852	2.6%
1	1 - Yes	9,308	28.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

MHREFERRAL: Offered mental health information and/or referral (Q.B1)

Value	Label	Frequency	%
0	0 - No	1,359	4.2%
1	1 - Yes	8,801	27.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

MENTALHTHSERV: Offered mental health treatment (Q.B1)

Value	Label	Frequency	%
0	0 - No	28	0.1%
1	1 - Yes	10,115	31.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,986	30.8%
Total		32,371	100%

Variable Type: numeric

SMISEDSUD_MH: Offered co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorder (SUD) (Q.B1)

Value	Label	Frequency	%
0	0 - No	2,535	7.8%
1	1 - Yes	7,606	23.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,988	30.9%
Total		32,371	100%

Variable Type: numeric

TREATMT_MH: Offered substance use treatment (Q.B1)

Value	Label	Frequency	%
0	0 - No	4,328	13.4%
1	1 - Yes	5,832	18.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

ADMINSERV: Offered administrative or operational services for mental health treatment facilities (Q.B1)

Value	Label	Frequency	%
0	0 - No	4,705	14.5%
1	1 - Yes	5,455	16.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SETTINGIP: 24-hour hospital inpatient (Q.B2)

Value	Label	Frequency	%
0	0 - No	8,828	27.3%
1	1 - Yes	1,315	4.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,986	30.8%
Total		32,371	100%

Variable Type: numeric

SETTINGRC: 24-hour residential (Q.B2)

Value	Label	Frequency	%
0	0 - No	8,572	26.5%
1	1 - Yes	1,571	4.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,986	30.8%
Total		32,371	100%

Variable Type: numeric

SETTINGDTPH: Partial hospitalization/day treatment (Q.B2)

Value	Label	Frequency	%
0	0 - No	8,693	26.9%
1	1 - Yes	1,450	4.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,986	30.8%
Total		32,371	100%

Variable Type: numeric

SETTINGOP: Outpatient (Q.B2)

Value	Label	Frequency	%
0	0 - No	2,095	6.5%
1	1 - Yes	8,046	24.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,988	30.9%
Total		32,371	100%

Variable Type: numeric

FACILITYTYPE: Facility type (Q.B3)

Value	Label	Frequency	%
1	1 - Psychiatric hospital	436	1.3%
2	2 - Separate inpatient psychiatric unit of a general hospital	698	2.2%
3	3 - State hospital	22	0.1%
4	4 - Residential treatment center for children	456	1.4%
5	5 - Residential treatment center for adults	664	2.1%
6	6 - Other type of residential treatment facility	56	0.2%
7	7 - VAMC or other VA health care facility	417	1.3%
8	8 - Community Mental Health Center (CMHC)	2,025	6.3%
9	9 - Certified Community Behavioral Health Clinic (CCBHC)	389	1.2%
10	10 - Partial hospitalization/day treatment facility	329	1.0%
11	11 - Outpatient mental health facility	4,052	12.5%
12	12 - Multi-setting mental health facility	291	0.9%
13	13 - Other	305	0.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,989	30.9%
Total		32,371	100%

Variable Type: numeric

LOC15_MH: Either a solo or small group practice (Q.B4)

Value	Label	Frequency	%
0	0 - No	6,288	19.4%
1	1 - Yes	1,100	3.4%
L	L - Logical Skip	14,991	46.3%
M	M - Missing Data	9,992	30.9%
Total		32,371	100%

Variable Type: numeric

LICCLINIC: Licensed or accredited facility (Q.B4a)

Value	Label	Frequency	%
0	0 - No	102	0.3%
1	1 - Yes	999	3.1%
L	L - Logical Skip	21,277	65.7%
M	M - Missing Data	9,993	30.9%
Total		32,371	100%

Variable Type: numeric

ASSTLIVNURSHC: Assisted living or nursing home care (Q.B5)

Value	Label	Frequency	%
0	0 - No	9,747	30.1%
1	1 - Yes	101	0.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,281	31.8%
Total		32,371	100%

Variable Type: numeric

GRPHOME: Group homes (Q.B5)

Value	Label	Frequency	%
0	0 - No	9,326	28.8%
1	1 - Yes	529	1.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,274	31.7%
Total		32,371	100%

Variable Type: numeric

CLBHOUSESERV: Clubhouse services (Q.B5)

Value	Label	Frequency	%
0	0 - No	9,602	29.7%
1	1 - Yes	248	0.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,279	31.8%
Total		32,371	100%

Variable Type: numeric

SHELTER: Emergency shelter (Q.B5)

Value	Label	Frequency	%
0	0 - No	9,747	30.1%
1	1 - Yes	104	0.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,278	31.8%
Total		32,371	100%

Variable Type: numeric

DEVDIS: Care for individuals with developmental disability (Q.B5)

Value	Label	Frequency	%
0	0 - No	9,232	28.5%
1	1 - Yes	627	1.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,270	31.7%
Total		32,371	100%

Variable Type: numeric

NOSRVCS: None of these services (Q.B5)

Value	Label	Frequency	%
0	0 - No	1,412	4.4%
1	1 - Yes	8,543	26.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,174	31.4%
Total		32,371	100%

Variable Type: numeric

TREATPSYCHOTHRPY: Facility provides individual psychotherapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	784	2.4%
1	1 - Yes	9,282	28.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,063	31.1%
Total		32,371	100%

Variable Type: numeric

TREATFAMTHR PY: Facility provides couples/family therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	2,623	8.1%
1	1 - Yes	7,417	22.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,089	31.2%
Total		32,371	100%

Variable Type: numeric

TREATGRPTHRPY: Facility provides group therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	1,461	4.5%
1	1 - Yes	8,593	26.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,075	31.1%
Total		32,371	100%

Variable Type: numeric

TREATCOGTHR PY: Facility provides cognitive behavioral therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	962	3.0%
1	1 - Yes	9,108	28.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,059	31.1%
Total		32,371	100%

Variable Type: numeric

TREATDIALTHRPY: Facility provides dialectical behavior therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	4,084	12.6%
1	1 - Yes	5,951	18.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,094	31.2%
Total		32,371	100%

Variable Type: numeric

TREATCOGREM: Facility provides cognitive remediation therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	9,490	29.3%
1	1 - Yes	490	1.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,149	31.4%
Total		32,371	100%

Variable Type: numeric

TREATDUALMHSA: Facility provides integrated mental health and substance use treatment (Q.B6)

Value	Label	Frequency	%
0	0 - No	3,821	11.8%
1	1 - Yes	6,204	19.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,104	31.2%
Total		32,371	100%

Variable Type: numeric

TREATACTVTYTHR PY: Facility provides activity therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	5,476	16.9%
1	1 - Yes	4,545	14.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,108	31.2%
Total		32,371	100%

Variable Type: numeric

TREATELECTRO: Facility provides electroconvulsive therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	9,634	29.8%
1	1 - Yes	344	1.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,151	31.4%
Total		32,371	100%

Variable Type: numeric

TREATTMS: Facility provides Transcranial Magnetic Stimulation (TMS) (Q.B6)

Value	Label	Frequency	%
0	0 - No	9,818	30.3%
1	1 - Yes	158	0.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,153	31.4%
Total		32,371	100%

Variable Type: numeric

TREATKIT: Facility provides Ketamine Infusion Therapy (KIT) (Q.B6)

Value	Label	Frequency	%
0	0 - No	9,903	30.6%
1	1 - Yes	72	0.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,154	31.4%
Total		32,371	100%

Variable Type: numeric

TREATEMDR: Facility provides Eye Movement Desensitization and Reprocessing (EDMR) therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	8,177	25.3%
1	1 - Yes	1,823	5.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,129	31.3%
Total		32,371	100%

Variable Type: numeric

TREATTELEMEDINCE: Facility provides telemedicine/telehealth therapy (Q.B6)

Value	Label	Frequency	%
0	0 - No	2,379	7.3%
1	1 - Yes	7,668	23.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,082	31.1%
Total		32,371	100%

Variable Type: numeric

TREATAIMS: Facility provides Abnormal Involuntary Movement Scale (AIMS) Test (Q.B6)

Value	Label	Frequency	%
0	0 - No	7,708	23.8%
1	1 - Yes	2,288	7.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,133	31.3%
Total		32,371	100%

Variable Type: numeric

TREATOTH: Facility provides other mental health treatment approach (Q.B6)

Value	Label	Frequency	%
0	0 - No	9,090	28.1%
1	1 - Yes	893	2.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

NOTREAT: None of these mental health treatment modalities are offered (Q.B6)

Value	Label	Frequency	%
0	0 - No	9,954	30.7%
1	1 - Yes	131	0.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,044	31.0%
Total		32,371	100%

Variable Type: numeric

ANTIPSYCH: Antipsychotics for the treatment of serious mental illness (SMI) (Q.B7)

Value	Label	Frequency	%
0	0 - No	3,122	9.6%
1	1 - Yes	6,823	21.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,184	31.5%
Total		32,371	100%

Variable Type: numeric

CHLOR_NO: Chlorpromazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,381	16.6%
1	1 - Yes	1,283	4.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,128	31.3%
Total		32,371	100%

Variable Type: numeric

CHLOR_ORAL: Chlorpromazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,674	11.3%
1	1 - Yes	2,990	9.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,128	31.3%
Total		32,371	100%

Variable Type: numeric

CHLOR_INJ: Chlorpromazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,693	17.6%
1	1 - Yes	960	3.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,139	31.3%
Total		32,371	100%

Variable Type: numeric

CHLOR_REC: Chlorpromazine, rectal (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,626	20.5%
1	1 - Yes	21	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,145	31.3%
Total		32,371	100%

Variable Type: numeric

CHLOR_DK: Chlorpromazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,393	13.6%
1	1 - Yes	2,272	7.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,127	31.3%
Total		32,371	100%

Variable Type: numeric

DROPE_NO: Droperidol, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,194	9.9%
1	1 - Yes	3,314	10.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,284	31.8%
Total		32,371	100%

Variable Type: numeric

DROPE_INJ: Droperidol, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,322	19.5%
1	1 - Yes	185	0.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,285	31.8%
Total		32,371	100%

Variable Type: numeric

DROPE_DK: Droperidol, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,838	11.9%
1	1 - Yes	2,668	8.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,286	31.8%
Total		32,371	100%

Variable Type: numeric

FLUPH_NO: Fluphenazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,500	17.0%
1	1 - Yes	1,120	3.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,172	31.4%
Total		32,371	100%

Variable Type: numeric

FLUPH_ORAL: Fluphenazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,667	11.3%
1	1 - Yes	2,953	9.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,172	31.4%
Total		32,371	100%

Variable Type: numeric

FLUPH_INJ: Fluphenazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,238	16.2%
1	1 - Yes	1,371	4.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,183	31.5%
Total		32,371	100%

Variable Type: numeric

FLUPH_DK: Fluphenazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,328	13.4%
1	1 - Yes	2,292	7.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,172	31.4%
Total		32,371	100%

Variable Type: numeric

HALOP_NO: Haloperidol, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,084	18.8%
1	1 - Yes	577	1.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,131	31.3%
Total		32,371	100%

Variable Type: numeric

HALOP_ORAL: Haloperidol, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	2,563	7.9%
1	1 - Yes	4,098	12.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,131	31.3%
Total		32,371	100%

Variable Type: numeric

HALOP_INJ: Haloperidol, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,081	12.6%
1	1 - Yes	2,571	7.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,140	31.3%
Total		32,371	100%

Variable Type: numeric

HALOP_DK: Haloperidol, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,878	15.1%
1	1 - Yes	1,783	5.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,131	31.3%
Total		32,371	100%

Variable Type: numeric

LOXAP_NO: Loxapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,734	14.6%
1	1 - Yes	1,912	5.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

LOXAP_ORAL: Loxapine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,550	14.1%
1	1 - Yes	2,096	6.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

LOXAP_INJ: Loxapine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,444	19.9%
1	1 - Yes	193	0.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,155	31.4%
Total		32,371	100%

Variable Type: numeric

LOXAP_INH: Loxapine, inhalation (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,615	20.4%
1	1 - Yes	22	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,155	31.4%
Total		32,371	100%

Variable Type: numeric

LOXAP_DK: Loxapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,105	12.7%
1	1 - Yes	2,540	7.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,147	31.3%
Total		32,371	100%

Variable Type: numeric

PERPH_NO: Perphenazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,110	15.8%
1	1 - Yes	1,540	4.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

PERPH_ORAL: Perphenazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,228	13.1%
1	1 - Yes	2,422	7.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

PERPH_INJ: Perphenazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,403	19.8%
1	1 - Yes	233	0.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,156	31.4%
Total		32,371	100%

Variable Type: numeric

PERPH_DK: Perphenazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,077	12.6%
1	1 - Yes	2,573	7.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

PIMOZ_NO: Pimozide, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,867	11.9%
1	1 - Yes	2,775	8.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,150	31.4%
Total		32,371	100%

Variable Type: numeric

PIMOZ_ORAL: Pimozide, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,618	17.4%
1	1 - Yes	1,023	3.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,151	31.4%
Total		32,371	100%

Variable Type: numeric

PIMOZ_TOP: Pimozide, topical (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,624	20.5%
1	1 - Yes	13	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,155	31.4%
Total		32,371	100%

Variable Type: numeric

PIMOZ_DK: Pimozide, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,897	12.0%
1	1 - Yes	2,745	8.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,150	31.4%
Total		32,371	100%

Variable Type: numeric

PROCH_NO: Prochlorperazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,102	12.7%
1	1 - Yes	2,544	7.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

PROCH_ORAL: Prochlorperazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,426	16.8%
1	1 - Yes	1,218	3.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,148	31.3%
Total		32,371	100%

Variable Type: numeric

PROCH_INJ: Prochlorperazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,357	19.6%
1	1 - Yes	285	0.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,150	31.4%
Total		32,371	100%

Variable Type: numeric

PROCH_REC: Prochlorperazine, rectal (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,536	20.2%
1	1 - Yes	103	0.3%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,153	31.4%
Total		32,371	100%

Variable Type: numeric

PROCH_DK: Prochlorperazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,862	11.9%
1	1 - Yes	2,783	8.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,147	31.3%
Total		32,371	100%

Variable Type: numeric

THIOT_NO: Thiothixene, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,443	13.7%
1	1 - Yes	2,195	6.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,154	31.4%
Total		32,371	100%

Variable Type: numeric

THIOT_ORAL: Thiothixene, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,014	15.5%
1	1 - Yes	1,624	5.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,154	31.4%
Total		32,371	100%

Variable Type: numeric

THIOT_INJ: Thiothixene, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,490	20.0%
1	1 - Yes	140	0.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,162	31.4%
Total		32,371	100%

Variable Type: numeric

THIOT_DK: Thiothixene, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,929	12.1%
1	1 - Yes	2,708	8.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,155	31.4%
Total		32,371	100%

Variable Type: numeric

THIOR_NO: Thioridazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,179	12.9%
1	1 - Yes	2,471	7.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

THIOR_ORAL: Thioridazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,183	16.0%
1	1 - Yes	1,467	4.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

THIOR_DK: Thioridazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,021	12.4%
1	1 - Yes	2,628	8.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,143	31.3%
Total		32,371	100%

Variable Type: numeric

TRIFL_NO: Trifluoperazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,302	13.3%
1	1 - Yes	2,379	7.3%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,111	31.2%
Total		32,371	100%

Variable Type: numeric

TRIFL_ORAL: Trifluoperazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,266	16.3%
1	1 - Yes	1,415	4.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,111	31.2%
Total		32,371	100%

Variable Type: numeric

TRIFL_INJ: Trifluoperazine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,565	20.3%
1	1 - Yes	108	0.3%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,119	31.3%
Total		32,371	100%

Variable Type: numeric

TRIFL_DK: Trifluoperazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,866	11.9%
1	1 - Yes	2,814	8.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,112	31.2%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_NO: Other first-generation antipsychotics, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	143	0.4%
1	1 - Yes	6,680	20.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_ORAL: Other first-generation antipsychotics, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,696	20.7%
1	1 - Yes	127	0.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_INJ: Other first-generation antipsychotics, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,779	20.9%
1	1 - Yes	44	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_LAI: Other first-generation antipsychotics, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,797	21.0%
1	1 - Yes	26	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_REC: Other first-generation antipsychotics, rectal (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_TOP: Other first-generation antipsychotics, topical (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_INH: Other first-generation antipsychotics, inhalation (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FSTGENOTH_DK: Other first-generation antipsychotics, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,821	21.1%
1	1 - Yes	2	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

ARIPI_NO: Aripiprazole, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,341	19.6%
1	1 - Yes	329	1.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,122	31.3%
Total		32,371	100%

Variable Type: numeric

ARIPI_ORAL: Aripiprazole, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	2,566	7.9%
1	1 - Yes	4,105	12.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,121	31.3%
Total		32,371	100%

Variable Type: numeric

ARIPI_INJ: Aripiprazole, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,340	16.5%
1	1 - Yes	1,314	4.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,138	31.3%
Total		32,371	100%

Variable Type: numeric

ARIPI_LAI: Aripiprazole, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,705	14.5%
1	1 - Yes	1,957	6.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,130	31.3%
Total		32,371	100%

Variable Type: numeric

ARIPI_DK: Aripiprazole, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,608	14.2%
1	1 - Yes	2,064	6.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,120	31.3%
Total		32,371	100%

Variable Type: numeric

ASENA_NO: Asenapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,005	15.5%
1	1 - Yes	1,620	5.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,167	31.4%
Total		32,371	100%

Variable Type: numeric

ASENA_ORAL: Asenapine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,522	14.0%
1	1 - Yes	2,103	6.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,167	31.4%
Total		32,371	100%

Variable Type: numeric

ASENA_TOP: Asenapine, topical (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,558	20.3%
1	1 - Yes	59	0.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,175	31.4%
Total		32,371	100%

Variable Type: numeric

ASENA_DK: Asenapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,823	11.8%
1	1 - Yes	2,805	8.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,164	31.4%
Total		32,371	100%

Variable Type: numeric

BREXP_NO: Brexpiprazole, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,986	15.4%
1	1 - Yes	1,621	5.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,185	31.5%
Total		32,371	100%

Variable Type: numeric

BREXP_ORAL: Brexpiprazole, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,493	13.9%
1	1 - Yes	2,114	6.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,185	31.5%
Total		32,371	100%

Variable Type: numeric

BREXP_DK: Brexpiprazole, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,847	11.9%
1	1 - Yes	2,762	8.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,183	31.5%
Total		32,371	100%

Variable Type: numeric

CARIP_NO: Cariprazine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,038	15.6%
1	1 - Yes	1,573	4.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,181	31.5%
Total		32,371	100%

Variable Type: numeric

CARIP_ORAL: Cariprazine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,445	13.7%
1	1 - Yes	2,166	6.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,181	31.5%
Total		32,371	100%

Variable Type: numeric

CARIP_DK: Cariprazine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,864	11.9%
1	1 - Yes	2,748	8.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,180	31.4%
Total		32,371	100%

Variable Type: numeric

CLOZA_NO: Clozapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,978	18.5%
1	1 - Yes	638	2.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,176	31.4%
Total		32,371	100%

Variable Type: numeric

CLOZA_ORAL: Clozapine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	2,620	8.1%
1	1 - Yes	3,996	12.3%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,176	31.4%
Total		32,371	100%

Variable Type: numeric

CLOZA_DK: Clozapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,738	14.6%
1	1 - Yes	1,878	5.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,176	31.4%
Total		32,371	100%

Variable Type: numeric

ILOPE_NO: Iloperidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,690	14.5%
1	1 - Yes	1,895	5.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,207	31.5%
Total		32,371	100%

Variable Type: numeric

ILOPE_ORAL: Iloperidone, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,887	15.1%
1	1 - Yes	1,698	5.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,207	31.5%
Total		32,371	100%

Variable Type: numeric

ILOPE_DK: Iloperidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,743	11.6%
1	1 - Yes	2,842	8.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,207	31.5%
Total		32,371	100%

Variable Type: numeric

LURAS_NO: Lurasidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,755	17.8%
1	1 - Yes	854	2.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,183	31.5%
Total		32,371	100%

Variable Type: numeric

LURAS_ORAL: Lurasidone, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,525	10.9%
1	1 - Yes	3,084	9.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,183	31.5%
Total		32,371	100%

Variable Type: numeric

LURAS_DK: Lurasidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,049	12.5%
1	1 - Yes	2,560	7.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,183	31.5%
Total		32,371	100%

Variable Type: numeric

OLANZ_NO: Olanzapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,362	19.7%
1	1 - Yes	287	0.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,143	31.3%
Total		32,371	100%

Variable Type: numeric

OLANZ_ORAL: Olanzapine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	2,293	7.1%
1	1 - Yes	4,356	13.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,143	31.3%
Total		32,371	100%

Variable Type: numeric

OLANZ_INJ: Olanzapine, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,504	17.0%
1	1 - Yes	1,130	3.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,158	31.4%
Total		32,371	100%

Variable Type: numeric

OLANZ_LAI: Olanzapine, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,044	18.7%
1	1 - Yes	584	1.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,164	31.4%
Total		32,371	100%

Variable Type: numeric

OLANZ_DK: Olanzapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,747	14.7%
1	1 - Yes	1,902	5.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,143	31.3%
Total		32,371	100%

Variable Type: numeric

OLANZFLU_NO: Olanzapine/Fluoxetine combination, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,761	14.7%
1	1 - Yes	1,846	5.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,185	31.5%
Total		32,371	100%

Variable Type: numeric

OLANZFLU_ORAL: Olanzapine/Fluoxetine combination, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,495	13.9%
1	1 - Yes	2,112	6.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,185	31.5%
Total		32,371	100%

Variable Type: numeric

OLANZFLU_DK: Olanzapine/Fluoxetine combination, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,042	12.5%
1	1 - Yes	2,564	7.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,186	31.5%
Total		32,371	100%

Variable Type: numeric

PALIP_NO: Paliperidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,948	18.4%
1	1 - Yes	683	2.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,161	31.4%
Total		32,371	100%

Variable Type: numeric

PALIP_ORAL: Paliperidone, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,602	11.1%
1	1 - Yes	3,029	9.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,161	31.4%
Total		32,371	100%

Variable Type: numeric

PALIP_INJ: Paliperidone, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,508	17.0%
1	1 - Yes	1,108	3.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,176	31.4%
Total		32,371	100%

Variable Type: numeric

PALIP_LAI: Paliperidone, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,810	14.9%
1	1 - Yes	1,814	5.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,168	31.4%
Total		32,371	100%

Variable Type: numeric

PALIP_DK: Paliperidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,192	12.9%
1	1 - Yes	2,440	7.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,160	31.4%
Total		32,371	100%

Variable Type: numeric

QUETI_NO: Quetiapine, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,274	19.4%
1	1 - Yes	376	1.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

QUETI_ORAL: Quetiapine, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	2,531	7.8%
1	1 - Yes	4,119	12.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

QUETI_DK: Quetiapine, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,584	14.2%
1	1 - Yes	2,066	6.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,142	31.3%
Total		32,371	100%

Variable Type: numeric

RISPE_NO: Risperidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,487	20.0%
1	1 - Yes	190	0.6%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,115	31.2%
Total		32,371	100%

Variable Type: numeric

RISPE_ORAL: Risperidone, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	1,903	5.9%
1	1 - Yes	4,774	14.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,115	31.2%
Total		32,371	100%

Variable Type: numeric

RISPE_INJ: Risperidone, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,285	16.3%
1	1 - Yes	1,372	4.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,135	31.3%
Total		32,371	100%

Variable Type: numeric

RISPE_LAI: Risperidone, long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,826	14.9%
1	1 - Yes	1,837	5.7%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,129	31.3%
Total		32,371	100%

Variable Type: numeric

RISPE_DK: Risperidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,107	15.8%
1	1 - Yes	1,570	4.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,115	31.2%
Total		32,371	100%

Variable Type: numeric

ZIPRA_NO: Ziprasidone, not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,030	18.6%
1	1 - Yes	601	1.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,161	31.4%
Total		32,371	100%

Variable Type: numeric

ZIPRA_ORAL: Ziprasidone, oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	3,123	9.6%
1	1 - Yes	3,508	10.8%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,161	31.4%
Total		32,371	100%

Variable Type: numeric

ZIPRA_INJ: Ziprasidone, injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	5,810	17.9%
1	1 - Yes	807	2.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,175	31.4%
Total		32,371	100%

Variable Type: numeric

ZIPRA_DK: Ziprasidone, do not know the mode of administration (Q.B7a)

Value	Label	Frequency	%
0	0 - No	4,224	13.0%
1	1 - Yes	2,408	7.4%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	10,160	31.4%
Total		32,371	100%

Variable Type: numeric

SECGEN1OTH_NO: Other second-generation antipsychotics (A), not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	195	0.6%
1	1 - Yes	6,628	20.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN1OTH_ORAL: Other second-generation antipsychotics (A), oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,672	20.6%
1	1 - Yes	151	0.5%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN1OTH_INJ: Other second-generation antipsychotics (A), injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,793	21.0%
1	1 - Yes	30	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN1OTH_LAI: Other second-generation antipsychotics (A), long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,771	20.9%
1	1 - Yes	52	0.2%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN1OTH_REC: Other second-generation antipsychotics (A), rectal (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN1OTH_TOP: Other second-generation antipsychotics (A), topical (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

**SECGEN1OTH_DK: Other second-generation antipsychotics (A), do not know the mode of administration
(Q.B7a)**

Value	Label	Frequency	%
0	0 - No	6,822	21.1%
1	1 - Yes	1	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN2OTH_NO: Other second-generation antipsychotics (B), not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	60	0.2%
1	1 - Yes	6,763	20.9%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN2OTH_ORAL: Other second-generation antipsychotics (B), oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,786	21.0%
1	1 - Yes	37	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN2OTH_INJ: Other second-generation antipsychotics (B), injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,806	21.0%
1	1 - Yes	17	0.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN2OTH_LAI: Other second-generation antipsychotics (B), long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,815	21.1%
1	1 - Yes	8	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN2OTH_REC: Other second-generation antipsychotics (B), rectal (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN2OTH_TOP: Other second-generation antipsychotics (B), topical (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

**SECGEN2OTH_DK: Other second-generation antipsychotics (B), do not know the mode of administration
(Q.B7a)**

Value	Label	Frequency	%
0	0 - No	6,822	21.1%
1	1 - Yes	1	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN3OTH_NO: Other second-generation antipsychotics (C), not used at this facility (Q.B7a)

Value	Label	Frequency	%
0	0 - No	22	0.1%
1	1 - Yes	6,801	21.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN3OTH_ORAL: Other second-generation antipsychotics (C), oral (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,811	21.0%
1	1 - Yes	12	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN3OTH_INJ: Other second-generation antipsychotics (C), injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,817	21.1%
1	1 - Yes	6	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN3OTH_LAI: Other second-generation antipsychotics (C), long-acting injectable (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,818	21.1%
1	1 - Yes	5	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN3OTH_REC: Other second-generation antipsychotics (C), rectal (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

SECGEN3OTH_TOP: Other second-generation antipsychotics (C), topical (Q.B7a)

Value	Label	Frequency	%
0	0 - No	6,823	21.1%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

**SECGEN3OTH_DK: Other second-generation antipsychotics (C), do not know the mode of administration
(Q.B7a)**

Value	Label	Frequency	%
0	0 - No	6,822	21.1%
1	1 - Yes	1	0.0%
L	L - Logical Skip	15,579	48.1%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

ASSERTCOMM: Facility provides Assertive Community Treatment (ACT) (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,396	25.9%
1	1 - Yes	1,581	4.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,152	31.4%
Total		32,371	100%

Variable Type: numeric

MHINTCASEMGMT: Facility provides Intensive Case Management (ICM) (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,551	23.3%
1	1 - Yes	2,431	7.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,147	31.3%
Total		32,371	100%

Variable Type: numeric

MHCASEMGMT: Facility provides Case Management (CM) (Q.B8)

Value	Label	Frequency	%
0	0 - No	2,896	8.9%
1	1 - Yes	7,139	22.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,094	31.2%
Total		32,371	100%

Variable Type: numeric

MHCOURTORDERED: Facility provides court-ordered treatment (Q.B8)

Value	Label	Frequency	%
0	0 - No	4,620	14.3%
1	1 - Yes	5,388	16.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,121	31.3%
Total		32,371	100%

Variable Type: numeric

MHAOT: Facility provides Assisted Outpatient Treatment (AOT) (Q.B8)

Value	Label	Frequency	%
0	0 - No	9,499	29.3%
1	1 - Yes	475	1.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,155	31.4%
Total		32,371	100%

Variable Type: numeric

MHCHRONIC: Facility provides Chronic Disease/illness Management (CDM) (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,103	25.0%
1	1 - Yes	1,880	5.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,146	31.3%
Total		32,371	100%

Variable Type: numeric

ILLNESSMGMT: Facility provides Illness Management and Recovery (IMR) (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,448	23.0%
1	1 - Yes	2,530	7.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,151	31.4%
Total		32,371	100%

Variable Type: numeric

PRIMARYCARE: Facility provides integrated primary care services (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,225	22.3%
1	1 - Yes	2,761	8.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,143	31.3%
Total		32,371	100%

Variable Type: numeric

DIETEXERCOUNSEL: Facility provides diet and exercise counseling (Q.B8)

Value	Label	Frequency	%
0	0 - No	6,544	20.2%
1	1 - Yes	3,448	10.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,137	31.3%
Total		32,371	100%

Variable Type: numeric

FAMPSYCHED: Facility provides family psychoeducation (Q.B8)

Value	Label	Frequency	%
0	0 - No	2,941	9.1%
1	1 - Yes	7,071	21.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,117	31.3%
Total		32,371	100%

Variable Type: numeric

MHEDUCATION: Facility provides education services (Q.B8)

Value	Label	Frequency	%
0	0 - No	6,801	21.0%
1	1 - Yes	3,191	9.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,137	31.3%
Total		32,371	100%

Variable Type: numeric

MHHOUSING: Facility provides housing services (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,643	23.6%
1	1 - Yes	2,341	7.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,145	31.3%
Total		32,371	100%

Variable Type: numeric

SUPPHOUSING: Facility provides supported housing (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,245	25.5%
1	1 - Yes	1,732	5.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,152	31.4%
Total		32,371	100%

Variable Type: numeric

MHPSYCHREHAB: Facility provides psychosocial rehabilitation services (Q.B8)

Value	Label	Frequency	%
0	0 - No	5,861	18.1%
1	1 - Yes	4,131	12.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,137	31.3%
Total		32,371	100%

Variable Type: numeric

MHVOCREHAB: Facility provides vocational rehabilitation services (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,204	25.3%
1	1 - Yes	1,775	5.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,150	31.4%
Total		32,371	100%

Variable Type: numeric

SUPPEMPLOY: Facility provides supported employment (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,960	24.6%
1	1 - Yes	2,019	6.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,150	31.4%
Total		32,371	100%

Variable Type: numeric

FOSTERCARE: Facility provides therapeutic foster care (Q.B8)

Value	Label	Frequency	%
0	0 - No	9,508	29.4%
1	1 - Yes	461	1.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,160	31.4%
Total		32,371	100%

Variable Type: numeric

MHLEGAL: Facility provides legal advocacy (Q.B8)

Value	Label	Frequency	%
0	0 - No	9,336	28.8%
1	1 - Yes	633	2.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,160	31.4%
Total		32,371	100%

Variable Type: numeric

MHEMGCY: Facility provides psychiatric emergency walk-in services (Q.B8)

Value	Label	Frequency	%
0	0 - No	6,966	21.5%
1	1 - Yes	3,019	9.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,144	31.3%
Total		32,371	100%

Variable Type: numeric

MHSUICIDE: Facility provides suicide prevention services (Q.B8)

Value	Label	Frequency	%
0	0 - No	3,122	9.6%
1	1 - Yes	6,902	21.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,105	31.2%
Total		32,371	100%

Variable Type: numeric

MHCONSUMER: Facility provides peer support services (Q.B8)

Value	Label	Frequency	%
0	0 - No	5,962	18.4%
1	1 - Yes	4,037	12.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,130	31.3%
Total		32,371	100%

Variable Type: numeric

MHHBV: Facility provides testing for Hepatitis B (HBV) (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,957	27.7%
1	1 - Yes	1,027	3.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,145	31.3%
Total		32,371	100%

Variable Type: numeric

MHCV: Facility provides testing for Hepatitis C (HCV) (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,928	27.6%
1	1 - Yes	1,058	3.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,143	31.3%
Total		32,371	100%

Variable Type: numeric

MHLAB: Facility provides laboratory testing (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,460	23.0%
1	1 - Yes	2,534	7.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,135	31.3%
Total		32,371	100%

Variable Type: numeric

MHMETSYNMON: Facility provides metabolic syndrome monitoring (Q.B8)

Value	Label	Frequency	%
0	0 - No	7,422	22.9%
1	1 - Yes	2,569	7.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,138	31.3%
Total		32,371	100%

Variable Type: numeric

MHHIV: Facility provides HIV testing (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,647	26.7%
1	1 - Yes	1,337	4.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,145	31.3%
Total		32,371	100%

Variable Type: numeric

MHSTD: Facility provides sexually transmitted disease (STD) testing (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,740	27.0%
1	1 - Yes	1,245	3.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,144	31.3%
Total		32,371	100%

Variable Type: numeric

MHTB: Facility provides tuberculosis (TB) screening (Q.B8)

Value	Label	Frequency	%
0	0 - No	8,328	25.7%
1	1 - Yes	1,661	5.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,140	31.3%
Total		32,371	100%

Variable Type: numeric

MHTOBACCOUSE: Facility provides screening for tobacco use (Q.B8)

Value	Label	Frequency	%
0	0 - No	3,401	10.5%
1	1 - Yes	6,611	20.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,117	31.3%
Total		32,371	100%

Variable Type: numeric

MHTOBACCOCESS: Facility provides smoking/vaping/tobacco cessation counseling (Q.B8)

Value	Label	Frequency	%
0	0 - No	4,966	15.3%
1	1 - Yes	5,038	15.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,125	31.3%
Total		32,371	100%

Variable Type: numeric

MHNICOTINEREP: Facility provides nicotine replacement therapy (Q.B8)

Value	Label	Frequency	%
0	0 - No	6,690	20.7%
1	1 - Yes	3,302	10.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,137	31.3%
Total		32,371	100%

Variable Type: numeric

SMOKINGCESSATION: Facility provides non-nicotine smoking/tobacco cessation medications (Q.B8)

Value	Label	Frequency	%
0	0 - No	6,811	21.0%
1	1 - Yes	3,173	9.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,145	31.3%
Total		32,371	100%

Variable Type: numeric

MHOTH: Facility provides other services (Q.B8)

Value	Label	Frequency	%
0	0 - No	9,644	29.8%
1	1 - Yes	324	1.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,161	31.4%
Total		32,371	100%

Variable Type: numeric

MHNOSVCS: Facility provides none of these services and practices (Q.B8)

Value	Label	Frequency	%
0	0 - No	9,821	30.3%
1	1 - Yes	148	0.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,160	31.4%
Total		32,371	100%

Variable Type: numeric

COOCDETOX: Service provided detoxification (medical withdrawal) for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	8,068	24.9%
1	1 - Yes	1,007	3.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,054	34.1%
Total		32,371	100%

Variable Type: numeric

COOCMATAUD: Service provided medication-assisted treatment (MAT) for Alcohol Use Disorder (AUD) for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	6,644	20.5%
1	1 - Yes	2,442	7.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,043	34.1%
Total		32,371	100%

Variable Type: numeric

COOCMATOUD: Service provided medication-assisted treatment (MAT) for Opioid Use Disorder (OUD) for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	6,375	19.7%
1	1 - Yes	2,714	8.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,040	34.1%
Total		32,371	100%

Variable Type: numeric

COOCIDVCNSL: Service provided individual counseling for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	1,841	5.7%
1	1 - Yes	7,303	22.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,985	33.9%
Total		32,371	100%

Variable Type: numeric

COOCGRPCNSL: Service provided group counseling for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	3,111	9.6%
1	1 - Yes	6,011	18.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,007	34.0%
Total		32,371	100%

Variable Type: numeric

COOC12STEP: Service provided 12-step groups for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	8,081	25.0%
1	1 - Yes	992	3.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,056	34.2%
Total		32,371	100%

Variable Type: numeric

COCCASEMGMT: Service provided co-occurring case management (Q.B9)

Value	Label	Frequency	%
0	0 - No	3,937	12.2%
1	1 - Yes	5,180	16.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,012	34.0%
Total		32,371	100%

Variable Type: numeric

COOCOTH: Service provided, other for co-occurring clients (Q.B9)

Value	Label	Frequency	%
0	0 - No	8,697	26.9%
1	1 - Yes	363	1.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,069	34.2%
Total		32,371	100%

Variable Type: numeric

NOCOOCSRVCS: Facility provides none of these co-occurring services (Q.B9)

Value	Label	Frequency	%
0	0 - No	7,974	24.6%
1	1 - Yes	1,099	3.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,056	34.2%
Total		32,371	100%

Variable Type: numeric

YNGCHLD: Accept for treatment of young children (0-5) (Q.B10)

Value	Label	Frequency	%
0	0 - No	6,240	19.3%
1	1 - Yes	3,721	11.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,168	31.4%
Total		32,371	100%

Variable Type: numeric

CHILDREN: Accept for treatment of children (6-12) (Q.B10)

Value	Label	Frequency	%
0	0 - No	4,360	13.5%
1	1 - Yes	5,601	17.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,168	31.4%
Total		32,371	100%

Variable Type: numeric

ADOLESCENTS: Accept for treatment of adolescents (13-17) (Q.B10)

Value	Label	Frequency	%
0	0 - No	3,506	10.8%
1	1 - Yes	6,621	20.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,002	30.9%
Total		32,371	100%

Variable Type: numeric

YOUNGADULTS: Accept for treatment of young adults (18-25) (Q.B10)

Value	Label	Frequency	%
0	0 - No	1,067	3.3%
1	1 - Yes	9,060	28.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,002	30.9%
Total		32,371	100%

Variable Type: numeric

ADULT: Accept for treatment of adults (26-64) (Q.B10)

Value	Label	Frequency	%
0	0 - No	1,555	4.8%
1	1 - Yes	8,572	26.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,002	30.9%
Total		32,371	100%

Variable Type: numeric

SENIORS: Accept for treatment of older adults (65 or older) (Q.B10)

Value	Label	Frequency	%
0	0 - No	1,933	6.0%
1	1 - Yes	8,193	25.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,003	30.9%
Total		32,371	100%

Variable Type: numeric

SED: Specially designed program/group for children with Serious Emotional Disturbance (SED) (Q.B11)

Value	Label	Frequency	%
0	0 - No	5,899	18.2%
1	1 - Yes	3,860	11.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,370	32.0%
Total		32,371	100%

Variable Type: numeric

TAYOUNGADULTS: Specially designed program/group for young adults (Q.B11)

Value	Label	Frequency	%
0	0 - No	6,542	20.2%
1	1 - Yes	3,222	10.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,365	32.0%
Total		32,371	100%

Variable Type: numeric

SPMI: Specially designed program/group for serious mental illness (SMI) (Q.B11)

Value	Label	Frequency	%
0	0 - No	4,534	14.0%
1	1 - Yes	5,233	16.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,362	32.0%
Total		32,371	100%

Variable Type: numeric

SRVC63_MH: Specially designed program/group for older adults (Q.B11)

Value	Label	Frequency	%
0	0 - No	6,616	20.4%
1	1 - Yes	3,137	9.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,376	32.1%
Total		32,371	100%

Variable Type: numeric

ALZHDEMENTIA: Specially designed program/group for Alzheimer or dementia (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,987	27.8%
1	1 - Yes	738	2.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,404	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC31_MH: Specially designed program/group for co-occurring clients (Q.B11)

Value	Label	Frequency	%
0	0 - No	4,389	13.6%
1	1 - Yes	5,386	16.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,354	32.0%
Total		32,371	100%

Variable Type: numeric

SPECGRPEATING: Specially designed program/group for eating disorders (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,423	26.0%
1	1 - Yes	1,311	4.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,395	32.1%
Total		32,371	100%

Variable Type: numeric

FIRSTEPPSYCH: Specially designed program/group for first-episode psychosis (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,352	25.8%
1	1 - Yes	1,394	4.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,383	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC122_MH: Specially designed program/group for domestic violence (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,380	25.9%
1	1 - Yes	1,360	4.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,389	32.1%
Total		32,371	100%

Variable Type: numeric

POSTTRAUM: Specially designed program/group for post-traumatic stress disorder (PTSD) (Q.B11)

Value	Label	Frequency	%
0	0 - No	4,988	15.4%
1	1 - Yes	4,775	14.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,366	32.0%
Total		32,371	100%

Variable Type: numeric

SRVC116_MH: Specially designed program/group for who has experienced trauma (Q.B11)

Value	Label	Frequency	%
0	0 - No	4,798	14.8%
1	1 - Yes	4,976	15.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,355	32.0%
Total		32,371	100%

Variable Type: numeric

TRAUMATICBRAIN: Specially designed program/group for traumatic brain injury (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,683	26.8%
1	1 - Yes	1,050	3.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,396	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC113_MH: Specially designed program/group for Veterans (Q.B11)

Value	Label	Frequency	%
0	0 - No	7,631	23.6%
1	1 - Yes	2,111	6.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,387	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC114_MH: Specially designed program/group for active duty military (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,675	26.8%
1	1 - Yes	1,057	3.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,397	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC115_MH: Specially designed program/group for members of military families (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,221	25.4%
1	1 - Yes	1,514	4.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,394	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC62_MH: Specially designed program/group for lesbian, gay, bisexual, transgender, or queer/questioning (LGBTQ) clients (Q.B11)

Value	Label	Frequency	%
0	0 - No	6,686	20.7%
1	1 - Yes	3,062	9.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,381	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC61_MH: Specially designed program/group for forensic clients (Q.B11)

Value	Label	Frequency	%
0	0 - No	7,316	22.6%
1	1 - Yes	2,417	7.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,396	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC32_MH: Specially designed program/group for HIV/AIDS (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,309	25.7%
1	1 - Yes	1,423	4.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,397	32.1%
Total		32,371	100%

Variable Type: numeric

SRVC35_MH: Specially designed program/group for other groups (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,850	27.3%
1	1 - Yes	878	2.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,401	32.1%
Total		32,371	100%

Variable Type: numeric

NOSPECGRP_MH: No dedicated, exclusively designed programs or groups are offered (Q.B11)

Value	Label	Frequency	%
0	0 - No	8,704	26.9%
1	1 - Yes	1,156	3.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,269	31.7%
Total		32,371	100%

Variable Type: numeric

CRISISTEAM2: Crisis intervention treatment team offered by facility (Q.B12)

Value	Label	Frequency	%
0	0 - No	5,447	16.8%
1	1 - Yes	4,649	14.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,033	31.0%
Total		32,371	100%

Variable Type: numeric

PSYCHON: Services for psychiatric emergencies onsite (Q.B13)

Value	Label	Frequency	%
0	0 - No	6,106	18.9%
1	1 - Yes	3,369	10.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,654	32.9%
Total		32,371	100%

Variable Type: numeric

PSYCHOFF: Mobile/off-site psychiatric crisis services (Q.B14)

Value	Label	Frequency	%
0	0 - No	7,591	23.5%
1	1 - Yes	2,068	6.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,470	32.3%
Total		32,371	100%

Variable Type: numeric

SIGNLANG_MH: Mental health treatment in sign language (Q.B15)

Value	Label	Frequency	%
0	0 - No	4,198	13.0%
1	1 - Yes	5,904	18.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,027	31.0%
Total		32,371	100%

Variable Type: numeric

LANG_MH: Mental health treatment in language other than English (Q.B16)

Value	Label	Frequency	%
0	0 - No	2,820	8.7%
1	1 - Yes	7,283	22.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,026	31.0%
Total		32,371	100%

Variable Type: numeric

LANGPROV_MH: Mental health treatment language provided by staff/interpreter/both (Q.B16a)

Value	Label	Frequency	%
1	1 - Staff counselor who speaks a language other than English	681	2.1%
2	2 - On-call interpreter brought in when needed	3,985	12.3%
3	3 - Both staff counselor and on-call interpreter	2,612	8.1%
L	L - Logical Skip	15,119	46.7%
M	M - Missing Data	9,974	30.8%
Total		32,371	100%

Variable Type: numeric

LANG16_MH: Do staff provide mental health treatment in Spanish (Q.B16a1)

Value	Label	Frequency	%
0	0 - No	324	1.0%
1	1 - Yes	2,960	9.1%
L	L - Logical Skip	19,109	59.0%
M	M - Missing Data	9,978	30.8%
Total		32,371	100%

Variable Type: numeric

LANG_B_MH: Do staff provide mental health treatment in any other language (Q.B16a2)

Value	Label	Frequency	%
0	0 - No	1,898	5.9%
1	1 - Yes	1,057	3.3%
L	L - Logical Skip	19,109	59.0%
M	M - Missing Data	10,307	31.8%
Total		32,371	100%

Variable Type: numeric

LANG1_MH: Mental health treatment in Hopi (Q.B16b)

Value	Label	Frequency	%
0	0 - No	940	2.9%
1	1 - Yes	17	0.1%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG2_MH: Mental health treatment in Lakota (Q.B16b)

Value	Label	Frequency	%
0	0 - No	945	2.9%
1	1 - Yes	12	0.0%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG3_MH: Mental health treatment in Navajo (Q.B16b)

Value	Label	Frequency	%
0	0 - No	932	2.9%
1	1 - Yes	25	0.1%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG21_MH: Mental health treatment in Ojibwa (Q.B16b)

Value	Label	Frequency	%
0	0 - No	943	2.9%
1	1 - Yes	14	0.0%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG4_MH: Mental health treatment in Yupik (Q.B16b)

Value	Label	Frequency	%
0	0 - No	946	2.9%
1	1 - Yes	11	0.0%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG5_MH: Mental health treatment in other American Indian/Alaska Native (Q.B16b)

Value	Label	Frequency	%
0	0 - No	936	2.9%
1	1 - Yes	8	0.0%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,082	31.1%
Total		32,371	100%

Variable Type: numeric

LANG6_MH: Mental health treatment in Arabic (Q.B16b)

Value	Label	Frequency	%
0	0 - No	807	2.5%
1	1 - Yes	150	0.5%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG7_MH: Mental health treatment in any Chinese language (Q.B16b)

Value	Label	Frequency	%
0	0 - No	735	2.3%
1	1 - Yes	222	0.7%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG8_MH: Mental health treatment in Creole (Q.B16b)

Value	Label	Frequency	%
0	0 - No	767	2.4%
1	1 - Yes	190	0.6%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG24_MH: Mental health treatment in Farsi (Q.B16b)

Value	Label	Frequency	%
0	0 - No	821	2.5%
1	1 - Yes	136	0.4%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG9_MH: Mental health treatment in French (Q.B16b)

Value	Label	Frequency	%
0	0 - No	772	2.4%
1	1 - Yes	185	0.6%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG10_MH: Mental health treatment in German (Q.B16b)

Value	Label	Frequency	%
0	0 - No	875	2.7%
1	1 - Yes	82	0.3%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG22_MH: Mental health treatment in Greek (Q.B16b)

Value	Label	Frequency	%
0	0 - No	911	2.8%
1	1 - Yes	46	0.1%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG25_MH: Mental health treatment in Hebrew (Q.B16b)

Value	Label	Frequency	%
0	0 - No	867	2.7%
1	1 - Yes	90	0.3%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG26_MH: Mental health treatment in Hindi (Q.B16b)

Value	Label	Frequency	%
0	0 - No	783	2.4%
1	1 - Yes	174	0.5%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG11_MH: Mental health treatment in Hmong (Q.B16b)

Value	Label	Frequency	%
0	0 - No	883	2.7%
1	1 - Yes	74	0.2%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG19_MH: Mental health treatment in Italian (Q.B16b)

Value	Label	Frequency	%
0	0 - No	881	2.7%
1	1 - Yes	76	0.2%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG23_MH: Mental health treatment in Japanese (Q.B16b)

Value	Label	Frequency	%
0	0 - No	881	2.7%
1	1 - Yes	76	0.2%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG12_MH: Mental health treatment in Korean (Q.B16b)

Value	Label	Frequency	%
0	0 - No	847	2.6%
1	1 - Yes	110	0.3%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG13_MH: Mental health treatment in Polish (Q.B16b)

Value	Label	Frequency	%
0	0 - No	877	2.7%
1	1 - Yes	80	0.2%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG14_MH: Mental health treatment in Portuguese (Q.B16b)

Value	Label	Frequency	%
0	0 - No	807	2.5%
1	1 - Yes	150	0.5%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG15_MH: Mental health treatment in Russian (Q.B16b)

Value	Label	Frequency	%
0	0 - No	772	2.4%
1	1 - Yes	185	0.6%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG20_MH: Mental health treatment in Tagalog (Q.B16b)

Value	Label	Frequency	%
0	0 - No	801	2.5%
1	1 - Yes	156	0.5%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG17_MH: Mental health treatment in Vietnamese (Q.B16b)

Value	Label	Frequency	%
0	0 - No	827	2.6%
1	1 - Yes	130	0.4%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,069	31.1%
Total		32,371	100%

Variable Type: numeric

LANG18_MH: Mental health treatment in other language (Q.B16b)

Value	Label	Frequency	%
0	0 - No	657	2.0%
1	1 - Yes	287	0.9%
L	L - Logical Skip	21,345	65.9%
M	M - Missing Data	10,082	31.1%
Total		32,371	100%

Variable Type: numeric

CONTED: Continuing education requirements for staff (Q.B17)

Value	Label	Frequency	%
0	0 - No	247	0.8%
1	1 - Yes	9,849	30.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,033	31.0%
Total		32,371	100%

Variable Type: numeric

CASEREV: Case review with supervisor (Q.B17)

Value	Label	Frequency	%
0	0 - No	622	1.9%
1	1 - Yes	9,475	29.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,032	31.0%
Total		32,371	100%

Variable Type: numeric

QUALREV: Case review by a quality review committee (Q.B17)

Value	Label	Frequency	%
0	0 - No	2,833	8.8%
1	1 - Yes	7,252	22.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,044	31.0%
Total		32,371	100%

Variable Type: numeric

OUTFUP: Client outcome follow-up after discharge (Q.B17)

Value	Label	Frequency	%
0	0 - No	4,265	13.2%
1	1 - Yes	5,817	18.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,047	31.0%
Total		32,371	100%

Variable Type: numeric

CQIP: Continuous quality improvement processes (Q.B17)

Value	Label	Frequency	%
0	0 - No	1,346	4.2%
1	1 - Yes	7,043	21.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	11,740	36.3%
Total		32,371	100%

Variable Type: numeric

SATSUR: Periodic client satisfaction survey (Q.B17)

Value	Label	Frequency	%
0	0 - No	467	1.4%
1	1 - Yes	9,618	29.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,044	31.0%
Total		32,371	100%

Variable Type: numeric

CPPR: Clinical Provider Peer Review (CPPR) (Q.B17)

Value	Label	Frequency	%
0	0 - No	4,175	12.9%
1	1 - Yes	5,022	15.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,932	33.8%
Total		32,371	100%

Variable Type: numeric

RCA: Root Cause Analysis (RCA) (Q.B17)

Value	Label	Frequency	%
0	0 - No	4,873	15.1%
1	1 - Yes	4,307	13.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,949	33.8%
Total		32,371	100%

Variable Type: numeric

SECNOTUSED: Staff have not used seclusion practices (Q.B18)

Value	Label	Frequency	%
0	0 - No	1,121	3.5%
1	1 - Yes	8,479	26.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,529	32.5%
Total		32,371	100%

Variable Type: numeric

SECCHEM: Staff have used chemical seclusion practices (Q.B18)

Value	Label	Frequency	%
0	0 - No	9,346	28.9%
1	1 - Yes	151	0.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,632	32.8%
Total		32,371	100%

Variable Type: numeric

SECPHYS: Staff have used physical seclusion practices (Q.B18)

Value	Label	Frequency	%
0	0 - No	8,491	26.2%
1	1 - Yes	1,008	3.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,630	32.8%
Total		32,371	100%

Variable Type: numeric

RESTRNTNOTUSED: Staff have not used restraint practices (Q.B18)

Value	Label	Frequency	%
0	0 - No	1,680	5.2%
1	1 - Yes	7,758	24.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,691	33.0%
Total		32,371	100%

Variable Type: numeric

RESTRNTCHEM: Staff have used chemical restraint practices (Q.B18)

Value	Label	Frequency	%
0	0 - No	8,864	27.4%
1	1 - Yes	474	1.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,791	33.3%
Total		32,371	100%

Variable Type: numeric

RESTRNTPHYS: Staff have used physical restraint practices (Q.B18)

Value	Label	Frequency	%
0	0 - No	7,774	24.0%
1	1 - Yes	1,575	4.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,780	33.3%
Total		32,371	100%

Variable Type: numeric

ADOPTSECLUSION: Facility has policies to minimize seclusion/restraint (Q.B18a)

Value	Label	Frequency	%
0	0 - No	2,183	6.7%
1	1 - Yes	7,858	24.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,088	31.2%
Total		32,371	100%

Variable Type: numeric

REVCHK1_MH: Accepts cash or self-payment (Q.B19)

Value	Label	Frequency	%
0	0 - No	1,687	5.2%
1	1 - Yes	8,473	26.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK2_MH: Accepts private health insurance (Q.B19)

Value	Label	Frequency	%
0	0 - No	2,026	6.3%
1	1 - Yes	8,134	25.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK8_MH: Accepts Medicare (Q.B19)

Value	Label	Frequency	%
0	0 - No	3,355	10.4%
1	1 - Yes	6,805	21.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK5_MH: Accepts Medicaid (Q.B19)

Value	Label	Frequency	%
0	0 - No	1,267	3.9%
1	1 - Yes	8,893	27.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK10_MH: Accepts state-financed health insurance (Q.B19)

Value	Label	Frequency	%
0	0 - No	4,322	13.4%
1	1 - Yes	5,838	18.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDSMHA: Accepts state mental health agency funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	4,849	15.0%
1	1 - Yes	5,311	16.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDSTATEWELFARE: Accepts state welfare or child/family services agency funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	6,166	19.0%
1	1 - Yes	3,994	12.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDSTATEJUV: Accepts state corrections/juvenile justice agency funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	7,381	22.8%
1	1 - Yes	2,779	8.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDSTATEEDUC: Accepts state education agency funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	8,584	26.5%
1	1 - Yes	1,576	4.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDOTHSTATE: Accepts other state government funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	6,646	20.5%
1	1 - Yes	3,514	10.9%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDLOCALGOV: Accepts county or local government funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	5,601	17.3%
1	1 - Yes	4,559	14.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDCSBG: Accepts community service block grants (Q.B19)

Value	Label	Frequency	%
0	0 - No	7,952	24.6%
1	1 - Yes	2,208	6.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDCMHG: Accepts community mental health block grants (Q.B19)

Value	Label	Frequency	%
0	0 - No	6,856	21.2%
1	1 - Yes	3,304	10.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDFEDGRANT: Accepts federal grants (Q.B19)

Value	Label	Frequency	%
0	0 - No	9,254	28.6%
1	1 - Yes	906	2.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK15_MH: Accepts federal military insurance (Q.B19)

Value	Label	Frequency	%
0	0 - No	5,250	16.2%
1	1 - Yes	4,910	15.2%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDVA: Accepts Veterans Affairs (VA) funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	7,896	24.4%
1	1 - Yes	2,264	7.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK17_MH: Accepts Indian Health Service (IHS)/Tribal/Urban (ITU) funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	9,264	28.6%
1	1 - Yes	896	2.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

FUNDPRIVCOMM: Accepts private or community foundation funds (Q.B19)

Value	Label	Frequency	%
0	0 - No	9,427	29.1%
1	1 - Yes	733	2.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	9,969	30.8%
Total		32,371	100%

Variable Type: numeric

REVCHK2A_MH: Accepts other payments (Q.B19)

Value	Label	Frequency	%
0	0 - No	9,755	30.1%
1	1 - Yes	219	0.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,155	31.4%
Total		32,371	100%

Variable Type: numeric

LICENMH_MH: Facility has licensing through state mental health authority (Q.B20)

Value	Label	Frequency	%
0	0 - No	3,051	9.4%
1	1 - Yes	6,947	21.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,131	31.3%
Total		32,371	100%

Variable Type: numeric

LICENSED_MH: Facility has licensing through state substance use agency (Q.B20)

Value	Label	Frequency	%
0	0 - No	6,679	20.6%
1	1 - Yes	3,274	10.1%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,176	31.4%
Total		32,371	100%

Variable Type: numeric

LICENPH_MH: Facility has licensing through state department of health (Q.B20)

Value	Label	Frequency	%
0	0 - No	4,982	15.4%
1	1 - Yes	4,987	15.4%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,160	31.4%
Total		32,371	100%

Variable Type: numeric

**LICENSEDFCS: Facility has licensing through Department of Family and Children Services (DFCS)
(Q.B20)**

Value	Label	Frequency	%
0	0 - No	8,065	24.9%
1	1 - Yes	1,879	5.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,185	31.5%
Total		32,371	100%

Variable Type: numeric

LICENHOS_MH: Facility has licensing through hospital licensing authority (Q.B20)

Value	Label	Frequency	%
0	0 - No	8,738	27.0%
1	1 - Yes	1,204	3.7%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,187	31.5%
Total		32,371	100%

Variable Type: numeric

JCAHO_MH: Facility has licensing through the Joint Commission (JC) (Q.B20)

Value	Label	Frequency	%
0	0 - No	6,611	20.4%
1	1 - Yes	3,349	10.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,169	31.4%
Total		32,371	100%

Variable Type: numeric

CARF_MH: Facility has licensing through Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.B20)

Value	Label	Frequency	%
0	0 - No	7,422	22.9%
1	1 - Yes	2,531	7.8%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,176	31.4%
Total		32,371	100%

Variable Type: numeric

COA_MH: Facility has licensing through Council on Accreditation (COA) (Q.B20)

Value	Label	Frequency	%
0	0 - No	8,964	27.7%
1	1 - Yes	977	3.0%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,188	31.5%
Total		32,371	100%

Variable Type: numeric

CMS: Facility has licensing through Centers for Medicare and Medicaid Services (CMS) (Q.B20)

Value	Label	Frequency	%
0	0 - No	4,904	15.1%
1	1 - Yes	5,057	15.6%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,168	31.4%
Total		32,371	100%

Variable Type: numeric

**OTHSTATE_MH: Facility has licensing through other national organization/federal/state/local agencies
(Q.B20)**

Value	Label	Frequency	%
0	0 - No	9,205	28.4%
1	1 - Yes	738	2.3%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,186	31.5%
Total		32,371	100%

Variable Type: numeric

NOLICEN_MH: Facility does not have licensing, certification, or accreditation from any of the listed organizations (Q.B20)

Value	Label	Frequency	%
0	0 - No	9,880	30.5%
1	1 - Yes	160	0.5%
L	L - Logical Skip	12,242	37.8%
M	M - Missing Data	10,089	31.2%
Total		32,371	100%

Variable Type: numeric

FQHC: Federally Qualified Health Center (FQHC) (Q.C1)

Value	Label	Frequency	%
0	0 - No	16,009	49.5%
1	1 - Yes	1,843	5.7%
D	D - Don't Know	3,854	11.9%
LS	L - Logical Skip	479	1.5%
M	M - Missing Data	10,186	31.5%
Total		32,371	100%

Variable Type: character

OWNERSHP: Ownership (Q.C2)

Value	Label	Frequency	%
1	1 - A private for-profit organization	7,370	22.8%
2	2 - A private non-profit organization	11,828	36.5%
3	3 - State government	735	2.3%
4	4 - Local, county, or community government	1,109	3.4%
5	5 - Tribal government	215	0.7%
6	6 - Federal government	600	1.9%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,035	31.0%
Total		32,371	100%

Variable Type: numeric

FEDOWN: Federal government agency (Q.C2a)

Value	Label	Frequency	%
1	1 - Department of Veterans Affairs	523	1.6%
2	2 - Department of Defense	41	0.1%
3	3 - Indian Health Service	22	0.1%
4	4 - Other	12	0.0%
L	L - Logical Skip	21,802	67.4%
M	M - Missing Data	9,971	30.8%
Total		32,371	100%

Variable Type: numeric

RELIG: Associated with religious/faith-based organizations (Q.C3)

Value	Label	Frequency	%
0	0 - No	20,199	62.4%
1	1 - Yes	1,168	3.6%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,525	32.5%
Total		32,371	100%

Variable Type: numeric

SMOKINGPOLICY: Facility smoking policy for clients (Q.C4)

Value	Label	Frequency	%
1	1 - Not permitted to smoke anywhere outside or within any building	9,624	29.7%
2	2 - Permitted in designated outdoor area(s)	10,862	33.6%
3	3 - Permitted anywhere outside	1,326	4.1%
4	4 - Permitted in designated indoor area(s)	36	0.1%
5	5 - Permitted anywhere inside	3	0.0%
6	6 - Permitted anywhere without restriction	7	0.0%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,034	31.0%
Total		32,371	100%

Variable Type: numeric

VAPINGPOLICY: Facility vaping policy for clients (Q.C5)

Value	Label	Frequency	%
1	1 - Not permitted to vapee anywhere outside or within any building	10,867	33.6%
2	2 - Permitted in designated outdoor area(s)	8,560	26.4%
3	3 - Permitted anywhere outside	1,460	4.5%
4	4 - Permitted in designated indoor area(s)	59	0.2%
5	5 - Permitted anywhere inside	24	0.1%
6	6 - Permitted anywhere without restriction	67	0.2%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,855	33.5%
Total		32,371	100%

Variable Type: numeric

FEESCALE: Uses sliding fee scale (Q.C6)

Value	Label	Frequency	%
0	0 - No	9,194	28.4%
1	1 - Yes	12,644	39.1%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,054	31.1%
Total		32,371	100%

Variable Type: numeric

DIRSFS: Sliding fee scale included in online locator (Q.C6a)

Value	Label	Frequency	%
0	0 - No	5,021	15.5%
1	1 - Yes	7,615	23.5%
L	L - Logical Skip	9,758	30.1%
M	M - Missing Data	9,977	30.8%
Total		32,371	100%

Variable Type: numeric

PAYASST: Offers treatment at no charge or minimal payment (Q.C7)

Value	Label	Frequency	%
0	0 - No	11,296	34.9%
1	1 - Yes	10,513	32.5%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	10,083	31.1%
Total		32,371	100%

Variable Type: numeric

DIRAPA: treatment at no charge or minimal payment included in online locator (Q.C7a)

Value	Label	Frequency	%
0	0 - No	5,793	17.9%
1	1 - Yes	4,713	14.6%
L	L - Logical Skip	11,889	36.7%
M	M - Missing Data	9,976	30.8%
Total		32,371	100%

Variable Type: numeric

INDRCTRY: List facility in directory (Q.C8)

Value	Label	Frequency	%
0	0 - No	1,627	5.0%
1	1 - Yes	20,278	62.6%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	9,987	30.9%
Total		32,371	100%

Variable Type: numeric

PUBSTREET: Publish the street address in locator/directory (Q.C8a)

Value	Label	Frequency	%
0	0 - No	3,441	10.6%
1	1 - Yes	16,786	51.9%
L	L - Logical Skip	2,124	6.6%
M	M - Missing Data	10,020	31.0%
Total		32,371	100%

Variable Type: numeric

PUBMAIL: Publish the mailing address in locator/directory (Q.C8a)

Value	Label	Frequency	%
0	0 - No	8,300	25.6%
1	1 - Yes	11,806	36.5%
L	L - Logical Skip	2,124	6.6%
M	M - Missing Data	10,141	31.3%
Total		32,371	100%

Variable Type: numeric

NOPUBADDR: Do not publish street/mailing address in locator/directory (Q.C8a)

Value	Label	Frequency	%
0	0 - No	19,116	59.1%
1	1 - Yes	1,154	3.6%
L	L - Logical Skip	2,124	6.6%
M	M - Missing Data	9,977	30.8%
Total		32,371	100%

Variable Type: numeric

GOOGLE: List facility in online services (Q.C8b)

Value	Label	Frequency	%
0	0 - No	1,176	3.6%
1	1 - Yes	19,095	59.0%
L	L - Logical Skip	2,124	6.6%
M	M - Missing Data	9,976	30.8%
Total		32,371	100%

Variable Type: numeric

M1NETWORK: Part of an organization with multiple substance use or mental health sites (Q.C9)

Value	Label	Frequency	%
0	0 - No	9,161	28.3%
1	1 - Yes	11,631	35.9%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	11,100	34.3%
Total		32,371	100%

Variable Type: numeric

OTHFAC: Client counts for only this facility, this plus others, none (Q.D1)

Value	Label	Frequency	%
1	1 - Only this facility	17,154	53.0%
2	2 - This facility plus others	773	2.4%
3	3 - Another facility will report this facility's client counts	4,283	13.2%
L	L - Logical Skip	479	1.5%
M	M - Missing Data	9,682	29.9%
Total		32,371	100%

Variable Type: numeric

FACNUM: Number of facilities in client count data (Q.D2)

Value	Label	Frequency	%
0	0	1	0.0%
1-10	1-10	731	2.3%
11-20	11-20	33	0.1%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
L	L - Logical Skip	21,886	67.6%
M	M - Missing Data	9,718	30.0%
Total		32,371	100%

Variable Type: numeric

NOT_UNROLLED_UNABLE_SU: Unable to unroll SU client/bed counts

Value	Label	Frequency	%
1	1 - Yes	323	1.0%
M	M - Missing Data	32,048	99.0%
	Total	32,371	100%

Variable Type: numeric

TYPE4: Any patients received hospital inpatient substance use services, 3/31/2021 (Q.D4)

Value	Label	Frequency	%
0	0 - No	13,751	42.5%
1	1 - Yes	1,147	3.5%
L	L - Logical Skip	7,724	23.9%
M	M - Missing Data	9,749	30.1%
Total		32,371	100%

Variable Type: numeric

T_CLI1_O: Hospital inpatient clients, detoxification

Value	Label	Frequency	%
0	0	689	2.1%
1-10	1-10	501	1.5%
11-20	11-20	136	0.4%
21-30	21-30	54	0.2%
31-40	31-40	14	0.0%
41-50	41-50	9	0.0%
51-75	51-75	12	0.0%
76-100	76-100	7	0.0%
101-250	101-250	12	0.0%
251-500	251-500	10	0.0%
501-1000	501-1000	2	0.0%
1001-1500	1001-1500	2	0.0%
L	L - Logical Skip	21,167	65.4%
M	M - Missing Data	9,756	30.1%
Total		32,371	100%

Variable Type: numeric

T_CLI1: Hospital inpatient clients, detoxification, unrolled (Q.D4a)

Value	Label	Frequency	%
0	0	689	2.1%
1-10	1-10	509	1.6%
11-20	11-20	135	0.4%
21-30	21-30	54	0.2%
31-40	31-40	14	0.0%
41-50	41-50	9	0.0%
51-75	51-75	13	0.0%
76-100	76-100	7	0.0%
101-250	101-250	12	0.0%
251-500	251-500	10	0.0%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	21,158	65.4%
M	M - Missing Data	9,756	30.1%
Total		32,371	100%

Variable Type: numeric

T_CLI2_O: Hospital inpatient clients, treated

Value	Label	Frequency	%
0	0	622	1.9%
1-10	1-10	340	1.1%
11-20	11-20	189	0.6%
21-30	21-30	99	0.3%
31-40	31-40	44	0.1%
41-50	41-50	33	0.1%
51-75	51-75	45	0.1%
76-100	76-100	33	0.1%
101-250	101-250	21	0.1%
251-500	251-500	9	0.0%
501-1000	501-1000	3	0.0%
1001-1500	1001-1500	4	0.0%
1501 +	1501 +	4	0.0%
L	L - Logical Skip	21,168	65.4%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

T_CLI2: Hospital inpatient clients, treated, unrolled (Q.D4a)

Value	Label	Frequency	%
0	0	623	1.9%
1-10	1-10	344	1.1%
11-20	11-20	191	0.6%
21-30	21-30	99	0.3%
31-40	31-40	46	0.1%
41-50	41-50	33	0.1%
51-75	51-75	45	0.1%
76-100	76-100	32	0.1%
101-250	101-250	21	0.1%
251-500	251-500	10	0.0%
501-1000	501-1000	3	0.0%
1001-1500	1001-1500	4	0.0%
1501 +	1501 +	5	0.0%
L	L - Logical Skip	21,158	65.4%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

T_CLIHI_O: Total number of hospital inpatients

Value	Label	Frequency	%
0	0	316	1.0%
1-10	1-10	464	1.4%
11-20	11-20	254	0.8%
21-30	21-30	129	0.4%
31-40	31-40	77	0.2%
41-50	41-50	46	0.1%
51-75	51-75	61	0.2%
76-100	76-100	28	0.1%
101-250	101-250	37	0.1%
251-500	251-500	18	0.1%
501-1000	501-1000	8	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	6	0.0%
L	L - Logical Skip	21,168	65.4%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

T_CLIHI: Total number of hospital inpatients, unrolled (Q.D4a)

Value	Label	Frequency	%
0	0	324	1.0%
1-10	1-10	467	1.4%
11-20	11-20	254	0.8%
21-30	21-30	130	0.4%
31-40	31-40	78	0.2%
41-50	41-50	48	0.1%
51-75	51-75	60	0.2%
76-100	76-100	27	0.1%
101-250	101-250	37	0.1%
251-500	251-500	19	0.1%
501-1000	501-1000	9	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	6	0.0%
L	L - Logical Skip	21,153	65.3%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

H_AGE1: Hospital inpatient clients under 18 years old (Q.D4b)

Value	Label	Frequency	%
0	0	1,344	4.2%
1-10	1-10	45	0.1%
11-20	11-20	20	0.1%
21-30	21-30	10	0.0%
31-40	31-40	5	0.0%
41-50	41-50	1	0.0%
51-75	51-75	4	0.0%
76-100	76-100	3	0.0%
101-250	101-250	2	0.0%
251-500	251-500	3	0.0%
501-1000	501-1000	2	0.0%
L	L - Logical Skip	21,177	65.4%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

HIMETNUM: Total methadone inpatients (Q.D4c)

Value	Label	Frequency	%
0	0	1,293	4.0%
1-10	1-10	119	0.4%
11-20	11-20	18	0.1%
21-30	21-30	6	0.0%
31-40	31-40	1	0.0%
41-50	41-50	1	0.0%
51-75	51-75	1	0.0%
76-100	76-100	1	0.0%
101-250	101-250	1	0.0%
L	L - Logical Skip	21,177	65.4%
M	M - Missing Data	9,753	30.1%
Total		32,371	100%

Variable Type: numeric

HIBUPNUM: Total buprenorphine inpatients (Q.D4c)

Value	Label	Frequency	%
0	0	860	2.7%
1-10	1-10	457	1.4%
11-20	11-20	57	0.2%
21-30	21-30	19	0.1%
31-40	31-40	8	0.0%
41-50	41-50	6	0.0%
51-75	51-75	5	0.0%
76-100	76-100	5	0.0%
101-250	101-250	7	0.0%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,178	65.4%
M	M - Missing Data	9,761	30.2%
Total		32,371	100%

Variable Type: numeric

HIVINUM: Total naltrexone inpatients (Q.D4c)

Value	Label	Frequency	%
0	0	1,104	3.4%
1-10	1-10	280	0.9%
11-20	11-20	18	0.1%
21-30	21-30	10	0.0%
31-40	31-40	7	0.0%
41-50	41-50	1	0.0%
51-75	51-75	6	0.0%
76-100	76-100	2	0.0%
101-250	101-250	4	0.0%
251-500	251-500	2	0.0%
L	L - Logical Skip	21,178	65.4%
M	M - Missing Data	9,759	30.1%
Total		32,371	100%

Variable Type: numeric

HIDISNUM: Total alcohol disulfiram inpatients (Q.D4d)

Value	Label	Frequency	%
0	0	1,322	4.1%
1-10	1-10	93	0.3%
11-20	11-20	10	0.0%
21-30	21-30	2	0.0%
41-50	41-50	2	0.0%
L	L - Logical Skip	21,178	65.4%
M	M - Missing Data	9,764	30.2%
Total		32,371	100%

Variable Type: numeric

HINALNUM: Total alcohol naltrexone inpatients (Q.D4d)

Value	Label	Frequency	%
0	0	1,086	3.4%
1-10	1-10	295	0.9%
11-20	11-20	13	0.0%
21-30	21-30	8	0.0%
31-40	31-40	2	0.0%
41-50	41-50	11	0.0%
51-75	51-75	3	0.0%
76-100	76-100	4	0.0%
101-250	101-250	4	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	21,179	65.4%
M	M - Missing Data	9,765	30.2%
Total		32,371	100%

Variable Type: numeric

HIACAMNUM: Total alcohol acamprosate inpatients (Q.D4d)

Value	Label	Frequency	%
0	0	1,269	3.9%
1-10	1-10	143	0.4%
11-20	11-20	10	0.0%
21-30	21-30	2	0.0%
31-40	31-40	1	0.0%
41-50	41-50	4	0.0%
76-100	76-100	1	0.0%
L	L - Logical Skip	21,179	65.4%
M	M - Missing Data	9,762	30.2%
Total		32,371	100%

Variable Type: numeric

HOSPBED_O: Total beds designated-hospital inpatient

Value	Label	Frequency	%
0	0	237	0.7%
1-10	1-10	219	0.7%
11-20	11-20	248	0.8%
21-30	21-30	160	0.5%
31-40	31-40	83	0.3%
41-50	41-50	44	0.1%
51-75	51-75	68	0.2%
76-100	76-100	25	0.1%
101-250	101-250	43	0.1%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,178	65.4%
M	M - Missing Data	10,063	31.1%
Total		32,371	100%

Variable Type: numeric

HOSPBED: Total beds designated-hospital inpatient, unrolled (Q.D4e)

Value	Label	Frequency	%
0	0	238	0.7%
1-10	1-10	226	0.7%
11-20	11-20	250	0.8%
21-30	21-30	160	0.5%
31-40	31-40	87	0.3%
41-50	41-50	44	0.1%
51-75	51-75	67	0.2%
76-100	76-100	25	0.1%
101-250	101-250	43	0.1%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,165	65.4%
M	M - Missing Data	10,063	31.1%
Total		32,371	100%

Variable Type: numeric

TYPE7: Any clients received residential non-hospital substance use services, 3/31/2021 (Q.D5)

Value	Label	Frequency	%
0	0 - No	12,083	37.3%
1	1 - Yes	2,793	8.6%
L	L - Logical Skip	7,727	23.9%
M	M - Missing Data	9,768	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLI3_O: Residential clients, detoxification

Value	Label	Frequency	%
0	0	2,594	8.0%
1-10	1-10	517	1.6%
11-20	11-20	91	0.3%
21-30	21-30	29	0.1%
31-40	31-40	12	0.0%
41-50	41-50	10	0.0%
51-75	51-75	6	0.0%
101-250	101-250	10	0.0%
251-500	251-500	2	0.0%
L	L - Logical Skip	19,322	59.7%
M	M - Missing Data	9,778	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLI3: Residential clients, detoxification, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	2,600	8.0%
1-10	1-10	546	1.7%
11-20	11-20	91	0.3%
21-30	21-30	29	0.1%
31-40	31-40	13	0.0%
41-50	41-50	10	0.0%
51-75	51-75	6	0.0%
101-250	101-250	10	0.0%
251-500	251-500	2	0.0%
L	L - Logical Skip	19,286	59.6%
M	M - Missing Data	9,778	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLI9_O: Residential clients, short-term treatment

Value	Label	Frequency	%
0	0	1,933	6.0%
1-10	1-10	583	1.8%
11-20	11-20	357	1.1%
21-30	21-30	172	0.5%
31-40	31-40	81	0.3%
41-50	41-50	49	0.2%
51-75	51-75	47	0.1%
76-100	76-100	13	0.0%
101-250	101-250	26	0.1%
251-500	251-500	8	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	19,322	59.7%
M	M - Missing Data	9,779	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLI9: Residential clients, short-term treatment, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	1,934	6.0%
1-10	1-10	689	2.1%
11-20	11-20	360	1.1%
21-30	21-30	177	0.5%
31-40	31-40	79	0.2%
41-50	41-50	48	0.1%
51-75	51-75	47	0.1%
76-100	76-100	13	0.0%
101-250	101-250	27	0.1%
251-500	251-500	9	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	19,208	59.3%
M	M - Missing Data	9,779	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLI10_O: Residential clients, long-term treatment

Value	Label	Frequency	%
0	0	1,387	4.3%
1-10	1-10	776	2.4%
11-20	11-20	533	1.6%
21-30	21-30	239	0.7%
31-40	31-40	104	0.3%
41-50	41-50	58	0.2%
51-75	51-75	96	0.3%
76-100	76-100	35	0.1%
101-250	101-250	36	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	19,322	59.7%
M	M - Missing Data	9,777	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLI10: Residential clients, long-term treatment, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	1,391	4.3%
1-10	1-10	850	2.6%
11-20	11-20	543	1.7%
21-30	21-30	250	0.8%
31-40	31-40	111	0.3%
41-50	41-50	60	0.2%
51-75	51-75	93	0.3%
76-100	76-100	33	0.1%
101-250	101-250	37	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	19,218	59.4%
M	M - Missing Data	9,777	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLIRC_O: Total number of residential clients

Value	Label	Frequency	%
0	0	492	1.5%
1-10	1-10	894	2.8%
11-20	11-20	821	2.5%
21-30	21-30	393	1.2%
31-40	31-40	218	0.7%
41-50	41-50	105	0.3%
51-75	51-75	179	0.6%
76-100	76-100	70	0.2%
101-250	101-250	71	0.2%
251-500	251-500	21	0.1%
501-1000	501-1000	4	0.0%
1501 +	1501 +	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,779	30.2%
Total		32,371	100%

Variable Type: numeric

T_CLIRC: Total number of residential clients, unrolled (Q.D5a)

Value	Label	Frequency	%
0	0	513	1.6%
1-10	1-10	1,012	3.1%
11-20	11-20	840	2.6%
21-30	21-30	402	1.2%
31-40	31-40	226	0.7%
41-50	41-50	110	0.3%
51-75	51-75	172	0.5%
76-100	76-100	66	0.2%
101-250	101-250	68	0.2%
251-500	251-500	21	0.1%
501-1000	501-1000	4	0.0%
1501 +	1501 +	1	0.0%
L	L - Logical Skip	19,157	59.2%
M	M - Missing Data	9,779	30.2%
Total		32,371	100%

Variable Type: numeric

R AGE1: Residential clients under 18 years old (Q.D5b)

Value	Label	Frequency	%
0	0	2,975	9.2%
1-10	1-10	153	0.5%
11-20	11-20	75	0.2%
21-30	21-30	31	0.1%
31-40	31-40	10	0.0%
41-50	41-50	2	0.0%
51-75	51-75	7	0.0%
76-100	76-100	7	0.0%
101-250	101-250	3	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,784	30.2%
Total		32,371	100%

Variable Type: numeric

RCMETNUM: Total methadone residential clients (Q.D5c)

Value	Label	Frequency	%
0	0	3,058	9.4%
1-10	1-10	187	0.6%
11-20	11-20	12	0.0%
21-30	21-30	8	0.0%
31-40	31-40	3	0.0%
41-50	41-50	1	0.0%
51-75	51-75	7	0.0%
101-250	101-250	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,771	30.2%
	Total	32,371	100%

Variable Type: numeric

RCBUPNUM: Total buprenorphine residential clients (Q.D5c)

Value	Label	Frequency	%
0	0	2,184	6.7%
1-10	1-10	896	2.8%
11-20	11-20	108	0.3%
21-30	21-30	35	0.1%
31-40	31-40	17	0.1%
41-50	41-50	10	0.0%
51-75	51-75	4	0.0%
76-100	76-100	3	0.0%
101-250	101-250	10	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,780	30.2%
Total		32,371	100%

Variable Type: numeric

RCVIVNUM: Total naltrexone residential clients (Q.D5c)

Value	Label	Frequency	%
0	0	2,521	7.8%
1-10	1-10	668	2.1%
11-20	11-20	47	0.1%
21-30	21-30	11	0.0%
31-40	31-40	10	0.0%
41-50	41-50	4	0.0%
101-250	101-250	4	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	19,324	59.7%
M	M - Missing Data	9,781	30.2%
Total		32,371	100%

Variable Type: numeric

RCDISNUM: Total alcohol disulfiram residential clients (Q.D5d)

Value	Label	Frequency	%
0	0	3,154	9.7%
1-10	1-10	117	0.4%
11-20	11-20	1	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
76-100	76-100	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,773	30.2%
Total		32,371	100%

Variable Type: numeric

RCNALNUM: Total alcohol naltrexone residential clients (Q.D5d)

Value	Label	Frequency	%
0	0	2,539	7.8%
1-10	1-10	652	2.0%
11-20	11-20	40	0.1%
21-30	21-30	16	0.0%
31-40	31-40	3	0.0%
41-50	41-50	7	0.0%
51-75	51-75	4	0.0%
76-100	76-100	2	0.0%
101-250	101-250	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,784	30.2%
Total		32,371	100%

Variable Type: numeric

RCACAMNUM: Total alcohol acamprosate residential clients (Q.D5d)

Value	Label	Frequency	%
0	0	3,046	9.4%
1-10	1-10	214	0.7%
11-20	11-20	4	0.0%
21-30	21-30	3	0.0%
31-40	31-40	2	0.0%
76-100	76-100	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	9,778	30.2%
Total		32,371	100%

Variable Type: numeric

RESBED_O: Total beds designated-residential clients

Value	Label	Frequency	%
0	0	177	0.5%
1-10	1-10	501	1.5%
11-20	11-20	771	2.4%
21-30	21-30	449	1.4%
31-40	31-40	277	0.9%
41-50	41-50	179	0.6%
51-75	51-75	194	0.6%
76-100	76-100	100	0.3%
101-250	101-250	111	0.3%
251-500	251-500	11	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	19,323	59.7%
M	M - Missing Data	10,277	31.7%
Total		32,371	100%

Variable Type: numeric

RESBED: Total beds designated-residential clients, unrolled (Q.D5e)

Value	Label	Frequency	%
0	0	177	0.5%
1-10	1-10	574	1.8%
11-20	11-20	809	2.5%
21-30	21-30	471	1.5%
31-40	31-40	287	0.9%
41-50	41-50	178	0.5%
51-75	51-75	197	0.6%
76-100	76-100	102	0.3%
101-250	101-250	105	0.3%
251-500	251-500	10	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	19,183	59.3%
M	M - Missing Data	10,277	31.7%
Total		32,371	100%

Variable Type: numeric

TYPE1: Any clients received outpatient substance use services, 3/31/2021 (Q.D6)

Value	Label	Frequency	%
0	0 - No	4,745	14.7%
1	1 - Yes	10,049	31.0%
L	L - Logical Skip	7,727	23.9%
M	M - Missing Data	9,850	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI7_O: Outpatient clients, detoxification

Value	Label	Frequency	%
0	0	10,853	33.5%
1-10	1-10	382	1.2%
11-20	11-20	93	0.3%
21-30	21-30	30	0.1%
31-40	31-40	14	0.0%
41-50	41-50	20	0.1%
51-75	51-75	12	0.0%
76-100	76-100	13	0.0%
101-250	101-250	22	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	4	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,827	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI7: Outpatient clients, detoxification, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	10,870	33.6%
1-10	1-10	426	1.3%
11-20	11-20	99	0.3%
21-30	21-30	32	0.1%
31-40	31-40	18	0.1%
41-50	41-50	19	0.1%
51-75	51-75	12	0.0%
76-100	76-100	13	0.0%
101-250	101-250	21	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	4	0.0%
L	L - Logical Skip	11,024	34.1%
M	M - Missing Data	9,827	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLIML_O: Outpatient clients, methadone maintained

Value	Label	Frequency	%
0	0	7,569	23.4%
1-10	1-10	989	3.1%
11-20	11-20	339	1.0%
21-30	21-30	229	0.7%
31-40	31-40	166	0.5%
41-50	41-50	138	0.4%
51-75	51-75	200	0.6%
76-100	76-100	234	0.7%
101-250	101-250	726	2.2%
251-500	251-500	540	1.7%
501-1000	501-1000	272	0.8%
1001-1500	1001-1500	33	0.1%
1501 +	1501 +	13	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,828	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLIML: Outpatient clients, methadone maintained, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	7,572	23.4%
1-10	1-10	1,127	3.5%
11-20	11-20	368	1.1%
21-30	21-30	267	0.8%
31-40	31-40	198	0.6%
41-50	41-50	174	0.5%
51-75	51-75	237	0.7%
76-100	76-100	250	0.8%
101-250	101-250	745	2.3%
251-500	251-500	533	1.6%
501-1000	501-1000	285	0.9%
1001-1500	1001-1500	29	0.1%
1501 +	1501 +	9	0.0%
L	L - Logical Skip	10,749	33.2%
M	M - Missing Data	9,828	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI8_O: Outpatient clients, day treatment/partial hospitalization

Value	Label	Frequency	%
0	0	10,387	32.1%
1-10	1-10	533	1.6%
11-20	11-20	242	0.7%
21-30	21-30	97	0.3%
31-40	31-40	43	0.1%
41-50	41-50	35	0.1%
51-75	51-75	33	0.1%
76-100	76-100	18	0.1%
101-250	101-250	30	0.1%
251-500	251-500	21	0.1%
501-1000	501-1000	7	0.0%
1001-1500	1001-1500	2	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,828	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI8: Outpatient clients, day treatment/partial hospitalization, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	10,393	32.1%
1-10	1-10	586	1.8%
11-20	11-20	254	0.8%
21-30	21-30	92	0.3%
31-40	31-40	45	0.1%
41-50	41-50	37	0.1%
51-75	51-75	32	0.1%
76-100	76-100	16	0.0%
101-250	101-250	30	0.1%
251-500	251-500	21	0.1%
501-1000	501-1000	7	0.0%
1001-1500	1001-1500	2	0.0%
L	L - Logical Skip	11,028	34.1%
M	M - Missing Data	9,828	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI6_O: Outpatient clients, intensive

Value	Label	Frequency	%
0	0	7,455	23.0%
1-10	1-10	1,620	5.0%
11-20	11-20	978	3.0%
21-30	21-30	487	1.5%
31-40	31-40	228	0.7%
41-50	41-50	174	0.5%
51-75	51-75	199	0.6%
76-100	76-100	104	0.3%
101-250	101-250	144	0.4%
251-500	251-500	42	0.1%
501-1000	501-1000	13	0.0%
1501 +	1501 +	5	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,827	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI6: Outpatient clients, intensive, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	7,472	23.1%
1-10	1-10	1,817	5.6%
11-20	11-20	1,059	3.3%
21-30	21-30	530	1.6%
31-40	31-40	244	0.8%
41-50	41-50	187	0.6%
51-75	51-75	206	0.6%
76-100	76-100	107	0.3%
101-250	101-250	139	0.4%
251-500	251-500	43	0.1%
501-1000	501-1000	11	0.0%
1501 +	1501 +	5	0.0%
L	L - Logical Skip	10,724	33.1%
M	M - Missing Data	9,827	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI5_O: Outpatient clients, regular outpatient care

Value	Label	Frequency	%
0	0	3,799	11.7%
1-10	1-10	1,864	5.8%
11-20	11-20	1,079	3.3%
21-30	21-30	808	2.5%
31-40	31-40	464	1.4%
41-50	41-50	492	1.5%
51-75	51-75	682	2.1%
76-100	76-100	531	1.6%
101-250	101-250	1,000	3.1%
251-500	251-500	405	1.3%
501-1000	501-1000	185	0.6%
1001-1500	1001-1500	58	0.2%
1501 +	1501 +	81	0.3%
L	L - Logical Skip	11,094	34.3%
M	M - Missing Data	9,829	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLI5: Outpatient clients, regular outpatient care, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	3,811	11.8%
1-10	1-10	2,105	6.5%
11-20	11-20	1,263	3.9%
21-30	21-30	912	2.8%
31-40	31-40	546	1.7%
41-50	41-50	560	1.7%
51-75	51-75	755	2.3%
76-100	76-100	586	1.8%
101-250	101-250	1,050	3.2%
251-500	251-500	429	1.3%
501-1000	501-1000	208	0.6%
1001-1500	1001-1500	65	0.2%
1501 +	1501 +	63	0.2%
L	L - Logical Skip	10,189	31.5%
M	M - Missing Data	9,829	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLIOP_O: Total number of outpatient clients

Value	Label	Frequency	%
0	0	1,505	4.6%
1-10	1-10	1,499	4.6%
11-20	11-20	1,112	3.4%
21-30	21-30	903	2.8%
31-40	31-40	623	1.9%
41-50	41-50	587	1.8%
51-75	51-75	903	2.8%
76-100	76-100	699	2.2%
101-250	101-250	1,843	5.7%
251-500	251-500	1,012	3.1%
501-1000	501-1000	510	1.6%
1001-1500	1001-1500	117	0.4%
1501 +	1501 +	132	0.4%
L	L - Logical Skip	11,096	34.3%
M	M - Missing Data	9,830	30.4%
Total		32,371	100%

Variable Type: numeric

T_CLIOP: Total number of outpatient clients, unrolled (Q.D6a)

Value	Label	Frequency	%
0	0	1,533	4.7%
1-10	1-10	1,666	5.1%
11-20	11-20	1,330	4.1%
21-30	21-30	977	3.0%
31-40	31-40	736	2.3%
41-50	41-50	685	2.1%
51-75	51-75	1,015	3.1%
76-100	76-100	783	2.4%
101-250	101-250	1,940	6.0%
251-500	251-500	1,053	3.3%
501-1000	501-1000	536	1.7%
1001-1500	1001-1500	117	0.4%
1501 +	1501 +	112	0.3%
L	L - Logical Skip	10,058	31.1%
M	M - Missing Data	9,830	30.4%
Total		32,371	100%

Variable Type: numeric

O AGE1: Outpatient clients under 18 years old (Q.D6b)

Value	Label	Frequency	%
0	0	8,706	26.9%
1-10	1-10	1,710	5.3%
11-20	11-20	369	1.1%
21-30	21-30	164	0.5%
31-40	31-40	72	0.2%
41-50	41-50	71	0.2%
51-75	51-75	90	0.3%
76-100	76-100	57	0.2%
101-250	101-250	95	0.3%
251-500	251-500	44	0.1%
501-1000	501-1000	23	0.1%
1001-1500	1001-1500	7	0.0%
1501 +	1501 +	13	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,855	30.4%
Total		32,371	100%

Variable Type: numeric

OPMETNUM: Total methadone outpatient (Q.D6c)

Value	Label	Frequency	%
0	0	10,180	31.4%
1-10	1-10	84	0.3%
11-20	11-20	22	0.1%
21-30	21-30	21	0.1%
31-40	31-40	20	0.1%
41-50	41-50	23	0.1%
51-75	51-75	66	0.2%
76-100	76-100	82	0.3%
101-250	101-250	403	1.2%
251-500	251-500	375	1.2%
501-1000	501-1000	203	0.6%
1001-1500	1001-1500	24	0.1%
1501 +	1501 +	6	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,767	30.2%
Total		32,371	100%

Variable Type: numeric

OPBUPNUM: Total buprenorphine outpatient (Q.D6c)

Value	Label	Frequency	%
0	0	7,957	24.6%
1-10	1-10	1,292	4.0%
11-20	11-20	478	1.5%
21-30	21-30	309	1.0%
31-40	31-40	221	0.7%
41-50	41-50	156	0.5%
51-75	51-75	209	0.6%
76-100	76-100	223	0.7%
101-250	101-250	397	1.2%
251-500	251-500	152	0.5%
501-1000	501-1000	51	0.2%
1001-1500	1001-1500	11	0.0%
1501 +	1501 +	4	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,816	30.3%
Total		32,371	100%

Variable Type: numeric

OPVIVNUM: Total naltrexone outpatient (Q.D6c)

Value	Label	Frequency	%
0	0	30,193	93.3%
1-10	1-10	1,474	4.6%
11-20	11-20	259	0.8%
21-30	21-30	123	0.4%
31-40	31-40	45	0.1%
41-50	41-50	57	0.2%
51-75	51-75	32	0.1%
76-100	76-100	36	0.1%
101-250	101-250	32	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	3	0.0%
L	L - Logical Skip	111	0.3%
Total		32,371	100%

Variable Type: numeric

OPDISNUM: Total alcohol disulfiram outpatient clients (Q.D6d)

Value	Label	Frequency	%
0	0	10,787	33.3%
1-10	1-10	602	1.9%
11-20	11-20	49	0.2%
21-30	21-30	28	0.1%
31-40	31-40	3	0.0%
41-50	41-50	12	0.0%
51-75	51-75	2	0.0%
76-100	76-100	5	0.0%
101-250	101-250	1	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	3	0.0%
1501 +	1501 +	1	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,781	30.2%
Total		32,371	100%

Variable Type: numeric

OPNALNUM: Total alcohol naltrexone outpatient clients (Q.D6d)

Value	Label	Frequency	%
0	0	9,300	28.7%
1-10	1-10	1,547	4.8%
11-20	11-20	258	0.8%
21-30	21-30	129	0.4%
31-40	31-40	49	0.2%
41-50	41-50	58	0.2%
51-75	51-75	41	0.1%
76-100	76-100	35	0.1%
101-250	101-250	28	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	5	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,819	30.3%
Total		32,371	100%

Variable Type: numeric

OPACAMNUM: Total alcohol acamprosate outpatient clients (Q.D6d)

Value	Label	Frequency	%
0	0	10,604	32.8%
1-10	1-10	729	2.3%
11-20	11-20	93	0.3%
21-30	21-30	29	0.1%
31-40	31-40	5	0.0%
41-50	41-50	15	0.0%
51-75	51-75	2	0.0%
76-100	76-100	9	0.0%
101-250	101-250	2	0.0%
501-1000	501-1000	3	0.0%
L	L - Logical Skip	11,095	34.3%
M	M - Missing Data	9,785	30.2%
Total		32,371	100%

Variable Type: numeric

B_NUM: Number of clients treated for both alcohol/drug use (Q.D7)

Value	Label	Frequency	%
0	0	1,144	3.5%
1-10	1-10	1,922	5.9%
11-20	11-20	706	2.2%
21-30	21-30	338	1.0%
31-40	31-40	190	0.6%
41-50	41-50	126	0.4%
51-75	51-75	180	0.6%
76-100	76-100	116	0.4%
101-250	101-250	196	0.6%
251-500	251-500	75	0.2%
501-1000	501-1000	39	0.1%
1001-1500	1001-1500	11	0.0%
1501 +	1501 +	10	0.0%
L	L - Logical Skip	7,866	24.3%
M	M - Missing Data	17,025	52.6%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

B_PCT: Percent of clients treated for both alcohol/drug use (Q.D7)

Value	Label	Frequency	%
0	0	708	2.2%
1-10	1-10	734	2.3%
11-20	11-20	774	2.4%
21-30	21-30	854	2.6%
31-40	31-40	733	2.3%
41-50	41-50	1,047	3.2%
51-60	51-60	583	1.8%
61-70	61-70	411	1.3%
71-80	71-80	498	1.5%
81-90	81-90	219	0.7%
91-99	91-99	73	0.2%
100	100	542	1.7%
100 +	100 +	1	0.0%
L	L - Logical Skip	7,882	24.3%
M	M - Missing Data	14,885	46.0%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

A_NUM: Number of clients treated for only alcohol use (Q.D7)

Value	Label	Frequency	%
0	0	1,943	6.0%
1-10	1-10	2,095	6.5%
11-20	11-20	435	1.3%
21-30	21-30	207	0.6%
31-40	31-40	96	0.3%
41-50	41-50	71	0.2%
51-75	51-75	78	0.2%
76-100	76-100	48	0.1%
101-250	101-250	45	0.1%
251-500	251-500	10	0.0%
501-1000	501-1000	7	0.0%
1001-1500	1001-1500	2	0.0%
1501 +	1501 +	2	0.0%
L	L - Logical Skip	7,867	24.3%
M	M - Missing Data	17,038	52.6%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

A_PCT: Percent of clients treated for only alcohol use (Q.D7)

Value	Label	Frequency	%
0	0	1,494	4.6%
1-10	1-10	1,637	5.1%
11-20	11-20	1,346	4.2%
21-30	21-30	1,249	3.9%
31-40	31-40	518	1.6%
41-50	41-50	425	1.3%
51-60	51-60	190	0.6%
61-70	61-70	123	0.4%
71-80	71-80	98	0.3%
81-90	81-90	42	0.1%
91-99	91-99	20	0.1%
100	100	32	0.1%
L	L - Logical Skip	7,882	24.3%
M	M - Missing Data	14,888	46.0%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

D_NUM: Number of clients treated for only drug use (Q.D7)

Value	Label	Frequency	%
0	0	1,256	3.9%
1-10	1-10	1,714	5.3%
11-20	11-20	497	1.5%
21-30	21-30	249	0.8%
31-40	31-40	152	0.5%
41-50	41-50	120	0.4%
51-75	51-75	143	0.4%
76-100	76-100	131	0.4%
101-250	101-250	375	1.2%
251-500	251-500	274	0.8%
501-1000	501-1000	109	0.3%
1001-1500	1001-1500	17	0.1%
1501 +	1501 +	9	0.0%
L	L - Logical Skip	7,866	24.3%
M	M - Missing Data	17,032	52.6%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

D_PCT: Percent of clients treated for only drug use (Q.D7)

Value	Label	Frequency	%
0	0	866	2.7%
1-10	1-10	932	2.9%
11-20	11-20	991	3.1%
21-30	21-30	1,158	3.6%
31-40	31-40	669	2.1%
41-50	41-50	566	1.7%
51-60	51-60	350	1.1%
61-70	61-70	337	1.0%
71-80	71-80	310	1.0%
81-90	81-90	354	1.1%
91-99	91-99	175	0.5%
100	100	444	1.4%
100 +	100 +	26	0.1%
L	L - Logical Skip	7,883	24.4%
M	M - Missing Data	14,883	46.0%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

COD_PCT_SU_R1: Percent of clients with mental health and substance use diagnosis (Q.D8)

Value	Label	Frequency	%
0	0	1,185	3.7%
1-10	1-10	1,083	3.3%
11-20	11-20	785	2.4%
21-30	21-30	864	2.7%
31-40	31-40	809	2.5%
41-50	41-50	1,191	3.7%
51-60	51-60	733	2.3%
61-70	61-70	770	2.4%
71-80	71-80	1,493	4.6%
81-90	81-90	1,046	3.2%
91-99	91-99	491	1.5%
100	100	1,565	4.8%
L	L - Logical Skip	7,859	24.3%
M	M - Missing Data	10,070	31.1%
N	N - Not Applicable	2,427	7.5%
Total		32,371	100%

Variable Type: numeric

TOTADMIS_SU: Total number of admissions for substance use treatment (Q.D9)

Value	Label	Frequency	%
0	0	1,561	4.8%
1-10	1-10	943	2.9%
11-20	11-20	781	2.4%
21-30	21-30	760	2.3%
31-40	31-40	539	1.7%
41-50	41-50	743	2.3%
51-75	51-75	1,132	3.5%
76-100	76-100	1,215	3.8%
101-250	101-250	2,889	8.9%
251-500	251-500	1,670	5.2%
501-1000	501-1000	837	2.6%
1001-1500	1001-1500	297	0.9%
1501 +	1501 +	299	0.9%
L	L - Logical Skip	7,749	23.9%
M	M - Missing Data	10,956	33.8%
Total		32,371	100%

Variable Type: numeric

T_CLI11_O: Total number of substance use clients

Value	Label	Frequency	%
0	0	1,519	4.7%
1-10	1-10	2,118	6.5%
11-20	11-20	1,722	5.3%
21-30	21-30	1,230	3.8%
31-40	31-40	823	2.5%
41-50	41-50	699	2.2%
51-75	51-75	1,097	3.4%
76-100	76-100	813	2.5%
101-250	101-250	2,006	6.2%
251-500	251-500	1,049	3.2%
501-1000	501-1000	535	1.7%
1001-1500	1001-1500	118	0.4%
1501 +	1501 +	140	0.4%
L	L - Logical Skip	111	0.3%
M	M - Missing Data	18,391	56.8%
Total		32,371	100%

Variable Type: numeric

T_CLI11: Total number of substance use clients, unrolled

Value	Label	Frequency	%
0	0	1,548	4.8%
1-10	1-10	2,380	7.4%
11-20	11-20	1,959	6.1%
21-30	21-30	1,313	4.1%
31-40	31-40	954	2.9%
41-50	41-50	801	2.5%
51-75	51-75	1,200	3.7%
76-100	76-100	899	2.8%
101-250	101-250	2,107	6.5%
251-500	251-500	1,091	3.4%
501-1000	501-1000	557	1.7%
1001-1500	1001-1500	119	0.4%
1501 +	1501 +	121	0.4%
L	L - Logical Skip	111	0.3%
M	M - Missing Data	17,211	53.2%
Total		32,371	100%

Variable Type: numeric

IPSERV: Any patients received 24-hour hospital inpatient mental health services, 3/31/2021 (Q.D10)

Value	Label	Frequency	%
0	0 - No	6,662	20.6%
1	1 - Yes	1,164	3.6%
L	L - Logical Skip	14,789	45.7%
M	M - Missing Data	9,756	30.1%
Total		32,371	100%

Variable Type: numeric

IPTOTAL: Total number of 24-hour hospital inpatients (Q.D10a)

Value	Label	Frequency	%
0	0	87	0.3%
1-10	1-10	246	0.8%
11-20	11-20	304	0.9%
21-30	21-30	144	0.4%
31-40	31-40	76	0.2%
41-50	41-50	68	0.2%
51-75	51-75	99	0.3%
76-100	76-100	54	0.2%
101-250	101-250	99	0.3%
251-500	251-500	26	0.1%
501-1000	501-1000	6	0.0%
1001-1500	1001-1500	4	0.0%
1501 +	1501 +	12	0.0%
L	L - Logical Skip	21,427	66.2%
M	M - Missing Data	9,719	30.0%
Total		32,371	100%

Variable Type: numeric

U_IPTOTAL: Total number of 24-hour hospital inpatients, unrolled

Value	Label	Frequency	%
0	0	85	0.3%
1-10	1-10	252	0.8%
11-20	11-20	301	0.9%
21-30	21-30	143	0.4%
31-40	31-40	77	0.2%
41-50	41-50	70	0.2%
51-75	51-75	101	0.3%
76-100	76-100	53	0.2%
101-250	101-250	100	0.3%
251-500	251-500	26	0.1%
501-1000	501-1000	6	0.0%
1001-1500	1001-1500	6	0.0%
1501 +	1501 +	10	0.0%
L	L - Logical Skip	17,943	55.4%
M	M - Missing Data	13,198	40.8%
Total		32,371	100%

Variable Type: numeric

IPBEDS: Number of hospital inpatient beds set up/staffed at facility (Q.D10b)

Value	Label	Frequency	%
0	0	46	0.1%
1-10	1-10	104	0.3%
11-20	11-20	318	1.0%
21-30	21-30	197	0.6%
31-40	31-40	82	0.3%
41-50	41-50	66	0.2%
51-75	51-75	125	0.4%
76-100	76-100	72	0.2%
101-250	101-250	115	0.4%
251-500	251-500	27	0.1%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	2	0.0%
L	L - Logical Skip	21,427	66.2%
M	M - Missing Data	9,786	30.2%
Total		32,371	100%

Variable Type: numeric

U_IPBEDS: Number of hospital inpatient beds set up/staffed at facility, unrolled

Value	Label	Frequency	%
0	0	46	0.1%
1-10	1-10	112	0.3%
11-20	11-20	312	1.0%
21-30	21-30	196	0.6%
31-40	31-40	83	0.3%
41-50	41-50	69	0.2%
51-75	51-75	125	0.4%
76-100	76-100	70	0.2%
101-250	101-250	117	0.4%
251-500	251-500	27	0.1%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	2	0.0%
L	L - Logical Skip	17,943	55.4%
M	M - Missing Data	13,265	41.0%
Total		32,371	100%

Variable Type: numeric

IPSEXTOTM: Total male clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	84	0.3%
1-10	1-10	322	1.0%
11-20	11-20	127	0.4%
21-30	21-30	58	0.2%
31-40	31-40	36	0.1%
41-50	41-50	15	0.0%
51-75	51-75	29	0.1%
76-100	76-100	13	0.0%
101-250	101-250	28	0.1%
251-500	251-500	6	0.0%
501-1000	501-1000	5	0.0%
L	L - Logical Skip	21,845	67.5%
M	M - Missing Data	9,803	30.3%
Total		32,371	100%

Variable Type: numeric

IPSEXPERM: Percent male clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	68	0.2%
11-20	11-20	2	0.0%
21-30	21-30	10	0.0%
31-40	31-40	36	0.1%
41-50	41-50	146	0.5%
51-60	51-60	112	0.3%
61-70	61-70	35	0.1%
71-80	71-80	32	0.1%
81-90	81-90	27	0.1%
91-99	91-99	9	0.0%
100	100	7	0.0%
L	L - Logical Skip	22,098	68.3%
M	M - Missing Data	9,789	30.2%
Total		32,371	100%

Variable Type: numeric

IPSEXTOTF: Total female clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	83	0.3%
1-10	1-10	334	1.0%
11-20	11-20	136	0.4%
21-30	21-30	67	0.2%
31-40	31-40	34	0.1%
41-50	41-50	22	0.1%
51-75	51-75	29	0.1%
76-100	76-100	10	0.0%
101-250	101-250	7	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,845	67.5%
M	M - Missing Data	9,803	30.3%
Total		32,371	100%

Variable Type: numeric

IPSEXPFR: Percent female clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	74	0.2%
1-10	1-10	30	0.1%
11-20	11-20	16	0.0%
21-30	21-30	39	0.1%
31-40	31-40	80	0.2%
41-50	41-50	159	0.5%
51-60	51-60	65	0.2%
61-70	61-70	14	0.0%
71-80	71-80	5	0.0%
81-90	81-90	1	0.0%
100	100	1	0.0%
L	L - Logical Skip	22,098	68.3%
M	M - Missing Data	9,789	30.2%
Total		32,371	100%

Variable Type: numeric

IPAGETOT017: Total clients/patients 0-17 years at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	545	1.7%
1-10	1-10	66	0.2%
11-20	11-20	48	0.1%
21-30	21-30	35	0.1%
31-40	31-40	16	0.0%
41-50	41-50	8	0.0%
51-75	51-75	12	0.0%
76-100	76-100	7	0.0%
L	L - Logical Skip	21,835	67.5%
M	M - Missing Data	9,799	30.3%
	Total	32,371	100%

Variable Type: numeric

IPAGEPER017: Percent clients/patients 0-17 years at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	355	1.1%
1-10	1-10	12	0.0%
11-20	11-20	18	0.1%
21-30	21-30	27	0.1%
31-40	31-40	12	0.0%
41-50	41-50	8	0.0%
51-60	51-60	8	0.0%
61-70	61-70	1	0.0%
71-80	71-80	2	0.0%
81-90	81-90	1	0.0%
91-99	91-99	2	0.0%
100	100	20	0.1%
L	L - Logical Skip	22,116	68.3%
M	M - Missing Data	9,789	30.2%
Total		32,371	100%

Variable Type: numeric

IPAGETOT1864: Total clients/patients 18-64 years at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	150	0.5%
1-10	1-10	190	0.6%
11-20	11-20	162	0.5%
21-30	21-30	66	0.2%
31-40	31-40	29	0.1%
41-50	41-50	29	0.1%
51-75	51-75	40	0.1%
76-100	76-100	20	0.1%
101-250	101-250	35	0.1%
251-500	251-500	9	0.0%
501-1000	501-1000	4	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	21,835	67.5%
M	M - Missing Data	9,801	30.3%
Total		32,371	100%

Variable Type: numeric

IPAGEPER1864: Percent clients/patients 18-64 years at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	98	0.3%
1-10	1-10	4	0.0%
11-20	11-20	8	0.0%
21-30	21-30	8	0.0%
31-40	31-40	19	0.1%
41-50	41-50	25	0.1%
51-60	51-60	27	0.1%
61-70	61-70	42	0.1%
71-80	71-80	68	0.2%
81-90	81-90	75	0.2%
91-99	91-99	43	0.1%
100	100	49	0.2%
L	L - Logical Skip	22,116	68.3%
M	M - Missing Data	9,789	30.2%
Total		32,371	100%

Variable Type: numeric

IPAGETOT65: Total clients/patients 65 plus years at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	335	1.0%
1-10	1-10	319	1.0%
11-20	11-20	43	0.1%
21-30	21-30	12	0.0%
31-40	31-40	13	0.0%
41-50	41-50	2	0.0%
51-75	51-75	8	0.0%
76-100	76-100	4	0.0%
101-250	101-250	1	0.0%
L	L - Logical Skip	21,835	67.5%
M	M - Missing Data	9,799	30.3%
Total		32,371	100%

Variable Type: numeric

IPAGEPER65: Percent clients/patients 65 plus years at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	160	0.5%
1-10	1-10	128	0.4%
11-20	11-20	69	0.2%
21-30	21-30	39	0.1%
31-40	31-40	19	0.1%
41-50	41-50	14	0.0%
51-60	51-60	10	0.0%
61-70	61-70	3	0.0%
71-80	71-80	9	0.0%
81-90	81-90	2	0.0%
91-99	91-99	3	0.0%
100	100	10	0.0%
L	L - Logical Skip	22,116	68.3%
M	M - Missing Data	9,789	30.2%
Total		32,371	100%

Variable Type: numeric

IPETHISPTOT: Total Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	463	1.4%
1-10	1-10	194	0.6%
11-20	11-20	19	0.1%
21-30	21-30	9	0.0%
31-40	31-40	6	0.0%
41-50	41-50	3	0.0%
51-75	51-75	5	0.0%
101-250	101-250	2	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	21,830	67.4%
M	M - Missing Data	9,839	30.4%
Total		32,371	100%

Variable Type: numeric

IPETHPERHISP: Percent Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	309	1.0%
1-10	1-10	72	0.2%
11-20	11-20	45	0.1%
21-30	21-30	21	0.1%
31-40	31-40	5	0.0%
41-50	41-50	9	0.0%
51-60	51-60	4	0.0%
61-70	61-70	1	0.0%
71-80	71-80	1	0.0%
81-90	81-90	1	0.0%
91-99	91-99	1	0.0%
100	100	1	0.0%
L	L - Logical Skip	22,114	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility**(Q.D10c)**

Value	Label	Frequency	%
0	0	295	0.9%
1-10	1-10	136	0.4%
11-20	11-20	103	0.3%
21-30	21-30	41	0.1%
31-40	31-40	16	0.0%
41-50	41-50	20	0.1%
51-75	51-75	28	0.1%
76-100	76-100	25	0.1%
101-250	101-250	27	0.1%
251-500	251-500	8	0.0%
501-1000	501-1000	3	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	21,830	67.4%
M	M - Missing Data	9,838	30.4%
Total		32,371	100%

Variable Type: numeric

IPETHPERNONHISP: Percent non-Hispanic clients/patients at this 24-hour hospital inpatient facility**(Q.D10c)**

Value	Label	Frequency	%
0	0	286	0.9%
1-10	1-10	2	0.0%
11-20	11-20	1	0.0%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
41-50	41-50	10	0.0%
51-60	51-60	12	0.0%
61-70	61-70	10	0.0%
71-80	71-80	30	0.1%
81-90	81-90	43	0.1%
91-99	91-99	47	0.1%
100	100	23	0.1%
L	L - Logical Skip	22,114	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

**IPETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility
(Q.D10c)**

Value	Label	Frequency	%
0	0	399	1.2%
1-10	1-10	113	0.3%
11-20	11-20	78	0.2%
21-30	21-30	36	0.1%
31-40	31-40	15	0.0%
41-50	41-50	17	0.1%
51-75	51-75	23	0.1%
76-100	76-100	7	0.0%
101-250	101-250	12	0.0%
251-500	251-500	2	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,830	67.4%
M	M - Missing Data	9,838	30.4%
Total		32,371	100%

Variable Type: numeric

IPETHPERUNK: Percent unknown ethnicity clients/patients at this 24-hour hospital inpatient facility**(Q.D10c)**

Value	Label	Frequency	%
0	0	212	0.7%
1-10	1-10	29	0.1%
11-20	11-20	2	0.0%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
41-50	41-50	2	0.0%
71-80	71-80	1	0.0%
91-99	91-99	1	0.0%
100	100	217	0.7%
L	L - Logical Skip	22,114	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	637	2.0%
1-10	1-10	73	0.2%
21-30	21-30	1	0.0%
L	L - Logical Skip	21,831	67.4%
M	M - Missing Data	9,829	30.4%
Total		32,371	100%

Variable Type: numeric

IPRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	417	1.3%
1-10	1-10	48	0.1%
11-20	11-20	4	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTASIAN: Total Asian clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	569	1.8%
1-10	1-10	135	0.4%
11-20	11-20	1	0.0%
21-30	21-30	1	0.0%
31-40	31-40	3	0.0%
51-75	51-75	2	0.0%
L	L - Logical Skip	21,831	67.4%
M	M - Missing Data	9,829	30.4%
Total		32,371	100%

Variable Type: numeric

IPRACEPERASIAN: Percent Asian clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	375	1.2%
1-10	1-10	87	0.3%
11-20	11-20	8	0.0%
21-30	21-30	1	0.0%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTBLK: Total Black clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	395	1.2%
1-10	1-10	196	0.6%
11-20	11-20	52	0.2%
21-30	21-30	19	0.1%
31-40	31-40	14	0.0%
41-50	41-50	6	0.0%
51-75	51-75	9	0.0%
76-100	76-100	9	0.0%
101-250	101-250	13	0.0%
L	L - Logical Skip	21,831	67.4%
M	M - Missing Data	9,827	30.4%
Total		32,371	100%

Variable Type: numeric

IPRACEPERBLK: Percent Black clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	310	1.0%
1-10	1-10	38	0.1%
11-20	11-20	31	0.1%
21-30	21-30	26	0.1%
31-40	31-40	24	0.1%
41-50	41-50	16	0.0%
51-60	51-60	9	0.0%
61-70	61-70	5	0.0%
71-80	71-80	7	0.0%
81-90	81-90	4	0.0%
91-99	91-99	1	0.0%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	680	2.1%
1-10	1-10	29	0.1%
21-30	21-30	1	0.0%
51-75	51-75	1	0.0%
L	L - Logical Skip	21,831	67.4%
M	M - Missing Data	9,829	30.4%
Total		32,371	100%

Variable Type: numeric

IPRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	443	1.4%
1-10	1-10	28	0.1%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTWHIT: Total White clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	295	0.9%
1-10	1-10	191	0.6%
11-20	11-20	94	0.3%
21-30	21-30	27	0.1%
31-40	31-40	18	0.1%
41-50	41-50	25	0.1%
51-75	51-75	29	0.1%
76-100	76-100	10	0.0%
101-250	101-250	16	0.0%
251-500	251-500	7	0.0%
501-1000	501-1000	1	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	21,831	67.4%
M	M - Missing Data	9,826	30.4%
Total		32,371	100%

Variable Type: numeric

IPRACEPERWHIT: Percent White clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	297	0.9%
1-10	1-10	6	0.0%
11-20	11-20	6	0.0%
21-30	21-30	17	0.1%
31-40	31-40	19	0.1%
41-50	41-50	24	0.1%
51-60	51-60	27	0.1%
61-70	61-70	15	0.0%
71-80	71-80	23	0.1%
81-90	81-90	20	0.1%
91-99	91-99	10	0.0%
100	100	7	0.0%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTMR: Total mixed-race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	585	1.8%
1-10	1-10	113	0.3%
11-20	11-20	7	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
51-75	51-75	3	0.0%
L	L - Logical Skip	21,831	67.4%
M	M - Missing Data	9,830	30.4%
Total		32,371	100%

Variable Type: numeric

IPRACEPERMR: Percent mixed-race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	384	1.2%
1-10	1-10	66	0.2%
11-20	11-20	11	0.0%
21-30	21-30	7	0.0%
31-40	31-40	3	0.0%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPRACETOTUNK: Total unknown race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	32,019	98.9%
1-10	1-10	161	0.5%
11-20	11-20	78	0.2%
21-30	21-30	40	0.1%
31-40	31-40	18	0.1%
41-50	41-50	16	0.0%
51-75	51-75	20	0.1%
76-100	76-100	6	0.0%
101-250	101-250	11	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	1	0.0%
Total		32,371	100%

Variable Type: numeric

IPRACEPERUNK: Percent unknown race clients/patients at this 24-hour hospital inpatient facility**(Q.D10c)**

Value	Label	Frequency	%
0	0	188	0.6%
1-10	1-10	37	0.1%
11-20	11-20	7	0.0%
21-30	21-30	6	0.0%
31-40	31-40	1	0.0%
41-50	41-50	1	0.0%
61-70	61-70	1	0.0%
100	100	230	0.7%
L	L - Logical Skip	22,113	68.3%
M	M - Missing Data	9,787	30.2%
Total		32,371	100%

Variable Type: numeric

IPLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	164	0.5%
1-10	1-10	283	0.9%
11-20	11-20	127	0.4%
21-30	21-30	51	0.2%
31-40	31-40	19	0.1%
41-50	41-50	14	0.0%
51-75	51-75	33	0.1%
76-100	76-100	10	0.0%
101-250	101-250	18	0.1%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,835	67.5%
M	M - Missing Data	9,816	30.3%
Total		32,371	100%

Variable Type: numeric

IPLEGALPERVOL: Percent clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	95	0.3%
1-10	1-10	36	0.1%
11-20	11-20	23	0.1%
21-30	21-30	23	0.1%
31-40	31-40	29	0.1%
41-50	41-50	28	0.1%
51-60	51-60	26	0.1%
61-70	61-70	29	0.1%
71-80	71-80	53	0.2%
81-90	81-90	36	0.1%
91-99	91-99	32	0.1%
100	100	64	0.2%
L	L - Logical Skip	22,107	68.3%
M	M - Missing Data	9,790	30.2%
Total		32,371	100%

Variable Type: numeric

IPLEGALTTONFOREN: Total clients/patients, involuntary (non-for) status at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	279	0.9%
1-10	1-10	223	0.7%
11-20	11-20	94	0.3%
21-30	21-30	37	0.1%
31-40	31-40	18	0.1%
41-50	41-50	17	0.1%
51-75	51-75	20	0.1%
76-100	76-100	13	0.0%
101-250	101-250	16	0.0%
251-500	251-500	2	0.0%
L	L - Logical Skip	21,835	67.5%
M	M - Missing Data	9,817	30.3%
Total		32,371	100%

Variable Type: numeric

IPLEGALPERNONFOREN: Percent clients/patients, involuntary (non-for) status at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	145	0.4%
1-10	1-10	57	0.2%
11-20	11-20	41	0.1%
21-30	21-30	45	0.1%
31-40	31-40	29	0.1%
41-50	41-50	33	0.1%
51-60	51-60	25	0.1%
61-70	61-70	20	0.1%
71-80	71-80	20	0.1%
81-90	81-90	27	0.1%
91-99	91-99	15	0.0%
100	100	17	0.1%
L	L - Logical Skip	22,107	68.3%
M	M - Missing Data	9,790	30.2%
Total		32,371	100%

Variable Type: numeric

IPLEGALTOTFOREN: Total clients/patients, involuntary (for) status at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	621	1.9%
1-10	1-10	34	0.1%
11-20	11-20	4	0.0%
21-30	21-30	7	0.0%
31-40	31-40	7	0.0%
41-50	41-50	4	0.0%
51-75	51-75	12	0.0%
76-100	76-100	8	0.0%
101-250	101-250	13	0.0%
251-500	251-500	5	0.0%
501-1000	501-1000	4	0.0%
L	L - Logical Skip	21,835	67.5%
M	M - Missing Data	9,817	30.3%
Total		32,371	100%

Variable Type: numeric

IPLEGALPERFOREN: Percent clients/patients, involuntary (for) status at this 24-hour hospital inpatient facility (Q.D10c)

Value	Label	Frequency	%
0	0	422	1.3%
1-10	1-10	18	0.1%
11-20	11-20	7	0.0%
21-30	21-30	5	0.0%
31-40	31-40	1	0.0%
41-50	41-50	7	0.0%
51-60	51-60	6	0.0%
61-70	61-70	3	0.0%
71-80	71-80	2	0.0%
91-99	91-99	2	0.0%
100	100	1	0.0%
L	L - Logical Skip	22,107	68.3%
M	M - Missing Data	9,790	30.2%
Total		32,371	100%

Variable Type: numeric

RCSERV: Any clients received 24-hour residential mental health services, 3/31/2021 (Q.D11)

Value	Label	Frequency	%
0	0 - No	6,717	20.8%
1	1 - Yes	1,102	3.4%
L	L - Logical Skip	14,789	45.7%
M	M - Missing Data	9,763	30.2%
Total		32,371	100%

Variable Type: numeric

RCTOTAL: Total number of 24-hour residential clients (Q.D11a)

Value	Label	Frequency	%
0	0	292	0.9%
1-10	1-10	441	1.4%
11-20	11-20	251	0.8%
21-30	21-30	104	0.3%
31-40	31-40	74	0.2%
41-50	41-50	47	0.1%
51-75	51-75	86	0.3%
76-100	76-100	32	0.1%
101-250	101-250	33	0.1%
251-500	251-500	15	0.0%
501-1000	501-1000	4	0.0%
L	L - Logical Skip	21,273	65.7%
M	M - Missing Data	9,719	30.0%
Total		32,371	100%

Variable Type: numeric

U_RCTOTAL: Total number of 24-hour residential clients, unrolled

Value	Label	Frequency	%
0	0	290	0.9%
1-10	1-10	473	1.5%
11-20	11-20	269	0.8%
21-30	21-30	100	0.3%
31-40	31-40	70	0.2%
41-50	41-50	47	0.1%
51-75	51-75	85	0.3%
76-100	76-100	31	0.1%
101-250	101-250	32	0.1%
251-500	251-500	13	0.0%
501-1000	501-1000	4	0.0%
L	L - Logical Skip	17,835	55.1%
M	M - Missing Data	13,122	40.5%
Total		32,371	100%

Variable Type: numeric

RCBEDS: Number of residential beds set up/staffed at facility (Q.D11b)

Value	Label	Frequency	%
0	0	49	0.2%
1-10	1-10	349	1.1%
11-20	11-20	269	0.8%
21-30	21-30	111	0.3%
31-40	31-40	82	0.3%
41-50	41-50	49	0.2%
51-75	51-75	86	0.3%
76-100	76-100	52	0.2%
101-250	101-250	42	0.1%
251-500	251-500	7	0.0%
L	L - Logical Skip	21,273	65.7%
M	M - Missing Data	10,002	30.9%
Total		32,371	100%

Variable Type: numeric

U_RCBEDS: Number of residential beds set up/staffed at facility, unrolled

Value	Label	Frequency	%
0	0	49	0.2%
1-10	1-10	380	1.2%
11-20	11-20	289	0.9%
21-30	21-30	107	0.3%
31-40	31-40	76	0.2%
41-50	41-50	48	0.1%
51-75	51-75	85	0.3%
76-100	76-100	50	0.2%
101-250	101-250	43	0.1%
251-500	251-500	5	0.0%
L	L - Logical Skip	17,835	55.1%
M	M - Missing Data	13,404	41.4%
Total		32,371	100%

Variable Type: numeric

RCSEXTOTM: Total male clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	355	1.1%
1-10	1-10	413	1.3%
11-20	11-20	112	0.3%
21-30	21-30	52	0.2%
31-40	31-40	31	0.1%
41-50	41-50	23	0.1%
51-75	51-75	20	0.1%
76-100	76-100	6	0.0%
101-250	101-250	11	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,586	66.7%
M	M - Missing Data	9,760	30.2%
Total		32,371	100%

Variable Type: numeric

RCSEXPERM: Percent male clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	312	1.0%
11-20	11-20	9	0.0%
21-30	21-30	9	0.0%
31-40	31-40	19	0.1%
41-50	41-50	69	0.2%
51-60	51-60	52	0.2%
61-70	61-70	50	0.2%
71-80	71-80	18	0.1%
81-90	81-90	15	0.0%
91-99	91-99	9	0.0%
100	100	33	0.1%
L	L - Logical Skip	22,027	68.0%
M	M - Missing Data	9,749	30.1%
Total		32,371	100%

Variable Type: numeric

RCSEXTOTF: Total female clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	413	1.3%
1-10	1-10	428	1.3%
11-20	11-20	81	0.3%
21-30	21-30	60	0.2%
31-40	31-40	16	0.0%
41-50	41-50	8	0.0%
51-75	51-75	13	0.0%
76-100	76-100	4	0.0%
101-250	101-250	2	0.0%
L	L - Logical Skip	21,586	66.7%
M	M - Missing Data	9,760	30.2%
Total		32,371	100%

Variable Type: numeric

RCSEXPERF: Percent female clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	316	1.0%
1-10	1-10	18	0.1%
11-20	11-20	16	0.0%
21-30	21-30	28	0.1%
31-40	31-40	60	0.2%
41-50	41-50	67	0.2%
51-60	51-60	38	0.1%
61-70	61-70	10	0.0%
71-80	71-80	13	0.0%
100	100	29	0.1%
L	L - Logical Skip	22,027	68.0%
M	M - Missing Data	9,749	30.1%
Total		32,371	100%

Variable Type: numeric

RCAGETOT017: Total clients/patients 0-17 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	32,048	99.0%
1-10	1-10	126	0.4%
11-20	11-20	68	0.2%
21-30	21-30	35	0.1%
31-40	31-40	34	0.1%
41-50	41-50	21	0.1%
51-75	51-75	25	0.1%
76-100	76-100	10	0.0%
101-250	101-250	4	0.0%
Total		32,371	100%

Variable Type: numeric

RCAGEPER017: Percent clients/patients 0-17 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	465	1.4%
1-10	1-10	3	0.0%
11-20	11-20	2	0.0%
21-30	21-30	1	0.0%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
61-70	61-70	1	0.0%
71-80	71-80	5	0.0%
81-90	81-90	7	0.0%
91-99	91-99	10	0.0%
100	100	89	0.3%
L	L - Logical Skip	22,027	68.0%
M	M - Missing Data	9,758	30.1%
Total		32,371	100%

Variable Type: numeric

RCAGETOT1864: Total clients/patients 18-64 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	513	1.6%
1-10	1-10	314	1.0%
11-20	11-20	102	0.3%
21-30	21-30	30	0.1%
31-40	31-40	12	0.0%
41-50	41-50	12	0.0%
51-75	51-75	23	0.1%
76-100	76-100	4	0.0%
101-250	101-250	12	0.0%
251-500	251-500	4	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,588	66.7%
M	M - Missing Data	9,756	30.1%
Total		32,371	100%

Variable Type: numeric

RCAGEPER1864: Percent clients/patients 18-64 years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	374	1.2%
1-10	1-10	12	0.0%
11-20	11-20	4	0.0%
21-30	21-30	5	0.0%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
51-60	51-60	5	0.0%
61-70	61-70	5	0.0%
71-80	71-80	24	0.1%
81-90	81-90	42	0.1%
91-99	91-99	48	0.1%
100	100	64	0.2%
L	L - Logical Skip	22,027	68.0%
M	M - Missing Data	9,758	30.1%
Total		32,371	100%

Variable Type: numeric

RCAGETOT65: Total clients/patients 65 plus years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	838	2.6%
1-10	1-10	165	0.5%
11-20	11-20	16	0.0%
21-30	21-30	2	0.0%
31-40	31-40	1	0.0%
41-50	41-50	1	0.0%
51-75	51-75	3	0.0%
L	L - Logical Skip	21,588	66.7%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

RCAGEPER65: Percent clients/patients 65 plus years at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	462	1.4%
1-10	1-10	74	0.2%
11-20	11-20	25	0.1%
21-30	21-30	18	0.1%
31-40	31-40	4	0.0%
41-50	41-50	1	0.0%
51-60	51-60	1	0.0%
61-70	61-70	1	0.0%
L	L - Logical Skip	22,027	68.0%
M	M - Missing Data	9,758	30.1%
Total		32,371	100%

Variable Type: numeric

RCETHTOTISP: Total Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	702	2.2%
1-10	1-10	269	0.8%
11-20	11-20	19	0.1%
21-30	21-30	5	0.0%
31-40	31-40	1	0.0%
41-50	41-50	2	0.0%
51-75	51-75	1	0.0%
76-100	76-100	1	0.0%
L	L - Logical Skip	21,586	66.7%
M	M - Missing Data	9,785	30.2%
Total		32,371	100%

Variable Type: numeric

RCETHPERHISP: Percent Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	444	1.4%
1-10	1-10	89	0.3%
11-20	11-20	24	0.1%
21-30	21-30	24	0.1%
31-40	31-40	8	0.0%
41-50	41-50	3	0.0%
51-60	51-60	1	0.0%
71-80	71-80	1	0.0%
100	100	1	0.0%
L	L - Logical Skip	22,019	68.0%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

RCETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	441	1.4%
1-10	1-10	300	0.9%
11-20	11-20	109	0.3%
21-30	21-30	46	0.1%
31-40	31-40	27	0.1%
41-50	41-50	19	0.1%
51-75	51-75	33	0.1%
76-100	76-100	7	0.0%
101-250	101-250	8	0.0%
251-500	251-500	4	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	21,586	66.7%
M	M - Missing Data	9,790	30.2%
Total		32,371	100%

Variable Type: numeric

RCETHPERNONHISP: Percent non-Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	403	1.2%
11-20	11-20	1	0.0%
21-30	21-30	3	0.0%
31-40	31-40	3	0.0%
41-50	41-50	12	0.0%
51-60	51-60	7	0.0%
61-70	61-70	15	0.0%
71-80	71-80	25	0.1%
81-90	81-90	33	0.1%
91-99	91-99	56	0.2%
100	100	37	0.1%
L	L - Logical Skip	22,019	68.0%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

RCETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	783	2.4%
1-10	1-10	110	0.3%
11-20	11-20	37	0.1%
21-30	21-30	13	0.0%
31-40	31-40	13	0.0%
41-50	41-50	11	0.0%
51-75	51-75	17	0.1%
76-100	76-100	3	0.0%
101-250	101-250	6	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	21,586	66.7%
M	M - Missing Data	9,791	30.2%
Total		32,371	100%

Variable Type: numeric

RCETHPERUNK: Percent unknown ethnicity clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	433	1.3%
1-10	1-10	18	0.1%
11-20	11-20	12	0.0%
21-30	21-30	3	0.0%
31-40	31-40	1	0.0%
41-50	41-50	2	0.0%
51-60	51-60	4	0.0%
61-70	61-70	1	0.0%
71-80	71-80	1	0.0%
81-90	81-90	1	0.0%
100	100	119	0.4%
L	L - Logical Skip	22,019	68.0%
M	M - Missing Data	9,757	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	919	2.8%
1-10	1-10	88	0.3%
11-20	11-20	4	0.0%
21-30	21-30	1	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,774	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	521	1.6%
1-10	1-10	60	0.2%
11-20	11-20	7	0.0%
21-30	21-30	2	0.0%
31-40	31-40	1	0.0%
71-80	71-80	1	0.0%
81-90	81-90	1	0.0%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTASIAN: Total Asian clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	902	2.8%
1-10	1-10	107	0.3%
11-20	11-20	2	0.0%
21-30	21-30	1	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,774	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERASIAN: Percent Asian clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	514	1.6%
1-10	1-10	76	0.2%
11-20	11-20	3	0.0%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTBLK: Total Black clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	601	1.9%
1-10	1-10	340	1.1%
11-20	11-20	43	0.1%
21-30	21-30	12	0.0%
31-40	31-40	5	0.0%
41-50	41-50	2	0.0%
51-75	51-75	6	0.0%
76-100	76-100	5	0.0%
101-250	101-250	1	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,771	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERBLK: Percent Black clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	431	1.3%
1-10	1-10	42	0.1%
11-20	11-20	44	0.1%
21-30	21-30	28	0.1%
31-40	31-40	20	0.1%
41-50	41-50	9	0.0%
51-60	51-60	6	0.0%
61-70	61-70	4	0.0%
71-80	71-80	4	0.0%
81-90	81-90	2	0.0%
91-99	91-99	2	0.0%
100	100	1	0.0%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTHPAC: Total Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	984	3.0%
1-10	1-10	27	0.1%
76-100	76-100	1	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,774	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	548	1.7%
1-10	1-10	45	0.1%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTWHIT: Total White clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	441	1.4%
1-10	1-10	363	1.1%
11-20	11-20	102	0.3%
21-30	21-30	44	0.1%
31-40	31-40	22	0.1%
41-50	41-50	14	0.0%
51-75	51-75	20	0.1%
101-250	101-250	6	0.0%
251-500	251-500	2	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,772	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERWHIT: Percent White clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	415	1.3%
1-10	1-10	5	0.0%
11-20	11-20	4	0.0%
21-30	21-30	9	0.0%
31-40	31-40	18	0.1%
41-50	41-50	24	0.1%
51-60	51-60	19	0.1%
61-70	61-70	32	0.1%
71-80	71-80	23	0.1%
81-90	81-90	23	0.1%
91-99	91-99	15	0.0%
100	100	6	0.0%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTMR: Total mixed-race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	813	2.5%
1-10	1-10	194	0.6%
11-20	11-20	6	0.0%
41-50	41-50	1	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,772	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERMR: Percent mixed-race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	491	1.5%
1-10	1-10	70	0.2%
11-20	11-20	20	0.1%
21-30	21-30	5	0.0%
31-40	31-40	3	0.0%
41-50	41-50	2	0.0%
100	100	2	0.0%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

RCRACETOTUNK: Total unknown race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	762	2.4%
1-10	1-10	137	0.4%
11-20	11-20	49	0.2%
21-30	21-30	20	0.1%
31-40	31-40	9	0.0%
41-50	41-50	9	0.0%
51-75	51-75	16	0.0%
76-100	76-100	2	0.0%
101-250	101-250	7	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	21,585	66.7%
M	M - Missing Data	9,774	30.2%
Total		32,371	100%

Variable Type: numeric

RCRACEPERUNK: Percent unknown race clients/patients at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	411	1.3%
1-10	1-10	33	0.1%
11-20	11-20	16	0.0%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
100	100	126	0.4%
L	L - Logical Skip	22,023	68.0%
M	M - Missing Data	9,755	30.1%
Total		32,371	100%

Variable Type: numeric

**RCLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour residential facility
(Q.D11c)**

Value	Label	Frequency	%
0	0	381	1.2%
1-10	1-10	338	1.0%
11-20	11-20	142	0.4%
21-30	21-30	50	0.2%
31-40	31-40	33	0.1%
41-50	41-50	16	0.0%
51-75	51-75	35	0.1%
76-100	76-100	10	0.0%
101-250	101-250	6	0.0%
251-500	251-500	3	0.0%
L	L - Logical Skip	21,579	66.7%
M	M - Missing Data	9,778	30.2%
Total		32,371	100%

Variable Type: numeric

RCLEGALPERVOL: Percent clients/patients with voluntary legal status at this 24-hour residential facility**(Q.D11c)**

Value	Label	Frequency	%
0	0	318	1.0%
1-10	1-10	10	0.0%
11-20	11-20	3	0.0%
21-30	21-30	6	0.0%
31-40	31-40	4	0.0%
41-50	41-50	7	0.0%
51-60	51-60	2	0.0%
61-70	61-70	2	0.0%
71-80	71-80	11	0.0%
81-90	81-90	9	0.0%
91-99	91-99	8	0.0%
100	100	208	0.6%
L	L - Logical Skip	22,020	68.0%
M	M - Missing Data	9,763	30.2%
Total		32,371	100%

Variable Type: numeric

RCLEGALTOTNONFOREN: Total clients/patients, involuntary (non-for) status at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	824	2.5%
1-10	1-10	105	0.3%
11-20	11-20	28	0.1%
21-30	21-30	10	0.0%
31-40	31-40	14	0.0%
41-50	41-50	12	0.0%
51-75	51-75	12	0.0%
76-100	76-100	3	0.0%
101-250	101-250	7	0.0%
L	L - Logical Skip	21,579	66.7%
M	M - Missing Data	9,777	30.2%
Total		32,371	100%

Variable Type: numeric

RCLEGALPERNONFOREN: Percent clients/patients, involuntary (non-for) status at this 24-hour residential facility (Q.D11c)

Value	Label	Frequency	%
0	0	507	1.6%
1-10	1-10	14	0.0%
11-20	11-20	8	0.0%
21-30	21-30	5	0.0%
31-40	31-40	1	0.0%
41-50	41-50	6	0.0%
51-60	51-60	1	0.0%
61-70	61-70	5	0.0%
71-80	71-80	3	0.0%
81-90	81-90	9	0.0%
91-99	91-99	3	0.0%
100	100	26	0.1%
L	L - Logical Skip	22,020	68.0%
M	M - Missing Data	9,763	30.2%
Total		32,371	100%

Variable Type: numeric

RCLEGALTOTFOREN: Total clients/patients, involuntary (for) status at this 24-hour residential facility**(Q.D11c)**

Value	Label	Frequency	%
0	0	925	2.9%
1-10	1-10	61	0.2%
11-20	11-20	8	0.0%
21-30	21-30	4	0.0%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
51-75	51-75	4	0.0%
76-100	76-100	2	0.0%
101-250	101-250	6	0.0%
251-500	251-500	1	0.0%
L	L - Logical Skip	21,579	66.7%
M	M - Missing Data	9,778	30.2%
	Total	32,371	100%

Variable Type: numeric

**RCLEGALPERFOREN: Percent clients/patients, involuntary (for) status at this 24-hour residential facility
(Q.D11c)**

Value	Label	Frequency	%
0	0	554	1.7%
1-10	1-10	10	0.0%
11-20	11-20	5	0.0%
21-30	21-30	5	0.0%
31-40	31-40	2	0.0%
41-50	41-50	4	0.0%
51-60	51-60	1	0.0%
61-70	61-70	3	0.0%
71-80	71-80	1	0.0%
81-90	81-90	1	0.0%
100	100	2	0.0%
L	L - Logical Skip	22,020	68.0%
M	M - Missing Data	9,763	30.2%
Total		32,371	100%

Variable Type: numeric

OPSERV: Any clients received less than 24-hour mental health services, 3/31/2021 (Q.D12)

Value	Label	Frequency	%
0	0 - No	4,332	13.4%
1	1 - Yes	3,335	10.3%
L	L - Logical Skip	14,789	45.7%
M	M - Missing Data	9,915	30.6%
Total		32,371	100%

Variable Type: numeric

OPTOTAL: Total number of less than 24-hour clients (Q.D12a)

Value	Label	Frequency	%
0	0	2,670	8.2%
1-10	1-10	190	0.6%
11-20	11-20	197	0.6%
21-30	21-30	147	0.5%
31-40	31-40	103	0.3%
41-50	41-50	113	0.3%
51-75	51-75	224	0.7%
76-100	76-100	212	0.7%
101-250	101-250	585	1.8%
251-500	251-500	485	1.5%
501-1000	501-1000	422	1.3%
1001-1500	1001-1500	193	0.6%
1501 +	1501 +	315	1.0%
L	L - Logical Skip	16,770	51.8%
M	M - Missing Data	9,745	30.1%
Total		32,371	100%

Variable Type: numeric

U_OPTOTAL: Total number of less than 24-hour clients, unrolled

Value	Label	Frequency	%
0	0	2,636	8.1%
1-10	1-10	217	0.7%
11-20	11-20	206	0.6%
21-30	21-30	168	0.5%
31-40	31-40	124	0.4%
41-50	41-50	118	0.4%
51-75	51-75	242	0.7%
76-100	76-100	240	0.7%
101-250	101-250	684	2.1%
251-500	251-500	642	2.0%
501-1000	501-1000	554	1.7%
1001-1500	1001-1500	213	0.7%
1501 +	1501 +	278	0.9%
L	L - Logical Skip	13,629	42.1%
M	M - Missing Data	12,420	38.4%
Total		32,371	100%

Variable Type: numeric

OPSEXTOTM: Total male clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,582	8.0%
1-10	1-10	238	0.7%
11-20	11-20	119	0.4%
21-30	21-30	103	0.3%
31-40	31-40	90	0.3%
41-50	41-50	58	0.2%
51-75	51-75	125	0.4%
76-100	76-100	88	0.3%
101-250	101-250	309	1.0%
251-500	251-500	194	0.6%
501-1000	501-1000	114	0.4%
1001-1500	1001-1500	49	0.2%
1501 +	1501 +	42	0.1%
L	L - Logical Skip	18,271	56.4%
M	M - Missing Data	9,989	30.9%
Total		32,371	100%

Variable Type: numeric

OPSEXPERM: Percent male clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,566	7.9%
1-10	1-10	11	0.0%
11-20	11-20	30	0.1%
21-30	21-30	78	0.2%
31-40	31-40	309	1.0%
41-50	41-50	533	1.6%
51-60	51-60	320	1.0%
61-70	61-70	104	0.3%
71-80	71-80	55	0.2%
81-90	81-90	33	0.1%
91-99	91-99	12	0.0%
100	100	3	0.0%
L	L - Logical Skip	18,394	56.8%
M	M - Missing Data	9,923	30.7%
Total		32,371	100%

Variable Type: numeric

OPSEXTOTF: Total female clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,585	8.0%
1-10	1-10	215	0.7%
11-20	11-20	135	0.4%
21-30	21-30	90	0.3%
31-40	31-40	83	0.3%
41-50	41-50	58	0.2%
51-75	51-75	99	0.3%
76-100	76-100	88	0.3%
101-250	101-250	309	1.0%
251-500	251-500	197	0.6%
501-1000	501-1000	146	0.5%
1001-1500	1001-1500	60	0.2%
1501 +	1501 +	46	0.1%
L	L - Logical Skip	18,271	56.4%
M	M - Missing Data	9,989	30.9%
Total		32,371	100%

Variable Type: numeric

OPSEXPERF: Percent female clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,556	7.9%
1-10	1-10	20	0.1%
11-20	11-20	47	0.1%
21-30	21-30	63	0.2%
31-40	31-40	179	0.6%
41-50	41-50	442	1.4%
51-60	51-60	486	1.5%
61-70	61-70	175	0.5%
71-80	71-80	58	0.2%
81-90	81-90	11	0.0%
91-99	91-99	4	0.0%
100	100	13	0.0%
L	L - Logical Skip	18,394	56.8%
M	M - Missing Data	9,923	30.7%
Total		32,371	100%

Variable Type: numeric

OPAGETOT017: Total clients/patients 0-17 years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,021	9.3%
1-10	1-10	177	0.5%
11-20	11-20	89	0.3%
21-30	21-30	77	0.2%
31-40	31-40	70	0.2%
41-50	41-50	33	0.1%
51-75	51-75	103	0.3%
76-100	76-100	62	0.2%
101-250	101-250	227	0.7%
251-500	251-500	130	0.4%
501-1000	501-1000	73	0.2%
1001-1500	1001-1500	28	0.1%
1501 +	1501 +	20	0.1%
L	L - Logical Skip	18,268	56.4%
M	M - Missing Data	9,993	30.9%
Total		32,371	100%

Variable Type: numeric

OPAGEPER017: Percent clients/patients 0-17 years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,954	9.1%
1-10	1-10	178	0.5%
11-20	11-20	182	0.6%
21-30	21-30	188	0.6%
31-40	31-40	104	0.3%
41-50	41-50	67	0.2%
51-60	51-60	29	0.1%
61-70	61-70	35	0.1%
71-80	71-80	46	0.1%
81-90	81-90	89	0.3%
91-99	91-99	86	0.3%
100	100	93	0.3%
L	L - Logical Skip	18,397	56.8%
M	M - Missing Data	9,923	30.7%
Total		32,371	100%

Variable Type: numeric

OPAGETOT1864: Total clients/patients 18-64 years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,672	8.3%
1-10	1-10	186	0.6%
11-20	11-20	128	0.4%
21-30	21-30	73	0.2%
31-40	31-40	74	0.2%
41-50	41-50	60	0.2%
51-75	51-75	111	0.3%
76-100	76-100	75	0.2%
101-250	101-250	269	0.8%
251-500	251-500	176	0.5%
501-1000	501-1000	133	0.4%
1001-1500	1001-1500	70	0.2%
1501 +	1501 +	83	0.3%
L	L - Logical Skip	18,268	56.4%
M	M - Missing Data	9,993	30.9%
Total		32,371	100%

Variable Type: numeric

OPAGEPER1864: Percent clients/patients 18-64 years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,649	8.2%
1-10	1-10	125	0.4%
11-20	11-20	75	0.2%
21-30	21-30	51	0.2%
31-40	31-40	56	0.2%
41-50	41-50	129	0.4%
51-60	51-60	137	0.4%
61-70	61-70	175	0.5%
71-80	71-80	228	0.7%
81-90	81-90	184	0.6%
91-99	91-99	162	0.5%
100	100	80	0.2%
L	L - Logical Skip	18,397	56.8%
M	M - Missing Data	9,923	30.7%
Total		32,371	100%

Variable Type: numeric

OPAGETOT65: Total clients/patients 65 plus years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,077	9.5%
1-10	1-10	384	1.2%
11-20	11-20	145	0.4%
21-30	21-30	93	0.3%
31-40	31-40	57	0.2%
41-50	41-50	53	0.2%
51-75	51-75	92	0.3%
76-100	76-100	50	0.2%
101-250	101-250	109	0.3%
251-500	251-500	31	0.1%
501-1000	501-1000	15	0.0%
1001-1500	1001-1500	1	0.0%
1501 +	1501 +	2	0.0%
L	L - Logical Skip	18,268	56.4%
M	M - Missing Data	9,994	30.9%
Total		32,371	100%

Variable Type: numeric

OPAGEPER65: Percent clients/patients 65 plus years at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,997	9.3%
1-10	1-10	686	2.1%
11-20	11-20	218	0.7%
21-30	21-30	103	0.3%
31-40	31-40	24	0.1%
41-50	41-50	13	0.0%
51-60	51-60	3	0.0%
61-70	61-70	1	0.0%
81-90	81-90	3	0.0%
100	100	3	0.0%
L	L - Logical Skip	18,397	56.8%
M	M - Missing Data	9,923	30.7%
Total		32,371	100%

Variable Type: numeric

OPETHTOTISP: Total Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,030	9.4%
1-10	1-10	434	1.3%
11-20	11-20	119	0.4%
21-30	21-30	74	0.2%
31-40	31-40	49	0.2%
41-50	41-50	41	0.1%
51-75	51-75	66	0.2%
76-100	76-100	50	0.2%
101-250	101-250	99	0.3%
251-500	251-500	50	0.2%
501-1000	501-1000	16	0.0%
1001-1500	1001-1500	12	0.0%
1501 +	1501 +	6	0.0%
L	L - Logical Skip	18,287	56.5%
M	M - Missing Data	10,038	31.0%
Total		32,371	100%

Variable Type: numeric

OPETHPERHISP: Percent Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,062	9.5%
1-10	1-10	546	1.7%
11-20	11-20	153	0.5%
21-30	21-30	106	0.3%
31-40	31-40	60	0.2%
41-50	41-50	57	0.2%
51-60	51-60	39	0.1%
61-70	61-70	16	0.0%
71-80	71-80	12	0.0%
81-90	81-90	7	0.0%
91-99	91-99	7	0.0%
100	100	4	0.0%
L	L - Logical Skip	18,352	56.7%
M	M - Missing Data	9,950	30.7%
Total		32,371	100%

Variable Type: numeric

OPETHTOTNONHISP: Total non-Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,839	8.8%
1-10	1-10	131	0.4%
11-20	11-20	98	0.3%
21-30	21-30	50	0.2%
31-40	31-40	47	0.1%
41-50	41-50	61	0.2%
51-75	51-75	92	0.3%
76-100	76-100	46	0.1%
101-250	101-250	234	0.7%
251-500	251-500	164	0.5%
501-1000	501-1000	142	0.4%
1001-1500	1001-1500	58	0.2%
1501 +	1501 +	80	0.2%
L	L - Logical Skip	18,287	56.5%
M	M - Missing Data	10,042	31.0%
Total		32,371	100%

Variable Type: numeric

OPETHPERNONHISP: Percent non-Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,004	9.3%
1-10	1-10	15	0.0%
11-20	11-20	29	0.1%
21-30	21-30	31	0.1%
31-40	31-40	49	0.2%
41-50	41-50	60	0.2%
51-60	51-60	78	0.2%
61-70	61-70	97	0.3%
71-80	71-80	146	0.5%
81-90	81-90	205	0.6%
91-99	91-99	304	0.9%
100	100	50	0.2%
100 +	100 +	1	0.0%
L	L - Logical Skip	18,352	56.7%
M	M - Missing Data	9,950	30.7%
Total		32,371	100%

Variable Type: numeric

OPETHTOTUNK: Total unknown ethnicity clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,101	9.6%
1-10	1-10	236	0.7%
11-20	11-20	108	0.3%
21-30	21-30	71	0.2%
31-40	31-40	53	0.2%
41-50	41-50	35	0.1%
51-75	51-75	75	0.2%
76-100	76-100	54	0.2%
101-250	101-250	132	0.4%
251-500	251-500	73	0.2%
501-1000	501-1000	51	0.2%
1001-1500	1001-1500	25	0.1%
1501 +	1501 +	29	0.1%
L	L - Logical Skip	18,287	56.5%
M	M - Missing Data	10,041	31.0%
Total		32,371	100%

Variable Type: numeric

OPETHPERUNK: Percent unknown ethnicity clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,126	9.7%
1-10	1-10	325	1.0%
11-20	11-20	54	0.2%
21-30	21-30	44	0.1%
31-40	31-40	19	0.1%
41-50	41-50	12	0.0%
51-60	51-60	11	0.0%
61-70	61-70	8	0.0%
71-80	71-80	15	0.0%
81-90	81-90	9	0.0%
91-99	91-99	7	0.0%
100	100	442	1.4%
100 +	100 +	1	0.0%
L	L - Logical Skip	18,352	56.7%
M	M - Missing Data	9,946	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,437	10.6%
1-10	1-10	460	1.4%
11-20	11-20	50	0.2%
21-30	21-30	30	0.1%
31-40	31-40	22	0.1%
41-50	41-50	6	0.0%
51-75	51-75	10	0.0%
76-100	76-100	6	0.0%
101-250	101-250	12	0.0%
251-500	251-500	3	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,073	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,619	11.2%
1-10	1-10	389	1.2%
11-20	11-20	13	0.0%
21-30	21-30	7	0.0%
41-50	41-50	3	0.0%
51-60	51-60	2	0.0%
61-70	61-70	1	0.0%
71-80	71-80	2	0.0%
81-90	81-90	1	0.0%
91-99	91-99	1	0.0%
100	100	5	0.0%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,947	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTASIAN: Total Asian clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,389	10.5%
1-10	1-10	506	1.6%
11-20	11-20	60	0.2%
21-30	21-30	32	0.1%
31-40	31-40	11	0.0%
41-50	41-50	3	0.0%
51-75	51-75	12	0.0%
76-100	76-100	7	0.0%
101-250	101-250	13	0.0%
251-500	251-500	3	0.0%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,074	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERASIAN: Percent Asian clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,476	10.7%
1-10	1-10	533	1.6%
11-20	11-20	28	0.1%
31-40	31-40	2	0.0%
41-50	41-50	1	0.0%
91-99	91-99	1	0.0%
100	100	1	0.0%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,948	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTBLK: Total Black clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,982	9.2%
1-10	1-10	405	1.3%
11-20	11-20	136	0.4%
21-30	21-30	92	0.3%
31-40	31-40	48	0.1%
41-50	41-50	43	0.1%
51-75	51-75	60	0.2%
76-100	76-100	40	0.1%
101-250	101-250	126	0.4%
251-500	251-500	50	0.2%
501-1000	501-1000	37	0.1%
1001-1500	1001-1500	10	0.0%
1501 +	1501 +	9	0.0%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,072	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERBLK: Percent Black clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,122	9.6%
1-10	1-10	365	1.1%
11-20	11-20	165	0.5%
21-30	21-30	123	0.4%
31-40	31-40	81	0.3%
41-50	41-50	67	0.2%
51-60	51-60	39	0.1%
61-70	61-70	30	0.1%
71-80	71-80	22	0.1%
81-90	81-90	21	0.1%
91-99	91-99	7	0.0%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,948	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTHPAC: Total Native Hawaiian/Other Pacific Islander at this less than 24-hour facility**(Q.D12b)**

Value	Label	Frequency	%
0	0	3,675	11.4%
1-10	1-10	320	1.0%
11-20	11-20	17	0.1%
21-30	21-30	5	0.0%
31-40	31-40	3	0.0%
41-50	41-50	2	0.0%
51-75	51-75	4	0.0%
76-100	76-100	2	0.0%
101-250	101-250	5	0.0%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,077	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander at this less than 24-hour facility**(Q.D12b)**

Value	Label	Frequency	%
0	0	3,783	11.7%
1-10	1-10	255	0.8%
11-20	11-20	1	0.0%
21-30	21-30	1	0.0%
31-40	31-40	1	0.0%
41-50	41-50	1	0.0%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,948	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTWHIT: Total White clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	2,836	8.8%
1-10	1-10	154	0.5%
11-20	11-20	101	0.3%
21-30	21-30	63	0.2%
31-40	31-40	54	0.2%
41-50	41-50	46	0.1%
51-75	51-75	91	0.3%
76-100	76-100	62	0.2%
101-250	101-250	218	0.7%
251-500	251-500	151	0.5%
501-1000	501-1000	141	0.4%
1001-1500	1001-1500	51	0.2%
1501 +	1501 +	70	0.2%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,072	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERWHIT: Percent White clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,064	9.5%
1-10	1-10	53	0.2%
11-20	11-20	41	0.1%
21-30	21-30	62	0.2%
31-40	31-40	98	0.3%
41-50	41-50	121	0.4%
51-60	51-60	113	0.3%
61-70	61-70	98	0.3%
71-80	71-80	150	0.5%
81-90	81-90	140	0.4%
91-99	91-99	91	0.3%
100	100	12	0.0%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,947	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTMR: Total mixed-race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,375	10.4%
1-10	1-10	358	1.1%
11-20	11-20	83	0.3%
21-30	21-30	61	0.2%
31-40	31-40	43	0.1%
41-50	41-50	16	0.0%
51-75	51-75	31	0.1%
76-100	76-100	13	0.0%
101-250	101-250	42	0.1%
251-500	251-500	11	0.0%
501-1000	501-1000	2	0.0%
1501 +	1501 +	1	0.0%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,074	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERMR: Percent mixed-race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,350	10.3%
1-10	1-10	524	1.6%
11-20	11-20	98	0.3%
21-30	21-30	42	0.1%
31-40	31-40	8	0.0%
41-50	41-50	14	0.0%
51-60	51-60	1	0.0%
61-70	61-70	3	0.0%
71-80	71-80	1	0.0%
81-90	81-90	1	0.0%
100	100	1	0.0%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,947	30.7%
Total		32,371	100%

Variable Type: numeric

OPRACETOTUNK: Total unknown race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,007	9.3%
1-10	1-10	275	0.8%
11-20	11-20	145	0.4%
21-30	21-30	77	0.2%
31-40	31-40	60	0.2%
41-50	41-50	43	0.1%
51-75	51-75	87	0.3%
76-100	76-100	66	0.2%
101-250	101-250	118	0.4%
251-500	251-500	74	0.2%
501-1000	501-1000	43	0.1%
1001-1500	1001-1500	19	0.1%
1501 +	1501 +	24	0.1%
L	L - Logical Skip	18,261	56.4%
M	M - Missing Data	10,072	31.1%
Total		32,371	100%

Variable Type: numeric

OPRACEPERUNK: Percent unknown race clients/patients at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,026	9.3%
1-10	1-10	319	1.0%
11-20	11-20	102	0.3%
21-30	21-30	39	0.1%
31-40	31-40	17	0.1%
41-50	41-50	20	0.1%
51-60	51-60	9	0.0%
61-70	61-70	9	0.0%
71-80	71-80	4	0.0%
81-90	81-90	2	0.0%
91-99	91-99	2	0.0%
100	100	497	1.5%
L	L - Logical Skip	18,381	56.8%
M	M - Missing Data	9,944	30.7%
Total		32,371	100%

Variable Type: numeric

**OPLEGALTOTVOL: Total clients/patients with voluntary legal status at this less than 24-hour facility
(Q.D12b)**

Value	Label	Frequency	%
0	0	2,572	7.9%
1-10	1-10	115	0.4%
11-20	11-20	107	0.3%
21-30	21-30	70	0.2%
31-40	31-40	47	0.1%
41-50	41-50	61	0.2%
51-75	51-75	102	0.3%
76-100	76-100	66	0.2%
101-250	101-250	267	0.8%
251-500	251-500	207	0.6%
501-1000	501-1000	175	0.5%
1001-1500	1001-1500	86	0.3%
1501 +	1501 +	131	0.4%
L	L - Logical Skip	18,247	56.4%
M	M - Missing Data	10,118	31.3%
Total		32,371	100%

Variable Type: numeric

**OPLEGALPERVOL: Percent clients/patients with voluntary legal status at this less than 24-hour facility
(Q.D12b)**

Value	Label	Frequency	%
0	0	2,564	7.9%
1-10	1-10	8	0.0%
11-20	11-20	11	0.0%
21-30	21-30	9	0.0%
31-40	31-40	7	0.0%
41-50	41-50	9	0.0%
51-60	51-60	10	0.0%
61-70	61-70	23	0.1%
71-80	71-80	36	0.1%
81-90	81-90	71	0.2%
91-99	91-99	173	0.5%
100	100	1,109	3.4%
L	L - Logical Skip	18,368	56.7%
M	M - Missing Data	9,973	30.8%
Total		32,371	100%

Variable Type: numeric

OPLEGALTOTNONFOREN: Total clients/patients, involuntary (non-for) status at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,768	11.6%
1-10	1-10	123	0.4%
11-20	11-20	37	0.1%
21-30	21-30	17	0.1%
31-40	31-40	7	0.0%
41-50	41-50	11	0.0%
51-75	51-75	18	0.1%
76-100	76-100	9	0.0%
101-250	101-250	14	0.0%
251-500	251-500	2	0.0%
L	L - Logical Skip	18,247	56.4%
M	M - Missing Data	10,118	31.3%
Total		32,371	100%

Variable Type: numeric

OPLEGALPERNONFOREN: Percent clients/patients, involuntary (non-for) status at this less than 24-hour facility (Q.D12b)

Value	Label	Frequency	%
0	0	3,770	11.6%
1-10	1-10	161	0.5%
11-20	11-20	38	0.1%
21-30	21-30	14	0.0%
31-40	31-40	15	0.0%
41-50	41-50	7	0.0%
51-60	51-60	4	0.0%
61-70	61-70	5	0.0%
71-80	71-80	2	0.0%
81-90	81-90	5	0.0%
91-99	91-99	2	0.0%
100	100	7	0.0%
L	L - Logical Skip	18,368	56.7%
M	M - Missing Data	9,973	30.8%
Total		32,371	100%

Variable Type: numeric

OPLEGALTOTFOREN: Total clients/patients, involuntary (for) status at this less than 24-hour facility

(Q.D12b)

Value	Label	Frequency	%
0	0	3,869	12.0%
1-10	1-10	73	0.2%
11-20	11-20	16	0.0%
21-30	21-30	11	0.0%
31-40	31-40	9	0.0%
41-50	41-50	7	0.0%
51-75	51-75	5	0.0%
76-100	76-100	3	0.0%
101-250	101-250	8	0.0%
251-500	251-500	4	0.0%
501-1000	501-1000	1	0.0%
L	L - Logical Skip	18,247	56.4%
M	M - Missing Data	10,118	31.3%
Total		32,371	100%

Variable Type: numeric

OPLEGALPERFOREN: Percent clients/patients, involuntary (for) status at this less than 24-hour facility**(Q.D12b)**

Value	Label	Frequency	%
0	0	3,820	11.8%
1-10	1-10	154	0.5%
11-20	11-20	20	0.1%
21-30	21-30	11	0.0%
31-40	31-40	7	0.0%
41-50	41-50	4	0.0%
51-60	51-60	3	0.0%
71-80	71-80	6	0.0%
81-90	81-90	1	0.0%
91-99	91-99	1	0.0%
100	100	3	0.0%
L	L - Logical Skip	18,368	56.7%
M	M - Missing Data	9,973	30.8%
Total		32,371	100%

Variable Type: numeric

COD_PCT_MH_R1: Percent of clients/patients with co-occurring mental health and substance use disorders (Q.D13)

Value	Label	Frequency	%
0	0	993	3.1%
1-10	1-10	854	2.6%
11-20	11-20	567	1.8%
21-30	21-30	511	1.6%
31-40	31-40	412	1.3%
41-50	41-50	369	1.1%
51-60	51-60	204	0.6%
61-70	61-70	179	0.6%
71-80	71-80	253	0.8%
81-90	81-90	145	0.4%
91-99	91-99	51	0.2%
100	100	165	0.5%
L	L - Logical Skip	17,731	54.8%
M	M - Missing Data	9,937	30.7%
Total		32,371	100%

Variable Type: numeric

TOTADMIS_MH: number of mental health admissions in 12 months period (Q.D14)

Value	Label	Frequency	%
0	0	1,006	3.1%
1-10	1-10	513	1.6%
11-20	11-20	306	0.9%
21-30	21-30	246	0.8%
31-40	31-40	215	0.7%
41-50	41-50	247	0.8%
51-75	51-75	374	1.2%
76-100	76-100	417	1.3%
101-250	101-250	1,169	3.6%
251-500	251-500	942	2.9%
501-1000	501-1000	877	2.7%
1001-1500	1001-1500	411	1.3%
1501 +	1501 +	733	2.3%
L	L - Logical Skip	14,789	45.7%
M	M - Missing Data	10,126	31.3%
Total		32,371	100%

Variable Type: numeric

PERCENTVA: Percent of admissions that are Veterans (Q.D15)

Value	Label	Frequency	%
0	0	3,603	11.1%
1-10	1-10	2,968	9.2%
11-20	11-20	287	0.9%
21-30	21-30	113	0.3%
31-40	31-40	32	0.1%
41-50	41-50	17	0.1%
51-60	51-60	9	0.0%
61-70	61-70	6	0.0%
71-80	71-80	5	0.0%
81-90	81-90	4	0.0%
91-99	91-99	9	0.0%
100	100	190	0.6%
L	L - Logical Skip	14,790	45.7%
M	M - Missing Data	10,338	31.9%
Total		32,371	100%

Variable Type: numeric

T_CLIMH: Total number of mental health clients

Value	Label	Frequency	%
0	0	2,440	7.5%
1-10	1-10	699	2.2%
11-20	11-20	602	1.9%
21-30	21-30	322	1.0%
31-40	31-40	237	0.7%
41-50	41-50	209	0.6%
51-75	51-75	374	1.2%
76-100	76-100	275	0.8%
101-250	101-250	718	2.2%
251-500	251-500	526	1.6%
501-1000	501-1000	433	1.3%
1001-1500	1001-1500	194	0.6%
1501 +	1501 +	334	1.0%
L	L - Logical Skip	11,572	35.7%
M	M - Missing Data	13,436	41.5%
Total		32,371	100%

Variable Type: numeric

VAEBSPI_SU: Offers evidence-based suicide prevention interventions (Q.VA1_SU)

Value	Label	Frequency	%
0	0 - No	14	0.0%
1	1 - Yes	433	1.3%
L	L - Logical Skip	22,228	68.7%
M	M - Missing Data	9,696	30.0%
Total		32,371	100%

Variable Type: numeric

VARISKSCRN_SU: Offers suicide risk screening (Q.VA1_SU)

Value	Label	Frequency	%
0	0 - No	2	0.0%
1	1 - Yes	445	1.4%
L	L - Logical Skip	22,228	68.7%
M	M - Missing Data	9,696	30.0%
Total		32,371	100%

Variable Type: numeric

VARISKEVAL_SU: Offers suicide risk evaluation (Q.VA1_SU)

Value	Label	Frequency	%
0	0 - No	3	0.0%
1	1 - Yes	444	1.4%
L	L - Logical Skip	22,228	68.7%
M	M - Missing Data	9,696	30.0%
Total		32,371	100%

Variable Type: numeric

VANOSUISRVC_SU: None of the above are offered suicide-related services (Q.VA1_SU)

Value	Label	Frequency	%
0	0 - No	447	1.4%
L	L - Logical Skip	22,228	68.7%
M	M - Missing Data	9,696	30.0%
Total		32,371	100%

Variable Type: numeric

VACBTSP_SU: Uses Cognitive Therapy for Suicide Prevention (CBT-SP) (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	202	0.6%
1	1 - Yes	230	0.7%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VACBT_SU: Uses Cognitive Behavioral Therapy (CBT) (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	29	0.1%
1	1 - Yes	403	1.2%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VADBT_SU: Uses Dialectical Behavior Therapy (DBT) (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	171	0.5%
1	1 - Yes	261	0.8%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAPST_SU: Uses Problem Solving Therapy (PST) (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	210	0.6%
1	1 - Yes	222	0.7%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VASFTYPLN_SU: Uses safety planning/crisis response planning (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	48	0.1%
1	1 - Yes	384	1.2%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAKET_SU: Uses ketamine infusions (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	402	1.2%
1	1 - Yes	30	0.1%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VALITH_SU: Uses lithium treatment (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	120	0.4%
1	1 - Yes	312	1.0%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VACLOZ_SU: Uses clozapine treatment (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	137	0.4%
1	1 - Yes	295	0.9%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VACARCOMM_SU: Uses caring communications (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	239	0.7%
1	1 - Yes	193	0.6%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAHOME_SU: Uses home support (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	304	0.9%
1	1 - Yes	128	0.4%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAWHOBIC_SU: Uses World Health Organization-Brief Intervention and Contact (WHO-BIC) (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	422	1.3%
1	1 - Yes	10	0.0%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAGKTRAIN_SU: Uses gate keeper training (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	378	1.2%
1	1 - Yes	54	0.2%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VALETHAL_SU: Uses lethal means safety counseling (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	52	0.2%
1	1 - Yes	380	1.2%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAEBSPIOTH_SU: Uses other evidence-based suicide prevention interventions (Q.VA2_SU)

Value	Label	Frequency	%
0	0 - No	420	1.3%
1	1 - Yes	12	0.0%
L	L - Logical Skip	22,268	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VACSSRSSCRN_SU: Uses Columbia-Suicide Severity Rating Scale (C-SSRS) Screener (Q.VA3_SU)

Value	Label	Frequency	%
0	0 - No	3	0.0%
1	1 - Yes	441	1.4%
L	L - Logical Skip	22,256	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAPHQ9_SU: Uses Patient Health Questionnaire (PHQ-9) Item 9 (Q.VA3_SU)

Value	Label	Frequency	%
0	0 - No	51	0.2%
1	1 - Yes	412	1.3%
L	L - Logical Skip	111	0.3%
M	M - Missing Data	31,797	98.2%
Total		32,371	100%

Variable Type: numeric

VASCRNOTH_SU: Uses other standardized suicide screening tools (Q.VA3_SU)

Value	Label	Frequency	%
0	0 - No	388	1.2%
1	1 - Yes	56	0.2%
L	L - Logical Skip	22,256	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VANOSCRNTLS_SU: None of the above standardized suicide screening tools (Q.VA3_SU)

Value	Label	Frequency	%
0	0 - No	445	1.4%
L	L - Logical Skip	22,255	68.7%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VACSSRSEVAL_SU: Uses Columbia-Suicide Severity Rating Scale (C-SSRS) (Q.VA4_SU)

Value	Label	Frequency	%
0	0 - No	6	0.0%
1	1 - Yes	437	1.3%
L	L - Logical Skip	22,257	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAMINI_SU: Uses the Mini International Neuropsychiatric Interview (MINI) (Q.VA4_SU)

Value	Label	Frequency	%
0	0 - No	370	1.1%
1	1 - Yes	73	0.2%
L	L - Logical Skip	22,257	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VACSRE_SU: Uses VA Comprehensive Suicide Risk Evaluation (CSRE) (Q.VA4_SU)

Value	Label	Frequency	%
0	0 - No	3	0.0%
1	1 - Yes	440	1.4%
L	L - Logical Skip	22,257	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VASAFET_SU: Uses Suicide Assessment Five-step Evaluation and Triage (SAFE-T) (Q.VA4_SU)

Value	Label	Frequency	%
0	0 - No	392	1.2%
1	1 - Yes	51	0.2%
L	L - Logical Skip	22,257	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAEVALOTH_SU: Uses other standardized suicide evaluation tools (Q.VA4_SU)

Value	Label	Frequency	%
0	0 - No	440	1.4%
1	1 - Yes	3	0.0%
L	L - Logical Skip	22,257	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VANOEVALTLS_SU: None of the above standardized suicide evaluation tools (Q.VA4_SU)

Value	Label	Frequency	%
0	0 - No	443	1.4%
L	L - Logical Skip	22,257	68.8%
M	M - Missing Data	9,671	29.9%
Total		32,371	100%

Variable Type: numeric

VAHIGHRISKHI_SU: Hospital inpatients identified as high risk of suicide (Q.VA5_SU)

Value	Label	Frequency	%
0	0	10	0.0%
1-10	1-10	22	0.1%
11-20	11-20	3	0.0%
21-30	21-30	2	0.0%
41-50	41-50	1	0.0%
L	L - Logical Skip	22,654	70.0%
M	M - Missing Data	9,679	29.9%
Total		32,371	100%

Variable Type: numeric

VAHIGHRISKRC_SU: Residential clients identified as high risk of suicide (Q.VA6_SU)

Value	Label	Frequency	%
0	0	11	0.0%
1-10	1-10	43	0.1%
11-20	11-20	7	0.0%
41-50	41-50	1	0.0%
L	L - Logical Skip	22,628	69.9%
M	M - Missing Data	9,681	29.9%
Total		32,371	100%

Variable Type: numeric

VAHIGHRISKOP_SU: Outpatient clients identified as high risk of suicide (Q.VA7_SU)

Value	Label	Frequency	%
0	0	32	0.1%
1-10	1-10	97	0.3%
11-20	11-20	35	0.1%
21-30	21-30	13	0.0%
31-40	31-40	9	0.0%
41-50	41-50	5	0.0%
51-75	51-75	9	0.0%
76-100	76-100	1	0.0%
101-250	101-250	4	0.0%
251-500	251-500	1	0.0%
501-1000	501-1000	1	0.0%
1501 +	1501 +	2	0.0%
L	L - Logical Skip	22,463	69.4%
M	M - Missing Data	9,699	30.0%
Total		32,371	100%

Variable Type: numeric

VASTNDRD: Standardized process for referring clients based on treatment plan (Q.VA1_MH)

Value	Label	Frequency	%
0	0 - No	6	0.0%
1	1 - Yes	384	1.2%
L	L - Logical Skip	22,292	68.9%
M	M - Missing Data	9,689	29.9%
Total		32,371	100%

Variable Type: numeric

VAFLWUP: Follow-up of clients of mental health care with suicidal thoughts/behavior (Q.VA2_MH)

Value	Label	Frequency	%
0	0 - No	1	0.0%
1	1 - Yes	389	1.2%
L	L - Logical Skip	22,292	68.9%
M	M - Missing Data	9,689	29.9%
Total		32,371	100%

Variable Type: numeric

VALMST_MH: Offers lethal means safety training (Q.VA3_MH)

Value	Label	Frequency	%
0	0 - No	33	0.1%
1	1 - Yes	357	1.1%
L	L - Logical Skip	22,292	68.9%
M	M - Missing Data	9,689	29.9%
Total		32,371	100%

Variable Type: numeric

VAGUNLOCKS_MH: Offers free gun locks (Q.VA3_MH)

Value	Label	Frequency	%
0	0 - No	4	0.0%
1	1 - Yes	386	1.2%
L	L - Logical Skip	22,292	68.9%
M	M - Missing Data	9,689	29.9%
Total		32,371	100%

Variable Type: numeric

VASPCOW_MH: Offers community outreach of workshops (Q.VA3_MH)

Value	Label	Frequency	%
0	0 - No	52	0.2%
1	1 - Yes	360	1.1%
L	L - Logical Skip	11,572	35.7%
M	M - Missing Data	20,387	63.0%
Total		32,371	100%

Variable Type: numeric

VANOSUIPREV_MH: None of these suicide prevention services (Q.VA3_MH)

Value	Label	Frequency	%
0	0 - No	412	1.3%
L	L - Logical Skip	11,572	35.7%
M	M - Missing Data	20,387	63.0%
Total		32,371	100%

Variable Type: numeric

VABEGIN_MH: Staff are trained when they begin working (Q.VA4_MH)

Value	Label	Frequency	%
0	0 - No	4	0.0%
1	1 - Yes	376	1.2%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VATRAINREG_MH: Trainings are held at regular intervals (Q.VA4_MH)

Value	Label	Frequency	%
0	0 - No	4	0.0%
1	1 - Yes	376	1.2%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VANOTRAIN_MH: Staff not trained on suicide prevention strategies (Q.VA4_MH)

Value	Label	Frequency	%
0	0 - No	380	1.2%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VARSKPROGIND_MH: Suicide risk screening program, indicated (Q.VA5_MH)

Value	Label	Frequency	%
0	0 - No	64	0.2%
1	1 - Yes	316	1.0%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VARSKPROGSEL_MH: Suicide risk screening program, selected (Q.VA5_MH)

Value	Label	Frequency	%
0	0 - No	64	0.2%
1	1 - Yes	316	1.0%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VARSKPROGUNIV_MH: Suicide risk screening program, universal (Q.VA5_MH)

Value	Label	Frequency	%
0	0 - No	16	0.0%
1	1 - Yes	364	1.1%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VANORSKPROG_MH: No suicide risk screening program (Q.VA5_MH)

Value	Label	Frequency	%
0	0 - No	380	1.2%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VAWARNSIGN: Identifies warning signs for suicide and violence (Q.VA6_MH)

Value	Label	Frequency	%
1	1 - Yes	72	0.2%
L	L - Logical Skip	22,627	69.9%
M	M - Missing Data	9,672	29.9%
Total		32,371	100%

Variable Type: numeric

VAASSESSRISK: Assesses each client level of risk for suicide (Q.VA7_MH)

Value	Label	Frequency	%
0	0 - No	1	0.0%
1	1 - Yes	379	1.2%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VAMAINAIN: Maintains a list of clients who are high risk for suicide (Q.VA8_MH)

Value	Label	Frequency	%
0	0 - No	5	0.0%
1	1 - Yes	375	1.2%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VAFUAPPTMSSD: Process for ensuring high risk for suicide clients are followed up with (Q.VA8a_MH)

Value	Label	Frequency	%
0	0 - No	1	0.0%
1	1 - Yes	374	1.2%
L	L - Logical Skip	22,326	69.0%
M	M - Missing Data	9,670	29.9%
Total		32,371	100%

Variable Type: numeric

VASPC_MH: Full-time Suicide Prevention Coordinators (SPCs) employed at this facility (Q.VA9_MH)

Value	Label	Frequency	%
0	0	148	0.5%
1-10	1-10	232	0.7%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VACAREMGR_MH: Full-time care managers employed at this facility (Q.VA9_MH)

Value	Label	Frequency	%
0	0	216	0.7%
1-10	1-10	163	0.5%
11-20	11-20	1	0.0%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VAPROGSUPP_MH: Full-time program support assistants employed at this facility (Q.VA9_MH)

Value	Label	Frequency	%
0	0	263	0.8%
1-10	1-10	117	0.4%
L	L - Logical Skip	22,306	68.9%
M	M - Missing Data	9,685	29.9%
Total		32,371	100%

Variable Type: numeric

VAHIGHRISKHI_MH: Hospital inpatients identified as high risk of suicide (Q.VA10_MH)

Value	Label	Frequency	%
0	0	6	0.0%
1-10	1-10	31	0.1%
11-20	11-20	4	0.0%
L	L - Logical Skip	22,650	70.0%
M	M - Missing Data	9,680	29.9%
Total		32,371	100%

Variable Type: numeric

VAHIGHRISKRC_MH: Residential clients identified as high risk of suicide (Q.VA11_MH)

Value	Label	Frequency	%
0	0	2	0.0%
1-10	1-10	13	0.0%
11-20	11-20	2	0.0%
21-30	21-30	1	0.0%
L	L - Logical Skip	22,676	70.1%
M	M - Missing Data	9,677	29.9%
Total		32,371	100%

Variable Type: numeric

VAHIGHRISKOP_MH: Outpatient clients identified as high risk of suicide (Q.VA12_MH)

Value	Label	Frequency	%
0	0	5	0.0%
1-10	1-10	33	0.1%
11-20	11-20	7	0.0%
21-30	21-30	3	0.0%
31-40	31-40	1	0.0%
41-50	41-50	3	0.0%
51-75	51-75	1	0.0%
76-100	76-100	1	0.0%
101-250	101-250	3	0.0%
1001-1500	1001-1500	1	0.0%
L	L - Logical Skip	22,630	69.9%
M	M - Missing Data	9,683	29.9%
Total		32,371	100%

Variable Type: numeric

TSU21_SU: Inclusion/exclusion flag for substance use report

Value	Label	Frequency	%
1	1 = Treatment/detoxification	14,010	43.3%
2	2 = Non-treatment halfway house	33	0.1%
3	3 = Did not take survey	6,500	20.1%
5	5 = Solo practice	78	0.2%
M	M - Missing Data	11,750	36.3%
Total		32,371	100%

Variable Type: numeric

TSU21_MH: Inclusion/exclusion flag for mental health report

Value	Label	Frequency	%
1	1 = Treatment/detoxification	9,050	28.0%
M	M - Missing Data	23,321	72.0%
	Total	32,371	100%

Variable Type: numeric