

CS143: Homework #1 (Relational Algebra)

1. Suppose relation $R(A, B, C)$ has the tuples:

A	B	C
7	5	3
2	1	2
1	4	3
5	8	7
6	7	9

and relation $S(A, B, C)$ has the tuples:

A	B	C
2	1	2
1	4	4
8	3	2
5	8	7

Compute $(R - S) \cup (S - R)$, often called the “symmetric difference” of R and S . List all the tuples in the result relation.

2. Suppose relation $R(L, M)$ has the tuples:

L	M
4	3
6	5
8	7

and relation $S(M, N, P)$ has the tuples:

M	N	P
6	1	8
1	6	4
2	5	1
3	4	7

Compute $\sigma_{R.L > S.M \wedge R.M < S.P}(R \times S)$. List all the tuples in the result relation.

3. Assume the following database for this problem. The relations represent information on course enrollment in a university:

Student(Student-name, Department)
Course(Course-name, Department)
Enrollment(Student-name, Course-name)

The **Student** relation has student names and the departments they belong to.
The **Course** relation has course names and the departments they are offered by.
The **Enrollment** relation represents which courses the students are enrolled in.

Assumptions:

- Student names and course names are unique.
- A student can enroll in multiple courses.
- A student can enroll in a course offered by any department.

Write a relational-algebra expression for each of the following queries. Use only the operators we learnt in class.

(Hint: When a query is difficult, think of its complement.)

- Find the names of all students who are not enrolled in the ‘Database Management Systems’ course.
 - Find the names of all students who are enrolled in at least one course not offered by their home department.
 - Find the names of all courses which have no students enrolled.
 - Find the department names that students belong to if the students takes at least one class offered by the CS department.
 - Find the department names of all students who are enrolled in at most one course.
4. The relation **Company(company-name, valuation)** captures Company-valuation information, where **company-name** is the name of a company and **valuation** is its valuation. Write a relational algebra expression to find the name of the lowest valued companies. (Hint: When a query is difficult, think of its complement.)