THE DEBRIEF

Your code. Better understood.

Digit sum · 11/1/2026

Demo report · predefined questions and simulated keyword scores. Scores and TA readiness are informal study indicators, never official NTHU grades.

0 / 100

Needs Practice

TA readiness · informal indicator

0/5	0	0	0
Completed	Correct (8–10)	Partial (4–<8)	Incorrect (<4)

5

Skipped

Build on your strengths

No consistently strong topics recorded yet.

Strongest answers

Answer a question to see strengths here.

Your next study session

- Review **Modulo and integer division**: trace the cited lines with a normal input and one boundary input, then explain the reasoning aloud.
- Review **Variables and data types**: trace the cited lines with a normal input and one boundary input, then explain the reasoning aloud.
- Review **while loops**: trace the cited lines with a normal input and one boundary input, then explain the reasoning aloud.

Overall = sum of final main-question scores ÷ (5 × 10) × 100. Skips count as 0. With a follow-up, final = mean of initial and follow-up scores; both are retained.

Question by question

QUESTION 1 · Modulo and integer division

Skipped

Why does temp % 10 extract a digit here?

Source lines 10–10

```
        sum += temp % 10;
```

Your answer

The remainder after dividing by 10 is the last digit.

Expected key points

For nonnegative temp, the remainder after division by 10 is the last decimal digit.

Evaluation · initial 0/10

Simulated feedback: this demo matches keywords, not meaning. Use live AI for a real explanation-based assessment.

Most important gaps

For nonnegative temp, the remainder after division by 10 is the last decimal digit.

Rubric: Illustrative demo only: keyword overlap chooses a sample score; it does not assess meaning.

Example correct answer

For nonnegative temp, the remainder after division by 10 is the last decimal digit.

QUESTION 2 · Variables and data types

Skipped

Why use temp instead of changing number?

Source lines 7–7

```
    int temp = number;
```

Your answer

Skipped

Expected key points

temp is a copy. Changing it preserves the original value in number.

Evaluation · initial 0/10

Simulated feedback: this demo matches keywords, not meaning. Use live AI for a real explanation-based assessment.

Most important gaps

temp is a copy. Changing it preserves the original value in number.

Rubric: Illustrative demo only: keyword overlap chooses a sample score; it does not assess meaning.

Example correct answer

temp is a copy. Changing it preserves the original value in number.

QUESTION 3 · while loops

Skipped

What makes this while loop terminate for positive input?

Source lines 9–12

```
while (temp > 0) {
    sum += temp % 10;
    temp /= 10;
}
```

Your answer

Skipped

Expected key points

Integer division by 10 reduces positive temp until it reaches zero; the condition then becomes false.

Evaluation · initial 0/10

Simulated feedback: this demo matches keywords, not meaning. Use live AI for a real explanation-based assessment.

Most important gaps

Integer division by 10 reduces positive temp until it reaches zero; the condition then becomes false.

Rubric: Illustrative demo only: keyword overlap chooses a sample score; it does not assess meaning.

Example correct answer

Integer division by 10 reduces positive temp until it reaches zero; the condition then becomes false.

QUESTION 4 · while loops

Skipped

For a successful input of 0, what is printed?

Source lines 8–13

```
int sum = 0;
while (temp > 0) {
    sum += temp % 10;
    temp /= 10;
}
cout << "Digit sum: " << sum << endl;
```

Your answer

Skipped

Expected key points

The condition is false immediately, so the program prints Digit sum: 0 followed by a newline.

Evaluation · initial 0/10

Simulated feedback: this demo matches keywords, not meaning. Use live AI for a real explanation-based assessment.

Most important gaps

The condition is false immediately, so the program prints Digit sum: 0 followed by a newline.

Rubric: Illustrative demo only: keyword overlap chooses a sample score; it does not assess meaning.

Example correct answer

The condition is false immediately, so the program prints Digit sum: 0 followed by a newline.

QUESTION 5 · while loops

Skipped

For a successful input of -27, does the loop execute?

Source lines 9–12

```
while (temp > 0) {
    sum += temp % 10;
    temp /= 10;
}
```

Your answer

Skipped

Expected key points

No. -27 > 0 is false, so sum remains zero.

Evaluation · initial 0/10

Simulated feedback: this demo matches keywords, not meaning. Use live AI for a real explanation-based assessment.

Most important gaps

No. -27 > 0 is false, so sum remains zero.

Rubric: Illustrative demo only: keyword overlap chooses a sample score; it does not assess meaning.

Example correct answer

No. -27 > 0 is false, so sum remains zero.