

EL block header

keccak256 of RLP	parent_hash
constant	ommers_hash
address	coinbase
hexary trie root of RLP	state_root
hexary trie root of RLP	txs_root
hexary trie root of RLP	receipts_root
bloom filter	logs_bloom
constant	difficulty
number	number
number	gas_limit
number	gas_used
number	timestamp
0 ... 32 bytes	extradata
32 bytes	prev_randao
constant	nonce
number	base_fee_per_gas
hexary trie root of RLP	withdrawals_root
number	excess_data_gas

CL ExecutionPayloadHeader

keccak256 of RLP	parent_hash
address	fee_recipient
hexary trie root of RLP	state_root
hexary trie root of RLP	receipts_root
bloom filter	logs_bloom
number	block_number
number	gas_limit
number	gas_used
number	timestamp
0 ... 32 bytes	extra_data
32 bytes	prev_randao
number	base_fee_per_gas
SSZ tree root of RLP	transactions_root
SSZ tree root of SSZ	withdrawals_root

EL block header

keccak256 of RLP	parent_hash
constant	ommers_hash
address	coinbase
hexary trie root of RLP	state_root
hexary trie root of RLP	txs_root
hexary trie root of RLP	receipts_root
bloom filter	logs_bloom
constant	difficulty
number	number
number	gas_limit
number	gas_used
number	timestamp
0 ... 32 bytes	extradata
32 bytes	prev_randao
constant	nonce
number	base_fee_per_gas
hexary trie root of RLP	withdrawals_root
number	excess_data_gas

CL ExecutionPayloadHeader

keccak256 of RLP	parent_hash
address	fee_recipient
hexary trie root of RLP	state_root
hexary trie root of RLP	transactions_trie_root
hexary trie root of RLP	receipts_root
bloom filter	logs_bloom
number	block_number
number	gas_limit
number	gas_used
number	timestamp
0 ... 32 bytes	extra_data
32 bytes	prev_randao
number	base_fee_per_gas
hexary trie root of RLP	withdrawals_trie_root
number	excess_data_gas
SSZ tree root of RLP	transactions_root
SSZ tree root of SSZ	withdrawals_root

EL block header

keccak256 of RLP	parent_hash
constant	ommers_hash
address	coinbase
hexary trie root of RLP	state_root
hexary trie root of RLP	txs_root
hexary trie root of RLP	receipts_root
bloom filter	logs_bloom
constant	difficulty
number	number
number	gas_limit
number	gas_used
number	timestamp
0 ... 32 bytes	extradata
32 bytes	prev_randao
constant	nonce
number	base_fee_per_gas
hexary trie root of RLP	withdrawals_root
number	excess_data_gas
SSZ tree root of RLP	txs_root
SSZ tree root of SSZ	withdrawals_root

CL ExecutionPayloadHeader

keccak256 of RLP	parent_hash
address	fee_recipient
hexary trie root of RLP	state_root
hexary trie root of RLP	receipts_root
bloom filter	logs_bloom
number	block_number
number	gas_limit
number	gas_used
number	timestamp
0 ... 32 bytes	extra_data
32 bytes	prev_randao
number	base_fee_per_gas
number	excess_data_gas
SSZ tree root of RLP	transactions_root
SSZ tree root of SSZ	withdrawals_root