



DEV PLAN
ethereum.org



Introduction

Ethereum is an open source platform to build and distribute decentralized applications. For more information, please refer to our [white paper](#) for an overview of the platform including distribution, [yellow paper](#) for the technical implementation specification and our [website](#) for a brief overview of our platform including a introduction video.






History & Vision

Vitalik Buterin had a clear vision in November 2013 when he first came up with the core concept of what was to become Ethereum. The intent was to create a cryptographic platform with a built-in programming language, attempting to generalize concepts such as savings wallets with withdrawal limits, multi-signature escrow, bets, contracts for difference, etc. This all-encompassing concept of "contracts" would allow users to come up with arbitrarily complex combinations of arithmetic formulas and nested if-then clauses to set up conditions for how funds could be spent.

For simplicity and ease of development, the project would be built as a metacoin on top of Primecoin (so as not to anger Bitcoin developers concerned about existing Bitcoin-based metacoins bloating the blockchain) and was scheduled to be released by the end of January. Vitalik circulated the original concept [whitepaper](#) in December privately, subsequently expanding this distribution to wider and wider circles over time.





Since then, the scope of the project has expanded considerably. Following a substantial and unexpected inpour of interest as early as mid-December, the project first expanded to incorporate an independent blockchain, and then grew to include side efforts such as centralization-resistant proof of work, a cryptocurrency research group, legal efforts in the United States and Switzerland, and eventually the concept of the EtherBrowser, together with the currently concept-stage helper protocols codenamed 'Whisper' and 'Swarm'. Also, for the Ethereum ecosystem to truly shine, a need has also become clear for some important base-level applications: a development environment and debugger for contracts and distributed applications (Dapps), a reputation system to enhance economic and social interactions, an identity system to fairly distribute application sub-tokens, probably many name registries for contracts and web pages, wallets and of course, an app store itself.

Of course, we do not intend to develop everything. Taking the technology that both we and hundreds of other cryptographers and developers before us have developed and applying it to tackle tough problems in areas such as consumer protection, civil liberties, international finance and contracts, law, distributed governance and sustainability will be a long and hard journey - although one where in each case we know groups that have started already. We can



only hope to be one small, albeit important, piece in the cryptographically enabled open, transparent and decentralized future that may come.

Organizational Structure



The Ethereum project will be initially divided into three main bodies:



Ethereum Stiftung, a non-profit foundation based in Switzerland which will serve as an umbrella organization responsible for allocating resources to other bodies for future cryptocurrency research and development going forward. The board of the Stiftung consists of Vitalik Buterin (president), Mihai Alisie (vice president), Taylor Gerring, Stephan Tual, Joseph Lubin, Jeffrey Wilcke and Gavin Wood.


Ethereum Switzerland GmbH, a corporation based in Switzerland which will be responsible for a subset of operations in 2014 and to a much lesser extent moving forward. The GmbH will be 100% owned by the Ethereum Stiftung.

DEV, a nonprofit which will receive a one-time tranche of funds specifically for the purpose of building, optimizing and promoting Ethereum 1.0, with Ethereum lead developers Vitalik Buterin, Gavin Wood and Jeffrey Wilcke as its directors.

Other organizations, including a self-regulatory organization and a research body, will likely also be funded by the Stiftung.

Funding Priorities We intend to spend the revenue from the pre-sale as depicted in the [Intended Use of Revenue](#) spreadsheet, but reserve the right to make changes if we deem them necessary.





Ethereum 1.0

Ethereum 1.0 represents the primary objective of the Ethereum project, and will be the one thing that we produce if nothing else. At this point, the state of Ethereum development can be estimated to be about halfway from start to finish, with a view to release 1.0 during winter 2014-2015.




Since inception in January, we have accomplished:

- The complete Ethereum protocol, as described in the [Yellow Paper](#)
- Four nearly compatible Ethereum reference clients written in [C++](#), [Go](#), [Python](#) and [Java](#)
- The [Serpent](#), [LLL](#) and [Mutan](#) programming languages, which are fully functional with working compilers
- A functional JavaScript API
- A concept block protocol allowing for a 12-second block time, soon to be implemented
- A concept alpha proof of work built on months of research into mining and proof of stake

Thanks to the above, developers already can, and have, built fully functioning decentralized applications ("Dapps") such as name registries, currencies, lotteries, crowdfunding applications, and decentralized governance utilities such as the community-built "People's Republic of DOUG".


However, much of the harder work, including security auditing, just-in-time compilation as an optimization strategy and building out the interface for the browser and IDE are not yet done.

Ethereum 1.0 Summary Roadmap



Ethereum Clients


There are currently four working and almost fully compatible implementations of the Ethereum protocol, written in C++, Go, Python and Java; the C++ and Go implementations are fully compatible.



Go-specific client development


The intent for the Go client is for it to become the EtherBrowser, the primary client used by individuals for accessing Dapps build on Ethereum. The client, as suggested by the name, will be a fully functioning web-like browser based on Webkit and Qt, with the intent of being usable for both browsing the traditional centralized web and the decentralized, more ethereal, web all within one program. Currently, a basic implementation of this functionality already exists; it is possible to write a webpage in standard HTML/CSS/JavaScript, using the `eth` object as a JS API for interacting with the blockchain, and users can visit that page within the Go client in order to use the Dapp. There is also an option for writing Dapps in QML.





There are a number of important tasks that remain to be done, mostly in the area of improving the user interface. Another important component that still needs to be architected and built is a multi-wallet and permission system, providing users an easy and intuitive way to precisely limit the activity and consumption of ether of individual DApps.





C++ specific client development

The C++ client is targeted to be the primary development client, allowing people to easily build and debug contracts and Dapps, including fully featured syntax-tree-aware code editing tools, libraries and software development kits for both contract programming languages (LLL, Serpent, etc.) and JavaScript.

The C++ client is currently fully featured as an Ethereum client, including full support for the Ethereum Virtual Machine (EVM) and blockchain protocol, and includes a bidirectional stepper debugger to help developers write contracts. However, what still remains to be done is a complete, production-ready development environment for decentralized applications, start-to-finish, including JavaScript/QML and contracts, integration testing, full multi-language support and a syntax-aware code editor.

Other clients

The other three major clients are written in Python, Java and JavaScript.

- The **Python** client is to become an easy-to-install, easy-to-use, versatile developer-friendly command line client, possibly but not necessarily with a minimal GUI, but generally attempting to act in a similar spirit to the pybitcointools library.
- The **JavaScript** client will be a simple and minimalistic installation, useful primarily for in-browser educational purposes, although it may eventually be used in browser-extension-based clients.
- The **Java** client may serve as the backend of special-purpose hardware and Android smartphone installations.

Having diversity in clients connecting to and running the Ethereum network forces the development and documentation of a cleaner protocol and enables increased robustness of the overall system: an issue with a single implementation will not take down the network since other implementations will likely be unaffected.






Consensus and security testing

The Ethereum virtual machine (EVM) is attempting to overcome a very hard challenge: create multiple implementations of a recursive Turing-complete virtual machine specification with metered computation such that each implementation handles each input in exactly the same way. Because of the simplicity of the model, where a custom heavily encapsulated virtual machine language is used and no networking, file system access, direct memory manipulation or IO of any kind except for transactions is allowed, much of the complexity is mitigated, but a very extensive test suite will still be necessary to make sure that errors probably do not exist.



Another important concern is security. There are two types of potential security issues in Ethereum. The first is the security of the virtual machine; concerns are often raised that some kind of buffer overrun attack will be possible. Our primary defenses against this are simplicity, as mentioned above in the discussion on consensus, and the fact that the fragility of the consensus mechanism is itself a highly effective early warning system; if there is a way to access data from the "outside world" in the EVM, then as soon as it's exploited, whether deliberately or by a randomly generated test, different users will process that code differently because they have different outside states leading to an immediate consensus failure that can be detected. If research and consultation leads us to believe that these arguments are insufficient, an additional layer of formal sandboxing may be added.


The second security concern is that of malicious contracts or Dapps that mislead users about what the contracts do. To resolve this problem, a multi-layered approach combining permission systems, contract certification and reputation systems inside the Dapp store and possibly formal proofs will be used. Contract certification would not be required, but would add a layer of oversight and assurance for certain types of Dapps. And of course any developer is free to create their own type of certification system.



Consensus and security is the main critical-path item without which Ethereum 1.0 cannot be released; approximate timelines on the important items are:

1. Develop a large and maximally complete library of tests and ensure that each EVM passes all of them (4-8 weeks)
2. Make sure tests continue to pass as just-in-time compilation, trie storage optimizations and light client protocols are implemented (1-4 months)
3. Ongoing security review and testing (up to 3 months)





Whisper and Swarm Protocols

Whisper is currently a concept-stage protocol that is intended to serve as a generic peer-to-peer (P2P) messaging protocol. Every node on Ethereum will be able to generate for itself a public key-based address, and Whisper will allow clients to send messages either to a specific recipient or as a broadcast to multiple recipients by attaching to the message a descriptive tag or "topic". Nodes route messages between themselves intelligently using as much information available as possible. Information includes known-interesting topics (nodes are free to broadcast topic filters of interest to them) and the time to live of a message (short-lived messages tend to be higher priority). All messages include a time-to-live so that the message can eventually get through even if the recipient is offline.

Whisper is currently concept-stage, and will take 1-2 weeks for the protocol spec to be researched properly and then a 4-8 weeks for a dedicated team to implement the initial prototype (this can be done in parallel with other development). Refinement of the prototype to a mature implementation will be on-going.

Swarm is currently a concept-stage file storage and transmission protocol specifically targeted toward static web hosting. Every piece of content in Swarm will be stored in the P2P network and will be addressable by its hash. The intent is for Whisper, Swarm and Ethereum together to serve as a backbone for nearly any kind of application that theoretically can be decentralized. For example, a decentralized Twitter alternative will use Ethereum as a name registry mapping human-readable account usernames to the public key-based identities recognized by the system since you certainly do not want to be sending:

```
decentralized-tweets@cd2a3d9f938e13cd947ec05abc7fe734df8dd826
```

Whisper for sending messages, and Swarm for storing the static content that is its HTML/JS/CSS webpage. Swarm is currently in early concept-stage and expected to take somewhat longer than Whisper, perhaps up to 3 months, once again by a separate team in parallel with other work.

Light and Mobile Implementations


We at Ethereum care about making our platform accessible to everyone, and so will strive to make light clients suitable for iPhone, Android and other smartphone users, people with old laptops that cannot handle downloading the full blockchain, and people with feature phones that cannot do any substantial cryptography at all. For the former cases, the Ethereum protocol includes a robust light-client setup that enables light clients to retrieve necessary correct blockchain data provided that at least one honest fully verifying node (that's one honest node, not a majority) exists; we intend to implement this protocol in multiple languages to allow for across-the-board mobile inclusion. For the latter case, a more centralized server-based wallet is likely in order, and we will produce one because all users deserve the best experience that they can get.

Mining Algorithm Research and Development

While originally Satoshi intended for mining to be highly decentralized with everyone having the ability to mine bitcoins on their desktop, resulting in both a highly decentralized consensus protocol and an egalitarian distribution scheme, today Bitcoin mining is a highly concentrated industry. Roughly half of all miners mine through two large pools, and nearly all mining is done with highly specialized hardware that only a few companies produce; one factory in Shenzhen is currently responsible for close to 25% of all new hashpower being added to the system. Figuring out a mining algorithm that is more decentralized and fair is a difficult, but important task, and one that we have been working on since December.

After two attempts that proved to be dead ends, we have a much more mathematically rigorous strategy based on randomly generated hash functions that is in the intermediate stages of development and appears to be holding its own well against initial scrutiny. We intend to develop this algorithm, and perhaps with the addition of hybrid proof of stake, as the consensus algorithm for Ethereum 1.0. The primary remaining action item is professional review, a process which is likely to change the algorithm substantially and guide our choices in many of the important parameters (eg. which operations to include, whether or not to make it memory-hard, how to balance circuit length and width).






DApp Development


The last few years of cryptocurrency technology development have been progressively making it easier and easier for people to build decentralized applications, and we see the Ethereum blockchain and the EtherBrowser as important tools in helping to further that trend. However, there are also other components that can be built in order to help bring DApps to their full potential. In essence, the intent here is to build a Google Play-style suite of core applications which will provide needed utilities for users like wallets and messaging, with specific attention on "meta-DApps" - DApps that help other DApps. Some examples of this include a Dapp store (which is of course itself a Dapp), a name registry (or likely several), a reputation system, an anti-Sybil system (our dream is to make this last component robust enough to serve as a functional replacement for passports in high-trust situations) and decentralized governance utilities. What follows is a short list of the core Dapps that we feel are very important for us to build and support.



Wallets - the most basic application on a cryptocurrency platform is a wallet. However, the basic Bitcoin wallets that we see today, with the exception of innovators like BitGo, tend to be quite weak in terms of meeting the challenge of balancing usability and security. Ethereum allows for the easy development of wallets with advanced withdrawal policies mimicking banking-style protections such as withdrawal limits and two-factor authentication but without trusting any third party with unilateral withdrawal powers. Building a wallet that incorporates such strategies, simultaneously providing an optimal balance between security and convenience for \$10, \$1000 and \$100000 is an important task, and such a wallet with the ability to use both ether, Ethereum-based sub-currencies and even potentially other cryptocurrencies will be an important boon for the ecosystem.




Messaging platform - as much as cryptocurrency users love decentralization, cryptocurrency users also seem to really love Skype. But since we will have Whisper, and we will have blockchain-based name registries for accounts, why not dedicate some resources on creating an alternative to Skype which is actually open-source and peer-to-peer, using the EtherBrowser and related tools as an onboarding ramp to start the platform off with a large and established community? Over time, such a platform could also expand to audio, video and even asynchronous communication such as email.




Reputation system - in order for e-commerce to be successful, in many situations one must be able to know whom to trust. In some cases, you want to tell honest people apart from scammers. In other cases, you want to tell skilled people apart from the unskilled. Still other times, it matters not just what someone's current reputation is but also how highly they're leveraging it, so you can be sure that they cannot profit from scamming everyone all at once. Even in the modern world today, both online and offline, these problems are hard, but in the context of decentralized autonomous organizations they become even harder. Figuring out what can be done, and what should be done, in terms of effective reputation infrastructure will be a crucial concern particularly with regard to ensuring trust between Dapps themselves.





Identity system - there is also a special kind of reputation, which deals with one specific question: is someone a human at all, or are they one of 5000 accounts created by a human or an outright bot. Solving this question is key to figuring out how to fairly distribute application tokens or application usage privileges so that everyone can have some limited access to the ecosystem even if they do not have money to spend. One interesting proposal for implementing this in a quasi-decentralized way is to use a speculative market of "non-Sybil tokens" where anyone can create a CAPTCHA scheme (this can theoretically include transcribing some letters and numbers, playing a game, proving proof of social connections, or something more traditional like a call phone number or a passport), where breaking any individual scheme can be very profitable but only if done publicly. A DAO/Dapp can then look at the entire system and see which CAPTCHA schemes are still secure, and use those automatically.





Decentralized mining pool infrastructure - if the blockchain becomes very large, then just like in the case of Bitcoin mining pools may become necessary. However, in that case we are intent on maximally favoring decentralized alternatives such as p2p mining pools over centralized solutions, and even if centralized solutions are desired we may wish to build a make-your-own-mining-pool utility to make the market more liquid and reduce barriers to entry.




Aside from this important core, there are also a number of other applications that we may choose to participate in building given sufficient resources. These include:

- Decentralized exchange (both between ETH-based assets and different cryptocurrencies)
- Decentralized marketplace
- Financial applications (e.g. hedging, SchellingDollar, insurance)
- Crowdfunding
- Escrow, consumer protection and arbitration
- Content publishing (including incentivization for content creators)
- Decentralized advertising protocol
- Decentralized organization management

Although we intend to work on "core" applications ourselves, our participation in more peripheral apps may come in several forms; we may make a full-on effort at a project ourselves, we may simply build a kernel and allow others to continue the work, or we may offer financial, technical or development support to external groups from the community that are already taking on the task.





Communications and Education

While the underlying technologies that power Ethereum can be fairly advanced, our main goal has always been to make the power of Ethereum accessible to a wide range of developers. HTML skills, plus some JavaScript is all that's needed to build most of a decentralized application: the underlying 'crypto' layer is neatly abstracted behind user-friendly APIs. As for end users, well, if they are comfortable with using a web browser, they certainly will be comfortable using the EtherBrowser.



Ethereum without developers would see our efforts towards a decentralized web having been in vain. We therefore need to insure that (1) people know about Ethereum and (2) people know how to leverage it. To that end, an important part of the project is maintaining our online and offline presence, helping to support hubs and communities around the world, and eventually organize or co-organize conferences (either for Ethereum specifically or for the decentralized web as a whole).

The other major part of this effort is education, including the issuance of easy-to-use online tutorials and Udemy courses for Ethereum, as well as contract/Dapp programming workshops. Hackathons may also fall under this category.

--

The specific deliverables we are aiming for are:

--

ethereum



OPEN COURSES

Massive online open course - a start-to-finish complete online course on Ethereum and contract/Dapp development. The course would include videos, text materials, exercises and online programming environments where people can very easily try out writing Ethereum code. The intent is for the course to be usable by anyone looking to learn how to develop for Ethereum, although we may also wish, whether by ourselves or in a collaborative effort, to create multiple courses for different difficulty/depth levels or different subject areas (e.g. economics, cryptography, social theory, computer science, programming).



ethereum



OPEN TUTORIALS

Tutorials and documentation - for those without the patience to go through an entire course, there need to be easily accessible documents on all of the high-level and low-level components of Ethereum explaining how to do all common operations (e.g. writing a contract, building a Dapp, publishing a Dapp, sending a transaction, using Swarm, using Whisper) that people will want to do as developers. There may also need to be tutorials for users, although our first priority is making the decentralized web as simple and familiar as traditional websites are today.

ethereum



OPEN COMMUNICATIONS

Online communications - this includes maintaining communication on our public blog, forum, wiki channels, as well as any other 3rd party channels (e.g. Facebook, Twitter, Google+, reddit) that we may wish to add. The primary objective is to ensure that everyone can easily gain up-to-date and accurate information on the state of all parts of the Ethereum project.



ethereum



OPEN COMMUNITY

Offline communications - this primarily consists of supporting Ethereum and decentralized web-focused meetup groups around the world, which could eventually expand into fully fledged conferences. We intend to have a presence in as many parts of the world as possible, including North America, Central/South America, Europe, Asia and eventually Africa. Our current network of [meetup locations](#) will form the backbone of this effort.

ethereum



OPEN ACCESSIBILITY

Translation - an important part of being international is being in multiple languages. We already have partial translations in Chinese, as well as some in German and Spanish, but eventually we will need to have all of our clients, documentation and online course translated into many of languages worldwide. The priority languages are currently, in order of preference, Chinese, German, Spanish, French, Italian and Russian.





Cryptoeconomic Research and Continued Development

As powerful as Ethereum is in its current state, it is far from perfect. The mining algorithm may well not hold its guarantee of decentralization, or the computing ecosystem as a whole will shift so heavily toward thin clients that decentralized computational power as a whole may become an unrealizable ideal. Its scalability is not much better than Bitcoin, as every node still has to process every transaction, and new concepts such as Peter Todd's tree chains, hypercube chains, proof-of-resource as well as possible "moon math" cryptography such as Eli



Ben-Sasson's Succinct Computational Integrity and Privacy (SCIP, also known as PCP or zk-SNARK) protocol will likely not be included in a 1.0 release.

Because the directions in which future cryptocurrency development may go are numerous, and we cannot predict what the right decisions are going to be, we do not make any specific promises about what we will do or achieve after Ethereum 1.0 is released. However, we do already have a fairly good vision of the the general direction in which ongoing cryptocurrency research will go:

Scalability - the primary challenge here is to come up with a blockchain design which breaks the fundamental barrier of blockchain scalability, namely the fact that every fully verifying node must process every transaction. There have been a few ideas developed in this regard mostly in relation to Bitcoin, such as merge-mined hypercube chains, Peter Todd's tree chains idea and strategies based on advanced cryptography such as SCIP/zk-SNARK, but there is still a lot of research that remains to be done. A successful scalability solution would need to handle moving coins across different parts of the state that are stored by different entities, not sacrifice (too much) mining security, and make sure the protocol keeps working even if some data becomes unavailable; with luck, a solution will be brought to completion over the course of 2014 and 2015.

Consensus - as we already saw, consensus algorithms are far from perfect. Our plan to solve the problem with blockchain-based proof-of-work (PoW) and random computation trees appears promising, but ultimately version 1.0 of a protocol of this form may well fail to bear the brunt of attacks in the long term. An ideal algorithm, one that is both socially cost-free or cost-negative and promotes a high level of decentralization and security, will likely require a combination of novel approaches such as transactions-as-PoS (proof-of-stake), delegated-PoS, useful PoW, next-generation centralization/ASIC-resistant PoW and maybe even more exotic strategies involving bandwidth and storage. Developing such an algorithm, and making sure that it actually works, is an important priority for securing the blockchains of tomorrow.

Privacy - blockchains are known for their highly imperfect privacy properties, and the design of Ethereum as it stands today is admittedly not particularly effective in this regard. However, future developments to improve privacy, such as those based on SCIP/zk-SNARK, are around the corner, and some based on technologies such as [CryptoNote](#) and [Coinjoin](#) are here already.

Language and development tool design - another important sub-deliverable that has come out of the Ethereum project is the concept of a fully deterministic, computation-metered, state-hashed virtual machine with multiple fully interoperable implementations. The Ethereum Virtual Machine (EVM) is useful in both blockchains and other adversarial and resource-constrained environments, and will benefit from continued development in its own right. If multi-blockchain architectures become a dominant paradigm, the EVM may also need to be updated to handle situations such as asynchronicity. Aside from the EVM itself, there are the Serpent, LLL and Mutan high-level




languages, and we are beginning work on specialized development environments targeted to building decentralized applications.

Post-quantum cryptography - if quantum computers become widely available, then the elliptic curve signature algorithms that we rely on for signing transactions right now will be broken. However, there does exist a class of signature algorithms that is resistant to quantum computing attacks, the best known of which is the Lamport signature. The Lamport signature uses nothing but a hash algorithm in its construction, but it takes up kilobytes of space and is one-time-use. Improved strategies known as Merkle signing trees and hash ladders partially address these issues, but still not perfectly. The better these algorithms can get, however, the more we can be comfortable that quantum computing, when it comes, will not be a problem.

Moon-math cryptography - right now, the most exciting developments in the science of pure cryptography center around three "holy grails". The first is fully homomorphic encryption: being able to run a function on encrypted data and get encrypted data out without knowing what the data is, allowing a near-total degree of privacy in cloud computing. The second is SCIP mentioned above, allowing for efficient and succinctly verifiable proofs that a particular long computation has a particular result. Finally there is obfuscation: being able to run an encrypted function on data without knowing what the function is, which allows scripts with private data to be run on blockchains. Each of these problems have solutions in the early-to-mid stages of development, but the solutions invariably have massive drawbacks in either efficiency or trust requirement. If the solutions could be perfected or at least improved to the point of viability (SCIP is pretty close already), then cryptoeconomic protocols could potentially become much more powerful than they were before.





DAOification - one of the most exciting ideas for things that can be built on top of Ethereum is the concept of a decentralized autonomous organization (DAO). A traditional organization, whether corporate or nonprofit, is nothing more than a set of people, a set of resources and a set of rules governing how the people can use the resources. In a DAO, instead of being enforced in "meatspace" those rules are instead enforced in a decentralized and transparent way on the blockchain; i.e. unlike a traditional modern multinational corporation, where there is intelligence at the core and automation at the periphery, in a DAO there is automation at the core and human intelligence at the periphery providing the creative inputs. The primary medium-term attractions of DAOs are (1) the dream of eliminating the hard distinction between employee, investor, customer and non-employee, allowing the DAO to involve more nuanced and dynamic relationships and take advantage of the entire power law curve of people's contributions, and (2) the ability to experiment with new organizational management mechanisms such as liquid democracy and futarchy. Eventually, the concepts of DAO, factory automaton and AI may even merge completely.





CCRG In order to promote cryptocurrency research specifically, a body called the Cryptocurrency Research Group is in the early stages of development, and its activities will be ramped up substantially over the next few months. Separate bodies may be created for protocol development specifically. For a more complete view of what cryptocurrency research might entail, see our ongoing "Hard Problems of Cryptoeconomics" paper.





Self-Regulatory Organization

A perhaps unglamorous from a technical standpoint, but nonetheless important, part of the general mission of getting decentralized technologies adopted is participating in legal processes, and helping to carve out a legal environment in which projects such Ethereum, Dapps build on top of Ethereum and other cryptocurrency/decentralized web-related initiatives can safely thrive without undue restriction. One of the initiatives that we have already undertaken, in collaboration with OpenTransactions, Bitcoin Suisse and others, is setting up a self-regulatory organization in our home country Switzerland for that very purpose. We are closely working with a local law firm with established experience in setting up SROs, and a minimal SRO can be maintained for less than \$100,000. Additional funding will enable the SRO to broaden its scope and influence, and in time allow our efforts to extend beyond Switzerland as well.



Other Projects

Of course, the above is only a guideline, and we may choose not to pursue some of the above or to take on other projects beyond the above categories. Some specific possibilities include:



DAOification - although DAOification will certainly be a primary cryptocurrency research focus, in the long term we intend to turn ethereum.org itself into a DAO, building a long-term governance platform that can be used to continue research and development as a community-driven activity.

Conferences - we may choose, whether unilaterally or in coordination with other groups in the industry, to organize conferences relating to the technological, legal and social possibilities of the decentralized web. Such conferences may be run either for-profit as a source of continuing revenue for the foundation or on a non-profit at-cost basis. Alongside conferences, there is also the possibility of developer-centric educational workshops.

Hubs - one idea that is popular in the Bitcoin community is the idea of creating specific Bitcoin hubs, areas where Bitcoin users can work, potentially live, and interact; the Bitcoin Embassies in Montreal and Tel Aviv, Bitcoin Decentral in Toronto and the NYC Bitcoin Center are all prominent examples. We may wish to build more such centers as a community-building activity.

--

