

Trivy Vulnerability Scan Report

Date: Wed May 6 11:04:53 AM EAT 2026 Target Version: 0.0.3

Image: ghcr.io/ethio-connect-et/vendor-portal-dashboard:0.0.3

Severity: CRITICAL

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/vendor-portal-dashboard:0.0.3 (debian 12.13)	debian	1	-
app/apps/vendor-portal/vendor-portal-dashboard/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sha- rp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img- /sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linu- x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-	node-pkg	0	-

```
x64/package.json | | |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/packa  
ge.json | node-pkg | 0 | - |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers  
/package.js- | node-pkg | 0 | - | | on | | | |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers  
/package.js- | node-pkg | 0 | - | | on | | | |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-  
only/package.json | node-pkg | 0 | - |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-  
libc/package.json | node-pkg | 0 | - |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+te  
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|  
  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |  
|-----|-----|-----|  
|-----|-----|-----|  
|-----|-----|-----|
```

e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-				
ext/dist/compiled/react-is/package.json				
—				
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test				
@1.59.1_b-	node-pkg		0	-
	abel-plugin-macros@3.1.0_react-			
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-				
ext/dist/compiled/regenerator-runtime/package.json				
—				
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test				
@1.59.1_b-	node-pkg		0	-
	abel-plugin-macros@3.1.0_react-			
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-				
ext/package.json				
—		app/node_modules/.pnpm/react-		
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac-		node-pkg		0
	kage.json			
—				
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json				
node-pkg		0	-	
—				
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json				
	node-pkg		0	-
—				
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json				
node-pkg		0	-	
—		app/node_modules/.pnpm/styled-		
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@-		node-pkg		0
	3.1.0_react@19.2.5/node_modules/styled-jsx/package.json			
—	Legend:			

- ‘-’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/vendor-portal-

dashboard:0.0.3 (debian 12.13)

Total: 1 (CRITICAL: 1)

Status	Installed Version	Fixed Version	Library	Vulnerability	Severity	Title
			libssl3	CVE-2026-31789	CRITICAL	openssl: OpenSSL: Heap buffer overflow on 32-bit systems from large X.509 certificate... https://avd.aquasec.com/nvd/cve-2026-31789

Severity: HIGH

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/vendor-portal-dashboard:0.0.3 (debian 12.13)	debian	5	-
app/apps/vendor-portal/vendor-portal-dashboard/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-

—| | app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json | | |

—| | app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json | | |

—| | app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js- | node-pkg | 0 | - | | on | | |

—| | app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js- | node-pkg | 0 | - | | on | | |

—| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | |

—| | app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | |

—| | app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-

```

e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/react-
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |
| kage.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json
| node-pkg | 0 | - |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/styled-
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |
3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | |

```

Legend:

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/vendor-portal-dashboard:0.0.3 (debian 12.13)

Total: 5 (HIGH: 5)

Severity	Status	Installed Version	Fixed Version	Library	Vulnerability	Title
				libc6	CVE-2026-0861	HIGH
	affected	2.36-9+deb12u13		glibc: Integer overflow in memalign leads to heap corruption		
				https://avd.aquasec.com/nvd/cve-2026-0861		
				libssl3	CVE-2026-28387	
	fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2	openssl: OpenSSL: Arbitrary code execution due to use-after-free in DANE TLSA authentication...		
				https://avd.aquasec.com/nvd/cve-2026-28387		
				openssl	CVE-2026-28388	
				openssl: OpenSSL: Denial of Service due to NULL pointer dereference in delta...		
				https://avd.aquasec.com/nvd/cve-2026-28388		
				openssl	CVE-2026-28389	
				openssl: OpenSSL: Denial of Service vulnerability in CMS processing		
				https://avd.aquasec.com/nvd/cve-2026-28389		
				openssl	CVE-2026-28390	
				openssl: OpenSSL: Denial of Service due to NULL pointer dereference in CMS...		
				https://avd.aquasec.com/nvd/cve-2026-28390		

Severity: MEDIUM

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/vendor-portal-dashboard:0.0.3 (debian 12.13)	debian	9	-
app/apps/vendor-portal/vendor-portal-dashboard/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharplibvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharplibvips-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharplib-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharplib-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg	0	-
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js	node-pkg	0	-

—| |
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers
/package.js- | node-pkg | 0 | - | | on | | | |
|
|
—| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-
only/package.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-
libc/package.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+te
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test

WRDE_REUSE and WRDE_APPEND may return | | | | | uninitialized
memory | | | | | <https://avd.aquasec.com/nvd/cve-2025-15281> | |

```

|-----| |
|-----|
-----| | CVE-2026-0915 | | | | glibc: glibc:
Information disclosure via zero-valued network | | | | | | query | |
| | | | | https://avd.aquasec.com/nvd/cve-2026-0915 | |

```

glibc: glibc: Denial of Service via iconv() function with specific character sets... <https://avd.aquasec.com/nvd/cve-2026-4046> | | CVE-2026-4046 | | fix_deferred | |

glibc: Incorrect DNS response parsing via crafted DNS response CVE-2026-4437 affected glibc: https://avd.aquasec.com/nvd/cve-2026-4437									

```

|-----| | |
|-----| |
|-----| | CVE-2026-4438 | | | | glibc: glibc:
Invalid DNS hostname returned via | | | | | | | | gethostbyaddr functions
| | | | | | | | https://avd.aquasec.com/nvd/cve-2026-4438 | |

```

[illegible]

Heap Buffer Overflow in scanf with %mc and... https://avd.aquasec.com/nvd/cve-2026-5450	CVE-2026-5450 glibc: glibc:
--	---

Information disclosure or denial of service			CVE-2026-5928					glibc: glibc:
via ungetwc								function with...
								https://avd.aquasec.com/nvd/cve-2026-5928

Package	CVE	Status	Old Version	New Version
libssl3	CVE-2026-31790	fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2
openssl: openssl: Information Disclosure from Uninitialized Memory via Invalid RSA Public Key...				
https://avd.aquasec.com/nvd/cve-2026-31790				

Severity: LOW

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/vendor-portal-dashboard:0.0.3 (debian 12.13)	debian	12	-
	app/apps/vendor-portal/vendor-portal-dashboard/package.json	node-pkg	0	-
	app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js-	node-pkg	0	-
	app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers			

```

/package.js- | node-pkg | 0 | - | | on | || | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-
only/package.json | node-pkg | 0 | - |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-
libc/package.json | node-pkg | 0 | - |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+te
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
———| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |

```

```
ext/package.json | | | |
|-----|-----|-----|
| | app/node_modules/pnpm/react-
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |
| kage.json | | | |
|-----|-----|-----|
| |
app/node_modules/pnpm/react@19.2.5/node_modules/react/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/pnpm/semver@7.7.4/node_modules/semver/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/pnpm/sharp@0.34.5/node_modules/sharp/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/pnpm/styled-
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |
| 3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | |
|-----|-----|-----|
Legend:
```

**ghcr.io/ethio-connect-et/vendor-portal-
dashboard:0.0.3 (debian 12.13)**

Severity	Status	Installed Version	Fixed Version	Library	Vulnerability	Title
27943	LOW	affected	12.2.0-14+deb12u1	gcc-12-base	CVE-2022-27943	binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const
				https://avd.aquasec.com/nvd/cve-2022-27943		

[illegible]

libstdc++ CVE-2022-27943 | 12.2.0-14+deb12u1 | binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const | <https://avd.aquasec.com/nvd/cve-2022-27943>

Image: ghcr.io/ethio-connect-et/vendor-api-server:0.0.3

Severity: CRITICAL

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/vendor-api-server:0.0.3 (debian 12.13)	1	-	
	app/node_modules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json			
	app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package.json		0	-
	app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2/node_modules/@nestjs/common/package.json		0	-
	app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs@1858a150a7802d69b30748192f48d6b/node_modules/@nestjs/core/package.json		0	-
	app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs@1858a150a7802d69b30748192f48d6b/node_modules/@nestjs/platform-express/package.json		0	-

reflect-

metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs
/p- | | | | latform-express/package.json | | |

|
-----|-----|-----|

—| |
app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/
xt/opencollec- | node-pkg | 0 | - | | tive/package.json | | |

|
-----|-----|-----|

—| |
app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokeni-
zer/inflate- | node-pkg | 0 | - | | /package.json | | |

|
-----|-----|-----|

—| |
app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni-
zer/token/pac- | node-pkg | 0 | - | | kage.json | | |

|
-----|-----|-----|

—| |
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.jso
n | node-pkg | 0 | - |

|
-----|-----|-----|

—| | app/node_modules/.pnpm/append-
field@1.0.0/node_modules/append-field/package.json | node-pkg | 0 | - |

|
-----|-----|-----|

—| | app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-
parser/package.json | node-pkg | 0 | - |

|
-----|-----|-----|

—| | app/node_modules/.pnpm/buffer-
from@1.1.2/node_modules/buffer-from/package.json | node-pkg | 0 | - |

|
-----|-----|-----|

—| |
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.jso
n | node-pkg | 0 | - |

|
-----|-----|-----|

—| |
app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json |
node-pkg | 0 | - |


|
-----|-----|-----|

—| | app/node_modules/.pnpm/call-bind-apply-
helpers@1.0.2/node_modules/call-bind-app- | node-pkg | 0 | - | | ly-
helpers/package.json | | |


—	app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-bound/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/concat-stream@2.0.0/node_modules/concat-stream/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/content-disposition@1.1.0/node_modules/content-disposition/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/content-type@1.0.5/node_modules/content-type/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/cookie-signature@1.2.2/node_modules/cookie-signature/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json node-pkg 0 -		

—	app/node_modules/.pnpm/dunder- proto@1.0.1/node_modules/dunder-proto/package.json node-pkg 0 -
—	app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee- first/package.json node-pkg 0 -
—	app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/packa ge.json node-pkg 0 -
—	app/node_modules/.pnpm/es-define- property@1.0.1/node_modules/es-define-property- node-pkg 0 - /package.json
—	app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es- errors/package.json node-pkg 0 -
—	app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es- object-atoms/packa- node-pkg 0 - ge.json
—	app/node_modules/.pnpm/escape- html@1.0.3/node_modules/escape-html/package.json node-pkg 0 -
—	app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json node-pkg 0 -
—	app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.js on node-pkg 0 -
—	app/node_modules/.pnpm/fast-safe- stringify@2.1.1/node_modules/fast-safe-stringi- node-pkg 0 - fy/package.json
—	app/node_modules/.pnpm/file-type@21.3.4/node_modules/file- type/package.json node-pkg 0 -
—	


app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json | node-pkg | 0 | - | |




app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json | node-pkg | 0 | - | |




app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.json | node-pkg | 0 | - |



app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-errors/package.json | node-pkg | 0 | - |



app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-lite/package.json | node-pkg | 0 | - |



```
app/node_modules/pnpm/ieee754@1.2.1/node_modules/ieee754/package.js
on | node-pkg | 0 | - |
```

```

—| |
app/node_modules/pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |

```

A horizontal number line with tick marks at 0, 1, 2, 3, and 4. The line is empty, intended for a student to draw a number line and label it.

```

—| |
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |

```

A horizontal number line with arrows at both ends. There are four vertical tick marks along the line, dividing it into three equal segments. No numbers are written on the line.

```

——| | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |

```

A horizontal line with four vertical tick marks. The tick marks are located at the left end, approximately one-third of the way across, approximately two-thirds of the way across, and at the right end.

```

└─┬─┘ |
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
n | node-pkg | 0 | - |

```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The second tick mark is labeled '1'. The third tick mark is labeled '2'. The fourth tick mark on the right is labeled '3'.

```

——| | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |

```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The subsequent tick marks are unlabeled but represent 1, 2, and 3.

```

——| | app/node_modules/.pnpm/math-
intrinsic@1.1.0/node_modules/math-intrinsic/packa- | node-pkg | 0 | - |
| ge.json | | |

```

```

—| | app/node_modules/pnpm/media-
typer@0.3.0/node_modules/media-typer/package.json | node-pkg | 0 | - |

```

```

—| | app/node_modules/.pnpm/media-
typer@1.1.0/node_modules/media-typer/package.json | node-pkg | 0 | - |

```

```

—| | app/node_modules/.pnpm/merge-
descriptors@2.0.0/node_modules/merge-descriptors/p- | node-pkg | 0 | - |
| ackage.json | | |

```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The second tick mark is labeled '1'. The third tick mark is labeled '2'. The fourth tick mark on the right is labeled '3'.

```

-----| | app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-
db/package.json | node-pkg | 0 | - |

```

```
—| | app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-
```

db/package.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/mime-
types@2.1.35/node_modules/mime-types/package.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-
types/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json |
node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.jso
n | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/pack
age.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/object-
assign@4.1.1/node_modules/object-assign/package.j- | node-pkg | 0 | - | |
son | | |
|
|
| | app/node_modules/.pnpm/object-
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |
e.json | | |
|
|
| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-
finished/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|
|

—	app/node_modules/.pnpm/path-to-			
	regex@8.4.2/node_modules/path-to-regex/package-	node-pkg	0	-
	.json			
—	app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-			
	addr/package.json	node-pkg	0	-
—				
	app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json			
	node-pkg	0	-	
—	app/node_modules/.pnpm/range-			
	parser@1.2.1/node_modules/range-parser/package.json	node-pkg	0	-
—	app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-			
	body/package.json	node-pkg	0	-
—	app/node_modules/.pnpm/readable-			
	stream@3.6.2/node_modules/readable-stream/packa-	node-pkg	0	-
	ge.json			
—	app/node_modules/.pnpm/reflect-			
	metadata@0.1.14/node_modules/reflect-metadata/pa-	node-pkg	0	-
	ckage.json			
—				
	app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json			
	node-pkg	0	-	
—				
	app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json			
	node-pkg	0	-	
—	app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-			
	buffer/package.json	node-pkg	0	-
—	app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-			
	buffer/package.json	node-pkg	0	-

—	app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json	node-pkg 0 -
—	app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg 0 -
—	app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package-	node-pkg 0 - .json
—	app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/p-	node-pkg 0 -
ackage.json		
—	app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/pac-	node-pkg 0 -
kage.json		
—	app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-wea-	node-pkg 0 -
kmap/package.json		
—	app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg 0 -
—	app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.js	on node-pkg 0 -
—	app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg 0 -
—	app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg 0 - .json
—	app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js	

```
on | node-pkg | 0 | - |
```

```
|-----|  
|-----|-----|-----|  
---| |  
app/node_modules/pnpm/toidentifier@1.0.1/node_modules/toidentifier/package.json | node-pkg | 0 | - |
```

—| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json | node-pkg | 0 | - |

```

|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |

```

```
|-----|
|-----|-----|-----|
---| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |
```

—| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-is/package.json | node-pkg | 0 | - |

```
|-----|
|               |               |               |
-----| |
app/node_modules/.pnpm/typesarray@0.0.6/node_modules/typesarray/pac
kage.json | node-pkg | 0 | - |
```

```

|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json |
node-pkg | 0 | - |

```

```
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
```

— | | app/node_modules/.pnpm/uint8array-
extras@1.5.0/node_modules/uint8array-extras/p- | node-pkg | 0 | - | |
ackage.json | | |

```

|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.js
n | node-pkg | 0 | - |

```

```
|-----|
|-----|-----|-----|
|---| | app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-  
deprecate/package- | node-pkg | 0 | - | | .json | | |
```


—		app/node_modules/.pnpm/@borewit+text- codec@0.2.2/node_modules/@borewit/text-cod- ec/package.json			
—		app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csp rng/package-		node-pkg	0 - .json
—		app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect- metadata@0.1.14_rxjs@7.8.-		node-pkg	0 - 2/node_modules/@nestjs/common/package.json
—		app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_r eflect-meta-		node-pkg	0 - data@0.1.14_rxjs@7.8.2@ nestjs a1858a150a7802d69b30748192f48d6b/nod e_modules/@- nestjs/core/package.json
—		app/node_modules/.pnpm/@nestjs+platform- express@11.1.19@nestjs+common@11.1.19_-		node-pkg	0 - reflect- metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs /p- platform-express/package.json
—		app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nu xt/opencollec-		node-pkg	0 - tive/package.json
—		app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokeni zer/inflate-		node-pkg	0 - /package.json
—		app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni zer/token/pac-		node-pkg	0 - kage.json
—		app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js n		node-pkg	0 -

—		app/node_modules/.pnpm/append-					
		field@1.0.0/node_modules/append-field/package.json		node-pkg		0	-
—		app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-					
		parser/package.json		node-pkg		0	-
—		app/node_modules/.pnpm/buffer-					
		from@1.1.2/node_modules/buffer-from/package.json		node-pkg		0	-
—		app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js					
		on		node-pkg		0	-
—		app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json					
				node-pkg		0	-
—		app/node_modules/.pnpm/call-bind-apply-					
		helpers@1.0.2/node_modules/call-bind-app-		node-pkg		0	-
		ly-					
		helpers/package.json					
—		app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-					
		bound/package.json		node-pkg		0	-
—		app/node_modules/.pnpm/concat-					
		stream@2.0.0/node_modules/concat-stream/package.j-		node-pkg		0	-
		son					
—		app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js					
		on		node-pkg		0	-
—		app/node_modules/.pnpm/content-					
		disposition@1.1.0/node_modules/content-dispositi-		node-pkg		0	-
		on/package.json					
—		app/node_modules/.pnpm/content-					
		type@1.0.5/node_modules/content-type/package.json		node-pkg		0	-

—| | app/node_modules/.pnpm/cookie-
signature@1.2.2/node_modules/cookie-signature/pac- | node-pkg | 0 | - | |
kage.json | | |
|
|
—| |
app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json
| node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json |
node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json
| node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json |
node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/dunder-
proto@1.0.1/node_modules/dunder-proto/package.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-
first/package.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/packa
ge.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/es-define-
property@1.0.1/node_modules/es-define-property- | node-pkg | 0 | - | |
/package.json | | |
|
|
—| | app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-
errors/package.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-
object-atoms/packa- | node-pkg | 0 | - | | ge.json | | |
|
|

app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json	node-pkg	0	-	
app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json	node-pkg	0	-	
app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.json	node-pkg	0	-	
app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringify/package.json	node-pkg	0	-	
app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json	node-pkg	0	-	
app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json	node-pkg	0	-	
app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json	node-pkg	0	-	
app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json	node-pkg	0	-	
app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json	node-pkg	0	-	
app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json	node-pkg	0	-	
app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json	node-pkg	0	-	

```
|  
|  
-----| |  
app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json |  
node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-  
symbols/package.json | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js  
on | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-  
errors/package.json | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-  
lite/package.json | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js  
on | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js  
on | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.  
json | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-  
promise/package.json | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js  
n | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-  
esm/package.json | node-pkg | 0 | - |
```

app/node_modules/.pnpm/math-			
intrinsic@1.1.0/node_modules/math-intrinsic/package- node-pkg 0 -			
ge.json			
app/node_modules/.pnpm/media-			
typer@0.3.0/node_modules/media typer/package.json node-pkg 0 -			
app/node_modules/.pnpm/media-			
typer@1.1.0/node_modules/media typer/package.json node-pkg 0 -			
app/node_modules/.pnpm/merge-			
descriptors@2.0.0/node_modules/merge-descriptors/p- node-pkg 0 -			
ackage.json			
app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-			
db/package.json node-pkg 0 -			
app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-			
db/package.json node-pkg 0 -			
app/node_modules/.pnpm/mime-			
types@2.1.35/node_modules/mime-types/package.json node-pkg 0 -			
app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-			
types/package.json node-pkg 0 -			
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json			
node-pkg 0 -			
app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.jso			
n node-pkg 0 -			
app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/pack			
age.json node-pkg 0 -			

```
—| | app/node_modules/.pnpm/object-  
assign@4.1.1/node_modules/object-assign/package.j- | node-pkg | 0 | - | |  
son | | | |  
|  
—| | app/node_modules/.pnpm/object-  
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |  
e.json | | | |  
|  
—| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-  
finished/package.json | node-pkg | 0 | - |  
|  
—| |  
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |  
node-pkg | 0 | - |  
|  
—| |  
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j  
son | node-pkg | 0 | - |  
|  
—| | app/node_modules/.pnpm/path-to-  
regexp@8.4.2/node_modules/path-to-regexp/package- | node-pkg | 0 | - | |  
.json | | | |  
|  
—| | app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-  
addr/package.json | node-pkg | 0 | - |  
|  
—| |  
app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json |  
node-pkg | 0 | - |  
|  
—| | app/node_modules/.pnpm/range-  
parser@1.2.1/node_modules/range-parser/package.json | node-pkg | 0 | - |  
|  
—| | app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-  
body/package.json | node-pkg | 0 | - |  
|  
—| | app/node_modules/.pnpm/readable-  
stream@3.6.2/node_modules/readable-stream/packa- | node-pkg | 0 | - | |  
ge.json | | | |
```

—	app/node_modules/.pnpm/reflect-metadata@0.1.14/node_modules/reflect-metadata/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-buffer/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-buffer/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package.json	node-pkg	0 - .json
—	app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel-		

```

weakmap@1.0.2/node_modules/side-channel-weakmap/package.json | | | |
|-----|-----|-----|
| | app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-
channel/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch
h/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_deco
der/package- | node-pkg | 0 | - | | .json | | | |
|-----|-----|-----|
| |
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/pac
kage.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-
types/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-
is/package.json | node-pkg | 0 | - |
|-----|-----|-----|

```

—	app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-deprecate/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.json	node-pkg	0	-	
—	app/package.json	node-pkg	0	-	
—	Legend:				

- ‘-’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/vendor-api-server:0.0.3 (debian 12.13)

Total: 5 (HIGH: 5)

[illegible]

Severity: MEDIUM

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/vendor-api-server:0.0.3 (debian 12.13)	debian	9	-
	app/nodemodules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec	node-pkg	0	-

ec/package.json | | | |

app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package- | node-pkg | 0 | - | | .json | | |

```

|-----|-----|-----|-----|
|-----| | app/node_modules/pnpm/@nestjs+common@11.1.19_reflect-
|-----| metadata@0.1.14_rxjs@7.8.- | node-pkg | 0 | - | |
|-----| 2/node_modules/@nestjs/common/package.json | | |

```

app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_r
 reflect-meta- | node-pkg | 0 | - | |
 data@0.1.14_rxjs@7.8.2@nestjsjs1858a150a7802d69b30748192f48d6b/nod
 e_modules/@- | | | | nestjs/core/package.json | | | |

|

| | *app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19_* | **node-pkg** | 0 | - |

reflect-

metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs

/p- | | | | latform-express/package.json | | |

```

|-----|
|               |               |               |
|-----|
| |
app/node_modules/pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/opencollective/node-pkg 0 - | | tive/package.json | | |

```

```
graph LR; A[app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokenizer/inflate-] --- B[node-pkg]; B --- C["0"]; C --- D["-"]; D --- E["/package.json"]
```

```

|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni
zer/token/pac- | node-pkg | 0 | - | | kage.json | | | |

```

```

|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js
n | node-pkg | 0 | - |

```

```
|-----|-----|-----|
---| | app/node_modules/.pnpm/append-  
field@1.0.0/node_modules/append-field/package.json | node-pkg | 0 | - |
```

—			
app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-parser/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/buffer-from@1.1.2/node_modules/buffer-from/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/call-bind-apply-helpers@1.0.2/node_modules/call-bind-apply-helpers/package.json node-pkg 0 - ly-helpers/package.json			
—			
app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-bound/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/concat-stream@2.0.0/node_modules/concat-stream/package.json node-pkg 0 - son			
—			
app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/content-disposition@1.1.0/node_modules/content-disposition/package.json node-pkg 0 - on/package.json			
—			
app/node_modules/.pnpm/content-type@1.0.5/node_modules/content-type/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/cookie-signature@1.2.2/node_modules/cookie-signature/package.json node-pkg 0 - kage.json			

app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json	node-pkg	0	-
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json	node-pkg	0	-
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json	node-pkg	0	-
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json	node-pkg	0	-
app/node_modules/.pnpm/dunder-proto@1.0.1/node_modules/dunder-proto/package.json	node-pkg	0	-
app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/package.json	node-pkg	0	-
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json	node-pkg	0	-
app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property/package.json	node-pkg	0	-
app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json	node-pkg	0	-
app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/package.json	node-pkg	0	-
app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json	node-pkg	0	-


```

app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-
symbols/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-
errors/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-
lite/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/math-

```

```
intrinsic@1.1.0/node_modules/math-intrinsics/package.json | node-pkg | 0 | - |  
| ge.json | | | |  
-----| | app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.json | node-pkg | 0 | - |  
| ackage.json | | | |  
-----| | app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/object-assign@4.1.1/node_modules/object-assign/package.json | node-pkg | 0 | - |
```

```

son | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/object-
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |
e.json | | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-
finished/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| |
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|-----|
|-----|
|-----|
| |
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/path-to-
regexp@8.4.2/node_modules/path-to-regexp/package- | node-pkg | 0 | - | |
.json | | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-
addr/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| |
app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json |
node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/range-
parser@1.2.1/node_modules/range-parser/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-
body/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/readable-
stream@3.6.2/node_modules/readable-stream/packa- | node-pkg | 0 | - | |
ge.json | | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/reflect-

```

```

metadata@0.1.14/node_modules/reflect-metadata/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ |
app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ |
app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ | app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-
buffer/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ | app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-
buffer/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ |
app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ | app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-
static/package.json | node-pkg | 0 | - |
├───┘
└──────────┴──────────┴──────────┘
├───┘ |
app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototyp
eof/package.json | node-pkg | 0 | - | | .json | | |
├───┘
└──────────┴──────────┴──────────┘
├───┘ | app/node_modules/.pnpm/side-channel-
list@1.0.1/node_modules/side-channel-list/p- | node-pkg | 0 | - | |
ackage.json | | |
├───┘
└──────────┴──────────┴──────────┘
├───┘ | app/node_modules/.pnpm/side-channel-
map@1.0.1/node_modules/side-channel-map/pac- | node-pkg | 0 | - | |
kage.json | | |
├───┘
└──────────┴──────────┴──────────┘
├───┘ | app/node_modules/.pnpm/side-channel-
weakmap@1.0.2/node_modules/side-channel-wea- | node-pkg | 0 | - | |
kmap/package.json | | |
├───┘
└──────────┴──────────┴──────────┘

```

app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0	-
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.json	node-pkg	0	-
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0	-
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg	0	-
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.json	node-pkg	0	-
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/package.json	node-pkg	0	-
app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json	node-pkg	0	-
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json	node-pkg	0	-
app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-is/package.json	node-pkg	0	-
app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-is/package.json	node-pkg	0	-
app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/package.json	node-pkg	0	-

app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json | node-pkg | 0 | - |

app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/p-ackage.json | | |

app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.jsn | node-pkg | 0 | - |

app/node_modules/.pnpm/util-deprecat@1.0.2/node_modules/util-deprecat/package- | node-pkg | 0 | - | | .json | | |

app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json | node-pkg | 0 | - |

app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.js on | node-pkg | 0 | - |

app/package.json | node-pkg | 0 | - |

Legend:

ghcr.io/ethio-connect-et/vendor-api-server:0.0.3 (debian 12.13)

Total: 9 (MEDIUM: 9)

Severity	Status	Installed Version	Fixed Version	Title	Library	Vulnerability

[illegible]

Severity: LOW

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/vendor-api-server:0.0.3 (debian 12.13)	debian	12	-
app/nodemodules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json	node-pkg	0	-
app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package-	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2/node_modules/@nestjs/common/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs@1858a150a7802d69b30748192f48d6b/node_modules/@-	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs/p-	node-pkg	0	-
app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/opencollec-	node-pkg	0	-
app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokenizer/inflate-	node-pkg	0	-

app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni			
zer/token/pac-	node-pkg 0 -	kage.json	
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js			
n node-pkg 0 -			
app/node_modules/.pnpm/append-			
field@1.0.0/node_modules/append-field/package.json node-pkg 0 -			
app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-			
parser/package.json node-pkg 0 -			
app/node_modules/.pnpm/buffer-			
from@1.1.2/node_modules/buffer-from/package.json node-pkg 0 -			
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js			
n node-pkg 0 -			
app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json			
node-pkg 0 -			
app/node_modules/.pnpm/call-bind-apply-			
helpers@1.0.2/node_modules/call-bind-app- node-pkg 0 - ly-			
helpers/package.json			
app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-			
bound/package.json node-pkg 0 -			
app/node_modules/.pnpm/concat-			
stream@2.0.0/node_modules/concat-stream/package-j- node-pkg 0 -			
son			
app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js			

```
on | node-pkg | 0 | - |
|
|
|
| | app/node_modules/.pnpm/content-
disposition@1.1.0/node_modules/content-dispositi- | node-pkg | 0 | - | |
on/package.json | | |
|
|
|
| | app/node_modules/.pnpm/content-
type@1.0.5/node_modules/content-type/package.json | node-pkg | 0 | - |
|
|
|
| | app/node_modules/.pnpm/cookie-
signature@1.2.2/node_modules/cookie-signature/pac- | node-pkg | 0 | - | |
kage.json | | |
|
|
|
| |
app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json
| node-pkg | 0 | - |
|
|
|
| |
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json |
node-pkg | 0 | - |
|
|
|
| |
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json
| node-pkg | 0 | - |
|
|
|
| |
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json |
node-pkg | 0 | - |
|
|
|
| | app/node_modules/.pnpm/dunder-
proto@1.0.1/node_modules/dunder-proto/package.json | node-pkg | 0 | - |
|
|
|
| | app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-
first/package.json | node-pkg | 0 | - |
|
|
|
| |
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/packa
ge.json | node-pkg | 0 | - |
|
|
|
```

—| | app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property- | node-pkg | 0 | - | |
/package.json | | |
|
|
—| | app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/packa- | node-pkg | 0 | - | | ge.json | | |
|
|
—| | app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json |
node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.js
on | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringi- | node-pkg | 0 | - | |
fy/package.json | | |
|
|
—| | app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/p
ackage.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/pack
age.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json |
node-pkg | 0 | - |
|
|

—		app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.j-	node-pkg		0		-		son			
—		app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.j-	node-pkg		0		-		son			
—		app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js	on		node-pkg		0		-			
—		app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-errors/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-lite/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js	on		node-pkg		0		-			
—		app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js	on		node-pkg		0		-			
—		app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.	json		node-pkg		0		-			

—			
app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-promise/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-esm/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/math-intrinsics@1.1.0/node_modules/math-intrinsics/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json			

A number line is shown with tick marks at every integer from 0 to 10. A bracket is drawn below the line, spanning from 0 to 1, and is labeled with the number 1.

```

graph LR
    A[app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-finished] --> B[on-finished]
  
```

Timeline diagram showing the sequence of events for the 'path-to' command. The timeline starts with 'path-to' (blue bar), followed by 'node_modules' (green bar), 'pnpm' (red bar), and 'path-to' (blue bar). The 'path-to' bar is the longest and spans the entire duration. The 'node_modules' bar is the shortest and is located in the middle. The 'pnpm' bar is the longest and is located in the middle. The 'path-to' bar is the shortest and is located in the middle.

```

graph LR
    A[app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy] -- load --> B[ ]
    style B fill:none,stroke:none
  
```

—		app/node_modules/.pnpm/range- parser@1.2.1/node_modules/range-parser/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw- body/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/readable- stream@3.6.2/node_modules/readable-stream/packa- ge.json		node-pkg		0		-	
—		app/node_modules/.pnpm/reflect- metadata@0.1.14/node_modules/reflect-metadata/pa- ckage.json		node-pkg		0		-	
—		app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe- buffer/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer- buffer/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve- static/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototyp eof/package- eof/package-		node-pkg		0		-	
		.json							

app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-weakmap/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0	-	
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.json	node-pkg	0	-	
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0	-	
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package.json	node-pkg	0	-	
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.json	node-pkg	0	-	
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/package.json	node-pkg	0	-	
app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json	node-pkg	0	-	

```

app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
———| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |
|-----|-----|-----|
———| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-
is/package.json | node-pkg | 0 | - |
|-----|-----|-----|
———| |
app/node_modules/.pnpm/arraybuffer.slice@1.0.2/node_modules/arraybuffer.slice/pac
package.json | node-pkg | 0 | - |
|-----|-----|-----|
———| |
app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
———| | app/node_modules/.pnpm/uint8array-
extras@1.5.0/node_modules/uint8array-extras/p- | node-pkg | 0 | - | |
ackage.json | | | |
|-----|-----|-----|
———| |
app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.js
n | node-pkg | 0 | - |
|-----|-----|-----|
———| | app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-
deprecate/package- | node-pkg | 0 | - | | .json | | |
|-----|-----|-----|
———| |
app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
———| |
app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
———| | app/package.json | node-pkg | 0 | - |
|-----|-----|-----|
Legend:
```

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/vendor-api-server:0.0.3 (debian 12.13)

Total: 12 (LOW: 12)

Severity	Status	Installed Version	Fixed Version	Library	Vulnerability
				gcc-12-base	CVE-2022-27943
LOW	affected	12.2.0-14+deb12u1		binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows	stack exhaustion in demangle_const
					https://avd.aquasec.com/nvd/cve-2022-27943
				libc6	CVE-2010-4756
		2.36-9+deb12u13		glibc: glob implementation can cause excessive CPU and	memory consumption due to...
					https://avd.aquasec.com/nvd/cve-2010-4756
					CVE-2018-20796
				glibc: uncontrolled recursion in function	check_dst_limits_calc_pos_1 in posix/regexec.c
					https://avd.aquasec.com/nvd/cve-2018-20796
					CVE-2019-1010022
				glibc: stack guard protection bypass	https://avd.aquasec.com/nvd/cve-2019-1010022
					CVE-2019-1010023
				glibc: running ldd on malicious ELF leads to code execution	because of...
					https://avd.aquasec.com/nvd/cve-2019-1010023
					CVE-2019-1010024
				glibc: ASLR bypass using cache of thread stack and heap	
					https://avd.aquasec.com/nvd/cve-2019-1010024
					CVE-2019-1010025
				glibc: information disclosure of heap addresses of	pthread_created thread
					https://avd.aquasec.com/nvd/cve-2019-1010025

The timeline visualization displays the following CVEs and their details:

- CVE-2019-9192**: glibc: uncontrolled recursion in function `check_dst_limits_calc_pos_1` in `posix/regexec.c`. URL: <https://avd.aquasec.com/nvd/cve-2019-9192>
- CVE-2022-27943**: 12.2.0-14+deb12u1 | binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows | stack exhaustion in `demangle_const`. URL: <https://avd.aquasec.com/nvd/cve-2022-27943>
- CVE-2025-27587**: 3.0.18-1~deb12u2 | OpenSSL 3.0.0 through 3.3.2 on the PowerPC architecture is | vulnerable URL: <https://avd.aquasec.com/nvd/cve-2025-27587>
- CVE-2022-27943**: 12.2.0-14+deb12u1 | binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows | stack exhaustion in `demangle_const`. URL: <https://avd.aquasec.com/nvd/cve-2022-27943>

Severity: CRITICAL

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/customer-portal-dashboard:0.0.3 (debian 12.13)	debian	1	-
app/apps/customer-portal/customer-portal-dashboard/package.json	node-pkg	0	-

—	app/node_modules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json node-pkg 0 -
—	app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json
—	app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json
—	app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json
—	app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json
—	app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json node-pkg 0 -
—	app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js- node-pkg 0 - on
—	app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js- node-pkg 0 - on
—	app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json node-pkg 0 -
—	app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json node-pkg 0 -
—	app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+te

```
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/react-is/package.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/regenerator-runtime/package.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/package.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/react-  
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |  
| kage.json | | | |  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
|-----|-----|-----|-----|  
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |  
node-pkg | 0 | - |
```

app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json
node-pkg | 0 | - |

app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json
node-pkg | 0 | - |

app/node_modules/.pnpm/styled-jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |
3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | |

— Legend:

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/customer-portal-dashboard:0.0.3 (debian 12.13)

Total: 1 (CRITICAL: 1)

			Library	Vulnerability	Severity
Status	Installed Version	Fixed Version	Title		
			libssl3	CVE-2026-31789	CRITICAL
fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2	openssl: OpenSSL: Heap buffer overflow on 32-bit systems from large X.509 certificate... https://avd.aquasec.com/nvd/cve-2026-31789		

Severity: HIGH

Report Summary

Target	Type	Vulnerabilities	Secrets

ghcr.io/ethio-connect-et/customer-portal-dashboard:0.0.3 (debian 12.13)	debian	5	-
app/apps/customer-portal/customer-portal-dashboard/package.json			
node-pkg	0	-	
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json			
node-pkg	0	-	
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sha- node-pkg 0 - rp-libvips-linux-x64/package.json			
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img- node-pkg 0 - /sharp-libvips-linuxmusl-x64/package.json			
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linu- node-pkg 0 - x-x64/package.json			
app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp- node-pkg 0 - linuxmusl-x64/package.json			
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json			
node-pkg	0	-	
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js- node-pkg 0 - on			
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js- node-pkg 0 - on			
app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json			
node-pkg	0	-	

—		app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
		ext/dist/compiled/@edge-runtime/cookies/package.json	
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
		ext/dist/compiled/@edge-runtime/ponyfill/package.json	
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
		ext/dist/compiled/@edge-runtime/primitives/package.json	
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
		ext/dist/compiled/react-is/package.json	
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
		ext/dist/compiled/regenerator-runtime/package.json	
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
		ext/package.json	
—		app/node_modules/.pnpm/react-dom@19.2.5_react@19.2.5/node_modules/react-dom/pac-	node-pkg 0 -

https://avd.aquasec.com/nvd/cve-2026-28387	
CVE-2026-28388	openssl: OpenSSL: Denial of Service due to NULL pointer dereference in delta...
https://avd.aquasec.com/nvd/cve-2026-28388	
CVE-2026-28389	openssl: OpenSSL: Denial of Service vulnerability in CMS processing
https://avd.aquasec.com/nvd/cve-2026-28389	
CVE-2026-28390	openssl: OpenSSL: Denial of Service due to NULL pointer dereference in CMS...
https://avd.aquasec.com/nvd/cve-2026-28390	

Severity: MEDIUM

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/customer-portal-dashboard:0.0.3 (debian 12.13)	debian	9	-
app/apps/customer-portal/customer-portal-dashboard/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-

—		app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	
—		app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	
—		app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js-	node-pkg 0 - on
—		app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js-	node-pkg 0 - on
—		app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
			ext/dist/compiled/@edge-runtime/cookies/package.json
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
			ext/dist/compiled/@edge-runtime/ponyfill/package.json
—			

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/node_modules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|
|
|
|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/node_modules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|
|
|
|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/node_modules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|
|
|
|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
_e1358b2fdcb9f707d93b146f557e99dc/node_modules/n- | | | |
ext/package.json | | | |
|
|
|
|
| app/node_modules/.pnpm/react-
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |
| kage.json | | | |
|
|
|
|
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |
node-pkg | 0 | - |
|
|
|
|
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json
| node-pkg | 0 | - |
|
|
|
|
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |
node-pkg | 0 | - |
|
|
|
|
| app/node_modules/.pnpm/styled-
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |
| 3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | |

- ‘-’: Not scanned
- ‘0’: Clean (no security findings detected)

Total: 9 (MEDIUM: 9)

```

| | CVE-2026-5450 | | | | glibc: glibc:
Heap Buffer Overflow in scanf with %mc | | | | | | format specifier
and... | | | | | | https://avd.aquasec.com/nvd/cve-2026-5450 | |
| |
| |
| | CVE-2026-5928 | | | | glibc: glibc:
Information disclosure or denial of service | | | | | | via ungetwc
function with... | | | | | | https://avd.aquasec.com/nvd/cve-2026-5928 |
| | | | |
| | | | |
| | | | |
| libssl3 | CVE-2026-31790 | | fixed | 3.0.18-1~deb12u2 | 3.0.19-1~deb12u2
| openssl: openssl: Information Disclosure from Uninitialized | | | | | |
| Memory via Invalid RSA Public Key... | | | | | |
https://avd.aquasec.com/nvd/cve-2026-31790 |
| | | | |
| | | | |
| | | | |

```

Severity: LOW

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/customer-portal-dashboard:0.0.3 (debian 12.13)	debian	12	-
app/apps/customer-portal/customer-portal-dashboard/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json			
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json			

— <i>app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json</i>
— <i>app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json</i>
— <i>app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json</i> <i>node-pkg</i> 0 -
— <i>app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js-</i> <i>node-pkg</i> 0 - <i>on</i>
— <i>app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js-</i> <i>node-pkg</i> 0 - <i>on</i>
— <i>app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json</i> <i>node-pkg</i> 0 -
— <i>app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json</i> <i>node-pkg</i> 0 -
— <i>app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+test@1.59.1_b- node-pkg</i> 0 - <i>abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-</i> <i>ext/dist/compiled/@edge-runtime/cookies/package.json</i>
— <i>app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- node-pkg</i> 0 - <i>abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-</i> <i>ext/dist/compiled/@edge-runtime/ponyfill/package.json</i>
— <i>app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test</i>

```
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |  
|  
-----| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/react-is/package.json | | | |  
|  
-----| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/regenerator-runtime/package.json | | | |  
|  
-----| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test  
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-  
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/package.json | | | |  
|  
-----| | app/node_modules/.pnpm/react-  
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |  
| kage.json | | | |  
|  
-----| |  
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |  
node-pkg | 0 | - |  
|  
-----| |  
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json  
| node-pkg | 0 | - |  
|  
-----| |  
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |  
node-pkg | 0 | - |  
|  
-----| |  
app/node_modules/.pnpm/styled-  
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |  
| 3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | |
```

- '-': Not scanned
- '0': Clean (no security findings detected)

Total: 12 (LOW: 12)

—		app/node_modules/.pnpm/@borewit+text-			
		codec@0.2.2/node_modules/@borewit/text-cod-			
		ec/package.json			
—		app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csp			
		rng/package-			
		node-pkg		0	-
		.json			
—		app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-			
		metadata@0.1.14_rxjs@7.8.-			
		node-pkg		0	-
		2/node_modules/@nestjs/common/package.json			
—		app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_r			
		eflect-meta-			
		node-pkg		0	-
		data@0.1.14_rxjs@7.8.2@nestjs@11.1.19@nestjs+core@11.1.19/node_modules/@-			
		nestjs/core/package.json			
—		app/node_modules/.pnpm/@nestjs+platform-			
		express@11.1.19@nestjs+common@11.1.19_-			
		node-pkg		0	-
		reflect-			
		metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs			
		/p-			
		platform-express/package.json			
—		app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nu			
		xt/opencollec-			
		node-pkg		0	-
		tive/package.json			
—		app/node_modules/.pnpm/@tokenizer+inflation@0.4.1/node_modules/@tokeni			
		zer/inflation-			
		node-pkg		0	-
		/package.json			
—		app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni			
		zer/token/pac-			
		node-pkg		0	-
		kage.json			
—		app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js			
		n			
		node-pkg		0	-
—		app/node_modules/.pnpm/append-			

field@1.0.0/node_modules/append-field/package.json	node-pkg	0	-	
—		app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-parser/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/buffer-from@1.1.2/node_modules/buffer-from/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/call-bind-apply-helpers@1.0.2/node_modules/call-bind-apply-helpers/package.json	node-pkg	0 - ly-
—		app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-bound/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/concat-stream@2.0.0/node_modules/concat-stream/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/content-disposition@1.1.0/node_modules/content-disposition/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/content-type@1.0.5/node_modules/content-type/package.json	node-pkg	0 -
—		app/node_modules/.pnpm/cookie-		

```
signature@1.2.2/node_modules/cookie-signature/pac- | node-pkg | 0 | - | |
kage.json | | |
```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The subsequent tick marks are unlabeled but represent 1, 2, and 3.

```

—| |
app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json
| node-pkg | 0 | - |

```

A horizontal number line with arrows at both ends. There are four vertical tick marks along the line, dividing it into five equal intervals. No numbers are written on the line.

```

—| |
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json |
node-pkg | 0 | - |

```

A horizontal number line with four vertical tick marks. The tick marks are evenly spaced along the line, but no numerical values are provided.

```

—| |
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json
| node-pkg | 0 | - |

```

A horizontal number line with four vertical tick marks. The first tick mark is on the left, and the other three are spaced evenly to the right.

```

—| |
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json |
node-pkg | 0 | - |

```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The subsequent tick marks are unlabeled but correspond to the values 1, 2, and 3.

```

—| | app/node_modules/.pnpm/dunder-
proto@1.0.1/node_modules/dunder-proto/package.json | node-pkg | 0 | - |
|_____

```

Timeline diagram showing the sequence of events for the `ee-first` package:

- 0.0: `app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/index.js`
- 0.2: `app/node_modules/ee-first/index.js`
- 0.4: `app/node_modules/ee-first/index.js`
- 0.6: `app/node_modules/ee-first/index.js`
- 0.8: `app/node_modules/ee-first/index.js`
- 1.0: `app/node_modules/ee-first/index.js`

```
first/package.json | node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json | node-pkg | 0 | - |
```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The subsequent tick marks are unlabeled but correspond to the values 1, 2, and 3.

```

——| | app/node_modules/.pnpm/es-define-
property@1.0.1/node_modules/es-define-property- | node-pkg | 0 | - | |
/package.json | | |

```

```

——| | app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-
errors/package.json | node-pkg | 0 | - |

```

A horizontal number line with a starting point at 0 on the left. There are three tick marks labeled 1, 2, and 3, spaced evenly along the line.

```

—| | app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-
object-atoms/packa- | node-pkg | 0 | - | | ge.json | | |

```

A horizontal number line with four vertical tick marks. The first tick mark on the left is labeled '0'. The subsequent tick marks are unlabeled but correspond to the values 1, 2, and 3.

—	app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.js	on	node-pkg	0	-
—	app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringi-	node-pkg	0	-	
fy/package.json					
—	app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-	type/package.json	node-pkg	0	-
—	app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/p	ackage.json	node-pkg	0	-
—	app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/pack	age.json	node-pkg	0	-
—	app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/function-	bind@1.1.2/node_modules/function-bind/package.j-	node-pkg	0	-
son					
—	app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-	intrinsic/package.j-	node-pkg	0	-
son					
—	app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-	proto/package.json	node-pkg	0	-

```

┌───┴───┐
app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json |
node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-
symbols/package.json | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js
on | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-
errors/package.json | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-
lite/package.json | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js
on | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
on | node-pkg | 0 | - |
└───┴───┘
┌───┴───┐
app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |
└───┴───┘
```


—	app/node_modules/.pnpm/math-intrinsics@1.1.0/node_modules/math-intrinsics/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/package.json	node-pkg	0	-	

— app/node_modules/.pnpm/object-assign@4.1.1/node_modules/object-assign/package.json	node-pkg 0 -
— app/node_modules/.pnpm/object-inspect@1.13.4/node_modules/object-inspect/package.json	node-pkg 0 -
— app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-finished/package.json	node-pkg 0 -
— app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json	node-pkg 0 -
— app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.json	node-pkg 0 -
— app/node_modules/.pnpm/path-to-regexp@8.4.2/node_modules/path-to-regexp/package.json	node-pkg 0 -
— app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-addr/package.json	node-pkg 0 -
— app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json	node-pkg 0 -
— app/node_modules/.pnpm/range-parser@1.2.1/node_modules/range-parser/package.json	node-pkg 0 -
— app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-body/package.json	node-pkg 0 -
— app/node_modules/.pnpm/readable-stream@3.6.2/node_modules/readable-stream/package.json	node-pkg 0 -


—				
app/node_modules/.pnpm/reflect-metadata@0.1.14/node_modules/reflect-metadata/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-buffer/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-buffer/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package.json node-pkg 0 - .json				
—				
app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-weakmap@1.0.2/node_modules/side-channel-wea- node-pkg 0 -				

kmap/package.json | | |
|
|
| | app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package- | node-pkg | 0 | - | | .json | | |
|
|
| |
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/package.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-is/package.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-is/package.json | node-pkg | 0 | - |
|
|
| |


app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/util-deprecat@1.0.2/node_modules/util-deprecat/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json | node-pkg | 0 | - |



app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.json | node-pkg | 0 | - |



app/package.json | node-pkg | 0 | - |



Legend:

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/customer-portal-api:0.0.3 (debian 12.13)

Total: 1 (CRITICAL: 1)

Status	Installed Version	Fixed Version	Library	Vulnerability	Severity	Title
			libssl3	CVE-2026-31789	CRITICAL	
	fixed 3.0.18-1~deb12u2	3.0.19-1~deb12u2	openssl:	OpenSSL: Heap buffer overflow on 32-bit systems		from large X.509 certificate...
						https://avd.aquasec.com/nvd/cve-2026-31789

Severity: HIGH

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/customer-portal-api:0.0.3 (debian 12.13)	debian	5	-
app/node_modules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json	node-pkg	0	-
app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2/node_modules/@nestjs/common/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjssa1858a150a7802d69b30748192f48d6b/node_modules/@nestjs/core/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+platform-			

```
express@11.1.19@nestjs+common@11.1.19_ | node-pkg | 0 | - | |
```

reflect-

```
metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs
```

```
/p- | | | | latform-express/package.json | | | |
```

$$\begin{array}{c} | \\ \hline | \end{array}$$

app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nu

```
xt/opencollec- | node-pkg | 0 | - | | tive/package.json | | | |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically from the line.

```
app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@token
```

```
izer/inflate- | node-pkg | 0 | - | | /package.json | | | |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically above and below the line. There are no numerical labels or arrows at the ends of the line.

$$\begin{array}{c} | \\ \hline | \end{array}$$

```
app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni
```

zer/token/pac- | node-pkg | 0 | - | | kage.json | | | |

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically from the line. There are no numerical labels or arrows at the ends of the line.

```
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js
```

```
n | node-pkg | 0 | - |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically above and below the line.

```
—| | app/node_modules/.pnpm/append-
```

```
field@1.0.0/node_modules/append-field/package.json | node-pkg | 0 | - |
```

Timeline diagram showing the sequence of events for the body-parser module:

- 0: app/node_modules/pnpm/body-parser@2.2.2/node_modules/body-
- 0.5: body-parser@2.2.2
- 1: body-parser@2.2.2

```
parser/package.json | node-pkg | 0 | - |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically from the line.

```
—| | app/node_modules/.pnpm/buffer-
```

```
from@1.1.2/node_modules/buffer-from/package.json | node-pkg | 0 | - |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically from the line.

— | |

```
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js
```

```
n | node-pkg | 0 | - |
```

A horizontal number line with three tick marks. The first tick mark is on the left, the second is in the middle, and the third is on the right. There are no numbers or labels on the line.

— | |

app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json |

node-pkg	0	-
----------	---	---

A horizontal line with three vertical tick marks. The tick marks are positioned at approximately one-third, two-thirds, and three-quarters of the line's length from left to right. There are no numbers or labels on the line.

—| | app/node_modules/.pnpm/call-bind-apply-

```
helpers@1.0.2/node_modules/call-bind-app- | node-pkg | 0 | - | | ly-
```

helpers/package.json			
— app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-bound/package.json	node-pkg	0	-
— app/node_modules/.pnpm/concat-stream@2.0.0/node_modules/concat-stream/package.js-	node-pkg	0	-
son			
— app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js	on	node-pkg	0 -
— app/node_modules/.pnpm/content-disposition@1.1.0/node_modules/content-dispositi-	node-pkg	0	-
on/package.json			
— app/node_modules/.pnpm/content-type@1.0.5/node_modules/content-type/package.json	node-pkg	0	-
— app/node_modules/.pnpm/cookie-signature@1.2.2/node_modules/cookie-signature/pac-	node-pkg	0	-
kage.json			
— app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json	node-pkg	0	-
— app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json	node-pkg	0	-
— app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json	node-pkg	0	-
— app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json	node-pkg	0	-

—		app/node_modules/.pnpm/dunder-proto@1.0.1/node_modules/dunder-proto/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringify/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json		node-pkg		0		-	

—	app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json node-pkg 0 -
—	app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json node-pkg 0 -
—	app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json node-pkg 0 -
—	app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json node-pkg 0 -
—	app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json node-pkg 0 -
—	app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json node-pkg 0 -
—	app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json node-pkg 0 -
—	app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json node-pkg 0 -
—	app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.json node-pkg 0 -
—	app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-errors/package.json node-pkg 0 -
—	app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-lite/package.json node-pkg 0 -

app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-promise/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-esm/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/math-intrinsics@1.1.0/node_modules/math-intrinsics/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.js	on	node-pkg	0	-	
app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.js	on	node-pkg	0	-	

```

——| | app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-
db/package.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/mime-
types@2.1.35/node_modules/mime-types/package.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-
types/package.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json |
node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.jso
n | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/pack
age.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/object-
assign@4.1.1/node_modules/object-assign/package.j- | node-pkg | 0 | - | |
son | | |
|
|
|
——| | app/node_modules/.pnpm/object-
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |
e.json | | |
|
|
|
——| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-
finished/package.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|

```

—				
app/node_modules/.pnpm/path-to-				
regexp@8.4.2/node_modules/path-to-regexp/package-				
node-pkg		0		-
.json				
—				
app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-				
addr/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json				
node-pkg 0 -				
—				
app/node_modules/.pnpm/range-				
parser@1.2.1/node_modules/range-parser/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-				
body/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/readable-				
stream@3.6.2/node_modules/readable-stream/packa-				
node-pkg		0		-
ge.json				
—				
app/node_modules/.pnpm/reflect-				
metadata@0.1.14/node_modules/reflect-metadata/pa-				
node-pkg		0		-
ckage.json				
—				
app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json				
node-pkg		0		-
—				
app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json				
node-pkg 0 -				
—				
app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-				
buffer/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-				
buffer/package.json node-pkg 0 -				

app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json	node-pkg	0	-	
app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg	0	-	
app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package-	node-pkg	0	-	.json
app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-weakmap/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0	-	
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.js	node-pkg	0	-	
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0	-	
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg	0	-	.json

app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js
on | node-pkg | 0 | - |

|
|
|

—| |
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/pac
kage.json | node-pkg | 0 | - |

|
|
|

—| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-
types/package.json | node-pkg | 0 | - |

|
|
|

—| |
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |

|
|
|

—| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |

|
|
|

—| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-
is/package.json | node-pkg | 0 | - |

|
|
|

—| |
app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/pac
kage.json | node-pkg | 0 | - |

|
|
|

—| |
app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json |
node-pkg | 0 | - |

|
|
|

—| | app/node_modules/.pnpm/uint8array-
extras@1.5.0/node_modules/uint8array-extras/p- | node-pkg | 0 | - | |
ackage.json | | |

|
|
|

—| |
app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.js
n | node-pkg | 0 | - |

|
|
|

—| | app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-
deprecate/package- | node-pkg | 0 | - | | .json | | |

|
|
|

https://avd.aquasec.com/nvd/cve-2026-28389 | | |
|
|
| | | CVE-2026-28390 | | | | openssl: OpenSSL: Denial of Service
due to NULL pointer | | | | | dereference in CMS... | | | | |
https://avd.aquasec.com/nvd/cve-2026-28390 |

Severity: MEDIUM

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/customer-portal-api:0.0.3 (debian 12.13)	debian	9	-
app/nodemodules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json	node-pkg	0	-
app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package-	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.-	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs	node-pkg	0	-

app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/opencollective-	node-pkg	0	-
tive/package.json			
app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokenizer/inflate-	node-pkg	0	-
/package.json			
app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokenizer/token/pac-	node-pkg	0	-
kage.json			
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js	node-pkg	0	-
n			
app/node_modules/.pnpm/append-			
field@1.0.0/node_modules/append-field/package.json	node-pkg	0	-
app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-			
parser/package.json	node-pkg	0	-
app/node_modules/.pnpm/buffer-			
from@1.1.2/node_modules/buffer-from/package.json	node-pkg	0	-
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js	node-pkg	0	-
n			
app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json	node-pkg	0	-
app/node_modules/.pnpm/call-bind-apply-			
helpers@1.0.2/node_modules/call-bind-app-	node-pkg	0	-
ly-			
helpers/package.json			
app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-			

```

bound/package.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/concat-
stream@2.0.0/node_modules/concat-stream/package.j- | node-pkg | 0 | - | |
son | | | |
|-----|
| |
app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js
on | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/content-
disposition@1.1.0/node_modules/content-dispositi- | node-pkg | 0 | - | |
on/package.json | | | |
|-----|
| | app/node_modules/.pnpm/content-
type@1.0.5/node_modules/content-type/package.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/cookie-
signature@1.2.2/node_modules/cookie-signature/pac- | node-pkg | 0 | - | |
kage.json | | | |
|-----|
| |
app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json
| node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json |
node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json
| node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json |
node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/dunder-
proto@1.0.1/node_modules/dunder-proto/package.json | node-pkg | 0 | - |
|-----|

```

—		app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringify/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json		node-pkg		0		-	

app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json	node-pkg	0	-	
app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json	node-pkg	0	-	
app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json	node-pkg	0	-	
app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json	node-pkg	0	-	
app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json	node-pkg	0	-	
app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json	node-pkg	0	-	
app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json	node-pkg	0	-	
app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.json	node-pkg	0	-	
app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-errors/package.json	node-pkg	0	-	
app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-lite/package.json	node-pkg	0	-	
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.json	node-pkg	0	-	

```

├──┤ |
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |
├──┤ |
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |
├──┤ | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |
├──┤ |
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
n | node-pkg | 0 | - |
├──┤ | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |
├──┤ | app/node_modules/.pnpm/math-
intrinsic@1.1.0/node_modules/math-intrinsic/packa- | node-pkg | 0 | - |
| ge.json | | | |
├──┤ | app/node_modules/.pnpm/media-
typer@0.3.0/node_modules/media-typer/package.json | node-pkg | 0 | - |
├──┤ | app/node_modules/.pnpm/media-
typer@1.1.0/node_modules/media-typer/package.json | node-pkg | 0 | - |
├──┤ | app/node_modules/.pnpm/merge-
descriptors@2.0.0/node_modules/merge-descriptors/p- | node-pkg | 0 | - |
| ackage.json | | | |
├──┤ | app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-
db/package.json | node-pkg | 0 | - |
├──┤ | app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-
db/package.json | node-pkg | 0 | - |
```

```

——| | app/node_modules/.pnpm/mime-
types@2.1.35/node_modules/mime-types/package.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-
types/package.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json |
node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.jso
n | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/pack
age.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/object-
assign@4.1.1/node_modules/object-assign/package.j- | node-pkg | 0 | - | |
son | | |
|
|
|
——| | app/node_modules/.pnpm/object-
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |
e.json | | |
|
|
|
——| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-
finished/package.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/path-to-
regexp@8.4.2/node_modules/path-to-regexp/package- | node-pkg | 0 | - | |
.json | | |

```

—	app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-addr/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/range-parser@1.2.1/node_modules/range-parser/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-body/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/readable-stream@3.6.2/node_modules/readable-stream/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/reflect-metadata@0.1.14/node_modules/reflect-metadata/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-buffer/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-buffer/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json node-pkg 0 -		

—	app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package-	node-pkg	0 - .json
—	app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/p-	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/pac-	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-wea-	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.js	node-pkg	0 -
—	app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg	0 - .json
—	app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js	node-pkg	0 -

```

——| |
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/pac
kage.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-
types/package.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-
is/package.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/pac
kage.json | node-pkg | 0 | - |
|
|
|
——| |
app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json |
node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/uint8array-
extras@1.5.0/node_modules/uint8array-extras/p- | node-pkg | 0 | - | |
ackage.json | | |
|
|
|
——| |
app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.js
on | node-pkg | 0 | - |
|
|
|
——| | app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-
deprecate/package- | node-pkg | 0 | - | | .json | | |
|
|
|
——| |
app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json |
node-pkg | 0 | - |
|
|
|

```

```

graph TD
    A[app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.js] --- B[on | node-pkg | 0 | - |]
    B --- C[app/package.json | node-pkg | 0 | - |]
    C --- D[Legend:]
  
```

- ‘-’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/customer-portal-api:0.0.3 (debian 12.13)

Total: 9 (MEDIUM: 9)

	Severity	Status	Installed Version	Fixed Version	Title	Library	Vulnerability
	MEDIUM	affected	2.36-9+deb12u13		glibc: wordexp with WRDE_REUSE and WRDE_APPEND may return uninitialized memory	libc6	CVE-2025-15281
					https://avd.aquasec.com/nvd/cve-2025-15281		
					Information disclosure via zero-valued network query	glibc:	CVE-2026-0915
					https://avd.aquasec.com/nvd/cve-2026-0915		
					glibc: Denial of Service via iconvO function with specific character sets...	fix_deferred	CVE-2026-4046
					https://avd.aquasec.com/nvd/cve-2026-4046		
					glibc: Incorrect DNS response parsing via crafted DNS response	affected	CVE-2026-4437
					https://avd.aquasec.com/nvd/cve-2026-4437		
					Invalid DNS hostname returned via gethostbyaddr functions	glibc:	CVE-2026-4438

The timeline illustrates the lifecycle of CVE-2026-31790, starting with its initial discovery and progressing through various stages of investigation and patching. The timeline is divided into segments by vertical bars, each representing a specific event or update.

- Initial Discovery:** The timeline begins with the initial discovery of the vulnerability, marked by a vertical bar.
- Fixed Issue:** A subsequent segment indicates that the vulnerability was identified as a fixed issue.
- Patching Progress:** The timeline shows the release of patches for different versions of OpenSSL, including updates for 3.0.18-1~deb12u2 and 3.0.19-1~deb12u2.
- Status Updates:** Various updates are shown throughout the timeline, reflecting the ongoing nature of the security research and the availability of fixes.

The timeline concludes with the final resolution of the vulnerability, marked by a vertical bar at the end of the sequence.

Severity: LOW

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/customer-portal-api:0.0.3 (debian 12)	-		
	app/node_modules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json		node-pkg	0 -
	app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package.json		node-pkg	0 - .json
	app/node_modules/.pnpm/@nestjs+common@11.1.19 reflect-			

```

metadata@0.1.14_rxjs@7.8.- | node-pkg | 0 | - | |
2/node_modules/@nestjs/common/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-
meta- | node-pkg | 0 | - | |
data@0.1.14_rxjs@7.8.2@nestjssa1858a150a7802d69b30748192f48d6b/node_
modules/@- | | | | nestjs/core/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19_-
reflect-metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs
/p- | | | | platform-express/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/
opencollec- | node-pkg | 0 | - | | tive/package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokeni
zer/inflate- | node-pkg | 0 | - | | /package.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni
zer/token/pac- | node-pkg | 0 | - | | kage.json | | | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js
n | node-pkg | 0 | - | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/append-field@1.0.0/node_modules/append-field/package.json | node-pkg | 0 | - | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-
parser/package.json | node-pkg | 0 | - | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
app/node_modules/.pnpm/buffer-from@1.1.2/node_modules/buffer-from/package.json | node-pkg | 0 | - | |
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|
|-----|-----|-----|

```

—		app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js	n		node-pkg		0		-	
—		app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json			node-pkg		0		-	
—		app/node_modules/.pnpm/call-bind-apply-			node-pkg		0		-	
		helpers@1.0.2/node_modules/call-bind-app-			node-pkg		0		-	
		helpers/package.json								
—		app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-			node-pkg		0		-	
		bound/package.json			node-pkg		0		-	
—		app/node_modules/.pnpm/concat-			node-pkg		0		-	
		stream@2.0.0/node_modules/concat-stream/package.j-			node-pkg		0		-	
		son								
—		app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js			node-pkg		0		-	
		on			node-pkg		0		-	
—		app/node_modules/.pnpm/content-			node-pkg		0		-	
		disposition@1.1.0/node_modules/content-dispositi-			node-pkg		0		-	
		on/package.json								
—		app/node_modules/.pnpm/content-			node-pkg		0		-	
		type@1.0.5/node_modules/content-type/package.json			node-pkg		0		-	
—		app/node_modules/.pnpm/cookie-			node-pkg		0		-	
		signature@1.2.2/node_modules/cookie-signature/pac-			node-pkg		0		-	
		kage.json								
—		app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json			node-pkg		0		-	
					node-pkg		0		-	
—		app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json								

```
node-pkg | 0 | - |
|-----|-----|-----|
|
|
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json
| node-pkg | 0 | - |
|-----|-----|-----|
|
|
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
|
| | app/node_modules/.pnpm/dunder-
proto@1.0.1/node_modules/dunder-proto/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
| | app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-
first/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
|
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/packa
ge.json | node-pkg | 0 | - |
|-----|-----|-----|
|
| | app/node_modules/.pnpm/es-define-
property@1.0.1/node_modules/es-define-property- | node-pkg | 0 | - | |
/package.json | | |
|-----|-----|-----|
|
| | app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-
errors/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
| | app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-
object-atoms/packa- | node-pkg | 0 | - | | ge.json | | |
|-----|-----|-----|
|
| | app/node_modules/.pnpm/escape-
html@1.0.3/node_modules/escape-html/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
|
app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
|
|
app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.js
```

on | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringify/package.json | node-pkg | 0 | - | |

—| | app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json | node-pkg | 0 | - | |

—| | app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json | node-pkg | 0 | - | | son | | |

—| | app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json | node-pkg | 0 | - |

—| |

```
app/node_modules/pnpm/hasown@2.0.3/node_modules/hasown/package.js
on | node-pkg | 0 | - |
```

```

——| | app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-
errors/package.json | node-pkg | 0 | - |

```

```

-----| | app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-
lite/package.json | node-pkg | 0 | - |

```

```

—| |
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js
on | node-pkg | 0 | - |

```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically above and below the line.

—||

```
app/node_modules/pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically above and below the line.

```
app/node_modules/pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |
```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically from the line.

```

—| | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |

```

A horizontal number line with three tick marks. The first tick mark is on the left, the second is in the middle, and the third is on the right. There are no numerical labels on the line.

```

—| |
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
n | node-pkg | 0 | - |

```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically from the horizontal line.

```

—| | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |

```

A horizontal number line with three tick marks. The tick marks are evenly spaced and extend vertically above and below the line.

```

——| | app/node_modules/.pnpm/math-
intrinsic@1.1.0/node_modules/math-intrinsic/packa- | node-pkg | 0 | - |
| ge.json | | |

```

A horizontal number line with three tick marks. The first tick mark is on the left, the second is in the middle, and the third is on the right. There are no numerical labels on the line.

```

—| | app/node_modules/pnpm/media-
typer@0.3.0/node_modules/media-typer/package.json | node-pkg | 0 | - |

```

A horizontal number line with three tick marks. The first tick mark is on the left, the second is in the middle, and the third is on the right. There are no numerical labels on the line.

—| | app/node_modules/.pnpm/media-

typer@1.1.0/node_modules/media-typer/package.json	node-pkg	0	-
— app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/p-	node-pkg	0	-
ackage.json			
— app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json	node-pkg	0	-
— app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json	node-pkg	0	-
— app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json	node-pkg	0	-
— app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json	node-pkg	0	-
— app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json	node-pkg	0	-
— app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.json	node-pkg	0	-
— app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/package.json	node-pkg	0	-
— app/node_modules/.pnpm/object-assign@4.1.1/node_modules/object-assign/package.json	node-pkg	0	-
— app/node_modules/.pnpm/object-inspect@1.13.4/node_modules/object-inspect/package.json	node-pkg	0	-
— app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-			

```

finished/package.json | node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/path-to-
regex@8.4.2/node_modules/path-to-regexp/package- | node-pkg | 0 | - |
.json | | | 
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-
addr/package.json | node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json |
node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/range-
parser@1.2.1/node_modules/range-parser/package.json | node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-
body/package.json | node-pkg | 0 | - |
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/readable-
stream@3.6.2/node_modules/readable-stream/packa- | node-pkg | 0 | - |
ge.json | | | 
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/reflect-
metadata@0.1.14/node_modules/reflect-metadata/pa- | node-pkg | 0 | - |
ckage.json | | | 
|-----|
|-----|-----|-----|
|-----|
app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json
| node-pkg | 0 | - |
|-----|
|-----|-----|-----|

```

app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json	node-pkg	0	-	
app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-buffer/package.json	node-pkg	0	-	
app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-buffer/package.json	node-pkg	0	-	
app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json	node-pkg	0	-	
app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg	0	-	
app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package.json	node-pkg	0	-	.json
app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-weakmap/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0	-	
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.json	node-pkg	0	-	

app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0	-	
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg	0	-	.json
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js	on	node-pkg	0	-
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/pac	kage.json	node-pkg	0	-
app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json	node-pkg	0	-	
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json	node-pkg	0	-	
app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-is/package.json	node-pkg	0	-	
app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-is/package.json	node-pkg	0	-	
app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/pac	kage.json	node-pkg	0	-
app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json	node-pkg	0	-	
app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/p-	node-pkg	0	-	

package.json	
app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.json	node-pkg 0 -
app/node_modules/.pnpm/util-deprecat@1.0.2/node_modules/util-deprecat/package-	node-pkg 0 - .json
app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json	node-pkg 0 -
app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.js	on node-pkg 0 -
app/package.json	node-pkg 0 -
Legend:	

- ‘?’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/customer-portal-api:0.0.3 (debian 12.13)

Total: 12 (LOW: 12)

Severity	Status	Installed Version	Fixed Version	Title
27943	LOW	affected	12.2.0-14+deb12u1	gcc-12-base CVE-2022-27943 binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const https://avd.aquasec.com/nvd/cve-2022-27943
				libc6 CVE-2010-4756

2.36-9+deb12u13	glibc: glob implementation can cause excessive CPU and	memory consumption due to...
https://avd.aquasec.com/nvd/cve-2010-4756		
CVE-2018-20796	glibc: uncontrolled recursion in function	check_dst_limits_calc_pos_1 in posix/regexec.c
https://avd.aquasec.com/nvd/cve-2018-20796		
CVE-2019-1010022	glibc: stack guard protection bypass	https://avd.aquasec.com/nvd/cve-2019-1010022
CVE-2019-1010023	glibc: running ldd on malicious ELF leads to code execution	because of...
https://avd.aquasec.com/nvd/cve-2019-1010023		
CVE-2019-1010024	glibc: ASLR bypass using cache of thread stack and heap	https://avd.aquasec.com/nvd/cve-2019-1010024
CVE-2019-1010025	glibc: information disclosure of heap addresses of	pthread_created thread
https://avd.aquasec.com/nvd/cve-2019-1010025		
CVE-2019-9192	glibc: uncontrolled recursion in function	check_dst_limits_calc_pos_1 in posix/regexec.c
https://avd.aquasec.com/nvd/cve-2019-9192		
libgcc-s1	CVE-2022-27943	12.2.0-14+deb12u1
binutils: libiberty/rust-demangle.c	GNU GCC 11.2 allows	stack exhaustion in demangle_const
https://avd.aquasec.com/nvd/cve-2022-27943		
libgomp1		
libssl3	CVE-2025-27587	3.0.18-1~deb12u2
OpenSSL 3.0.0 through 3.3.2 on the PowerPC architecture is	vulnerable	https://avd.aquasec.com/nvd/cve-2025-27587
libstdc++6	CVE-2022-27943	12.2.0-14+deb12u1
binutils: libiberty/rust-demangle.c	GNU GCC 11.2 allows	stack exhaustion in demangle_const

||| | https://avd.aquasec.com/nvd/cve-2022-27943 |
|
|
|

Image: ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3

Severity: CRITICAL

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3 (debian 12.13)	debian	1	-
app/apps/central-hub/public-website/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	node-pkg	0	-

```
|  
-----|  
---| |  
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json | node-pkg | 0 | - |  
-----|  
---| |  
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js- | node-pkg | 0 | - | | on | | | |  
-----|  
---| |  
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js- | node-pkg | 0 | - | | on | | | |  
-----|  
---| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json | node-pkg | 0 | - |  
-----|  
---| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json | node-pkg | 0 | - |  
-----|  
---| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |  
-----|  
---| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |  
-----|  
---| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |  
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |  
-----|  
---| |  
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
```

ext/dist/compiled/react-is/package.json	
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-	
ext/dist/compiled/regenerator-runtime/package.json	
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-	
ext/package.json	
app/node_modules/.pnpm/react-dom@19.2.5_react@19.2.5/node_modules/react-dom/package.json	
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json	
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json	
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json	
app/node_modules/.pnpm/styled-jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@3.1.0_react@19.2.5/node_modules/styled-jsx/package.json	

Legend:

- ‘.’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/central-hub-

public-dashboard:0.0.3 (debian 12.13)

Total: 1 (CRITICAL: 1)

Status	Installed Version	Fixed Version	Library	Vulnerability	Severity	Title
			libssl3	CVE-2026-31789	CRITICAL	openssl: OpenSSL: Heap buffer overflow on 32-bit systems from large X.509 certificate... https://avd.aquasec.com/nvd/cve-2026-31789

Severity: HIGH

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3 (debian 12.13)	debian	5	-
app/apps/central-hub/public-website/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-

—| | app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json | | |

—| | app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json | | |

—| | app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js- | node-pkg | 0 | - | | on | | |

—| | app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js- | node-pkg | 0 | - | | on | | |

—| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | |

—| | app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | |

—| | app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-

```

e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/package.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/react-
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |
| kage.json | | | |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |
node-pkg | 0 | - |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json
| node-pkg | 0 | - | |
|---|---|---|---|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |
node-pkg | 0 | - |
|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/styled-
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |
3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | |

```

Legend:

- ‘-’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3 (debian 12.13)

Total: 5 (HIGH: 5)

Severity	Status	Installed Version	Fixed Version	Library	Vulnerability	Title
				libc6	CVE-2026-0861	HIGH
	affected	2.36-9+deb12u13		glibc: Integer overflow in memalign leads to heap corruption		
				https://avd.aquasec.com/nvd/cve-2026-0861		
				libssl3	CVE-2026-28387	
	fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2	openssl: OpenSSL: Arbitrary code execution due to use-after-free in DANE TLSA authentication...		
				https://avd.aquasec.com/nvd/cve-2026-28387		
					CVE-2026-28388	
				openssl: OpenSSL: Denial of Service due to NULL pointer dereference in delta...		
				https://avd.aquasec.com/nvd/cve-2026-28388		
					CVE-2026-28389	
				openssl: OpenSSL: Denial of Service vulnerability in CMS processing		
				https://avd.aquasec.com/nvd/cve-2026-28389		
					CVE-2026-28390	
				openssl: OpenSSL: Denial of Service due to NULL pointer dereference in CMS...		
				https://avd.aquasec.com/nvd/cve-2026-28390		

Severity: MEDIUM

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3 (debian 12.13)	debian	9	-
app/apps/central-hub/public-website/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg	0	-
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js	node-pkg	0	-

—| |
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers
/package.js- | node-pkg | 0 | - | | on | | | |
|
|
—| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-
only/package.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-
libc/package.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+te
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test

WRDE_REUSE and WRDE_APPEND may return | | | | | uninitialized
memory | | | | | <https://avd.aquasec.com/nvd/cve-2025-15281> | |

```

|-----| |
|-----|
-----| | CVE-2026-0915 | | | | glibc: glibc:
Information disclosure via zero-valued network | | | | | | query | |
| | | | | https://avd.aquasec.com/nvd/cve-2026-0915 | |

```

glibc: glibc: Denial of Service via iconv() function with specific character sets... <https://avd.aquasec.com/nvd/cve-2026-4046> | | CVE-2026-4046 | | fix_deferred | |

					CVE-2026-4437 affected glibc:				
glibc: Incorrect DNS response parsing via crafted DNS server									
response https://avd.aquasec.com/nvd/cve-2026-4437									

```
|_____|||  
|_____|  
_____| | CVE-2026-4438 | | | glibc: glibc:  
Invalid DNS hostname returned via | | | | gethostbyaddr functions  
| | | | https://avd.aquasec.com/nvd/cve-2026-4438 |
```

[illegible]

Heap Buffer Overflow in scanf with %mc and... https://avd.aquasec.com/nvd/cve-2026-5450	CVE-2026-5450 glibc: glibc:
--	---

Information disclosure or denial of service		CVE-2026-5928			glibc: glibc:
via ungetwc					function with...
		https://avd.aquasec.com/nvd/cve-2026-5928			

Package	CVE	Status	Old Version	New Version
libssl3	CVE-2026-31790	fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2
openssl: openssl: Information Disclosure from Uninitialized Memory via Invalid RSA Public Key...				
https://avd.aquasec.com/nvd/cve-2026-31790				

Severity: LOW

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3 (debian 12.13)	debian	12	-
	app/apps/central-hub/public-website/package.json	node-pkg	0	-
	app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js	node-pkg	0	-
	app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers			

/package.js- | node-pkg | 0 | - | | on | | | |

—| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json | node-pkg | 0 | - |

—| |

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemo- | | | |

ext/dist/compiled/@edge-runtime/cookies/package.json | | | |

—| |

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemo- | | | |

ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |

—| |

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemo- | | | |

ext/dist/compiled/@edge-runtime/primitives/package.json | | | |

—| |

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemo- | | | |

ext/dist/compiled/react-is/package.json | | | |

—| |

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemo- | | | |

ext/dist/compiled/regenerator-runtime/package.json | | | |

—| |

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemo- | | | |

ext/package.json				
app/node_modules/.pnpm/react-dom@19.2.5_react@19.2.5/node_modules/react-dom/package.json				
node-pkg	0	-		
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json				
node-pkg	0	-		
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json				
node-pkg	0	-		
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json				
node-pkg	0	-		
app/node_modules/.pnpm/styled-jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@3.1.0_react@19.2.5/node_modules/styled-jsx/package.json				
node-pkg	0	-		
Legend:				

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/central-hub-public-dashboard:0.0.3 (debian 12.13)

Total: 12 (LOW: 12)

Severity	Status	Installed Version	Fixed Version	Title	Library	Vulnerability
27943	LOW	affected	12.2.0-14+deb12u1	binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows	gcc-12-base	CVE-2022-27943
				stack exhaustion in demangle_const		https://avd.aquasec.com/nvd/cve-2022-27943

[illegible]

libstdc++ CVE-2022-27943 | 12.2.0-14+deb12u1 | binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const | <https://avd.aquasec.com/nvd/cve-2022-27943>

Image: ghcr.io/ethio-connect-et/central-hub-dashboard:0.0.3

Severity: CRITICAL

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-dashboard:0.0.3 (debian 12.13)	debian	1	-
app/apps/central-hub/central-hub-dashboard/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json			
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json			
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json			

```

——| | app/node_modules/.pnpm/@img+sharp-linuxmusl-
x64@0.34.5/node_modules/@img/sharp- | node-pkg | 0 | - | | linuxmusl-
x64/package.json | | |
|
|
——| |
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/packa
ge.json | node-pkg | 0 | - |
|
|
——| |
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers
/package.js- | node-pkg | 0 | - | | on | | |
|
|
——| |
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers
/package.js- | node-pkg | 0 | - | | on | | |
|
|
——| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-
only/package.json | node-pkg | 0 | - |
|
|
——| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-
libc/package.json | node-pkg | 0 | - |
|
|
——| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+te
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | |
|
|
——| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | |
|
|
——| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | |
|
|
——| |

```

app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | | | |
abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | | |
ext/dist/compiled/react-is/package.json | | | | |

— | |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | | | |
abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | | |

— | |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | | | |
abel-plugin-macros@3.1.0_react-
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | | |
ext/package.json | | | | |

— | | app/node_modules/.pnpm/react-
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - | |
| kage.json | | | | |

— | |
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |
node-pkg | 0 | - | |

— | |
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json
| node-pkg | 0 | - | |

— | |
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |
node-pkg | 0 | - | |

— | | app/node_modules/.pnpm/styled-
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - | |
| 3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | | |

— | Legend:

- ‘.’: Not scanned
- ‘0’: Clean (no security findings detected)

ghcr.io/ethio-connect-et/central-hub-dashboard:0.0.3 (debian 12.13)

Total: 1 (CRITICAL: 1)

Status	Installed Version	Fixed Version	Library	Vulnerability	Severity	Title
			libssl3	CVE-2026-31789	CRITICAL	openssl: OpenSSL: Heap buffer overflow on 32-bit systems from large X.509 certificate...
fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2				https://avd.aquasec.com/nvd/cve-2026-31789

Severity: HIGH

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-dashboard:0.0.3 (debian 12.13)	5	-	
app/apps/central-hub/central-hub-dashboard/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-

—		app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	
—		app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	
—		app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js-	node-pkg 0 - on
—		app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers/package.js-	node-pkg 0 - on
—		app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
			ext/dist/compiled/@edge-runtime/cookies/package.json
—		app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b-	node-pkg 0 - abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n-
			ext/dist/compiled/@edge-runtime/ponyfill/package.json
—			

```
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
```

```
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
```

```
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
```

```
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
_e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/package.json | | | |
```

```
app/node_modules/.pnpm/react-dom@19.2.5_react@19.2.5/node_modules/react-dom/pac-
| kage.json | | | | node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |
node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json
| node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |
node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/styled-jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@-
| 3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | | | node-pkg | 0 | - |
```

- ‘-’: Not scanned
- ‘0’: Clean (no security findings detected)

Total: 5 (HIGH: 5)

Severity: MEDIUM

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-dashboard:0.0.3 (debian 12.13)	debian	9	-
app/apps/central-hub/central-hub-dashboard/package.json	node-pkg	0	-
app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json	node-pkg	0	-
app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg	0	-
app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js	node-pkg	0	-

—| |
app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers
/package.js- | node-pkg | 0 | - | | on | | | |
|
|
—| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-
only/package.json | node-pkg | 0 | - |
|
|
—| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-
libc/package.json | node-pkg | 0 | - |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0_@playwright+te
st@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test
@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-
e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|
|
—| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test

WRDE_REUSE and WRDE_APPEND may return | | | | | | uninitialized
memory | | | | | | <https://avd.aquasec.com/nvd/cve-2025-15281> | |

[illegible]

glibc: glibc: Denial of Service via iconv() function with specific character sets... <https://avd.aquasec.com/nvd/cve-2026-4046>

glibc: Incorrect DNS response parsing via crafted DNS response		CVE-2026-4437		affected		glibc:
server		https://avd.aquasec.com/nvd/cve-2026-4437				

```

|-----| |
|-----|
|-----| | CVE-2026-4438 | | | | glibc: glibc:
Invalid DNS hostname returned via | | | | | | gethostbyaddr functions
| | | | | | https://avd.aquasec.com/nvd/cve-2026-4438 | |

```

<https://avd.aquasec.com/nvd/cve-2026-5435>

CVE-2026-5450 | glibc: glibc:
 Heap Buffer Overflow in scanf with %mc | format specifier
 and... | <https://avd.aquasec.com/nvd/cve-2026-5450> |

Information disclosure or denial of service	CVE-2026-5928	glibc: glibc: via ungetwc function with...	https://avd.aquasec.com/nvd/cve-2026-5928
---	---------------	--	---

Package	CVE	Fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2
libssl3	CVE-2026-31790	fixed	3.0.18-1~deb12u2	3.0.19-1~deb12u2
openssl: openssl: Information Disclosure from Uninitialized				
Memory via Invalid RSA Public Key...				
https://avd.aquasec.com/nvd/cve-2026-31790				

A horizontal number line with arrows at both ends. It has major tick marks labeled 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, and 10. The number 5 is circled.

Severity: LOW

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/central-hub-dashboard:0.0.3 (debian 12.13)	debian	12	-
	app/apps/central-hub/central-hub-dashboard/package.json	node-pkg	0	-
	app/nodemodules/.pnpm/@img+colour@1.1.0/node_modules/@img/colour/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@img+sharp-libvips-linux-x64@1.2.4/node_modules/@img/sharp-libvips-linux-x64/package.json		0	-
	app/node_modules/.pnpm/@img+sharp-libvips-linuxmusl-x64@1.2.4/node_modules/@img/sharp-libvips-linuxmusl-x64/package.json		0	-
	app/node_modules/.pnpm/@img+sharp-linux-x64@0.34.5/node_modules/@img/sharp-linux-x64/package.json		0	-
	app/node_modules/.pnpm/@img+sharp-linuxmusl-x64@0.34.5/node_modules/@img/sharp-linuxmusl-x64/package.json		0	-
	app/node_modules/.pnpm/@next+env@16.2.4/node_modules/@next/env/package.json	node-pkg	0	-
	app/node_modules/.pnpm/@swc+helpers@0.5.15/node_modules/@swc/helpers/package.js	node-pkg	0	-
	app/node_modules/.pnpm/@swc+helpers@0.5.21/node_modules/@swc/helpers			

/package.js- | node-pkg | 0 | - | | on | | | |
|
|
| | app/node_modules/.pnpm/client-only@0.0.1/node_modules/client-only/package.json | node-pkg | 0 | - |
|
|
| | app/node_modules/.pnpm/detect-libc@2.1.2/node_modules/detect-libc/package.json | node-pkg | 0 | - |
|
|
| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/cookies/package.json | | | |
|
|
| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/ponyfill/package.json | | | |
|
|
| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/@edge-runtime/primitives/package.json | | | |
|
|
| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/react-is/package.json | | | |
|
|
| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |
ext/dist/compiled/regenerator-runtime/package.json | | | |
|
|
| |
app/node_modules/.pnpm/next@16.2.4@babel+core@7.29.0@playwright+test@1.59.1_b- | node-pkg | 0 | - | | abel-plugin-macros@3.1.0_react-e1358b2fdcb9f707d93b146f557e99dc/nodemodules/n- | | | |

```
ext/package.json | | |  
|-----|-----|-----|  
| | app/node_modules/.pnpm/react-  
dom@19.2.5_react@19.2.5/node_modules/react-dom/pac- | node-pkg | 0 | - |  
| kage.json | | |  
|-----|-----|-----|  
| |  
app/node_modules/.pnpm/react@19.2.5/node_modules/react/package.json |  
node-pkg | 0 | - |  
|-----|-----|-----|  
| |  
app/node_modules/.pnpm/semver@7.7.4/node_modules/semver/package.json  
| node-pkg | 0 | - |  
|-----|-----|-----|  
| |  
app/node_modules/.pnpm/sharp@0.34.5/node_modules/sharp/package.json |  
node-pkg | 0 | - |  
|-----|-----|-----|  
| | app/node_modules/.pnpm/styled-  
jsx@5.1.6@babel+core@7.29.0_babel-plugin-macros@- | node-pkg | 0 | - |  
| 3.1.0_react@19.2.5/node_modules/styled-jsx/package.json | | |  
|-----|-----|-----|  
Legend:
```

**ghcr.io/ethio-connect-et/central-hub-
dashboard:0.0.3 (debian 12.13)**

Severity	Status	Installed Version	Fixed Version	Title
27943 LOW	affected	12.2.0-14+deb12u1		gcc-12-base CVE-2022-27943 binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const https://avd.aquasec.com/nvd/cve-2022-27943

																					libc6		CVE-2010-4756																														
																					2.36-9+deb12u13			glibc: glob implementation can cause excessive CPU and memory consumption due to...																													
																					https://avd.aquasec.com/nvd/cve-2010-4756																																
																					CVE-2018-20796																																
																					glibc: uncontrolled recursion in function check_dst_limits_calc_pos_1 in posix/regexec.c																																
																					https://avd.aquasec.com/nvd/cve-2018-20796																																
																					CVE-2019-1010022																																
																					glibc: stack guard protection bypass																																
																					https://avd.aquasec.com/nvd/cve-2019-1010022																																
																					CVE-2019-1010023																																
																					glibc: running ldd on malicious ELF leads to code execution because of...																																
																					https://avd.aquasec.com/nvd/cve-2019-1010023																																
																					CVE-2019-1010024																																
																					glibc: ASLR bypass using cache of thread stack and heap																																
																					https://avd.aquasec.com/nvd/cve-2019-1010024																																
																					CVE-2019-1010025																																
																					glibc: information disclosure of heap addresses of pthread_created thread																																
																					https://avd.aquasec.com/nvd/cve-2019-1010025																																
																					CVE-2019-9192																																
																					glibc: uncontrolled recursion in function check_dst_limits_calc_pos_1 in posix/regexec.c																																
																					https://avd.aquasec.com/nvd/cve-2019-9192																																
																					libgcc-s1																CVE-2022-																
																					27943																																
																					12.2.0-14+deb12u1																	binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const															
																					https://avd.aquasec.com/nvd/cve-2022-27943																																
																																						libgomp1															
																					libssl3																CVE-2025-																
																					27587																																

libstdc++ CVE-2022-27943 | 12.2.0-14+deb12u1 | binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows stack exhaustion in demangle_const | <https://avd.aquasec.com/nvd/cve-2022-27943>

Image: ghcr.io/ethio-connect-et/central-hub-api:0.0.3

Severity: CRITICAL

Report Summary

	Target	Type	Vulnerabilities	Secrets
	ghcRIO/ethio-connect-et/central-hub-api:0.0.3 (debian 12.13)	debian	1	-
	app/node_modules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json			
	app/node_modules/.pnpm/@lukeed+csp-rng/package-	node-pkg	0	-
	app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.-	node-pkg	0	-
	app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-meta-	node-pkg	0	-
	app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19 -	node-pkg	0	-

reflect-

metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs
/p- | | | | latform-express/package.json | | |

|

|

—| |

app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt
xt/opencollec- | node-pkg | 0 | - | | tive/package.json | | |

|

|

—| |

app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokeni
zer/inflate- | node-pkg | 0 | - | | /package.json | | |

|

|

—| |

app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni
zer/token/pac- | node-pkg | 0 | - | | kage.json | | |

|

|

—| |

app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.jso
n | node-pkg | 0 | - |

|

|

—| | app/node_modules/.pnpm/append-

field@1.0.0/node_modules/append-field/package.json | node-pkg | 0 | - |

|

|

—| | app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-
parser/package.json | node-pkg | 0 | - |

|

|

—| | app/node_modules/.pnpm/buffer-

from@1.1.2/node_modules/buffer-from/package.json | node-pkg | 0 | - |

|

|

—| |

app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.jso
n | node-pkg | 0 | - |

|

|

—| |

app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json |
node-pkg | 0 | - |

|

|

—| | app/node_modules/.pnpm/call-bind-apply-


helpers@1.0.2/node_modules/call-bind-app- | node-pkg | 0 | - | | ly-

helpers/package.json | | |


—	app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-bound/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/concat-stream@2.0.0/node_modules/concat-stream/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/content-disposition@1.1.0/node_modules/content-disposition/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/content-type@1.0.5/node_modules/content-type/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/cookie-signature@1.2.2/node_modules/cookie-signature/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json node-pkg 0 -		
—	app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json node-pkg 0 -		

—		app/node_modules/.pnpm/dunder-proto@1.0.1/node_modules/dunder-proto/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringify/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json		node-pkg		0		-	
—									


app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json | node-pkg | 0 | - | |




app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json | node-pkg | 0 | - | |




app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json | node-pkg | 0 | - |




app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.json | node-pkg | 0 | - |



app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-errors/package.json | node-pkg | 0 | - |



app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-lite/package.json | node-pkg | 0 | - |



```

app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/math-
intrinsic@1.1.0/node_modules/math-intrinsic/packa- | node-pkg | 0 | - |
| ge.json | | |
|-----|-----|-----|
|
app/node_modules/.pnpm/media-
typer@0.3.0/node_modules/media-typer/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/media-
typer@1.1.0/node_modules/media-typer/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/merge-
descriptors@2.0.0/node_modules/merge-descriptors/p- | node-pkg | 0 | - |
| ackage.json | | |
|-----|-----|-----|
|
app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-
db/package.json | node-pkg | 0 | - |
|-----|-----|-----|
|
app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-

```

```

db/package.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/mime-
types@2.1.35/node_modules/mime-types/package.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-
types/package.json | node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json |
node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.jso
n | node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/pack
age.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/object-
assign@4.1.1/node_modules/object-assign/package.j- | node-pkg | 0 | - | |
son | | |
|-----|
| | app/node_modules/.pnpm/object-
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |
e.json | | |
|-----|
| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-
finished/package.json | node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|-----|

```

— app/node_modules/.pnpm/path-to- regex@8.4.2/node_modules/path-to-regex/package- json	node-pkg 0 -
— app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy- addr/package.json node-pkg 0 -	
— app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json node-pkg 0 -	
— app/node_modules/.pnpm/range- parser@1.2.1/node_modules/range-parser/package.json node-pkg 0 -	
— app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw- body/package.json node-pkg 0 -	
— app/node_modules/.pnpm/readable- stream@3.6.2/node_modules/readable-stream/packa- ge.json	node-pkg 0 -
— app/node_modules/.pnpm/reflect- metadata@0.1.14/node_modules/reflect-metadata/pa- ckage.json	node-pkg 0 -
— app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json node-pkg 0 -	
— app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json node-pkg 0 -	
— app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe- buffer/package.json node-pkg 0 -	
— app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer- buffer/package.json node-pkg 0 -	

—		app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package-	node-pkg 0 - .json
—		app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/p-	node-pkg 0 -
ackage.json			
—		app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/pac-	node-pkg 0 -
kage.json			
—		app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-wea-	node-pkg 0 -
kmap/package.json			
—		app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.js	on node-pkg 0 -
—		app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg 0 -
—		app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg 0 - .json
—		app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js	

```
on | node-pkg | 0 | - |
```

```

—| |
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/pac
kage.json | node-pkg | 0 | - |

```

```

——| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-
types/package.json | node-pkg | 0 | - |

```

```

—| |
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |

```

```

——| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |

```

```

——| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-
is/package.json | node-pkg | 0 | - |

```

```

—| |
app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/pac
kage.json | node-pkg | 0 | - |

```

```

—| |
app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json |
node-pkg | 0 | - |

```

```

——| | app/node_modules/.pnpm/uint8array-
extras@1.5.0/node_modules/uint8array-extras/p- | node-pkg | 0 | - | |
ackage.json | | |

```

```

—| |
app/node_modules/pnpm/unpipe@1.0.0/node_modules/unpipe/package.js
n | node-pkg | 0 | - |

```

```

-----| | app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-
deprecate/package-| node-pkg | 0 | - | | .json | | | |

```

— | |


```

| | app/node_modules/.pnpm/@borewit+text-
codec@0.2.2/node_modules/@borewit/text-cod- | node-pkg | 0 | - | |
ec/package.json | | | |
|
| |
app/node_modules/.pnpm/@lukeed+csp rng@1.1.0/node_modules/@lukeed/csp
rng/package- | node-pkg | 0 | - | | .json | | | |
|
| |
| | app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-
metadata@0.1.14_rxjs@7.8.- | node-pkg | 0 | - | |
2/node_modules/@nestjs/common/package.json | | | |
|
| |
| | app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_r
eflect-meta- | node-pkg | 0 | - | |
data@0.1.14_rxjs@7.8.2@nestjs a1858a150a7802d69b30748192f48d6b/nod
e_modules/@- | | | | | nestjs/core/package.json | | | |
|
| |
| | app/node_modules/.pnpm/@nestjs+platform-
express@11.1.19@nestjs+common@11.1.19_- | node-pkg | 0 | - | |
reflect-
metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs
/p- | | | | | platform-express/package.json | | | |
|
| |
| | app/node_modules/.pnpm/@nuxt+open collective@0.4.1/node_modules/@nu
xt/opencollec- | node-pkg | 0 | - | | tive/package.json | | | |
|
| |
| | app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokeni
zer/inflate- | node-pkg | 0 | - | | /package.json | | | |
|
| |
| | app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni
zer/token/pac- | node-pkg | 0 | - | | kage.json | | | |
|
| |
| | app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js
n | node-pkg | 0 | - | |
|
| |

```

—		app/node_modules/.pnpm/append-	field@1.0.0/node_modules/append-field/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-	parser/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/buffer-	from@1.1.2/node_modules/buffer-from/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js	on		node-pkg		0		-	
—		app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json			node-pkg		0		-	
—		app/node_modules/.pnpm/call-bind-apply-	helpers@1.0.2/node_modules/call-bind-app-		node-pkg		0		-	
		helpers/package.json								
—		app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-	bound/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/concat-	stream@2.0.0/node_modules/concat-stream/package.j-		node-pkg		0		-	
		son								
—		app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js	on		node-pkg		0		-	
—		app/node_modules/.pnpm/content-	disposition@1.1.0/node_modules/content-dispositi-		node-pkg		0		-	
		on/package.json								
—		app/node_modules/.pnpm/content-	type@1.0.5/node_modules/content-type/package.json		node-pkg		0		-	

—		app/node_modules/.pnpm/cookie-signature@1.2.2/node_modules/cookie-signature/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/dunder-proto@1.0.1/node_modules/dunder-proto/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/package.json		node-pkg		0		-	

app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json	node-pkg	0	-	
app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json	node-pkg	0	-	
app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.json	node-pkg	0	-	
app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringify/package.json	node-pkg	0	-	
app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json	node-pkg	0	-	
app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/package.json	node-pkg	0	-	
app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/package.json	node-pkg	0	-	
app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json	node-pkg	0	-	
app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.json	node-pkg	0	-	
app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.json	node-pkg	0	-	
app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json	node-pkg	0	-	

```
|  
|  
-----| |  
app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json |  
node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-  
symbols/package.json | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js  
on | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-  
errors/package.json | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-  
lite/package.json | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js  
on | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js  
on | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.  
json | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-  
promise/package.json | node-pkg | 0 | - |  
|  
|  
-----| |  
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js  
n | node-pkg | 0 | - |  
|  
|  
-----| | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-  
esm/package.json | node-pkg | 0 | - |
```

—	app/node_modules/.pnpm/math-intrinsics@1.1.0/node_modules/math-intrinsics/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.json	node-pkg 0 -	
—	app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/package.json	node-pkg 0 -	

—	app/node_modules/.pnpm/object-assign@4.1.1/node_modules/object-assign/package.j-	node-pkg	0	-	
	son				
—	app/node_modules/.pnpm/object-inspect@1.13.4/node_modules/object-inspect/packag-	node-pkg	0	-	
	e.json				
—	app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-finished/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j	son	node-pkg	0	-
—	app/node_modules/.pnpm/path-to-regexp@8.4.2/node_modules/path-to-regexp/package-	node-pkg	0	-	
	.json				
—	app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-addr/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/range-parser@1.2.1/node_modules/range-parser/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-body/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/readable-stream@3.6.2/node_modules/readable-stream/packa-	node-pkg	0	-	
	ge.json				

—	app/node_modules/.pnpm/reflect-metadata@0.1.14/node_modules/reflect-metadata/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-buffer/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-buffer/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package.json	node-pkg	0 - .json
—	app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json	node-pkg	0 -
—	app/node_modules/.pnpm/side-channel-		

```

weakmap@1.0.2/node_modules/side-channel-weakmap/package.json | | | |
|-----|-----|-----|
| | app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-
channel/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch
h/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_deco
der/package- | node-pkg | 0 | - | | .json | | | |
|-----|-----|-----|
| |
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/pac
kage.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-
types/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-
is/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-
is/package.json | node-pkg | 0 | - |
|-----|-----|-----|

```

—	app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-deprecate/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.json	node-pkg	0	-	
—	app/package.json	node-pkg	0	-	

—| Legend:

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/central-hub-api:0.0.3 (debian 12.13)

Total: 5 (HIGH: 5)

Severity	Status	Installed Version	Fixed Version	Title
				Library Vulnerability
				libc6 CVE-2026-0861 HIGH
	affected	2.36-9+deb12u13		glibc: Integer overflow in memalign leads to heap corruption https://avd.aquasec.com/nvd/cve-2026-0861
				libssl3 CVE-2026-28387 fixed 3.0.18-1~deb12u2 3.0.19-1~deb12u2
				openssl: OpenSSL: Arbitrary code execution due to use-after-free in DANE TLSA authentication...
				https://avd.aquasec.com/nvd/cve-2026-28387
				CVE-2026-28388 openssl: OpenSSL: Denial of Service due to NULL pointer dereference in delta...
				https://avd.aquasec.com/nvd/cve-2026-28388
				CVE-2026-28389 openssl: OpenSSL: Denial of Service vulnerability in CMS processing
				https://avd.aquasec.com/nvd/cve-2026-28389
				CVE-2026-28390 openssl: OpenSSL: Denial of Service due to NULL pointer dereference in CMS...
				https://avd.aquasec.com/nvd/cve-2026-28390

Severity: MEDIUM

Report Summary

Target	Type	Vulnerabilities	Secrets
	ghcr.io/ethio-connect-et/central-hub-api:0.0.3 (debian 12.13)		
debian	9	-	
	app/nodemodules/pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-cod-	node-pkg	0

ec/package.json | | | |

app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package- | node-pkg | 0 | - | | .json | | |

```

|-----|-----|-----|-----|
|-----| | app/node_modules/pnpm/@nestjs+common@11.1.19_reflect-
|-----| metadata@0.1.14_rxjs@7.8.- | node-pkg | 0 | - | |
|-----| 2/node_modules/@nestjs/common/package.json | | | |

```

```

|-----|-----|-----|
|       |       |       |
|       |       |       |
app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_r
reflect-meta- | node-pkg | 0 | - | |
data@0.1.14_rxjs@7.8.2@nestjsjs1858a150a7802d69b30748192f48d6b/nod
e_modules/@- | | | | nestjs/core/package.json | | | |

```

app/node_modules/.pnpm/@nestjs+platform-
express@11.1.19@nestjs+common@11.1.19- | node-pkg | 0 | - | |
reflect-
metadata@0.1.14 rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs
/p- | | | | latform-express/package.json | | | |

```

|-----|
|               |               |               |
|-----|
| |
app/node_modules/pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/opencollective/node-pkg 0 - | | tive/package.json | | |

```

app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokenizer/inflate- node-pkg 0 - | /package.json | | |

```

|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni
zer/token/pac- | node-pkg | 0 | - | | kage.json | | | |

```

```

|-----|-----|-----|-----|
|-----|-----|-----|-----|
|-----|-----|-----|-----|
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js
n | node-pkg | 0 | - |

```

```
|_
|_|
-----| | app/node_modules/.pnpm/append-
field@1.0.0/node_modules/append-field/package.json | node-pkg | 0 | - |
```

—				
app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-parser/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/buffer-from@1.1.2/node_modules/buffer-from/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/call-bind-apply-helpers@1.0.2/node_modules/call-bind-apply-helpers/package.json node-pkg 0 - ly-helpers/package.json				
—				
app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-bound/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/concat-stream@2.0.0/node_modules/concat-stream/package.json node-pkg 0 - son				
—				
app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/content-disposition@1.1.0/node_modules/content-disposition/package.json node-pkg 0 - on/package.json				
—				
app/node_modules/.pnpm/content-type@1.0.5/node_modules/content-type/package.json node-pkg 0 -				
—				
app/node_modules/.pnpm/cookie-signature@1.2.2/node_modules/cookie-signature/package.json node-pkg 0 - kage.json				

app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json	node-pkg	0	-
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json	node-pkg	0	-
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json	node-pkg	0	-
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json	node-pkg	0	-
app/node_modules/.pnpm/dunder-proto@1.0.1/node_modules/dunder-proto/package.json	node-pkg	0	-
app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-first/package.json	node-pkg	0	-
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/package.json	node-pkg	0	-
app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property/package.json	node-pkg	0	-
app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json	node-pkg	0	-
app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/package.json	node-pkg	0	-
app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json	node-pkg	0	-


```

app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json |
node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-
symbols/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-
errors/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-
lite/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.
json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-
promise/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| |
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.js
on | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-
esm/package.json | node-pkg | 0 | - |
|-----|-----|-----|
| | app/node_modules/.pnpm/math-

```

```
intrinsic@1.1.0/node_modules/math-intrinsics/package.json | node-pkg | 0 | - |  
| ge.json | | | |  
-----| | app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.json | node-pkg | 0 | - |  
| ackage.json | | | |  
-----| | app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/package.json | node-pkg | 0 | - |  
-----| | app/node_modules/.pnpm/object-assign@4.1.1/node_modules/object-assign/package.json | node-pkg | 0 | - |
```

```

son | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/object-
inspect@1.13.4/node_modules/object-inspect/packag- | node-pkg | 0 | - | |
e.json | | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/on-finished@2.4.1/node_modules/on-
finished/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| |
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
|-----|
|-----|
|-----|
| |
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/path-to-
regexp@8.4.2/node_modules/path-to-regexp/package- | node-pkg | 0 | - | |
.json | | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/proxy-addr@2.0.7/node_modules/proxy-
addr/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| |
app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json |
node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/range-
parser@1.2.1/node_modules/range-parser/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw-
body/package.json | node-pkg | 0 | - |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/readable-
stream@3.6.2/node_modules/readable-stream/packa- | node-pkg | 0 | - | |
ge.json | | | |
|-----|
|-----|
|-----|
| | app/node_modules/.pnpm/reflect-

```

```

metadata@0.1.14/node_modules/reflect-metadata/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe-buffer/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer-buffer/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve-static/package.json | node-pkg | 0 | - |
├──
└─┘

app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototypeof/package.json | node-pkg | 0 | - | | .json | | | |
├──
└─┘

app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json | node-pkg | 0 | - | |
├──
└─┘

app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json | node-pkg | 0 | - | |
├──
└─┘

app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-weakmap/package.json | node-pkg | 0 | - | |
├──
└─┘
```

app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0	-
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.json	node-pkg	0	-
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0	-
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package-	node-pkg	0	-
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.json	node-pkg	0	-
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/package.json	node-pkg	0	-
app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json	node-pkg	0	-
app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json	node-pkg	0	-
app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-is/package.json	node-pkg	0	-
app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-is/package.json	node-pkg	0	-
app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/package.json	node-pkg	0	-

app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json | node-pkg | 0 | - |

app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/p-ackage.json | | |

app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.jsn | node-pkg | 0 | - |

app/node_modules/.pnpm/util-deprecat@1.0.2/node_modules/util-deprecat/package- | node-pkg | 0 | - | | .json | | |

app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json | node-pkg | 0 | - |

app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.js on | node-pkg | 0 | - |

app/package.json | node-pkg | 0 | - |

Legend:

ghcr.io/ethio-connect-et/central-hub-api:0.0.3 (debian 12.13)

Total: 9 (MEDIUM: 9)

Severity	Status	Installed Version	Fixed Version	Title	Library	Vulnerability
----------	--------	-------------------	---------------	-------	---------	---------------

[illegible]

Severity: LOW

Report Summary

Target	Type	Vulnerabilities	Secrets
ghcr.io/ethio-connect-et/central-hub-api:0.0.3 (debian 12.13)	debian	12	-
app/node_modules/.pnpm/@borewit+text-codec@0.2.2/node_modules/@borewit/text-codec/package.json	node-pkg	0	-
app/node_modules/.pnpm/@lukeed+csprng@1.1.0/node_modules/@lukeed/csprng/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2/node_modules/@nestjs/common/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+core@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs@1858a150a7802d69b30748192f48d6b/node_modules/@nestjs/core/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nestjs+platform-express@11.1.19@nestjs+common@11.1.19_reflect-metadata@0.1.14_rxjs@7.8.2@nestjs+core@11.1.19/node_modules/@nestjs/platform-express/package.json	node-pkg	0	-
app/node_modules/.pnpm/@nuxt+opencollective@0.4.1/node_modules/@nuxt/opencollective/package.json	node-pkg	0	-
app/node_modules/.pnpm/@tokenizer+inflate@0.4.1/node_modules/@tokenizer/inflate/package.json	node-pkg	0	-

app/node_modules/.pnpm/@tokenizer+token@0.3.0/node_modules/@tokeni			
zer/token/pac-	node-pkg	0	-
kage.json			
app/node_modules/.pnpm/accepts@2.0.0/node_modules/accepts/package.js			
n	node-pkg	0	-
app/node_modules/.pnpm/append-			
field@1.0.0/node_modules/append-field/package.json	node-pkg	0	-
app/node_modules/.pnpm/body-parser@2.2.2/node_modules/body-			
parser/package.json	node-pkg	0	-
app/node_modules/.pnpm/buffer-			
from@1.1.2/node_modules/buffer-from/package.json	node-pkg	0	-
app/node_modules/.pnpm/busboy@1.6.0/node_modules/busboy/package.js			
n	node-pkg	0	-
app/node_modules/.pnpm/bytes@3.1.2/node_modules/bytes/package.json			
node-pkg	0	-	
app/node_modules/.pnpm/call-bind-apply-			
helpers@1.0.2/node_modules/call-bind-app-	node-pkg	0	-
ly-			
helpers/package.json			
app/node_modules/.pnpm/call-bound@1.0.4/node_modules/call-			
bound/package.json	node-pkg	0	-
app/node_modules/.pnpm/concat-			
stream@2.0.0/node_modules/concat-stream/package-j-	node-pkg	0	-
son			
app/node_modules/.pnpm/consola@3.4.2/node_modules/consola/package.js			

```
on | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/content-
disposition@1.1.0/node_modules/content-dispositi- | node-pkg | 0 | - | |
on/package.json | | |
|-----|
| | app/node_modules/.pnpm/content-
type@1.0.5/node_modules/content-type/package.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/cookie-
signature@1.2.2/node_modules/cookie-signature/pac- | node-pkg | 0 | - | |
kage.json | | |
|-----|
| |
app/node_modules/.pnpm/cookie@0.7.2/node_modules/cookie/package.json
| node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/cors@2.8.6/node_modules/cors/package.json |
node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/debug@4.4.3/node_modules/debug/package.json
| node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/depd@2.0.0/node_modules/depd/package.json |
node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/dunder-
proto@1.0.1/node_modules/dunder-proto/package.json | node-pkg | 0 | - |
|-----|
| | app/node_modules/.pnpm/ee-first@1.1.1/node_modules/ee-
first/package.json | node-pkg | 0 | - |
|-----|
| |
app/node_modules/.pnpm/encodeurl@2.0.0/node_modules/encodeurl/packa
ge.json | node-pkg | 0 | - |
|-----|
```

—	app/node_modules/.pnpm/es-define-property@1.0.1/node_modules/es-define-property-	node-pkg	0	-	
	/package.json				
—	app/node_modules/.pnpm/es-errors@1.3.0/node_modules/es-errors/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/es-object-atoms@1.1.1/node_modules/es-object-atoms/packa-	node-pkg	0	-	
	ge.json				
—	app/node_modules/.pnpm/escape-html@1.0.3/node_modules/escape-html/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/etag@1.8.1/node_modules/etag/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/express@5.2.1/node_modules/express/package.js	on	node-pkg	0	-
—	app/node_modules/.pnpm/fast-safe-stringify@2.1.1/node_modules/fast-safe-stringi-	node-pkg	0	-	
	fy/package.json				
—	app/node_modules/.pnpm/file-type@21.3.4/node_modules/file-type/package.json	node-pkg	0	-	
—	app/node_modules/.pnpm/finalhandler@2.1.1/node_modules/finalhandler/p	ackage.json	node-pkg	0	-
—	app/node_modules/.pnpm/forwarded@0.2.0/node_modules/forwarded/pack	age.json	node-pkg	0	-
—	app/node_modules/.pnpm/fresh@2.0.0/node_modules/fresh/package.json	node-pkg	0	-	

—		app/node_modules/.pnpm/function-bind@1.1.2/node_modules/function-bind/package.j-	node-pkg		0		-		son			
—		app/node_modules/.pnpm/get-intrinsic@1.3.0/node_modules/get-intrinsic/package.j-	node-pkg		0		-		son			
—		app/node_modules/.pnpm/get-proto@1.0.1/node_modules/get-proto/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/gopd@1.2.0/node_modules/gopd/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/has-symbols@1.1.0/node_modules/has-symbols/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/hasown@2.0.3/node_modules/hasown/package.js	on		node-pkg		0		-			
—		app/node_modules/.pnpm/http-errors@2.0.1/node_modules/http-errors/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/iconv-lite@0.7.2/node_modules/iconv-lite/package.json	node-pkg		0		-					
—		app/node_modules/.pnpm/ieee754@1.2.1/node_modules/ieee754/package.js	on		node-pkg		0		-			
—		app/node_modules/.pnpm/inherits@2.0.4/node_modules/inherits/package.js	on		node-pkg		0		-			
—		app/node_modules/.pnpm/ipaddr.js@1.9.1/node_modules/ipaddr.js/package.	json		node-pkg		0		-			

—			
app/node_modules/.pnpm/is-promise@4.0.0/node_modules/is-promise/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/iterare@1.2.1/node_modules/iterare/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/load-esm@1.0.3/node_modules/load-esm/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/math-intrinsics@1.1.0/node_modules/math-intrinsics/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/media-typer@0.3.0/node_modules/media-typer/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/media-typer@1.1.0/node_modules/media-typer/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/merge-descriptors@2.0.0/node_modules/merge-descriptors/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-db@1.52.0/node_modules/mime-db/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-db@1.54.0/node_modules/mime-db/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-types@2.1.35/node_modules/mime-types/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/mime-types@3.0.2/node_modules/mime-types/package.json node-pkg 0 -			
—			
app/node_modules/.pnpm/ms@2.1.3/node_modules/ms/package.json			

```
app/node_modules/.pnpm/multer@2.1.1/node_modules/multer/package.js
n | node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/negotiator@1.0.0/node_modules/negotiator/package.json | node-pkg | 0 | - |
```

```
inspect@1.13.4/node_modules/object-inspect/package- | node-pkg | 0 | - | |
e.json | | |
```

```
app/node_modules/.pnpm/once@1.4.0/node_modules/once/package.json |
node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/parseurl@1.3.3/node_modules/parseurl/package.j
son | node-pkg | 0 | - |
```

```
app/node_modules/.pnpm/qs@6.15.1/node_modules/qs/package.json |
node-pkg | 0 | - |
```

—		app/node_modules/.pnpm/range- parser@1.2.1/node_modules/range-parser/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/raw-body@3.0.2/node_modules/raw- body/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/readable- stream@3.6.2/node_modules/readable-stream/packa- ge.json		node-pkg		0		-	
—		app/node_modules/.pnpm/reflect- metadata@0.1.14/node_modules/reflect-metadata/pa- ckage.json		node-pkg		0		-	
—		app/node_modules/.pnpm/router@2.2.0/node_modules/router/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/rxjs@7.8.2/node_modules/rxjs/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/safe-buffer@5.2.1/node_modules/safe- buffer/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/safer-buffer@2.1.2/node_modules/safer- buffer/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/send@1.2.1/node_modules/send/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/serve-static@2.2.1/node_modules/serve- static/package.json		node-pkg		0		-	
—		app/node_modules/.pnpm/setprototypeof@1.2.0/node_modules/setprototyp eof/package-		node-pkg		0		-	
		.json							

app/node_modules/.pnpm/side-channel-list@1.0.1/node_modules/side-channel-list/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-map@1.0.1/node_modules/side-channel-map/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel-weakmap@1.0.2/node_modules/side-channel-weakmap/package.json	node-pkg	0	-	
app/node_modules/.pnpm/side-channel@1.1.0/node_modules/side-channel/package.json	node-pkg	0	-	
app/node_modules/.pnpm/statuses@2.0.2/node_modules/statuses/package.json	node-pkg	0	-	
app/node_modules/.pnpm/streamsearch@1.1.0/node_modules/streamsearch/package.json	node-pkg	0	-	
app/node_modules/.pnpm/string_decoder@1.3.0/node_modules/string_decoder/package.json	node-pkg	0	-	
app/node_modules/.pnpm/strtok3@10.3.5/node_modules/strtok3/package.json	node-pkg	0	-	
app/node_modules/.pnpm/toidentifier@1.0.1/node_modules/toidentifier/package.json	node-pkg	0	-	
app/node_modules/.pnpm/token-types@6.1.2/node_modules/token-types/package.json	node-pkg	0	-	

app/node_modules/.pnpm/tslib@2.8.1/node_modules/tslib/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/type-is@1.6.18/node_modules/type-is/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/type-is@2.0.1/node_modules/type-is/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/typedarray@0.0.6/node_modules/typedarray/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/uid@2.0.2/node_modules/uid/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/uint8array-extras@1.5.0/node_modules/uint8array-extras/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/unpipe@1.0.0/node_modules/unpipe/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/util-deprecate@1.0.2/node_modules/util-deprecate/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/vary@1.1.2/node_modules/vary/package.json | node-pkg | 0 | - |

—| | app/node_modules/.pnpm/wrappy@1.0.2/node_modules/wrappy/package.json | node-pkg | 0 | - |

—| | app/package.json | node-pkg | 0 | - |

Legend:

- '-': Not scanned
- '0': Clean (no security findings detected)

ghcr.io/ethio-connect-et/central-hub-api:0.0.3 (debian 12.13)

Total: 12 (LOW: 12)

Severity	Status	Installed Version	Fixed Version	Library	Vulnerability
				gcc-12-base	CVE-2022-27943
LOW	affected	12.2.0-14+deb12u1		binutils: libiberty/rust-demangle.c in GNU GCC 11.2 allows	stack exhaustion in demangle_const
					https://avd.aquasec.com/nvd/cve-2022-27943
				libc6	CVE-2010-4756
		2.36-9+deb12u13		glibc: glob implementation can cause excessive CPU and	memory consumption due to...
					https://avd.aquasec.com/nvd/cve-2010-4756
					CVE-2018-20796
				glibc: uncontrolled recursion in function	check_dst_limits_calc_pos_1 in posix/regexec.c
					https://avd.aquasec.com/nvd/cve-2018-20796
					CVE-2019-1010022
				glibc: stack guard protection bypass	https://avd.aquasec.com/nvd/cve-2019-1010022
					CVE-2019-1010023
				glibc: running ldd on malicious ELF leads to code execution	because of...
					https://avd.aquasec.com/nvd/cve-2019-1010023
					CVE-2019-1010024
				glibc: ASLR bypass using cache of thread stack and heap	
					https://avd.aquasec.com/nvd/cve-2019-1010024
					CVE-2019-1010025
				glibc: information disclosure of heap addresses of	pthread_created thread
					https://avd.aquasec.com/nvd/cve-2019-1010025

| | |
| | |
| | | CVE-2019-9192 | | | | glibc: uncontrolled
recursion in function | | | | | check_dst_limits_calc_pos_1 in
posix/regexec.c | | | | | <https://avd.aquasec.com/nvd/cve-2019-9192> |
| | |
| | | | libgcc-s1 | CVE-2022-
27943 | | | 12.2.0-14+deb12u1 | | binutils: libiberty/rust-demangle.c in
GNU GCC 11.2 allows | | | | | stack exhaustion in demangle_const | |
			<https://avd.aquasec.com/nvd/cve-2022-27943>						
			libgomp1						
			libssl3	CVE-2025-					
27587			3.0.18-1~deb12u2		OpenSSL 3.0.0 through 3.3.2 on the				
PowerPC architecture is					vulnerable				
<https://avd.aquasec.com/nvd/cve-2025-27587>									
				libstdc++6	CVE-2022-				
27943			12.2.0-14+deb12u1		binutils: libiberty/rust-demangle.c in				
GNU GCC 11.2 allows					stack exhaustion in demangle_const				
			<https://avd.aquasec.com/nvd/cve-2022-27943>						