



Index

- Absolute error, 93
- Abstraction
 - definition, 9, 33E84
 - units, 14E15
- Accuracy, definition, 94
- Acoustic resonator
 - fundamental frequency determination, 228E232
 - impedance, 243
 - oscillator equation, 230
 - voice box, 50E61
- Activation energy, nucleation, 276
- Adiabatic gas law, 228E229
- Aircraft
 - drag, 278E280
 - drag-to-lift ratio, 278, 280E281
 - geometric programming for flight speed optimization, 282E285
 - glider glide angle modeling, 296
 - lift, 278E279
 - lift-to-drag ratio, 278
 - range optimization, 278E282
- Algebraic approximation, heating of solid bodies, 82E84
- Amplitude, pendulum motion, 189
- Approximations, *see* Algebraic approximation; Significant Figures; Taylor series
- Arrow impossibility theorem, 266
- Arrow, K. J., 266
- Automobile suspension system, vibration modeling, 232E234
- Balance principles
 - abstraction, 10
 - law derivation, 10E11
- Beam, *see also* Cantilever beam
 - bending stiffness, 60
 - dimensional analysis of compliance, 32
 - scaling and experimental design considerations, 59E61, 68E69
 - stiffness model validation, 91
- Binomial expansion, model approximation, 77E80
- Bird flight
 - geometric scaling of flight muscle fraction, 36E87
 - hovering flight dimensional analysis
 - limit to hovering size, 47
 - power availability, 46
 - power requirements, 45E46

- Bird flight (*Continued*)
 - range optimization, 278E282
 - wing loading, 44E45
- Bishop, R. E. D., 175
- Borda count
 - comparison with pairwise comparison chart, 268E269
 - failures, 271E273
 - independence of irrelevant alternatives violation, 266
- Boundary conditions, scaling effects, 52
- Buckingham Pi theorem
 - dimensional analysis, 24E28
 - pendulum modeling, 26E28, 178E179
- Buildings
 - fundamental period of tall slender buildings, 221E225
 - geometric scaling of church buildings, 40E44
- Cable
 - catenary parameter, 75, 81
 - sag determination using Taylor series, 75E77
- Cantilever beam
 - examples, 286
 - lightest diving board problems, 286E290
- Capacitors
 - capacitance, 130, 217
 - characteristic time, 54E55
 - charge modeling, 133E136
 - current flow over time, 130, 131
 - discharge modeling, 131E133
 - resistance, 130
 - voltage drop equation, 130, 217
- Cauchy inequality, geometric programming, 282E283
- Cell growth, scaling examples, 67, 69
- Characteristic decay time, pendulum, 187
- Characteristic length, cable, 54
- Characteristic time
 - capacitor discharge, 54E55
 - pendulum, 184
- Circular frequency, spring-mass oscillator, 213E214
- Compliance of a beam, dimensional analysis, 32
- Condorcet cycles, rank reversals, 267
- Conservation principles
 - abstraction, 10
 - conservation of cars in traffic modeling, 153E155
 - energy conservation in pendulum movement, 184E186
 - law derivation, 10E11
- Constant of proportionality, 122
- Consumer Price Index (CPI), inflation monitoring, 140
- Continuous optimization modeling
 - equality constraints, 250
 - inequality constraints, 250
 - minimization problem example, 248E252
 - multi-dimensional optimization problems, 250
 - package volume maximization example, 250E253
- Continuum hypothesis, traffic modeling, 159E162
- CPI, *see* Consumer Price Index
- Curve-fitting
 - extrapolation, 96
 - hand-drawn curves, 96
 - interpolation, 96
 - line equation, 97E98
 - method of least squares, 97
 - quality of fit, 98E99
- Cyclotron
 - frequency determination, 226E227, 243
 - representation, 225E226
- Damping forces
 - pendulum modeling, 186E187
 - spring-mass oscillator, 214E215
- Decay time, *see* Characteristic time
- Delay time, traffic modeling, 163
- De Moivre theorem, 108
- Differential equations
 - First-order differential equation of exponential function, 126E127
 - forcing functions, 127
 - homogeneous equations, 127
 - inhomogeneous differential equation solution in vibration modeling, 234E236
 - linear model of freely-vibrating pendulum, 191E192
- Dimensional analysis
 - advantages and limitations, 16E19
 - definition, 13
 - dimension checking in model validation, 89E90
 - dimensionless groups of variables, identification techniques
 - basic method, 20E24
 - Buckingham Pi theorem, 24E28
 - homogeneity and consistency of equations, 9, 13, 15E16
- hovering flight in birds
 - limit to hovering size, 47
 - power availability, 46
 - power requirements, 45E46
- peanut butter mixing example, 17E19, 25E26
- pendulum modeling, *see* Pendulum
- quantity derivation, 14E15
- units, 14E15, 28E30

- Doubling time, definition, 123
- Dufin, R. J., 282
- Dumbbell, stability of a two-mass pendulum, 195E198
- Dynamic programming, 258E259
- Ear
 - anatomy, 48
 - fundamental frequency of eardrum, 49E50
 - scaling effects on hearing, 48E50
- Einstein's general theory of relativity, scaling, 35
- Electrical-mechanical analogy, 216E220
- Elementary transcendental functions
 - behavioral features, 109
 - derivatives and integrals, 109
 - natural logarithm formal definition, 107
 - types, 107
- Engineering design, 5E6
- Error
 - absolute error, 93
 - definition, 93
 - mistake comparison, 94
 - percentage error, 93E94
 - random error, 93
 - relative error, 93
 - systematic error, 93
- Exponential function, formal definition, 107E108
- Exponential models
 - capacitor charging and discharging, *see* Capacitors
 - doubling time and half-life, 123
 - exponential functions
 - calculation, 122E124
 - display, 124E125
 - first-order differential equation, 126E127
 - financial models
 - inflation, 138E140
 - interest compounding, 136E138
 - Lanchester's law of fighting armies, 144E146, 149E150
 - negative proportionality factor
 - characteristics, 120E121
 - radioisotopes, *see* Radioactive decay
 - world population growth
 - nonlinear model, 141E143
 - projections, 118E120
- Falling body, dimensional analysis using
 - basic method, 20E21
- Faraday, M., 217
- FBD, *see* Free-body diagram
- Flight, *see* Aircraft; Bird flight
- Free-body diagram (FBD)
 - aircraft modeling, 278E279
 - pendulum modeling, 180E181
- Free energy change, nucleation, 276E277
- Fundamental diagram of road traffic, traffic flow-density relationship, 155E158, 173
- Fundamental frequency
 - acoustic resonator, 50E51, 228E232
 - eardrum, 49E50
 - strings, 50
- Fundamental period, tall slender buildings, 221E225
- Galileo, 286
- Geometric programming (GP)
 - applications, 285
 - flight speed optimization, 282E285
 - principles, 282
- Geometric scaling
 - cube, 35E36
 - flight muscle fraction in birds, 36E37
 - linear proportionality in similar objects, 37E38
 - log-log plots of data, 38E44
- GP, *see* Geometric programming
- Half-life
 - calculation, 123
 - radioisotopes, 128
- Hayakawa, S. I., 12
- Helmholtz resonator, 228E232
- Henry, J., 217
- Hertz, G. L., 48
- Hertz, H. R., 193
- Histogram, data display, 102E106
- Imaginary number, notation, 107
- Impedance
 - acoustic resonator, 243
 - forced vibration, 237E239
- Inductance, 217
- Inflation
 - Consumer Price Index, 140
 - exponential modeling, 138E140
- Integer programming, 259
- Interest compounding, exponential modeling, 136E138
- Iterative loop, model-building, 8
- Jam density, traffic modeling, 155, 168
- KCL, *see* Kirchhoff's current law
- KE, *see* Kinetic energy
- Kepler's third law of planetary motion, 209E210
- Keynes, J. M., 28
- Kinetic energy (KE)
 - pendulum equations, 184E185
 - spring-mass oscillator, 195, 215
- Kirchhoff's current law (KCL), 218

- Kirchhoff's voltage law (KVL), 134
 - KVL, *see* Kirchhoff's voltage law
 - Lanchester, F. W., 144
 - Lanchester's law, 144–146, 149–150
 - Langhaar, H. L., 13
 - Larynx, *see* Voice box
 - Linear model
 - definition, 11
 - principle of superposition, 11
 - Linear programming (LP)
 - distribution network transportation problem, 260–265
 - feed-mix problems, 258
 - generic problems, 253–255
 - graphic solutions, 294
 - operations research, 255
 - optima defining and assessment, 259–260
 - product-mix problems, 258
 - profit maximization in furniture business, 255–257
 - simplex method, 258
 - variable number, 258
 - Line equation, curve-fitting, 97–98
 - Log-log plots, geometric scaling data, 38–44
 - Logistic growth curve, population growth, 143
 - Lotka-Volterra model, population growth, 201–202
 - LP, *see* Linear programming
 - Lumped element model, definition, 34–35
 - Mathematical model
 - definition, 4
 - depiction of reality, 11–12
 - principles of modeling, 6–8
 - Mean, definition, 100
 - Median, definition, 100
 - Method of least squares, curve-fitting, 97
 - Mistake, comparison with error, 94
 - Model
 - definition, 3
 - languages, 3–4
 - Modulus of elasticity
 - fundamental period of tall slender buildings, 224–225
 - significant figures, 86
 - Natural logarithm
 - base, 123
 - calculation, 123
 - formal definition, 107
 - Newton's law of gravitational attraction, binomial expansion, 79–81
 - Newton's second law
 - plane equations, 179
 - radial equation, 181
 - tangential equation, 181
 - Nonlinear programming, 258
 - Nucleation
 - activation energy, 276
 - definition, 276
 - free energy change, 276–277
 - Ohm, G. S., 218
 - Ohm's law, 131
 - Operations research, *see* Linear programming
 - Optimization
 - best alternative selection
 - Borda count, 266–269
 - decision-making, 273–275
 - failures, 271–273
 - independence of irrelevant alternatives violation, 266–267
 - pairwise comparisons, 265–266
 - rank reversals, 267, 270–271
 - rankings, 265, 272
 - cantilever beam problem, 286–290
 - continuous optimization modeling
 - equality constraints, 250
 - inequality constraints, 250
 - minimization problem example, 248–252
 - multi-dimensional optimization problems, 250
 - package volume maximization example, 250–253
 - dynamic programming, 258–259
 - flight range maximization, 278–282
 - geometric programming for flight speed optimization, 282–285
 - goals, 247
 - integer programming, 259
 - linear programming
 - distribution network transportation problem, 260–265
 - feed-mix problems, 258
 - generic problems, 253–255
 - operations research, 255
 - optima defining and assessment, 259–260
 - product-mix problems, 258
 - profit maximization problems, 255–257, 295
 - simplex method, 258
 - variable number, 258
 - nonlinear programming, 258
 - nucleation energy problem, 276–278
- Oscilloscope, scaling and data acquisition considerations, 58–59
- Pairwise comparisons
 - charts, 267–269

- comparison with Borda count, 268E269
 - decision-making, 273E275
 - failures, 271E273
 - principles, 265E266
 - rank reversals, 270E271
 - Parasite-host interactions, population
 - growth modeling, 201E206
 - PE, *see* Potential energy
 - Pendulum
 - model validation, 91E92
 - amplitude of motion, 189
 - damping forces, 186E187
 - dimensional analysis of freely-vibrating pendulum
 - Buckingham Pi theorem, 26E28, 178E179
 - data collection, 176E178
 - dimensionless equation formulation, 183E184
 - dissipating energy in pendulum movement, 186E188
 - energy conservation in pendulum movement, 184E186
 - free-body diagram, 180E181
 - fundamental dimensions of descriptive parameters, 182
 - scaling factor, 182E183
 - equations of equilibrium, 179E180
 - equations of motion, 180E181
 - linear model of freely-vibrating pendulum
 - characteristics, 192E193
 - differential equations, 191E192
 - linearization of nonlinear model, 188E190
 - nonlinear model, 199E201
 - period equations, 16
 - period of free vibration, 176E178
 - spring-mass oscillator, physical interpretations, 194E195
 - stability of a two-mass pendulum, 195E198
- Percentage error, 93E94
- Period of free vibration
 - length-dependence for a pendulum, 178
 - measurement for a pendulum, 176E177
- Population growth
 - effective growth rate, 141
 - logistic growth curve, 143
 - nonlinear model, 141E143
 - projections, 118E120, 148E149
 - Taylor series, 142
 - vibration modeling of coupled species, 201E204
- Posynomial, definition, 282
- Potential energy (PE)
 - pendulum equations, 185
 - spring-mass oscillator, 195, 215
- Precision, definition, 94E95
- Predator-prey interactions, population
 - growth modeling, 201E206
- Principle of superposition, definition, 11
- Radioactive decay
 - decay constant calculation, 129
 - generic plot, 128E129
 - half-life, 128
 - short-lived versus long-lived radioisotopes, 129
- Random error, 93
- Rank reversals, 267, 270E271, 273
- Rate equation, examples, 10, 54
- Rational equation, dimensional consistency and homogeneity, 13, 15E16, 24
- Rayleigh, Lord, 211
- Reaction time, traffic modeling, 163
- Relative error, 93
- Resistor
 - resistance, 130
 - voltage drop equation, 218
- Resonance, forced vibration, 236E237
- Revolving bodies, dimensional analysis using basic method, 21E23
- Rotational inertia, scaling and data acquisition considerations, 55E57
- Saari, D. G., 266
- Sample variance, definition, 100E101
- Scaling
 - consequences
 - data acquisition considerations, 55E59
 - experimental design considerations, 59E61
 - perceptions of presented data, 62E65
 - Einstein's general theory of relativity, 35
 - equations, 52E54
 - geometric scaling
 - cube, 35E36
 - flight muscle fraction in birds, 36E37
 - linear proportionality in similar objects, 37E38
 - log-log plots of data, 38E44
 - hearing example, 48E50
 - hovering flight dimensional analysis in birds
 - limit to hovering size, 47
 - power availability, 46
 - power requirements, 45E46
 - imposition, 35
 - Newtonian versus relativistic mechanics, 52
 - scale factor, 53, 182E183
 - speech example, 50E51
 - spring models, 9, 34, 68
 - technological advances and nanotechnology, 51E52

- Scientific method
 - models, 4E5
 - observation, 4
 - prediction, 5
- Scientific notation, significant figures, 86
- Semi-logarithmic plots, exponential functions, 124E125
- Sensitivity, measuring devices, 95
- Significant figures
 - addition and subtraction, 86E87
 - assignment, 84E86
 - exact values without decimals, 87
 - multiplication and division, 86
 - rounding off exercises, 88
- Simon, H. A., 247
- SI units, *see* Système International units
- Spring models
 - scaling, 9, 34, 68
 - spring-mass oscillator
 - applied force, 212
 - circular frequency, 213E214
 - damper, 214
 - dissipating energy, 215E216
 - electrical-mechanical analogy, 216E220
 - energy storage, 215
 - equation of motion, 214
 - physical interpretations in free vibration, 194E195
 - restoring force, 213
 - stiffness-to-mass ratio, 214
- Standard deviation
 - calculation, 101E102
 - definition, 101
 - distribution rules, 102
- Stimuli response, traffic modeling, 162E163
- Suspension system, vibration modeling, 232E234
- Swift, J., 33
- Systematic error, 93
- Système International (SI) units, 29
- Taylor series
 - amplitude of pendulum motion, 189
 - binomial expansion, 77E80
 - derivation, 72
 - hyperbolic functions, 74E78
 - one-term series, 72E73
 - population growth, 142
 - remainder term, 74
 - three-term series, 72E73
 - trigonometric functions, 74E78
 - two-term series, 72E73
- Taylor's formula, 72E73
- Traffic flow modeling
 - macroscopic models
 - conservation of cars, 153E155
 - continuum hypothesis, 159E162
 - descriptive variables, 153
 - fluid models, 152
 - fundamental diagram of road traffic for flow-density relationship, 155E158, 173
 - speed-density relationships, 155E156, 159
 - microscopic models
 - comparison of car-following models, 170E171
 - elementary linear car-following model, 162E169
 - following distance, 168
 - improved car-following model, 169E170
 - speed-density relationships, 164E167
 - theory, 151E152
- Transcendental functions, power series, 53
- Units
 - British system, 28E29
 - checking in model validation, 90
 - dimensional analysis, 14E15
 - interconversion, 15
 - prefixes for orders of magnitude, 29E30
 - Système International units, 29
- Validation, models
 - accuracy, 94E95
 - checks
 - dimensions, 89E90
 - qualitative and limit behavior, 91E92
 - units, 90
 - curve-fitting of data, 96E99
 - errors, *see* Error
 - experimental validation, 88
 - inherent validity, 89
 - precision, 94E95
- Vibration models, *see also* Pendulum; Spring models
 - automobile suspension modeling, 232E234
 - cyclotron frequency, 225E227
 - fundamental frequency of acoustic resonator, 228E232
 - fundamental period of tall slender buildings, 221E225
 - impedance in forced vibration, 237E239
 - inhomogeneous differential equation solution, 234E236
 - linearized model, oscillatory solution, 204E206
 - nonlinear model, qualitative solution, 203E204
 - population growth of coupled species, 201E206
 - resonance in forced vibration, 236E237
 - vibratory phenomena, 175

- Voice box
 - anatomy, 49E50
 - fundamental frequency of acoustic resonator, 50E51
 - scaling effects on, 50E51
- Volume flow rate, dimensional analysis, 32
- Weber number, derivation using dimensional analysis, 31
- Zener, C., 282