AFTER VISIT SUMMARY

SWEDISH MEDICAL GROUP

Sena U. Thulin DoB: 1/29/2025
CEID: PWM-WFC8-553R-2QRJ

2/2/2026 10:30 AM SWEDISH PRIMARY CARE PEDIATRICS MEADOW CREEK
425-394-1680

Instructions from Hema Nirmal, MD

Well-Child Checkup: 12 Months

At the 12-month checkup, the health care provider will examine your child and ask how things are going at home. This checkup gives you a great opportunity to ask questions about your child's emotional and physical development. Bring a list of your questions to the appointment so you can make sure that all of your concerns are addressed.

This sheet describes some of what you can expect.

Development and milestones

At this age, your baby may take his or her first steps. Although some babies take their first steps when they are younger and some when they are older.

The health care provider will ask questions about your child. They will observe your toddler to get an idea of the child's development. By this visit, most children are:

- Pulling up to a standing position.
- Moving around while holding on to the couch or other furniture (known as "cruising").
- Putting objects into a container.
- Able to wave "bye-bye."
- Using the first or pointer finger and thumb to grasp small objects.
- Able to understand "no."
- Saying "Mama" and "Dada."
- Playing games with you, such as pat-a-cake.

Feeding tips

At 12 months of age, a child normally eats 3 meals and a few snacks each day. If your child doesn't want to eat, that's okay. Provide food at mealtime, and your child will eat if and when they are hungry. Don't force the child to eat. To help your child eat well:

- Gradually give the child whole milk instead of feeding breastmilk or formula. If you're breastfeeding, continue or wean as you and your child are ready. But also start giving your child whole milk. Your child needs the dietary fat in whole milk for correct brain development. Give whole milk to toddlers from ages 1 to 2 years.
- Make solids your child's main source of nutrients. Think of milk as a drink, not a full meal.
- Start to replace a bottle with a sippy cup for all liquids. Plan to wean your child off the bottle by 15 months of age.
- Don't give your child foods they might choke on. This is common with foods about the size and shape of the child's throat. They include sections of hot dogs and sausages, hard candies, nuts, whole grapes, and raw vegetables. Ask the health care provider about other foods to stay away from.
- At 12 months of age, your child can eat honey.
- Ask the provider if your baby needs fluoride supplements.

Hygiene tips

- If your child has teeth, gently brush them at least twice a day, such as after breakfast and before bed. Use a small amount of fluoride toothpaste no larger than a grain of rice. Use a baby's toothbrush with soft bristles.
- Ask the health care provider when your child should have their first dental visit. Most pediatric dentists recommend that the first dental visit should happen within 6 months after the first tooth appears above the gums, but no later than the child's first birthday.

Sleeping tips

At this age, your child will likely nap around 1 to 3 hours each day and will sleep 10 to 12 hours at night. If your child sleeps more or less than this but seems healthy, it's not a concern. To help your child sleep:

- Get your child used to doing the same things each night before bed. Having a bedtime routine helps your child learn when it’s time to go to sleep. Try to stick to the same bedtime and routine each night.
- Don't put your child to bed with anything to drink.
- Put the crib mattress on the lowest crib setting. This helps keep your child from pulling up and climbing or falling out of the crib. Ask your health care provider for tips on babyproofing your child's sleeping area.
- If getting the child to sleep through the night is a problem, ask the provider for tips.

Safety tips

As your child becomes more mobile, it's important to keep a close eye on them. Always be aware of what your child is doing. An accident can happen in a split second. To keep your baby safe:

- Childproof your house. If your toddler is pulling up on furniture or cruising (moving around while holding on to objects), check that big pieces such as cabinets and TVs are tied down or secured to the wall. Otherwise, they may be pulled down on top of the child. Move any items that might hurt the child out of their reach. Be aware of items like tablecloths or cords that your baby might pull on. Plug all unused electrical outlets. Make sure that medicines and cleaning products are stored in locked cabinets that are out of reach to your child. Do a safety check of any area your baby spends time in.
- Protect your toddler from falls. Use sturdy screens on windows. Put gates at the tops and bottoms of staircases. Supervise your child on the stairs.
- Don’t let your baby get hold of anything small enough to choke on. This includes toys, solid foods, and items on the floor that the child may find while crawling or cruising. As a rule, an item small enough to fit inside a toilet paper tube can cause a child to choke.
- In the car, always put your child in a car seat in the back seat. Babies and toddlers should ride in a rear-facing car safety seat for as long as possible. That means until they reach the top weight or height allowed by their seat. Check your safety seat instructions. Most convertible safety seats have height and weight limits that will allow children to ride rear-facing for 2 years or more.
- Teach animal safety. At this age, many children become curious around dogs, cats, and other animals. Teach your child to be gentle and cautious with animals. Always supervise the child around animals, even familiar family pets. Never let your child approach a strange dog or cat.
- Never leave your child unattended near any water. If you have a pool, make sure it's enclosed with a fence that is closed at all times.
- Keep your child out of rooms where there are hot objects that may be touched, or put a barrier around them.
- If you own a firearm, keep it unloaded and locked up at all times.
- Keep this Poison Control phone number in an easy-to-see place, such as on the refrigerator: 800-222-1222.

Also limit screen time. Screen time (TV, tablets, phones) is not recommended for children younger than 2 years. Limit screen time to video calls with loved ones.

Vaccines

Based on recommendations from the CDC, at this visit, your child may get these vaccines:

- Haemophilus influenzae type b
- Hepatitis A
- Hepatitis B
- Influenza (flu)
- Measles, mumps, and rubella
- Pneumococcus
- Polio
- Chickenpox (varicella)
- COVID-19

Choosing shoes

Your 1-year-old may be walking. Now is the time to buy a good pair of shoes. Here are some tips:

- Get the right size. Ask a clerk for help measuring your child's feet. Don't buy shoes that are too big (thinking that your child will "grow into" them). Walking is harder when shoes don't fit.
- Look for shoes with soft, flexible soles.
- Don't buy shoes with high ankles and stiff leather. These can be uncomfortable. They can make it harder for your child to walk.
- Choose shoes that are easy to get on and off but that won't slide off your child's feet by accident. Moccasins or sneakers with Velcro closures are good choices.

StayWell last reviewed this educational content on 3/1/2025

© 2000-2025 The StayWell Company, LLC. All rights reserved. This information is not intended as a substitute for professional medical care. Always follow your healthcare professional's instructions.

Today's medication changes

STOP giving your child:
ferrous sulfate 15 mg/mL Soln (FER-IN-SOL)

Accurate as of February 2, 2026 12:59 PM.
Review your child's updated medication list below.

Return for 15 month old wellness visit.

Today's Visit

You saw Hema Nirmal, MD on Monday February 2, 2026. The following issues were addressed:

- Health check for child over 28 days old
- Screening for deficiency anemia
- Screening for lead poisoning
- Need for vaccination

Weight
21 lb 1.6 oz (70th percentile)



Reference: WHO (Girls, 0-2 years)

Height
30.71" (93rd percentile)



Reference: WHO (Girls, 0-2 years)

BMI
15.73 (33rd percentile)

Head Circumference
45 cm (17.72") (52nd percentile)

Temperature (Temporal)
97.8 °F

BSA
0.46 m^2

Percentiles calculated using: WHO (Girls, 0-2 years)

Immunizations Given

MMR (M-M-R II) 2 DOSE, HEP A, 2 DOSE (PED), VARICELLA (VARIVAX) 2 DOSE, and INFLUENZA PF TRIV (FLUZONE,FLULAVAL,FLUARIX,AFLURIA)

What's Next

MAY 4 2026

Well Child/Infant with Hema Nirmal, MD

Monday May 4 9:30 AM (Arrive by 9:15 AM)

SWEDISH PRIMARY CARE PEDIATRICS MEADOW CREEK
6520 226TH PL SE STE 100
ISSAQUAH WA 98027-7365
425-394-1680

AUG 3 2026

Well Child/Infant with Hema Nirmal, MD
Monday August 3 9:30 AM (Arrive by 9:15 AM)

SWEDISH PRIMARY CARE PEDIATRICS MEADOW CREEK
6520 226TH PL SE STE 100
ISSAQUAH WA 98027-7365
425-394-1680

Orders Completed Today & Future Orders to be Completed

Normal Orders This Visit

Hepatitis A vaccine pediatric / adolescent 2 dose IM [IMM25 Custom]

INFLUENZA PF 6M+ (FLUARIX,FLULAVAL,FLUZONE,AFLURIA) PREFILLED SYRINGE, TRIVALENT [IMM340 Custom]

MMR vaccine subcutaneous [IMM44 Custom]

POCT blood Lead, Capillary [POC39 Custom]

POCT hemoglobin [POC3 Custom]

SWYC (billable in WA to Medicaid) [96110 CPT(R)]

Varicella vaccine subcutaneous [IMM9 Custom]

Recent Results

Results

Procedure	Component	Value	Units	Date/Time
POCT blood Lead, Capillary [1490981192] Specimen: Blood				Collected: 02/02/26 1033 Updated: 02/02/26 1034
	Capillary Blood Lead, POC Comment: <3.3	3.3	ug/dL	
Narrative: SWEDISH PRIMARY CARE PEDIATRICS MEADOW CREEK 6520 226th Pl SE Ste 100 Issaquah WA 98027-7365 425-394-1680				
POCT hemoglobin [1490981191]				Collected: 02/02/26 1033 Updated: 02/02/26 1033
	Hemoglobin, POC	12.8	g/dL	

Your Information on File

Please review. If corrections are required, please contact the office.

Allergies

No active allergies

Intolerance

No active intolerances/contraindications

Immunization History

Name	Date
DTAP-IPV-HIB-HEPB	8/4/2025, 6/2/2025, 3/31/2025
HEP A, 2 DOSE (PED)	2/2/2026
HEP B (PED,ADOLESCENT) 3 DOSE	1/29/2025
INFLUENZA PF TRIV (FLUZONE,FLULAVAL,FLUARIX,AFLURIA)	2/2/2026, 9/29/2025
MMR (M-M-R II) 2 DOSE	2/2/2026, 9/29/2025
PNEUMOCOCCAL CONJUGATE 20-VALENT (PCV20)	8/4/2025, 6/2/2025, 3/31/2025
ROTAVIRUS (ROTARIX) MONOVALENT	6/2/2025, 3/31/2025
VARICELLA (VARIVAX) 2 DOSE	2/2/2026

Health Summary

Newborn screening tests negative

Additional Information

988 Suicide & Crisis Lifeline Support:

If you or someone you know needs support, call or text 988, or chat at 988lifeline.org

MyChart®

MyChart is an online portal that lets you communicate with your care team and access your electronic medical record. At your next visit, ask how you can sign up. It's free!

Your Child's Medication List as of February 2, 2026 12:59 PM

ⓘ Always use your child's most recent med list.

VITAMIN D PO Take by mouth.

Financial Assistance Info

We can help with your medical bills.
You may qualify for financial assistance

We offer:

- Free or low-cost care for those who are eligible
- Interest-free, long-term payment plans
- Assistance in securing health coverage

Learn more and apply today.
www.providence.org/FinancialHelp?

Or scan the QR code:

Contact a Financial Counselor
Find out what financial assistance options are available to you and get help from our team.
855-229-6466
Monday - Friday, 7 a.m. to 5:30 p.m. PT