

ATLAS API (Omni-Architect)

/openapi.json

0.1.0

OAS 3.1

Authorize



Auth



POST

/api/v1/auth/register Register



Parameters

Try it out

No parameters

Request body **required**

application/json



Example Value | Schema

```
{
  "email": "user@example.com",
  "password": "stringst",
  "full_name": "string",
  "role": "STUDENT",
  "filiere": "string",
  "level": "L1",
  "niveau": "L1",
  "establishment_id": "string"
}
```

Responses

Code	Description	Links
201	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		

Code	Description	Links
	<pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

POST /api/v1/auth/teacher-request Create Teacher Request		
Parameters		Try it out
No parameters		
Request body required		application/json
Example Value Schema		
<pre>{ "email": "user@example.com", "password": "stringst", "full_name": "string", "department": "string" }</pre>		
Responses		
Code	Description	Links
201	Successful Response	No links

Code	Description	Links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	

GET

/api/v1/auth/registration-options

Registration Options

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "universities": [{ "id": "string", "name": "string", "domain": "string", "is_authorized": true, "created_at": "2026-05-10T20:12:03.266Z" }], "departments": [{ "id": "string", "name": "string", "establishment_id": "string" }], "levels": ["string"], "majors": [{ "id": "string", "name": "string", "department_id": "string", "level": "string" }] }</pre>	

GET

/api/v1/auth/majors/{department_id}

Get Majors For Registration

^

Public endpoint: list majors for a department (used by registration/upload forms).

Parameters

Try it out

Name	Description
department_id * required	
string (path)	department_id

Responses

Code	Description	Links
200	Successful Response Media type	No links

Code	Description	Links
	application/json ▾ Controls Accept header. Example Value Schema <pre>[{ "id": "string", "name": "string", "department_id": "string", "level": "string" }]</pre>	
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

POST

/api/v1/auth/verify-otp

Verify Otp

⌵

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "email": "user@example.com",
  "otp_code": "string",
  "purpose": "ACCOUNT_ACTIVATION"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

POST /api/v1/auth/activate-teacher Activate Teacher

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  "token": "stringstringstringstringst",  "password": "stringst"}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

POST /api/v1/auth/login Login

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  "email": "user@example.com",
```

```
}
  "password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "accessToken": "string",
  "refreshToken": "string",
  "user": {
    "id": "string",
    "email": "string",
    "role": "string",
    "full_name": "string",
    "filiere": "string",
    "level": "string",
    "niveau": "string",
    "student_id": "string",
    "program": "string",
    "academic_year": "string",
    "date_of_birth": "2026-05-10",
    "gender": "string",
    "phone_number": "string",
    "address": "string",
    "preferred_language": "string",
    "profile_picture_url": "string",
    "onboarding_completed": false,
    "is_active": true,
    "is_verified": true,
    "status": "ACTIVE",
    "trust_score": 0,
    "profile_completeness": 0,
    "push_notifications_enabled": true,
    "email_digest_enabled": false,
  }
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json ▼

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
    }
  ]
}
```

Code	Description	Links
	<pre>"ctx": {} }] }</pre>	

POST

/api/v1/auth/refresh Refresh

▼

GET

/api/v1/auth/me Me

 

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": "string", "email": "string", "role": "string", "full_name": "string", "filiere": "string", "level": "string", "niveau": "string", "student_id": "string", "program": "string", "academic_year": "string", "date_of_birth": "2026-05-10", "gender": "string", "phone_number": "string", "address": "string", "preferred_language": "string", "profile_picture_url": "string", "onboarding_completed": false, "is_active": true, "is_verified": true, "status": "ACTIVE", "trust_score": 0, "profile_completeness": 0, "push_notifications_enabled": true, "email_digest_enabled": false, "notification_types": [], "is_rtl": false, "establishment_id": "string",</pre>	No links
POST	/api/v1/auth/logout Logout	 
POST	/api/v1/auth/forgot-password Forgot Password	
POST	/api/v1/auth/reset-password Reset Password	
POST	/api/v1/auth/resend-otp Resend Otp	
Health		
GET	/api/v1/health Health Check	
Parameters		Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

Courses



POST

/api/v1/courses/upload Upload Course



Parameters

Try it out

No parameters

Request body **required**

multipart/form-data ▼

major_id * **required**
string(\$uuid)

course_id * **required**
string(\$uuid)

course_type
string

language
string

academic_year * required
string

file * required
string

Responses

Code	Description	Links
202	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	

GET

/api/v1/courses List Courses



Parameters

Try it out

Name	Description
------	-------------

major_id string (string null)(\$uuid) (query)	
---	--

major_id

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value | Schema

```
[
  {
    "additionalProp1": {}
  }
]
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/courses/my-uploads Get My Uploads



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>[{ "additionalProp1": {} }]</pre>	No links

GET

/api/v1/courses/catalog List Course Catalog



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>[{ "additionalProp1": {} }]</pre>	No links

GET

/api/v1/courses/{course_id} Get Course



Parameters

Try it out

Name

Description

course_id * required
string(\$uuid)
(path)

course_id

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422

Validation Error

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH

/api/v1/courses/{course_id} Update Course



Parameters

Try it out

NameDescription

course_id * required
string(\$uuid)
(path)

course_id

Request body required

application/json

Example Value | Schema

```
{
  "title": "string",
  "description": "string",
  "academic_year": "string",
  "tags": [
    "string"
  ],
  "level": "string"
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422Validation ErrorNo links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",

```

Code	Description	Links
	<pre>0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

DELETE `/api/v1/courses/{course_id}` Delete Course  

Parameters

Try it out

Name	Description
course_id * required string(\$uuid) (path)	course_id

Responses

Code	Description	Links
200	Successful Response Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": true, "additionalProp2": true, "additionalProp3": true }</pre> <td>No links</td>	No links
422	Validation Error Media type application/json ▼ Example Value Schema <pre>{ "detail": [{ "loc": [</pre> <td>No links</td>	No links

Code	Description	Links
	<pre>"string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET	/api/v1/courses/{course_id}/versions	Get Course Versions	 
Parameters		<button>Try it out</button>	
Name	Description		
course_id * required string(\$uuid) (path)	course_id		
Responses			
Code	Description	Links	
200	Successful Response	No links	
Media type			
application/json			
Controls Accept header.			
Example Value Schema			
<pre>{ "additionalProp1": {} }</pre>			
422	Validation Error	No links	
Media type			
application/json			
Example Value Schema			
<pre>{ "detail": [{ "loc": [</pre>			

Code	Description	Links
	<pre> "string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET	/api/v1/courses/{course_id}/stats	Get Course Stats	 
Parameters		<button>Try it out</button>	
Name	Description		
course_id * required string(\$uuid) (path)	course_id		
Responses			
Code	Description	Links	
200	Successful Response	No links	
Media type			
application/json ▼			
Controls Accept header.			
Example Value Schema			
<pre>{ "additionalProp1": {} }</pre>			
422	Validation Error	No links	
Media type			
application/json ▼			
Example Value Schema			
<pre>{ "detail": [{ "loc": [</pre>			

Code	Description	Links
	<pre> "string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/api/v1/courses/{course_id}/my-assets

Get My Course Assets



Return the existence status of each AI study tool asset for the current student and the given document version.

Parameters

Try it out

Name	Description
course_id * required string(\$uuid) (path)	course_id
document_version_id * required string(\$uuid) (query)	Selected document version ID document_version_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links

Code	Description	Links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

GET

/api/v1/courses/{course_id}/download-url

Get Course Download Url



Parameters

Try it out

Name	Description
course_id * required string(\$uuid) (path)	course_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links

Code	Description	Links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/courses/{course_id}/preview

Get Course Preview



Parameters

Try it out

Name	Description
course_id * required string(\$uuid) (path)	course_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links

Code	Description	Links
422	Validation Error	No links
Media type application/json		
Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

GET	/api/v1/courses/versions/{version_id}	Get Version		
-----	---------------------------------------	-------------	--	--

Files

^

GET

/api/v1/files/proxy/{path}

Proxy File



[OMNI-ARCHITECT PIPELINE] Securely streams physical files from the Omni workspace volume to the frontend viewer.

Parameters

Try it out

Name	Description
path * required string (path)	path

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/files/pdf-view-url-by-path Get Pdf View Url By Path



[OMNI-ARCHITECT PIPELINE] Returns the Next.js proxy URL so the frontend can securely route 'Open' and 'Download' button clicks.

Parameters

Try it out

Name	Description
------	-------------

path * required
string
(query)

path

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	

GET

/api/v1/files/pdf-view-url/{contribution_id} Get Pdf View Url



[OMNI-ARCHITECT PIPELINE] Deprecated in favor of pdf-view-url-by-path.

Parameters

Try it out

Name	Description
------	-------------

contribution_id * required string(\$uuid) (path)	
---	--

	contribution_id
--	-----------------

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

Search

GET

/api/v1/search

Search

Parameters

Try it out

Name	Description
q string (string null)	q minLength: 1

Name	Description
------	-------------

(query)

filiere

string |
(string |
null)

(query)

filiere

niveau

string |
(string |
null)

(query)

niveau

type

string |
(string |
null)

(query)

type

annee

integer |
(integer |
null)

(query)

annee

langue

string |
(string |
null)

(query)

langue

page

integer
(query)

Default value : 1

1

minimum: 1

limit

integer
(query)

Default value : 20

20

maximum: 100

minimum: 1

Responses

Code	Description	Links
------	-------------	-------

200

Successful Response

No links

Media type

application/json



Code

Description

Links

Controls Accept header.

Example Value | Schema

```
{
  "items": [
    {
      "document_version_id": "string",
      "course_id": "string",
      "title": "string",
      "teacher_name": "string",
      "is_official": false,
      "quality_score": 0,
      "snippet": "string",
      "tags": [
        "string"
      ],
      "filiere": "string",
      "level": "string",
      "academic_year": "string",
      "course_type": "string",
      "language": "string",
      "rrf_score": 0
    }
  ],
  "page": 0,
  "limit": 0,
  "total": 0
}
```

422

Validation Error

No links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

</api/v1/search/autocomplete> Autocomplete

[OMNI-ARCHITECT PIVOT]: Bypassing Meilisearch. Using direct PostgreSQL ILIKE query on Course titles.

Parameters

Try it out

Name	Description
------	-------------

q * required
string
(query)

minLength: 2

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
[
  {
    "course_id": "string",
    "title": "string",
    "type": "string"
  }
]
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json ▼

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /api/v1/search/instant Instant Search



Instant course search powered by Meilisearch. Returns lightweight course cards for the frontend

search-as-you-type.

Parameters

Try it out

Name	Description
------	-------------

q * required	Search query for course title/description
---------------------	---

string (query)	q
--------------------------	--------------------------------

minLength: 1

limit	Default value : 10
--------------	--------------------

integer (query)	10
---------------------------	---------------------------------

maximum: 30
minimum: 1

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
[
  {
    "course_id": "string",
    "title": "string",
    "level": "string",
    "department_name": "string",
    "academic_year": "string",
    "description": "string"
  }
]
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json ▼

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",

```

Code	Description	Links
	<pre>0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

RAG



GET	/api/v1/rag/context/{course_id}	Get Prewarmed Context		
Parameters			Try it out	
Name	Description			
course_id * required string (path)	course_id			
Responses				
Code	Description	Links		
200	Successful Response	No links		
Media type				
application/json				
Controls Accept header.				
Example Value Schema				
<pre>{ "course_id": "string", "context": "string" }</pre>				
422	Validation Error	No links		
Media type				
application/json				
Example Value Schema				

Code	Description	Links
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

POST /api/v1/rag/tutor-stream Stream Live Tutor  		
Parameters Try it out		
No parameters		
Request body required application/json 		
Example Value Schema <pre>{ "course_id": "string", "message": "string"}</pre>		
Responses		
Code	Description	Links
200	Successful Response Media type application/json  Controls Accept header. Example Value Schema <pre>"string"</pre>	No links
422	Validation Error	No links

Code	Description	Links
Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

POST /api/v1/rag/sessions Create Session  		
Parameters No parameters		Try it out
Request body required		application/json ▾
Example Value Schema <pre>{ "course_id": "string", "document_version_ids": ["string"]}</pre>		
Responses		
Code	Description	Links
201	Successful Response	No links
Media type application/json ▾ Controls Accept header. Example Value Schema		

Code	Description	Links
	<pre>{ "id": "string", "course_id": "string", "message_count": 0, "created_at": "2026-05-10T20:12:03.490Z", "document_count": 0 }</pre>	
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/api/v1/rag/sessions/{session_id}

Get Rag Session



Parameters

Try it out

Name	Description
session_id * required string(\$uuid) (path)	session_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example Value Schema <pre>{ "id": "string", "course_id": "string", "message_count": 0, "created_at": "2026-05-10T20:12:03.496Z", "document_count": 0 }</pre>	
422	Validation Error	No links
	Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

DELETE	/api/v1/rag/sessions/{session_id}	Delete Session	 
Parameters		Try it out	
Name	Description		
session_id * required string(\$uuid) (path)	session_id		
Responses			
Code	Description	Links	
200	Successful Response	No links	
	Media type		

Code	Description	Links
	application/json ▾ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": true, "additionalProp2": true, "additionalProp3": true}</pre>	
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET

/api/v1/rag/sessions/{session_id}/messages

List Messages

🔒 ⤴

Parameters

Try it out

Name	Description
session_id * required string(\$uuid) (path)	session_id
limit integer (query)	Default value : 50 50
offset integer (query)	Default value : 0 0

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "items": [
    {
      "id": "string",
      "role": "string",
      "content": "string",
      "created_at": "2026-05-10T20:12:03.513Z",
      "sources": []
    }
  ],
  "meta": {
    "total": 0,
    "limit": 0,
    "offset": 0,
    "has_more": true
  }
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST

/api/v1/rag/sessions/{session_id}/messages

Create Message

🔒 ⤴

Parameters

Try it out

NameDescription

session_id * required
string(\$uuid)
(path)

session_id

Request body required

application/json

Example Value | Schema

```
{
  "content": "string"
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value | Schema

"string"

422Validation ErrorNo links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Code	Description	Links
	<pre>} }</pre>	

GET

/api/v1/rag/sessions/{session_id}/canvas

Get Canvas State



Fetches the latest Generative UI state for the session.

Parameters

Try it out

Name	Description
session_id * required string(\$uuid) (path)	session_id

Responses

Code	Description	Links
200	Successful Response Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "component": "string", "props": { "additionalProp1": {} } }</pre>	No links
422	Validation Error Media type application/json ▼ Example Value Schema <pre>{ "detail": [{ "loc": ["string",</pre>	No links

Code	Description	Links
	<pre>0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

PUT

/api/v1/rag/sessions/{session_id}/canvas

Update Canvas State



Saves the current UI Generative Board state. Replaces existing state to prevent DB bloat.

Parameters

Try it out

Name	Description
session_id * required string(\$uuid) (path)	session_id

Request body required

application/json

Example Value

Schema

```
{  "additionalProp1": {} }
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "additionalProp1": true, "additionalProp2": true, "additionalProp3": true }</pre>	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Study



POST
/api/v1/flashcards/generate
Generate Flashcards

Parameters
Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "course_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "document_version_ids": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ],
  "num_cards": 10
}
```

Responses

Code	Description	Links
202	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/flashcards/decks

List Flashcard Decks



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	
	application/json	

Code	Description	Links
	Controls Accept header. Example Value Schema <pre>[{ "additionalProp1": {} }]</pre>	

GET

/api/v1/flashcards/decks/{deck_id}

Get Flashcard Deck



Parameters

Try it out

Name	Description
deck_id * required string(\$uuid) (path)	deck_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": [</pre>	No links

Code	Description	Links
	<pre> "string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/api/v1/flashcards/duel

Get Due Flashcards



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

PATCH

/api/v1/flashcards/{card_id}/review

Review Flashcard



Parameters

Try it out

Name	Description
card_id * required string(\$uuid) (path)	card_id

Request body required

application/json

Example Value | Schema

```
{
  "rating": "AGAIN"
}
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST

/api/v1/quiz/generate Generate Quiz



Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "course_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "document_version_ids": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ],
  "num_questions": 10
}
```

Responses

Code	Description	Links
202	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/quiz/sessions

List Quiz Sessions



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>[{ "additionalProp1": {} }]</pre>	No links

GET

/api/v1/quiz/{quiz_id}

Get Quiz



Parameters

Try it out

Name	Description
quiz_id * required string(\$uuid) (path)	quiz_id

Responses

Code	Description	Links
200	Successful Response Media type application/json	No links

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type	
	application/json ▼	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

POST

/api/v1/quiz/{quiz_id}/submit Submit Quiz

🔒 ⤴

Parameters

Try it out

Name	Description
quiz_id * required string(\$uuid) (path)	quiz_id

Request body **required**

application/json ▼

Example Value | Schema

```
{
  "answers": {
    "additionalProp1": "string",
    "additionalProp2": "string",
    "additionalProp3": "string"
  }
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

POST

/api/v1/summaries/generate Generate Summary



Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{  "course_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",  "document_version_ids": [
```

```
"3fa85f64-5717-4562-b3fc-2c963f66afa6"
],
"format_type": "EXECUTIVE",
"target_lang": "fr"
}
```

Responses

Code	Description	Links
------	-------------	-------

202	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/summaries/{summary_id} Get Summary



Parameters

Try it out

Name	Description
summary_id * required string(\$uuid) (path)	summary_id

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

POST /api/v1/mindmaps/generate Generate Mindmap

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "course_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "document_version_ids": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ],
  "target_lang": "fr"
}
```

Responses

Code	Description	Links
202	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/api/v1/mindmaps/{mindmap_id} Get Mindmap



Parameters

[Try it out](#)

Name	Description
------	-------------

mindmap_id * required	
------------------------------	--

string(\$uuid)

(path)

mindmap_id

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/documents/{document_version_id}/assets/manifest
Get Document Asset Manifest



Parameters

[Try it out](#)

Name	Description
document_version_id * required string(\$uuid) (path)	document_version_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET

/api/v1/documents/{document_version_id}/assets/{asset_type}
Get Document Asset



Parameters

Try it out

Name	Description
document_version_id * required string(\$uuid) (path)	document_version_id
asset_type * required string (path)	asset_type
target_lang string (query)	Default value : fr fr
profile string (query)	Default value : default default

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", }] }</pre>	No links

Code	Description	Links
	<pre>"ctx": {} }] }</pre>	

POST

/api/v1/documents/{document_version_id}/assets/generate

Generate Document Asset

 

Parameters

Try it out

Name	Description
document_version_id * required string(\$uuid) (path)	document_version_id

Request body required

application/json

Example Value | Schema

```
{  
  "asset_type": "string",  
  "target_lang": "fr",  
  "profile": "default",  
  "force_regenerate": false  
}
```

Responses

Code	Description	Links
202	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type	No links

Code

Description

Links

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Learning



GET

/api/v1/learn

List Curriculum

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "pillars": [{ "slug": "string", "number": 0, "title": "string", "subtitle": "string", "description": "string" }, { "slug": "string", "number": 0, "title": "string", "subtitle": "string", "description": "string" }], "sota_available": true}</pre>		

GET	/api/v1/learn/{slug} Get Lesson	^
Parameters		Try it out
Name	Description	
slug * required		
string	slug	
(path)		
Responses		
Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "slug": "string", "title": "string", "content": "string",}</pre>		

Code	Description	Links
	<pre>"prev_slug": "string", "next_slug": "string" }</pre>	
422	Validation Error	No links
Media type		
application/json ▾		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/learn/sota

Get Sota

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Annotations



POST

/api/v1/annotations Create Annotation



Parameters

Try it out

No parameters

Request body **required**

application/json



Example Value | Schema

```
{
  "document_version_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "page_number": 1,
  "x": 0,
  "y": 0,
  "content": "string",
  "is_public": true
}
```

Responses

Code	Description	Links
201	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0] }] }</pre>	

Code	Description	Links
	<pre>1, "msg": "string", "type": "string", "input": "string", "ctx": {} } 1 }</pre>	

GET

/api/v1/annotations

List Annotations



Parameters

Try it out

Name	Description
doc_version_id * required string(\$uuid) (query)	doc_version_id
limit integer (query)	Default value : 20 20 maximum: 100 minimum: 1
offset integer (query)	Default value : 0 0 minimum: 0

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre> <td>No links</td>	No links
422	Validation Error	No links

Code

Description

Links

Media type

application/json

Example Value | Schema

```
{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string",      "input": "string",      "ctx": {}    }  ]}
```

DELETE

/api/v1/annotations/{annotation_id} Delete Annotation



Parameters

Try it out

Name	Description
annotation_id * required string(\$uuid) (path)	annotation_id

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{  "additionalProp1": true,  "additionalProp2": true,  "additionalProp3": true}
```

Code	Description	Links
422	Validation Error	No links
Media type application/json		
Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

Contributions



POST	/api/v1/contributions	Create Contribution		
Parameters No parameters				
Request body required multipart/form-data title * required string description string (string null) course_id * required string(\$uuid) file * required string				

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

POST

/api/v1/contributor-requests Create Contributor Request



Parameters

Try it out

No parameters

Request body **required**

multipart/form-data ▾

title * **required**

string

description

```
string | (string |
null)

course_id * required
string($uuid)

file * required
string
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/api/v1/contributor-requests/me Get My Contributor Request



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

GET

/api/v1/contributions/me List My Contributions



Parameters

Try it out

Name	Description
------	-------------

status
string |
(string |
null)
(query)

status

limit
integer
(query)

Default value : 20

20

maximum: 100
minimum: 1

offset
integer
(query)

Default value : 0

0

minimum: 0

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/admin/contributor-requests

List Contributor Requests



Parameters

Try it out

Name	Description
status string (string null) (query)	status
limit integer (query)	Default value : 20 20 maximum: 100 minimum: 1
offset	Default value : 0

Name	Description
------	-------------

integer (query)	0 minimum: 0
---------------------------	--

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json ▾

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json ▾

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST

/api/v1/admin/contributor-requests/{request_id}/approve
Approve Contributor Request



Parameters

Try it out

NameDescription

request_id * required
string(\$uuid)
(path)

request_id

Request body

application/json

Example Value | Schema

```
{
  "review_note": "string"
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422Validation ErrorNo links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Code	Description	Links
	<pre>] }</pre>	

POST

/api/v1/admin/contributor-requests/{request_id}/reject
Reject Contributor Request



Parameters

Try it out

Name	Description
request_id * required string(\$uuid) (path)	request_id

Request body required

application/json ▼

Example Value | Schema

```
{
  "review_note": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json ▼ Example Value Schema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	

POST /api/v1/reports Create Report  		
Parameters Try it out		
No parameters		
Request body required application/json ▼		
Example Value Schema <pre>{ "type": "string", "title": "string", "description": "string", "severity": "string", "screenshot_url": "string"}</pre>		
Responses		
Code	Description	Links
200	Successful Response Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links

Code	Description	Links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

DELETE

/api/v1/contributions/{contribution_id}

Delete Contribution



Granular hard delete: removes a single contribution and its related data permanently. Only purges PostgreSQL relational data (Vectors managed by Cognitive Core).

Parameters

Try it out

Name	Description
contribution_id * required	contribution_id
string(\$uuid)	
(path)	

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		

Code	Description	Links
	Example Value Schema	
	<pre>{ "additionalProp1": true, "additionalProp2": true, "additionalProp3": true }</pre>	
422	Validation Error	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Collaboration



POST	/api/v1/learning-path/generate	Generate Learning Path		
Parameters		Try it out		
No parameters				
Request body required		application/json		
Example Value Schema				
<pre>{ "goal": "string", "course_ids": [], "available_hours_per_week": 5 }</pre>				
Responses				

Code	Description	Links
202	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/api/v1/learning-path/{job_id}

Get Learning Path



Parameters

Try it out

Name	Description
job_id * required string(\$uuid) (path)	job_id

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Notifications



GET

/api/v1/notifications List Notifications

Parameters

Try it out

Name	Description
limit integer (query)	Default value : 20 20 maximum: 100 minimum: 1
offset integer (query)	Default value : 0 0

NameDescription

minimum: 0

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "items": [
    {
      "id": "string",
      "title": "string",
      "message": "string",
      "is_read": true,
      "contribution_id": "string",
      "created_at": "string"
    }
  ],
  "meta": {
    "total": 0,
    "limit": 0,
    "offset": 0,
    "has_more": true
  }
}
```

422Validation ErrorNo links

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH

/api/v1/notifications/{notification_id} Read Notification



Parameters

Try it out

Name

Description

notification_id * required

string(\$uuid)

(path)

notification_id

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422

Validation Error

No links

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```



GET

/api/v1/students/me/dashboard

Student Dashboard

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "greeting": "string",
  "progress": {
    "overall_completion_percentage": 0,
    "active_streak_days": 0,
    "today_study_minutes": 0
  },
  "daily_goals": [
    {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "description": "string",
      "is_completed": true,
      "priority": 0
    }
  ],
  "recommended_courses": [
    {
      "course_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "title": "string",
      "progress_percentage": 100,
      "thumbnail_url": "string"
    }
  ],
  "weak_topics": [
    {
      "topic_name": "string",
      "accuracy_percentage": 100,
      "suggested_action": "string"
    }
  ]
}
```

GET

/api/v1/students/me/history

Student History

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>[{ "additionalProp1": {} }]</pre>	No links

GET

/api/v1/analytics/daily-activity Daily Activity



Parameters

Try it out

Name	Description
days integer (query)	Default value : 365 365

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>[{ "additionalProp1": {} }]</pre>	
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/teacher/analytics

Teacher Analytics



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links

GET

/api/v1/teacher/courses/{course_id}/analytics

Teacher Course Analytics



Parameters

Try it out

Name	Description
course_id * required string(\$uuid) (path)	course_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET

/api/v1/admin/dashboard

Admin Dashboard



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links

Admin

[GET](#)

/api/v1/admin/analytics/export Export Analytics Pdf



Parameters

[Try it out](#)

Name	Description
period string (query)	Report period (monthly, weekly) Default value : monthly monthly
lang string (query)	Language for report Default value : en en

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/api/v1/admin/majors

List Majors



Parameters

Try it out

Name	Description
department_id string (string null)(\$uuid) (query)	department_id
level string (string null) (query)	level
include_archived	Default value : false

Name

Description

boolean

(query)

false

▼

Responses

Code

Description

Links

200

Successful Response

Media type

application/json

▼

Controls Accept header.

Example Value

Schema

[
 {
 "id": "string",
 "name": "string",
 "department_id": "string",
 "level": "string",
 "created_at": "string",
 "is_deleted": true
 }
]

422

Validation Error

Media type

application/json

▼

Example Value

Schema

{
 "detail": [
 {
 "loc": [
 "string",
 0
],
 "msg": "string",
 "type": "string",
 "input": "string",
 "ctx": {}
 }
]
}

POST	/api/v1/admin/majors	Create Major	🔒 ⤴
Parameters			Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{
  "name": "string",
  "department_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "level": "string"
}
```

Responses

Code	Description	Links
201	Successful Response	No links

Media type

application/json

▼

Controls Accept header.

Example Value | Schema

```
{
  "id": "string",
  "name": "string",
  "department_id": "string",
  "level": "string",
  "created_at": "string",
  "is_deleted": true
}
```

Code	Description	Links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

PATCH

/api/v1/admin/majors/{major_id}

Update Major



Parameters

Try it out

Name

Description

major_id * required

string(\$uuid)

(path)

major_id

Request body required

application/json

Example Value | Schema

```
{  "name": "string",  "department_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",  "level": "string",  "is_deleted": true}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "id": "string", "name": "string", "department_id": "string", "level": "string", "created_at": "string", "is_deleted": true }</pre>	No links
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

DELETE

/api/v1/admin/majors/{major_id} Delete Major

🔒 ⤴

Parameters

Try it out

Name	Description
major_id * required string(\$uuid) (path)	major_id

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/admin/departments List Departments



Parameters

Try it out

Name	Description
------	-------------

include_archived boolean (query)	Default value : false false
--	--------------------------------

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>[{ "additionalProp1": {} }]</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

POST

/api/v1/admin/departments

Create Department

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "name": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

PATCH

/api/v1/admin/departments/{department_id} Update Department



Parameters

Try it out

NameDescription

department_id * required
string(\$uuid)
(path)

department_id

Request body required

application/json

Example Value | Schema

```
{
  "name": "string",
  "is_deleted": true
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

DELETE

/api/v1/admin/departments/{department_id} Delete Department



Parameters

Try it out

Name

Description

department_id * required
string(\$uuid)
(path)

Responses

Code

Description

Links

200

Successful Response

No links

Media type

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422

Validation Error

No links

Media type

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

</api/v1/admin/catalog/courses> List Catalog Courses

Parameters

Try it out

Name	Description
include_archived boolean (query)	Default value : false false

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema [{ "additionalProp1": {} }]	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

POST

/api/v1/admin/catalog/courses Create Catalog Course



Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{
  "title": "string",
  "description": "string",
  "department_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "level": "string",
  "academic_year": "string",
  "major_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "filiere": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

▼

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

Code	Description	Links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

PATCH

/api/v1/admin/catalog/courses/{course_id}

Update Catalog Course

Parameters

Try it out

Name

Description

course_id * required

string(\$uuid)

(path)

course_id

Request body required

application/json

Example Value | Schema

```
{  "title": "string",  "description": "string",  "department_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",  "level": "string",  "academic_year": "string",  "is_deleted": true,  "major_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",  "filiere": "string"}
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
{ "additionalProp1": {} }		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

DELETE

/api/v1/admin/catalog/courses/{course_id}

Delete Catalog Course



Parameters

Try it out

Name	Description
course_id * required	
string(\$uuid)	
(path)	course_id

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/admin/establishments

List Establishments



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	
	application/json	

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>[{ "additionalProp1": {} }]</pre>	

DELETE	/api/v1/admin/users/{user_id}	Delete User	 
Parameters		<button>Try it out</button>	
Name	Description		
user_id * required string(\$uuid) (path)	user_id		
Responses			
Code	Description	Links	
200	Successful Response	No links	
	Media type application/json		
	Controls Accept header.		
	Example Value Schema		
	<pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre>		
422	Validation Error	No links	
	Media type application/json		
	Example Value Schema		
	<pre>{ "detail": [{ </pre>		

Code	Description	Links
	<pre>"loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Superadmin



GET	/api/v1/superadmin/establishments	List Establishments	
Parameters			Try it out
No parameters			
Responses			
Code	Description	Links	
200	Successful Response	No links	
Media type			
application/json			
Controls Accept header.			
Example Value Schema			
<pre>[{ "additionalProp1": {} }]</pre>			

POST	/api/v1/superadmin/establishments	Create Establishment	
Parameters			Try it out
No parameters			
Request body required			application/json

Example Value | Schema

```
{
  "name": "string",
  "domain": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json ▼

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH

/api/v1/superadmin/establishments/{establishment_id}/toggle-authorization
Toggle Establishment Authorization



Parameters

Try it out

Name	Description
establishment_id * required string(\$uuid) (path)	establishment_id

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

POST /api/v1/superadmin/admins Create Admin

Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{
  "full_name": "string",
  "email": "string",
  "password": "string",
  "establishment_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/api/v1/superadmin/dashboard/stats Get Dashboard Stats



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

GET

/api/v1/superadmin/users List Users



Parameters

Try it out

Name	Description
role string (string null) (query)	role
establishment_id string (string null)(\$uuid) (query)	establishment_id
is_active boolean (boolean null) (query)	
limit integer (query)	Default value : 20 20 maximum: 100 minimum: 1

Name

offset
integer
(query)

Default value : 0

0

minimum: 0

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema { "additionalProp1": {} }	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

GET

/api/v1/superadmin/establishments/{establishment_id}

Get Establishment



Parameters

Try it out

Name	Description
establishment_id * required string(\$uuid) (path)	establishment_id

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

PATCH

/api/v1/superadmin/establishments/{establishment_id}

Update Establishment

Parameters

Try it out

Name	Description
establishment_id * required string(\$uuid) (path)	establishment_id

Request body required

application/json

Example Value | Schema

```
{
  "name": "string",
  "domain": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Code	Description	Links
	<pre>} }</pre>	

DELETE

/api/v1/superadmin/establishments/{establishment_id}

Delete Establishment



Parameters

Try it out

Name	Description
establishment_id ★ required string(\$uuid) (path)	establishment_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Code	Description	Links
	<pre>}]</pre>	

PATCH

/api/v1/superadmin/users/{user_id}

Superadmin Update User



Parameters

Try it out

Name	Description
user_id * required string(\$uuid) (path)	user_id

Request body required

application/json

Example Value | Schema

```
{
  "full_name": "string",
  "role": "string",
  "is_active": true
}
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type application/json		

Code	Description	Links
	Example Value Schema	
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

DELETE

/api/v1/superadmin/users/{user_id}

Superadmin Delete User



Parameters

Try it out

Name	Description
user_id * required string(\$uuid) (path)	user_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json	No links

Code	Description	Links
	Example Value Schema	
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/superadmin/reports

List Reports



Parameters

Try it out

Name	Description
status string (string null) (query)	status
limit integer (query)	Default value : 20 20 maximum: 100 minimum: 1
offset integer (query)	Default value : 0 0 minimum: 0

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Code	Description	Links
	Example Value Schema	
	<pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	No links
	Media type application/json ▾	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

PATCH	/api/v1/superadmin/reports/{report_id}	Resolve Report	 
Parameters		Try it out	
Name	Description		
report_id * required string(\$uuid) (path)	report_id		
Request body required		application/json ▾	
Example Value Schema			
<pre>{ "action": "dismiss", "note": "string" }</pre>			
Responses			

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Users



DELETE /api/v1/users/me Delete My Account
Delete own account. This is a soft delete that marks the user as deleted.
Parameters Try it out
No parameters
Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>		

PATCH

/api/v1/users/me

Update Me



Parameters

Try it out

No parameters

Request body required

application/json ▼

Example Value | Schema

```
{
  "full_name": "string",
  "filiere": "string",
  "level": "string",
  "student_id": "string",
  "program": "string",
  "academic_year": "string",
  "date_of_birth": "2026-05-10",
  "gender": "string",
  "phone_number": "string",
  "address": "string",
  "preferred_language": "string",
  "profile_picture_url": "string",
  "onboarding_completed": true,
  "push_notifications_enabled": true,
  "email_digest_enabled": true,
  "notification_types": [
    "string"
  ],
  "is_rtl": true
}
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET

/api/v1/users/{user_id}/profile

Get Public Profile



Public profile without XP, badges, or gamified activity.

Parameters

Try it out

Name	Description
user_id * required string(\$uuid) (path)	user_id

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/users/me/profile Get My Profile



Current user's full profile (identical response shape).

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
{ "additionalProp1": {} }		

System



GET	/health Health Check	
Satisfies container orchestration health probes and frontend checks.		
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
"string"		

AIGoal ^ Collapse all **object**

A daily study goal suggested by the system or set by the user.

```
id* string uuid
description* string
is_completed* boolean
priority ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null
```

AccountStatus ^ Collapse all **string**

Enum ^ Collapse all **array**

```
#0="ACTIVE"
#1="PENDING_VERIFICATION"
#2="SUSPENDED"
```

AdminCreate ^ Collapse all **object**

```
full_name* string
email* string
password* string
establishment_id* string uuid
```

AnnotationCreateRequest ^ Collapse all **object**

```
document_version_id* string uuid
page_number* integer ≥ 1
x* number
y* number
content* string ≥ 1 characters
is_public ^ Collapse all boolean
  Default=true
```

AuthUserResponse ^ Collapse all **object**

```
id* string
email* string
role* string
```

```
full_name ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

filiere ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

level ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

niveau ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

student_id ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

program ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

academic_year ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

date_of_birth ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string date
    #1 null

gender ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

phone_number ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
```

```
address ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

preferred_language ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

profile_picture_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

onboarding_completed ^ Collapse all boolean
  Default=false

is_active* boolean

is_verified* boolean

status* ^ Collapse all string
  Enum ^ Collapse all array
    #0="ACTIVE"
    #1="PENDING_VERIFICATION"
    #2="SUSPENDED"

trust_score* integer

profile_completeness* integer

push_notifications_enabled ^ Collapse all boolean
  Default=true

email_digest_enabled ^ Collapse all boolean
  Default=false

notification_types ^ Collapse all array<string>
  Items string
  Default empty array

is_rtl ^ Collapse all boolean
  Default=false

establishment_id ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

verified_at ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string date-time
    #1 null

created_at* string date-time
```

username ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null

AutocompleteItem ^ Collapse all object

course_id* string
title* string
type ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null

Body_create_contribution_api_v1_contributions_post ^ Collapse all object

title* string
description ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null
course_id* string uuid
file* string media type: application/octet-stream

Body_create_contributor_request_api_v1_contributor_requests_post ^

Collapse all object
title* string
description ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null
course_id* string uuid
file* string media type: application/octet-stream

Body_upload_course_api_v1_courses_upload_post ^ Collapse all object

major_id* string uuid
course_id* string uuid
course_type ^ Collapse all string
Default="LECTURE"
language ^ Collapse all string

Default="FR"

academic_year* string

file* string media type: application/octet-stream

CanvasStateResponse ^ Collapse all object

component ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

props ^ Collapse all object

Additional properties allowed

CatalogCourseCreateRequest ^ Collapse all object

title* string

description ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

department_id* string uuid

level* string

academic_year* string

major_id ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string uuid

#1 null

filiere ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

CatalogCourseUpdateRequest ^ Collapse all object

title ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

description ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

department_id ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string **uuid**
#1 null

level ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null

academic_year ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null

is_deleted ^ Collapse all (boolean | null)
Any of ^ Collapse all (boolean | null)
#0 boolean
#1 null

major_id ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string **uuid**
#1 null

filiere ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null

ContextResponse ^ Collapse all **object**

course_id* string
context* string

ContributorRequestReviewRequest ^ Collapse all **object**

review_note ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null

CourseRecommendation ^ Collapse all **object**

A course recommended to the student based on their activity.

course_id* string **uuid**
title* string

progress_percentage* integer [0, 100]

thumbnail_url ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

CourseUpdateRequest ^ Collapse all object

title ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

description ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

academic_year ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

tags ^ Collapse all (array<string> | null)

Any of ^ Collapse all (array<string> | null)

#0 ^ Collapse all array<string>

Items string

#1 null

level ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

CreateMessageRequest ^ Collapse all object

content* string

CreateSessionRequest ^ Collapse all object

course_id* string

document_version_ids ^ Collapse all array<string>

Items string

CurriculumListResponse ^ Collapse all object

pillars* ^ Collapse all **array<object>**

Items ^ Collapse all **object**

- slug*** **string**
- number*** **integer**
- title*** **string**
- subtitle*** **string**
- description*** **string**

sota_available* **boolean**

DashboardProgress ^ Collapse all **object**

Aggregated study metrics for the student dashboard.

overall_completion_percentage ^ Collapse all **integer** **[0, 100]**

Overall course completion percentage across enrolled/active courses.

Default=0

active_streak_days ^ Collapse all **integer**

Current daily study streak count from userstreak table.

Default=0

today_study_minutes ^ Collapse all **integer**

Minutes spent studying today (from readingprogress or session logs).

Default=0

DepartmentCreateRequest ^ Collapse all **object**

name* **string**

DepartmentUpdateRequest ^ Collapse all **object**

name ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

- #0** **string**
- #1** **null**

is_deleted ^ Collapse all **(boolean | null)**

Any of ^ Collapse all **(boolean | null)**

- #0** **boolean**
- #1** **null**

DocumentAssetGenerateRequest ^ Collapse all **object**

asset_type* **string**

target_lang ^ Collapse all **string**

Default="fr"

profile ^ Collapse all **string**

Default="default"

force_regenerate ^ Collapse all **boolean**

Default=false

EstablishmentCreate ^ Collapse all **object**

name* **string**

domain* **string**

EstablishmentUpdate ^ Collapse all **object**

name ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

domain ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

FlashcardGenerateRequest ^ Collapse all **object**

course_id* **string** **uuid**

document_version_ids ^ Collapse all **array<string>**

Items **string** **uuid**

num_cards ^ Collapse all **integer** **[1, 20]**

Default=10

FlashcardReviewRequest ^ Collapse all **object**

rating* ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="AGAIN"

#1="HARD"

#2="GOOD"

#3="EASY"

ForgotPasswordRequest ^ Collapse all **object**

email* **string** **email**

HTTPValidationError ^ Collapse all **object**

detail ^ Collapse all **array<object>**

Items ^ Collapse all object

- loc* ^ Collapse all array<(string | integer)>
 - Items ^ Collapse all (string | integer)
 - Any of ^ Collapse all (string | integer)
 - #0 string
 - #1 integer
- msg* string
- type* string
- input any
- ctx object

InstantCourseResult ^ Collapse all object

- course_id* string
- title* string
- level* string
- department_name* string
- academic_year* string
- description* string

LearningPathRequest ^ Collapse all object

- goal* string
- course_ids ^ Collapse all array<string>
 - Items string
 - Default empty array
- available_hours_per_week ^ Collapse all integer ≥ 1
 - Default=5

LessonResponse ^ Collapse all object

- slug* string
- title* string
- content* string
- prev_slug ^ Collapse all (string | null)
 - Any of ^ Collapse all (string | null)
 - #0 string
 - #1 null
- next_slug ^ Collapse all (string | null)
 - Any of ^ Collapse all (string | null)
 - #0 string
 - #1 null

LoginRequest ^ Collapse all object

email* string email

password* string ≥ 8 characters

LoginResponse ^ Collapse all object

accessToken* string

refreshToken* string

user* ^ Collapse all object

id* string

email* string

role* string

full_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

filiere ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

level ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

niveau ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

student_id ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

program ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

academic_year ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

```
date_of_birth ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string date
    #1 null

gender ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

phone_number ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

address ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

preferred_language ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

profile_picture_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

onboarding_completed ^ Collapse all boolean
  Default=false

is_active* boolean

is_verified* boolean

status* ^ Collapse all string
  Enum ^ Collapse all array
    #0="ACTIVE"
    #1="PENDING_VERIFICATION"
    #2="SUSPENDED"

trust_score* integer

profile_completeness* integer

push_notifications_enabled ^ Collapse all boolean
  Default=true

email_digest_enabled ^ Collapse all boolean
  Default=false

notification_types ^ Collapse all array<string>
  Items string
```

Default **empty array**

is_rtl ^ Collapse all **boolean**

Default=false

establishment_id ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

verified_at ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string** **date-time**

#1 **null**

created_at* **string** **date-time**

username ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

MajorCreate ^ Collapse all **object**

name* **string**

department_id* **string** **uuid**

level* **string**

MajorOut ^ Collapse all **object**

id* **string**

name* **string**

department_id* **string**

level* **string**

created_at* **string**

is_deleted ^ Collapse all **(boolean | null)**

Any of ^ Collapse all **(boolean | null)**

#0 **boolean**

#1 **null**

MajorUpdate ^ Collapse all **object**

name ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

department_id ^ Collapse all **(string | null)**

Any of $\wedge$ Collapse all (string | null)

#0 string **uuid**

#1 null

level $\wedge$ Collapse all (string | null)

Any of $\wedge$ Collapse all (string | null)

#0 string

#1 null

is_deleted $\wedge$ Collapse all (boolean | null)

Any of $\wedge$ Collapse all (boolean | null)

#0 boolean

#1 null

MessageListResponse $\wedge$ Collapse all **object**

items* $\wedge$ Collapse all **array<object>**

Items $\wedge$ Collapse all **object**

id* string

role* string

content* string

created_at* string **date-time**

sources $\wedge$ Collapse all **array<object>**

Items $\wedge$ Collapse all **object**

Additional properties allowed

Default empty array

meta* $\wedge$ Collapse all **object**

total* integer

limit* integer

offset* integer

has_more* boolean

MessageResponse $\wedge$ Collapse all **object**

id* string

role* string

content* string

created_at* string **date-time**

sources $\wedge$ Collapse all **array<object>**

Items $\wedge$ Collapse all **object**

Additional properties allowed

Default empty array

MindMapGenerateRequest ^ Collapse all object

```
course_id* string uuid

document_version_ids ^ Collapse all array<string>
  Items string uuid

target_lang ^ Collapse all string
  Default="fr"
```

NotificationItem ^ Collapse all object

```
id* string
title* string
message* string
is_read* boolean
contribution_id ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
created_at* any
```

NotificationListResponse ^ Collapse all object

```
items* ^ Collapse all array<object>
  Items ^ Collapse all object
    id* string
    title* string
    message* string
    is_read* boolean
    contribution_id ^ Collapse all (string | null)
      Any of ^ Collapse all (string | null)
        #0 string
        #1 null
    created_at* any
  meta* ^ Collapse all object
    total* integer
    limit* integer
    offset* integer
    has_more* boolean
```

OTPPurpose ^ Collapse all string

```
Enum ^ Collapse all array
  #0="ACCOUNT_ACTIVATION"
```

#1="TEACHER_ONBOARDING"

#2="PASSWORD_RESET"

PageMeta ^ Collapse all object

total* integer

limit* integer

offset* integer

has_more* boolean

PillarInfo ^ Collapse all object

slug* string

number* integer

title* string

subtitle* string

description* string

QuizGenerateRequest ^ Collapse all object

course_id* string uuid

document_version_ids ^ Collapse all array<string>

Items string uuid

num_questions ^ Collapse all integer [1, 15]

Default=10

QuizSubmitRequest ^ Collapse all object

answers* ^ Collapse all object

Additional properties string

RefreshResponse ^ Collapse all object

accessToken* string

RegisterRequest ^ Collapse all object

email* string email

password* string ≥ 8 characters

full_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

role ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="STUDENT"

#1="TEACHER"

#2="ADMIN"

#3="SUPERADMIN"

Default="STUDENT"

filiere ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

level ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **StudentLevel** > Expand all **string**

#1 **null**

niveau ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **StudentLevel** > Expand all **string**

#1 **null**

establishment_id ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

RegistrationDepartmentOption ^ Collapse all **object**

id* **string**

name* **string**

establishment_id* **string**

RegistrationMajorOption ^ Collapse all **object**

id* **string**

name* **string**

department_id* **string**

level* **string**

RegistrationOptionsResponse ^ Collapse all **object**

universities* ^ Collapse all **array<object>**

Items ^ Collapse all **object**

id* **string**

```
    name* string
    domain* string
    is_authorized* boolean
    created_at* string date-time

departments* ^ Collapse all array<object>
  Items ^ Collapse all object
    id* string
    name* string
    establishment_id* string

levels* ^ Collapse all array<string>
  Items string

majors* ^ Collapse all array<object>
  Items ^ Collapse all object
    id* string
    name* string
    department_id* string
    level* string
```

RegistrationUniversityOption ^ Collapse all object

```
id* string
name* string
domain* string
is_authorized* boolean
created_at* string date-time
```

ReportCreateRequest ^ Collapse all object

```
type* string
title* string
description* string
severity ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

screenshot_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
```

ResendOtpRequest ^ Collapse all object

email* **string** **email**

purpose ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="ACCOUNT_ACTIVATION"

#1="TEACHER_ONBOARDING"

#2="PASSWORD_RESET"

Default="ACCOUNT_ACTIVATION"

ResetPasswordRequest ^ Collapse all **object**

email* **string** **email**

otp_code* **string** **6 characters**

password* **string** **≥ 8 characters**

ResolveReportRequest ^ Collapse all **object**

action ^ Collapse all **string**

Default="dismiss"

note ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

ReviewButton ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="AGAIN"

#1="HARD"

#2="GOOD"

#3="EASY"

SearchResponse ^ Collapse all **object**

items* ^ Collapse all **array<object>**

Items ^ Collapse all **object**

document_version_id* **string**

course_id ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

title* **string**

teacher_name ^ Collapse all **(string | null)**

```
Any of ^ Collapse all (string | null)
  #0 string
  #1 null

is_official ^ Collapse all boolean
  Default=false

quality_score ^ Collapse all (number | null)
  Any of ^ Collapse all (number | null)
    #0 number
    #1 null
  Default=0

snippet* string

tags ^ Collapse all array<string>
  Items string

filiere ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

level ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

academic_year ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

course_type ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

language ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

rrf_score* number

page* integer

limit* integer

total* integer
```

```
SearchResultItem ^ Collapse all object
```

```
  document_version_id* string
```

```
course_id ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
title* string
teacher_name ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
is_official ^ Collapse all boolean
  Default=false
quality_score ^ Collapse all (number | null)
  Any of ^ Collapse all (number | null)
    #0 number
    #1 null
  Default=0
snippet* string
tags ^ Collapse all array<string>
  Items string
filiere ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
level ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
academic_year ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
course_type ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
language ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
rrf_score* number
```

SessionResponse ^ Collapse all object

```
id* string
course_id* string
message_count* integer
created_at* string date-time
document_count* integer
```

SmartOverviewResponse ^ Collapse all object

Complete student dashboard overview payload.

greeting* ^ Collapse all string
Personalised welcome message (e.g., 'Welcome back, Alice!')

progress* ^ Collapse all object
Aggregated study metrics for the student dashboard.

overall_completion_percentage ^ Collapse all integer [0, 100]
Overall course completion percentage across enrolled/active courses.
Default=0

active_streak_days ^ Collapse all integer
Current daily study streak count from userstreak table.
Default=0

today_study_minutes ^ Collapse all integer
Minutes spent studying today (from readingprogress or session logs).
Default=0

daily_goals* ^ Collapse all array<object>

Items ^ Collapse all object
A daily study goal suggested by the system or set by the user.

```
id* string uuid
description* string
is_completed* boolean
priority ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null
```

recommended_courses* ^ Collapse all array<object>

Items ^ Collapse all object
A course recommended to the student based on their activity.

```
course_id* string uuid
title* string
progress_percentage* integer [0, 100]
thumbnail_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
```

```

#1 null

weak_topics* ^ Collapse all array<object>
  Items ^ Collapse all object
  A topic where the student has low accuracy, identified from quiz results.
  topic_name* string
  accuracy_percentage* integer [0, 100]
  suggested_action* string

suggested_flashcards* ^ Collapse all array<object>
  Items ^ Collapse all object
  A flashcard deck with due cards, suggested for review.
  deck_id* string uuid
  title* string
  due_cards_count* integer

weekly_activity ^ Collapse all (array<object> | null)
  Any of ^ Collapse all (array<object> | null)
    #0 ^ Collapse all array<object>
      Items ^ Collapse all object
      Aggregated study activity for a single day.
      day* string
      activities* integer
    #1 null

```

StudentLevel ^ Collapse all string

Enum ^ Collapse all array

```

#0="L1"
#1="L2"
#2="L3"
#3="M1"
#4="M2"
#5="Doctorat"

```

SuggestedFlashcardDeck ^ Collapse all object

A flashcard deck with due cards, suggested for review.

```

deck_id* string uuid
title* string
due_cards_count* integer

```

SummaryGenerateRequest ^ Collapse all object

```

course_id* string uuid
document_version_ids ^ Collapse all array<string>

```

Items **string** **uuid**

format_type **^** Collapse all **string**

Default="EXECUTIVE"

target_lang **^** Collapse all **string**

Default="fr"

TeacherActivationRequest **^** Collapse all **object**

token* **string** **≥ 32 characters**

password* **string** **≥ 8 characters**

TeacherRequestCreate **^** Collapse all **object**

email* **string** **email**

password* **string** **≥ 8 characters**

full_name **^** Collapse all **(string | null)**

Any of **^** Collapse all **(string | null)**

#0 **string**

#1 **null**

department* **string** **[2, 120] characters**

TutorStreamRequest **^** Collapse all **object**

course_id* **string**

message* **string**

UserRole **^** Collapse all **string**

Enum **^** Collapse all **array**

#0="STUDENT"

#1="TEACHER"

#2="ADMIN"

#3="SUPERADMIN"

ValidationError **^** Collapse all **object**

loc* **^** Collapse all **array<(string | integer)>**

Items **^** Collapse all **(string | integer)**

Any of **^** Collapse all **(string | integer)**

#0 **string**

#1 **integer**

msg* **string**

type* **string**

input any
ctx object

VerifyOtpRequest ^ Collapse all object

email* string email
otp_code* string 6 characters
purpose ^ Collapse all string
Enum ^ Collapse all array
#0="ACCOUNT_ACTIVATION"
#1="TEACHER_ONBOARDING"
#2="PASSWORD_RESET"
Default="ACCOUNT_ACTIVATION"

WeakTopic ^ Collapse all object

A topic where the student has low accuracy, identified from quiz results.

topic_name* string
accuracy_percentage* integer [0, 100]
suggested_action* string

WeeklyActivityData ^ Collapse all object

Aggregated study activity for a single day.

day* string
activities* integer

UserUpdateRequest ^ Collapse all object

full_name ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null
role ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
#0 string
#1 null
is_active ^ Collapse all (boolean | null)
Any of ^ Collapse all (boolean | null)
#0 boolean
#1 null

UserUpdateRequest ^ Collapse all object

full_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

filiere ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

level ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

student_id ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

program ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

academic_year ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

date_of_birth ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string date

#1 null

gender ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

phone_number ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

address ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

```
#1 null

preferred_language ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

profile_picture_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

onboarding_completed ^ Collapse all (boolean | null)
  Any of ^ Collapse all (boolean | null)
    #0 boolean
    #1 null

push_notifications_enabled ^ Collapse all (boolean | null)
  Any of ^ Collapse all (boolean | null)
    #0 boolean
    #1 null

email_digest_enabled ^ Collapse all (boolean | null)
  Any of ^ Collapse all (boolean | null)
    #0 boolean
    #1 null

notification_types ^ Collapse all (array<string> | null)
  Any of ^ Collapse all (array<string> | null)
    #0 ^ Collapse all array<string>
      Items string
    #1 null

is_rtl ^ Collapse all (boolean | null)
  Any of ^ Collapse all (boolean | null)
    #0 boolean
    #1 null
```