



PensionApp ERD Reference

UPS PensionsGo

Current full-schema ERD reference generated from database/schema.sql.

Audience	Developers, analysts, DBAs, and support engineers
Document version	1.0
Status	Draft for Review
Classification	Internal Use
Repository snapshot date	2026-05-28
Document owner	Engineering and Data Architecture
Prepared by	OpenAI Codex

Document Control

Field	Value
Document title	PensionApp ERD Reference
Source markdown	erd.md
Audience	Developers, analysts, DBAs, and support engineers
Classification	Internal Use
Version	1.0
Status	Draft for Review
Snapshot date	2026-05-28
Prepared by	OpenAI Codex
Document owner	Engineering and Data Architecture

Revision History

Version	Date	Summary	Author	Approval Status
1.1	2026-05-28	ERD reference regenerated from the maintained schema and exported to Word/PDF.	OpenAI Codex	Pending

Approval and Sign-Off

Use this page during review and handover to record document acceptance, ownership, and the latest approval state.

Role	Name / Team	Signature	Date
Prepared by	Project Documentation / Engineering		
Reviewed by	Technical Lead / Operations Lead		
Approved by	Project Sponsor / Head of Pensions		

Table of Contents

Note: If the contents do not populate immediately, open the document in Word and update fields.

Generated from database/schema.sql on 2026-05-28.

Complete schema view covering every table currently defined in database/schema.sql. Mermaid types are normalized for readability while column names and relationship paths remain schema-accurate.

- Tables: 83
- Relationships shown: 85

Tables Covered

- tb_analytics_digest_runs
- tb_analytics_snapshots
- tb_application_queue
- tb_appnstatus
- tb_appnsubmissions
- tb_app_settings
- tb_arrearstracking
- tb_arrears_accountability_files
- tb_arrears_accountability_submissions
- tb_arrears_ledger
- tb_arrears_payments
- tb_arrears_payment_allocations
- tb_audit_logs
- tb_backup_logs
- tb_broadcast_messages
- tb_budgetforecast
- tb_claimstatus
- tb_data_export_runs
- tb_data_import_runs
- tb_faq_entries
- tb_feedback_activity
- tb_feedback_submissions
- tb_fileregistry
- tb_file_movements
- tb_file_registry_delete_requests
- tb_file_registry_recycle_bin
- tb_file_scan_logs
- tb_gratuity_schedule_allocations
- tb_gratuity_schedule_cycles
- tb_gratuity_schedule_entries
- tb_ip_geolocation
- tb_lifecertificates

- tb_life_certificate_submissions
- tb_messages
- tb_message_attachments
- tb_message_recipients
- tb_message_storage_snapshots
- tb_notification_digest_runs
- tb_notification_queue
- tb_payrolls
- tb_pensioner_death_reports
- tb_payroll_arrears
- tb_payroll_audit_logs
- tb_payroll_gratuity
- tb_payroll_pension
- tb_payroll_suspended
- tb_payroll_upload_cycles
- tb_payroll_upload_entries
- tb_podcast_videos
- tb_podcast_views
- tb_poldistricts
- tb_pridistricts
- tb_priregions
- tb_priunits
- tb_registry_payroll_monthly_status
- tb_retained_payments
- tb_roles
- tb_role_permissions
- tb_session_metrics
- tb_session_settings
- tb_staffdue
- tb_staff_documents
- tb_staff_due_delete_requests
- tb_suspension_upload_cycles
- tb_suspension_upload_entries
- tb_system_logs
- tb_system_log_resolutions
- tb_tasks
- tb_task_alerts
- tb_task_comments
- tb_task_completion_queue
- tb_task_delegation_logs
- tb_workflow_logs
- tb_terms_clauses
- tb_titles
- tb_banks

- tb_uganda_public_holidays
- tb_users
- tb_user_broadcast_status
- tb_user_logs
- tb_user_permissions
- tb_user_sessions
- tb_user_settings

Mermaid ERD

erDiagram

```

tb_analytics_digest_runs {
    bigint digest_id PK
    date digest_date
    string run_type
    string digest_frequency
    string recipient
    string subject
    string status
    text summary_json
    text notes
    string created_by
    string created_by_name
    string created_by_role
    datetime created_at
}
tb_analytics_snapshots {
    bigint snapshot_id PK
    string snapshot_type
    text snapshot_payload
    datetime created_at
}
tb_application_queue {
    int queue_id PK
    int staffdue_id FK
    string regNo
    string current_stage
    string status
    string verified_by FK
    datetime verified_at
    string submitted_by FK
    datetime submitted_at
    text notes
    timestamp updated_at
}
tb_appnstatus {
    int id PK
    string regNo FK
    string computerNo
    string verification
    string writeUp
    string fileCreation
    string entrantAllocation
    string dataCapture
    string assessment

```

```

string audit
string approval
string payrollAccess
text other
timestamp timeStamp
datetime verification_at
string verification_by
text verification_comment
datetime writeUp_at
string writeUp_by
text writeUp_comment
datetime fileCreation_at
string fileCreation_by
text fileCreation_comment
datetime entrantAllocation_at
string entrantAllocation_by
text entrantAllocation_comment
datetime dataCapture_at
string dataCapture_by
text dataCapture_comment
datetime assessment_at
string assessment_by
text assessment_comment
datetime audit_at
string audit_by
text audit_comment
datetime approval_at
string approval_by
text approval_comment
}
tb_appnsubmissions {
  int id PK
  string regNo FK
  string title
  string sName
  string fName
  string appnType
  string contact
  text address
  date retirementDate
  string retirementType
  date submissionDate
  text comment
}
tb_app_settings {
  string setting_key PK
  text setting_value
  timestamp updated_at
}
tb_arrearstracking {
  int id PK
  string regNo
  string arrearsType
  decimal amount
  date periodStart
  date periodEnd

```


PensionApp ERD Reference

```
    timestamp recordedAt
    string recordedBy FK
}
tb_arrears_accountability_files {
    int file_id PK
    int submission_id FK
    string file_name
    string file_path
    string mime_type
    int file_size
    timestamp created_at
}
tb_arrears_accountability_submissions {
    int submission_id PK
    string regNo FK
    string claim_type
    int payment_id FK
    string status
    text notes
    string submitted_by FK
    timestamp submitted_at
}
tb_arrears_ledger {
    int ledger_id PK
    string regNo FK
    string claim_type
    int period_year
    int period_month
    string financial_year_label
    string quarter_label
    decimal expected_amount
    decimal paid_amount
    decimal balance_amount
    string status
    string source_type
    int reference_cycle_id
    string reason
    text notes
    string recorded_by FK
    timestamp recorded_at
    timestamp updated_at
    datetime settled_at
    bool accountability_required
    string accountability_status
    string claim_status
}
tb_arrears_payments {
    int payment_id PK
    string regNo FK
    string claim_type
    decimal amount
    decimal applied_amount
    decimal unapplied_amount
    date payment_date
    string reference_no
    text notes
```

PensionApp ERD Reference

```
string recorded_by FK
timestamp created_at
string payment_financial_year_label
bool accountability_required
string accountability_status
datetime accountability_submitted_at
int latest_submission_id FK
}
tb_arrears_payment_allocations {
  int allocation_id PK
  int payment_id FK
  int ledger_id FK
  string regNo
  string claim_type
  decimal applied_amount
  string accrual_financial_year_label
  string payment_financial_year_label
  bool requires_accountability
  string accountability_status
  int accountability_submission_id FK
  datetime accountability_submitted_at
  timestamp created_at
}
tb_audit_logs {
  int audit_id PK
  string actor_id
  string actor_name
  string actor_role
  string action
  string entity_type
  string entity_id
  text details
  timestamp created_at
}
tb_backup_logs {
  int backup_id PK
  string backup_label
  string backup_type
  string backup_scope
  string file_name
  string file_path
  bigint file_size_bytes
  string checksum_sha256
  bool include_uploads
  timestamp backup_time
  string status
  text notes
  string created_by
  string created_by_name
  string created_by_role
  timestamp restored_at
  string restored_by
}
tb_broadcast_messages {
  int broadcast_id PK
  int message_id FK
```

PensionApp ERD Reference

```
    text target_roles
    bool is_active
    timestamp created_at
}
tb_budgetforecast {
    int id PK
    int financialYear
    decimal estimatedPensionAmount
    decimal estimatedGratuityAmount
    string createdBy FK
    timestamp createdAt
    decimal estimatedPensionArrears
    decimal estimatedFullPensionArrears
    decimal estimatedGratuityArrears
    decimal estimatedUnderpaymentClaims
    decimal estimatedSuspensionArrears
    text notes
}
tb_claimstatus {
    int id PK
    string regNo
    string computerNo
    string supplierNo
    string appnType
    date verificationDate
    string appnStatus
    text comment
}
tb_data_export_runs {
    int export_id PK
    string dataset_key
    string dataset_label
    string export_format
    string file_name
    string file_path
    bigint file_size_bytes
    text filters_json
    string status
    text notes
    timestamp created_at
    string created_by FK
    string created_by_name
    string created_by_role
}
tb_data_import_runs {
    int import_run_id PK
    string dataset_key
    string dataset_label
    string source_file_name
    string source_extension
    string execution_mode
    string run_status
    int total_rows
    int inserted_rows
    int merged_rows
    int skipped_exact_rows
```

```

    int conflict_rows
    int invalid_rows
    int failed_rows
    text report_json
    string created_by FK
    string created_by_name
    string created_by_role
    timestamp started_at
    timestamp completed_at
}
tb_faq_entries {
    int faq_id PK
    string question
    text answer
    text bullets
    string category
    string audience_label
    bool is_featured
    int sort_order
    bool is_active
    timestamp created_at
    timestamp updated_at
}
tb_feedback_activity {
    int activity_id PK
    int submission_id FK
    string action
    string actor_id FK
    string actor_name
    string actor_role
    string from_status
    string to_status
    text note
    text field_changes
    timestamp created_at
}
tb_feedback_submissions {
    int submission_id PK
    string reference_no
    string feedback_type
    string audience
    string full_name
    string email_address
    string phone_number
    string subject
    text message
    string page_context
    string submitted_by_user_id FK
    string submitted_by_role
    string status
    timestamp submitted_at
    timestamp updated_at
    string priority
    string assigned_to_user_id FK
    string assigned_to_name
    string assigned_to_role

```

```

timestamp assigned_at
timestamp reviewed_at
string reviewed_by_user_id FK
string reviewed_by_name
string reviewed_by_role
timestamp resolved_at
string resolved_by_user_id FK
string resolved_by_name
string resolved_by_role
timestamp closed_at
string closed_by_user_id FK
string closed_by_name
string closed_by_role
text resolution_summary
}
tb_fileregistry {
  int id PK
  string computerNo
  string supplierNo
  string regNo
  string title
  string sName
  string fName
  string gender
  string livingStatus
  string lifeCertificate
  string boxNo
  date birthDate
  date enlistmentDate
  date retirementDate
  string retirementType
  string TIN
  string NIN
  text address
  string payrollStatus
  string payType
  date dateOn15yrs
  string periodTo15yrs
  string periodFrom15yrs
  date dateOfDeath
  date deathNotificationDate
  string deathNotifierName
  string deathNotifierContact
  date estateExpiryDate
  string estateStatus
  timestamp timeStamp
  text other
  string availability_status
  text availability_reason
  string telNo
  string applicant_email
  string next_of_kin
  string next_of_kin_contact
  string bank_name
  string bank_account
  string bank_branch

```

PensionApp ERD Reference

```
bool lookup_contact_opt_in
datetime lookup_contact_updated_at
decimal monthlySalary
int lengthOfService
decimal annualSalary
decimal reducedPension
decimal fullPension
decimal gratuity
bool is_deleted
datetime deleted_at
string deleted_by
string deleted_by_name
string deleted_by_role
text delete_reason
bool workflow_auto_arrears_enabled
datetime workflow_auto_arrears_enabled_at
string workflow_auto_arrears_source
}
tb_file_movements {
  int movement_id PK
  string regNo
  int file_id FK
  string from_office
  string to_office
  text reason
  string delivered_by
  string received_by
  datetime moved_at
  datetime expected_return_at
  datetime returned_at
}
tb_file_registry_delete_requests {
  int request_id PK
  int registry_id FK
  string regNo
  string requested_by FK
  string requested_by_name
  string requested_by_role
  text reason
  string status
  string processed_by FK
  string processed_by_name
  string processed_by_role
  text processed_note
  timestamp created_at
  datetime processed_at
  string staff_name
  string staff_title
}
tb_file_registry_recycle_bin {
  int recycle_id PK
  int registry_id FK
  string regNo
  string staff_name
  string staff_title
  int delete_request_id FK
```

```

text delete_reason
string deleted_by FK
string deleted_by_name
string deleted_by_role
timestamp deleted_at
text record_snapshot
bool restored
string restored_by FK
string restored_by_name
string restored_by_role
datetime restored_at
}
tb_file_scan_logs {
  bigint scan_id PK
  string storage_context
  string file_name
  string file_path
  string file_hash
  string mime_type
  string scan_engine
  string scan_status
  text findings
  string scanned_by
  string scanned_by_name
  string scanned_by_role
  datetime scanned_at
}
tb_gratuity_schedule_allocations {
  int allocation_id PK
  int cycle_id FK
  int entry_id FK
  string matched_regNo
  int ledger_id FK
  int period_year
  int period_month
  string claim_type
  decimal allocated_amount
  decimal monthly_pension_amount
  string allocation_status
  string note
  timestamp created_at
}
tb_gratuity_schedule_cycles {
  int cycle_id PK
  int schedule_year
  int schedule_month
  string financial_year_label
  string quarter_label
  string uploaded_by FK
  string source_file
  string source_file_original_name
  string source_file_mime
  text notes
  int total_rows
  int matched_rows
  int unmatched_rows

```

PensionApp ERD Reference

```
int exact_gratuity_rows
int partial_gratuity_rows
int small_surplus_rows
int pension_arrears_rows
int review_rows
decimal total_scheduled_amount
decimal total_gratuity_component
decimal total_small_surplus_amount
decimal total_pension_surplus_amount
decimal total_allocated_pension_amount
decimal total_unallocated_amount
decimal total_remaining_arrears_amount
timestamp created_at
bool is_deleted
}
tb_gratuity_schedule_entries {
  int entry_id PK
  int cycle_id FK
  int row_number
  string regNo
  string supplierNo
  string beneficiary_name
  decimal scheduled_amount
  string matched_regNo
  int matched_registry_id FK
  string matched_name
  decimal registry_gratuity_estimate
  decimal latest_monthly_pension
  string monthly_pension_source
  decimal open_pension_arrears_amount
  int open_pension_arrears_months
  decimal gratuity_component_amount
  decimal pension_surplus_amount
  decimal small_surplus_amount
  decimal allocated_pension_amount
  int scheduled_full_months
  int allocated_months
  int unallocated_scheduled_months
  decimal unallocated_scheduled_amount
  int remaining_arrears_months
  decimal remaining_arrears_amount
  string classification
  string matching_basis
  string analysis_note
  text raw_payload
  bool is_matched
  timestamp created_at
}
tb_ip_geolocation {
  string ip_address PK
  string city
  string region
  string country
  string country_code
  decimal latitude
  decimal longitude
}
```



```

    string timezone
    string org
    string asn
    string location_label
    text raw_json
    timestamp last_lookup
}
tb_lifecertificates {
    int id PK
    string computerNo
    string regNo
    string sName
    string fName
    string nextOfKin
    string nokContact
    timestamp timeStamp
}
tb_life_certificate_submissions {
    int submission_id PK
    string regNo FK
    int submission_year
    string status
    datetime submitted_at
    string submitted_by FK
    text notes
    timestamp created_at
    timestamp updated_at
}
tb_messages {
    int message_id PK
    string sender_id FK
    string subject
    text message_text
    string message_type
    int parent_message_id FK
    bool is_urgent
    timestamp created_at
    timestamp updated_at
    bool is_deleted
    bool is_deleted_by_sender
    timestamp deleted_by_sender_at
}
tb_message_attachments {
    int attachment_id PK
    int message_id FK
    string file_name
    string file_path
    int file_size
    string mime_type
    timestamp uploaded_at
    string file_hash
    bool is_compressed
}
tb_message_recipients {
    int recipient_id PK
    int message_id FK

```

PensionApp ERD Reference

```
    string recipient_user_id FK
    bool is_read
    timestamp read_at
    bool is_deleted
    timestamp deleted_at
    timestamp created_at
}
tb_message_storage_snapshots {
    bigint snapshot_id PK
    date snapshot_date
    string snapshot_type
    string status
    string file_name
    string file_path
    bigint file_size_bytes
    int message_count
    int attachment_count
    bigint total_storage_bytes
    text notes
    string created_by
    string created_by_name
    string created_by_role
    datetime created_at
}
tb_notification_digest_runs {
    bigint digest_id PK
    date digest_date
    string run_type
    string recipient
    string subject
    string status
    text summary_json
    text notes
    string created_by
    string created_by_name
    string created_by_role
    datetime created_at
}
tb_notification_queue {
    int notification_id PK
    string channel
    string recipient
    string subject
    text message
    string status
    text meta
    timestamp created_at
    int attempts
    datetime processing_started_at
    datetime last_attempted_at
    datetime sent_at
    datetime failed_at
    text last_error
    string provider_reference
}
tb_payrolls {
```

```

    int id PK
    int payrollYear
    int payrollMonth
    string record_type
    text file_path
    string uploaded_by FK
    timestamp uploaded_at
}
tb_pensioner_death_reports {
    int report_id PK
    int registry_id FK
    string regNo
    date date_of_death
    string notifier_name
    string notifier_contact
    date notification_date
    text notes
    string recorded_by
    string recorded_by_name
    string recorded_by_role
    timestamp created_at
    timestamp updated_at
}
tb_payroll_arrears {
    int id PK
    int payrollYear
    int payrollMonth
    string supplierNo
    decimal amount
    string status
}
tb_payroll_audit_logs {
    int audit_id PK
    int cycle_id FK
    string action
    string actor_user_id FK
    string actor_role
    string ip_address
    text details
    timestamp created_at
}
tb_payroll_gratuity {
    int id PK
    int payrollYear
    int payrollMonth
    string supplierNo
    decimal amount
    string status
}
tb_payroll_pension {
    int id PK
    int payrollYear
    int payrollMonth
    string supplierNo
    decimal amount
    string status
}

```

```

}
tb_payroll_suspended {
    int id PK
    int payrollYear
    int payrollMonth
    string supplierNo
    decimal amount
    string status
}
tb_payroll_upload_cycles {
    int cycle_id PK
    int payroll_year
    int payroll_month
    string financial_year_label
    string quarter_label
    string uploaded_by FK
    string source_file
    text notes
    timestamp created_at
    string source_file_original_name
    string source_file_mime
    string payment_register_file
    string payment_register_original_name
    string payment_register_mime
    bool is_deleted
    string deleted_by FK
    datetime deleted_at
}
tb_payroll_upload_entries {
    int entry_id PK
    int cycle_id FK
    string supplierNo
    string beneficiary_name
    decimal amount
    string matched_regNo
    int matched_registry_id FK
    bool is_matched
    timestamp created_at
}
tb_podcast_videos {
    int podcast_id PK
    string title
    text description
    string audience
    string youtube_url
    string youtube_id
    text tags
    bool is_featured
    bool is_published
    int sort_order
    string created_by
    string updated_by
    timestamp created_at
    timestamp updated_at
}
tb_podcast_views {

```

```

    int view_id PK
    int podcast_id FK
    string viewer_id FK
    string viewer_role
    string session_id
    timestamp viewed_at
}
tb_poldistricts {
    int Id PK
    text polDistrict
    text polRegion
}
tb_pridistricts {
    int Id PK
    text priDistrict
    text priRegion
}
tb_priregions {
    int Id PK
    text priRegion
}
tb_priunits {
    int Id PK
    text priUnit
    text polDistrict
    text priDistrict
    text priRegion
    text polRegion
}
tb_registry_payroll_monthly_status {
    int status_id PK
    string regNo
    int payroll_year
    int payroll_month
    string financial_year_label
    string quarter_label
    string payroll_status
    decimal amount
    string supplierNo
    int cycle_id FK
    timestamp updated_at
}
tb_retained_payments {
    int id PK
    string supplierNo
    date month
    decimal retainedAmount
    string recorded_by FK
    timestamp recorded_at
}
tb_roles {
    string role_key PK
    string role_label
    text role_description
    string clone_from_role FK
    bool is_active

```

```

    bool is_system
    timestamp created_at
    timestamp updated_at
}
tb_role_permissions {
    int role_permission_id PK
    string role_key FK
    string permission_key
    bool is_allowed
    text notes
    string updated_by
    timestamp created_at
    timestamp updated_at
}
tb_session_metrics {
    int metric_id PK
    timestamp metric_time
    int active_sessions
    int concurrent_conflicts
    int avg_session_duration
    int timeout_errors
    int network_errors
    int grace_period_uses
    int device_conflicts
    int successful_logins
    int failed_logins
}
tb_session_settings {
    string user_id PK, FK
    int max_concurrent_sessions
    int session_timeout
    bool allow_multiple_devices
    bool auto_logout_on_conflict
    int inactivity_warning_minutes
    int grace_period_minutes
    timestamp created_at
    timestamp updated_at
}
tb_staffdue {
    int id PK
    string regNo
    string computerNo
    string title
    string sName
    string fName
    string gender
    string prisonUnit
    text NIN
    string telNo
    date birthDate
    date enlistmentDate
    date retirementDate
    text financialYear
    string retirementType
    decimal monthlySalary
    int lengthOfService

```

PensionApp ERD Reference

```
decimal annualSalary
decimal reducedPension
decimal fullPension
decimal gratuity
string submissionStatus
string appnStatus
datetime submission_at
string submission_by
datetime appn_status_at
string appn_status_by
text appn_status_reason
text address
string TIN
string next_of_kin
string next_of_kin_contact
string bank_name
string bank_account
string bank_branch
string applicant_email
bool documents_uploaded
string livingStatus
string payType
bool is_deleted
datetime deleted_at
string deleted_by
string deleted_by_name
string deleted_by_role
text delete_reason
timestamp timeStamp
}
tb_staff_documents {
  int document_id PK
  int staffdue_id FK
  string regNo
  string doc_type
  string file_name
  string file_path
  int file_size
  string mime_type
  string uploaded_by FK
  timestamp uploaded_at
  string file_hash
  bool is_archived
  datetime archived_at
}
tb_staff_due_delete_requests {
  int request_id PK
  int staffdue_id FK
  string regNo
  string staff_name
  string staff_title
  string requested_by FK
  string requested_by_name
  string requested_by_role
  text reason
  string status
```

```

    string processed_by FK
    string processed_by_name
    string processed_by_role
    text processed_note
    timestamp created_at
    datetime processed_at
}
tb_suspension_upload_cycles {
    int suspension_cycle_id PK
    int suspension_year
    int suspension_month
    string financial_year_label
    string quarter_label
    string uploaded_by FK
    string source_file
    string source_file_original_name
    string source_file_mime
    text notes
    bool is_deleted
    timestamp created_at
    string reason_label
}
tb_suspension_upload_entries {
    int entry_id PK
    int suspension_cycle_id FK
    string regNo
    string supplierNo
    string beneficiary_name
    decimal amount
    string reason
    string matched_regNo
    int matched_registry_id
    bool is_matched
    timestamp created_at
}
tb_system_logs {
    bigint log_id PK
    string log_level
    string log_category
    string event_code
    text message
    text context_json
    string actor_id
    string actor_name
    string actor_role
    string ip_address
    datetime created_at
}
tb_system_log_resolutions {
    bigint resolution_id PK
    bigint log_id FK
    string resolution_status
    text resolution_note
    string resolved_by_id
    string resolved_by_name
    string resolved_by_role

```



```

    datetime resolved_at
}
tb_tasks {
    int taskId PK
    string createdBy FK
    string sentTo FK
    text details
    text other
    timestamp timeStamp
    string created_by
    string assigned_to
    string assigned_role
    string task_type
    string task_title
    text task_description
    string status
    string priority
    int related_staff_id
    string related_reg_no
    datetime due_at
    text declined_reason
    text metadata
    datetime updated_at
    datetime completed_at
    int parent_task_id
}
tb_task_alerts {
    int alert_id PK
    int task_id FK
    string alert_type
    string severity
    string alert_status
    string assigned_to
    string assigned_role
    string related_reg_no
    datetime due_at
    datetime triggered_at
    datetime acknowledged_at
    string acknowledged_by
    datetime resolved_at
    string resolved_by
    datetime last_evaluated_at
    text metadata
    timestamp created_at
    timestamp updated_at
}
tb_task_comments {
    int comment_id PK
    int task_id FK
    string author_id
    string author_name
    string author_role
    text comment
    timestamp created_at
}
tb_task_completion_queue {

```

```

int queue_id PK
string owner_user_id FK
string owner_role
int task_id FK
string task_type
string task_title
string related_reg_no
string required_assignment_role
string next_assigned_to
string next_assigned_role
string next_priority
text action_note
string queue_status
int processed_task_id FK
text last_error
timestamp created_at
timestamp updated_at
datetime processed_at
}
tb_task_delegation_logs {
  bigint log_id PK
  int task_id
  string from_user_id
  string from_user_name
  string from_user_role
  string to_user_id
  string to_user_name
  string to_user_role
  text note
  string priority
  datetime created_at
}
tb_workflow_logs {
  bigint log_id PK
  int task_id
  int staffdue_id
  string regNo
  string action
  string from_status
  string to_status
  string actor_id
  string actor_name
  string actor_role
  text note
  text metadata_json
  datetime created_at
}
tb_terms_clauses {
  int clause_id PK
  string title
  text body
  string topics
  string section_key
  int sort_order
  bool is_active
  timestamp created_at
}

```

```

    timestamp updated_at
}
tb_titles {
    int title_id PK
    string title_name
    string category
    string level
    bool is_active
    timestamp created_at
}
tb_banks {
    int bank_id PK
    string bank_name
    string short_name
    string bank_code
    int display_order
    bool is_active
    timestamp created_at
    timestamp updated_at
}
tb_uganda_public_holidays {
    date holiday_date PK
    string holiday_name
    bool is_active
    timestamp created_at
}
tb_users {
    int Id PK
    string userId
    string userTitle
    string userName
    string userRole
    string userEmail
    string phoneNo
    string userPassword
    string userPhoto
    timestamp timeStamp
    text other
    timestamp password_updated_at
}
tb_user_broadcast_status {
    int status_id PK
    string user_id FK
    int broadcast_id FK
    bool is_seen
    timestamp seen_at
    timestamp created_at
    bool is_deleted
    timestamp deleted_at
}
tb_user_logs {
    int log_id PK
    string user_id
    string user_name
    string user_role
    string activity_type

```

PensionApp ERD Reference

```
string ip_address
text user_agent
string device_type
string location
string session_id
datetime login_time
datetime logout_time
int duration_seconds
text details
timestamp created_at
}
tb_user_permissions {
  int permission_id PK
  string user_id FK
  string permission_key
  bool is_allowed
  text notes
  string granted_by
  timestamp created_at
  timestamp updated_at
}
tb_user_sessions {
  int id PK
  string session_id
  string user_id FK
  string device_id
  string session_type
  timestamp login_time
  timestamp last_activity
  timestamp grace_period_until
  bool is_active
  string termination_reason
  text user_agent
  string ip_address
}
tb_user_settings {
  string user_id PK, FK
  string setting_key PK
  text setting_value
  timestamp updated_at
}
tb_arrears_accountability_submissions ||--o{ tb_arrears_accountability_files : submission_id
tb_arrears_accountability_submissions ||--o{ tb_arrears_payments : latest_submission_id
tb_arrears_accountability_submissions ||--o{ tb_arrears_payment_allocations :
accountability_submission_id
tb_arrears_ledger ||--o{ tb_arrears_payment_allocations : ledger_id
tb_arrears_ledger ||--o{ tb_gratuity_schedule_allocations : ledger_id
tb_arrears_payments ||--o{ tb_arrears_accountability_submissions : payment_id
tb_arrears_payments ||--o{ tb_arrears_payment_allocations : payment_id
tb_broadcast_messages ||--o{ tb_user_broadcast_status : broadcast_id
tb_feedback_submissions ||--o{ tb_feedback_activity : submission_id
tb_fileregistry ||--o{ tb_arrears_accountability_submissions : regNo
tb_fileregistry ||--o{ tb_arrears_ledger : regNo
tb_fileregistry ||--o{ tb_arrears_payments : regNo
tb_fileregistry ||--o{ tb_file_movements : file_id
tb_fileregistry ||--o{ tb_file_registry_delete_requests : registry_id
```

PensionApp ERD Reference

tb_fileregistry ||--o{ tb_file_registry_recycle_bin : registry_id
tb_fileregistry ||--o{ tb_gratuity_schedule_entries : matched_registry_id
tb_fileregistry ||--o{ tb_life_certificate_submissions : regNo
tb_fileregistry ||--o{ tb_pensioner_death_reports : registry_id
tb_fileregistry ||--o{ tb_payroll_upload_entries : matched_registry_id
tb_file_registry_delete_requests ||--o{ tb_file_registry_recycle_bin : delete_request_id
tb_gratuity_schedule_cycles ||--o{ tb_gratuity_schedule_allocations : cycle_id
tb_gratuity_schedule_cycles ||--o{ tb_gratuity_schedule_entries : cycle_id
tb_gratuity_schedule_entries ||--o{ tb_gratuity_schedule_allocations : entry_id
tb_messages ||--o{ tb_broadcast_messages : message_id
tb_messages ||--o{ tb_messages : parent_message_id
tb_messages ||--o{ tb_message_attachments : message_id
tb_messages ||--o{ tb_message_recipients : message_id
tb_payroll_upload_cycles ||--o{ tb_payroll_audit_logs : cycle_id
tb_payroll_upload_cycles ||--o{ tb_payroll_upload_entries : cycle_id
tb_payroll_upload_cycles ||--o{ tb_registry_payroll_monthly_status : cycle_id
tb_podcast_videos ||--o{ tb_podcast_views : podcast_id
tb_roles ||--o{ tb_roles : clone_from_role
tb_roles ||--o{ tb_role_permissions : role_key
tb_staffdue ||--o{ tb_application_queue : staffdue_id
tb_staffdue ||--o{ tb_appnstatus : regNo
tb_staffdue ||--o{ tb_appnsubmissions : regNo
tb_staffdue ||--o{ tb_staff_documents : staffdue_id
tb_staffdue ||--o{ tb_staff_due_delete_requests : staffdue_id
tb_suspension_upload_cycles ||--o{ tb_suspension_upload_entries : suspension_cycle_id
tb_system_logs ||--o{ tb_system_log_resolutions : log_id
tb_tasks ||--o{ tb_task_alerts : task_id
tb_tasks ||--o{ tb_task_comments : task_id
tb_tasks ||--o{ tb_task_completion_queue : processed_task_id
tb_tasks ||--o{ tb_task_completion_queue : task_id
tb_users ||--o{ tb_application_queue : submitted_by
tb_users ||--o{ tb_application_queue : verified_by
tb_users ||--o{ tb_arrearstracking : recordedBy
tb_users ||--o{ tb_arrears_accountability_submissions : submitted_by
tb_users ||--o{ tb_arrears_ledger : recorded_by
tb_users ||--o{ tb_arrears_payments : recorded_by
tb_users ||--o{ tb_budgetforecast : createdBy
tb_users ||--o{ tb_data_export_runs : created_by
tb_users ||--o{ tb_data_import_runs : created_by
tb_users ||--o{ tb_feedback_activity : actor_id
tb_users ||--o{ tb_feedback_submissions : assigned_to_user_id
tb_users ||--o{ tb_feedback_submissions : closed_by_user_id
tb_users ||--o{ tb_feedback_submissions : resolved_by_user_id
tb_users ||--o{ tb_feedback_submissions : reviewed_by_user_id
tb_users ||--o{ tb_feedback_submissions : submitted_by_user_id
tb_users ||--o{ tb_file_registry_delete_requests : processed_by
tb_users ||--o{ tb_file_registry_delete_requests : requested_by
tb_users ||--o{ tb_file_registry_recycle_bin : deleted_by
tb_users ||--o{ tb_file_registry_recycle_bin : restored_by
tb_users ||--o{ tb_gratuity_schedule_cycles : uploaded_by
tb_users ||--o{ tb_life_certificate_submissions : submitted_by
tb_users ||--o{ tb_messages : sender_id
tb_users ||--o{ tb_message_recipients : recipient_user_id
tb_users ||--o{ tb_payrolls : uploaded_by
tb_users ||--o{ tb_payroll_audit_logs : actor_user_id
tb_users ||--o{ tb_payroll_upload_cycles : deleted_by

PensionApp ERD Reference

```
tb_users ||--o{ tb_payroll_upload_cycles : uploaded_by
tb_users ||--o{ tb_podcast_views : viewer_id
tb_users ||--o{ tb_retained_payments : recorded_by
tb_users ||--o{ tb_session_settings : user_id
tb_users ||--o{ tb_staff_documents : uploaded_by
tb_users ||--o{ tb_staff_due_delete_requests : processed_by
tb_users ||--o{ tb_staff_due_delete_requests : requested_by
tb_users ||--o{ tb_suspension_upload_cycles : uploaded_by
tb_users ||--o{ tb_tasks : createdBy
tb_users ||--o{ tb_tasks : sentTo
tb_users ||--o{ tb_task_completion_queue : owner_user_id
tb_users ||--o{ tb_user_broadcast_status : user_id
tb_users ||--o{ tb_user_permissions : user_id
tb_users ||--o{ tb_user_sessions : user_id
tb_users ||--o{ tb_user_settings : user_id
```