Keller B5 — rev 3.1 addendum (KD-06..KD-11) — DRAFT

For: Ettienne Hugo · **By:** Grok Bot · **Date:** Thu 22 Oct 2026 (America/New_York, EDT) · **Status: DRAFT. This addendum applies only after Ettienne signs off rev 3.** It does not edit the frozen rev 3 (`specs/keller-b5-catalogue-additions.md`, cited as "rev3 Lnn"). Documentation only; nothing implemented. **Sources:** `specs/keller-b5-p6p7-entries-analyst2.md` (Analyst 2, KD-06..11, "add."), `specs/keller-b5-p6p7-review-analyst1.md` (Analyst 1, "rev."), `specs/keller-b5-review-analyst2.md` (C1..C9). Rulings below are agreed by Analyst 1 and Analyst 2.

Evidence rule. All book numbers are FX/crypto (exhibits = grade E, census = grade C for ES). **ES prior = 0.** Repo note: `DvpConfig`, `_DvpEngine`, `_SbxHost` and the `_SbxE/G/S_KD` files exist only in specs, not in `MultiCharts.Net`.

1. Agreed rulings

1. **Config: no new `DvpConfig` fields.** `confMode` (family count), `minFamilies` (= 3) and `reportWeights` (VA 1.00 / POC 0.77, journal-only; logged in the config hash) are **constants**. The row floor is **fixed at one tick** (`rowWidth = max(σ-row, tick)`, effective `manRows` journaled). **No `rollAdjust`.** No new `[Input]`s.
2. **Sweep.** The frozen KD-01 **18-cell** sweep (rev3 L147) is unchanged. A separate, labelled **σ2/node robustness block** of **6 cells**: rail {σ2 (KD-06), node (KD-10)} × N {2,3,5} × exit {EX-05 trail + 41-bar time stop}. These cells are outside PS-25, are journaled as trials and can never become the primary. **Dropped:** the KD-06 +1R partial arm and the KD-10 next-rail target. **PS-25's single primary cell must be named before any dev data is read.**
3. **Rolls.** Rev 3's skip rule (`crossesRoll`, rev3 L132; roll bar ±1 excluded via `IsRollWindow`) stays. Journal the **share of skipped fit windows per stream**; any stream skipping **> 30%** is **diagnostic-only**. Back-adjusting is **report-only, after G0-c**, and never feeds Holm. Orders/fills/costs stay on the actual contract.
4. **Stand-ins.**
5. KD-10 "far outside value" = **|z_node| ≥ 2 [GAP stand-in]**; report splits {2–3, ≥ 3} (report-only).
6. KD-09 tolerance **fixed at 0.3 ATR** (replaces the confTol {0.2,0.3,0.5} sweep for KD-09). The **0.3–1.0 ATR disagreement band is a [GAP]**, pending the 7.1–7.4 re-read.
7. KD-09 requires **≥ 2 lattice ranges inside its own module only**; the frozen engine family rule (≥ 1 range, rev3 L169) is unchanged and `nRanges` is journaled.
8. KD-10 held adverse range = **3.2–14.6 ATR** (Analyst 2's tally, not the book's; add. L110 "15" corrected).
9. **KD-10 vs A2-46:** report trade overlap descriptively. **No P&L pick**, nothing dropped (same for KD-06 vs VW-03).
10. **Holm:** m = 5 unchanged, {PS-01, PS-02, DV-02, A2-31, PS-25}. The hidden-trial exclusion list (§4) stays out of Holm.

2. Entries (KD-06..KD-11, as amended)

ID	Kind	Placement	Rev 3.1 rules	Holm
KD-06	entry	KD-01 robustness arm σ2	add. rules; exit EX-05 + 41-bar time stop only; KD-04 stand-down off for this arm (pre-registered)	no
KD-07	gate	KD-02 canary gate form	ablation on fade hosts only; **never layered on a Holm member** (not on DV-02)	no
KD-08	study	degree-score diagnostic	cone-ban "re-open" trigger ⇒ new pre-registered exploratory trial outside m = 5	no
KD-09	gate	KD-03 rev 3.1 module	≥ 2 ranges in-module; tol 0.3 ATR; 0.3–1.0 band [GAP]; re-specifies a rule-7 (C) hypothesis; arm B (≤ 1) contrast kept	no
KD-10	entry	KD-01 robustness arm node		z
KD-11	study	A2-33 / G0-d extension	"far nodes as destinations" needs a new pre-registration; never touches PS-25's primary	no

3. Open question for Ettienne — acceptance default N

Rev 3 L141 sets KD-01's default **N = 3** (a [GAP] substitute). Analyst 2's original review (`keller-b5-review-analyst2.md` L17, item C2) asked for **N = 2 as primary with {3, 5} in the sweep**, to match the A2 acceptance convention (A2-08/A2-11). That edit was meant for rev 2 and was **missed**; it is not a new proposal. **Recommendation (both analysts): N = 2 primary; sweep stays {2, 3, 5}; δ = 0.10 ATR unchanged. Ettienne to confirm.** Either way the choice is fixed before dev data is read; switching after seeing results would be a hidden trial. The band-break persistence `m` (KD-04 stand-down) stays at 3 bars [GAP].

4. Hidden-trial exclusion list (copied from Analyst 1's review §8; all outside Holm, m = 5)

1. Choosing the best of the KD-01 cells → name PS-25's single primary cell before any dev read.
2. KD-06 +1R partial arm → deleted.
3. σ2/node arms (6 cells) → labelled robustness, ineligible for primary.
4. KD-09/KD-03 arms + confTol sweep → the filter never modifies the primary unless pre-registered before the read.
5. KD-07 veto on DV-02 (a Holm member) → excluded.
6. P&L "keep the better one" rules for VW-03 (add. L57) and A2-46 (add. L124) → overlap reported, no P&L drop. The only declared P&L choice stays the A2-31/PS-25 tie-break.
7. KD-11 → destinations and KD-08 → cone re-open → new pre-registration, outside m = 5.
8. Default N = 2 vs N = 3 → fixed before results (see §3).
9. Report-only arms (RTH, unadjusted twin / back-adjusted arm, t−2 endpoint drift, degree-1 twin, 0.77 weights, `|z| ≥ 3` bucket) → never gate or select; journaled as such.

5. KD batch placement

The KD batch runs **after Batch 2**; Batch-1/2 slot assignments are unchanged. - **`_Test1:`** studies and canary — KD-08 and KD-11 (`Mode = EventStudy`, KD-11 shares the A2-33 run), KD-02 canary with KD-07 gate (`Mode = Canary`). - **`_Test2:`** KD-01 (frozen 18 cells + 6-cell robustness block) plus the **KD-09 gate** (`GateModule = "KD-09"`).

Appendix A — Analyst 2 review C-items vs frozen rev 3

Item	Ask	Status in rev 3	Lines
C1 Degree	degMax 3; coverage-selected primary; d = 1 sensitivity; BIC report-only	**Partly landed.** Ruling landed (rev3 L205), but §2.2 config still reads `degMode=AutoBic; degMax=4`	rev3 L74 vs L205
C2 Acceptance N	N = 2 primary, {3,5} swept	**Missed** (N = 3 default). δ and 41-bar symmetric clock landed	rev3 L141, L147, L140, L145, L152
C3 One-bar hold inadmissible	relabel KD-03 "C(+) one-bar only, inadmissible"	**Missed** (label still "C (+) for one-bar hold"); A2-33 matched-control replication landed	rev3 L167, L171
C4 Trial accounting	no separate family; KD-01→PS-25 etc.	**Landed**	rev3 L203, L215
C5 Overlaps	cite A2-31/32/25/26/27/28/29/30/33	**Partly landed.** A2-31 (tie-break) and A2-33 (G0-d) cited; A2-25..30, A2-32 not cited	rev3 L153, L204
C6 Futures	(a) back-adjust roll; (b) ETH primary/RTH sens.; (c) tick-floor rows; (d) time-of-day volume confound	(a) **Not adopted by ruling** (skip kept; confirmed here §1.3); (b) **landed**; (c) **missed** in rev 3 (fixed by this addendum §1.1); (d) **missed**	rev3 L132, L97
C7 Kill rules	pre-register Holm α + family; placebo; costs; KD-02 band without a 1.0–1.1 gap	**Partly landed.** Family, placebo, costs landed; **α not stated**; KD-02 still undefined between PF 1.0 and 1.1	rev3 L152, L161, L203

Item	Ask	Status in rev 3	Lines
C8 Data caveat	FX/crypto only, no true delta, ES prior 0 on every KD row	**Partly landed** (common line + §2.8/§5.4, not per row)	rev3 L132, L121, §5 item 4
C9 [GAP]s / freeze after App. F	freeze only after App. F	**Landed**	rev3 §5, change log
Agree-3	add to §2.7: manifold re-maps every bar; only its t−1 snapshot is tradeable	**Missed**	rev3 L114–115

Missed items (C1 config line, C2, C3, C5, C6c/d, C7 α and KD-02 band, Agree-3) are proposed for rev 3.1 after sign-off; none edits rev 3.