Video ideas 2026-11-08 — catalogue additions (catalogue v2.7)

For: Ettienne Hugo · **Prepared by:** Grok Bot · **Date:** Sunday 8 Nov 2026 (America/New_York, EST)

What this is. Three videos, each turned into a buildable catalogue specification. The 2026-11-01 pass already logged the same videos as discretionary extracts **YV-01, YV-02, YV-07 and YV-09** (§3.19). Those extracts are left unchanged. This file is the closed-bar numeric layer a strategy can be coded from. The entries below are merged into `specs/trading-idea-catalogue.md` at v2.7 in their families (PF-08, SP-09, OF-09, OF-10, EX-13).

Why five IDs for three ideas. The Turtle video is one daily sleeve (**PF-08**). The ICT clock-window scalp is one price strategy with a 1m/5m arm and a 15s arm (**SP-09**). The Trader Oxygen video is not one monolith: the cascade entry (**OF-09**), the ES-vs-NQ selection layer (**OF-10**) and the partial / breakeven / trail module (**EX-13**) do not share a data window or a sweep budget. A single ID would have crossed a W-T cap of 4 configs with management and a second instrument. Counter-HTF size stays inside OF-09, because it is a scalar on the same signal, not a second idea.

Evidence. Every video statistic below is a **presenter claim**, unverified. Grade **E**. Nothing here has been run. No performance number was computed for these rules.

Data constraints used throughout. dxFeed futures, stocks and ETFs only. No cash index, FX or crypto series, even where a presenter said the idea "works on forex and crypto". Tick bid/ask about **Jul 2024–Oct 2026** (W-T; @ES bid/ask from **2024-10-28** in the v2.6 note). 1-minute ES from 2016 (W-M; agreed split §2.0.1: dev Jul 2016–2022, validation 2023–2024, holdout Jan 2025–Oct 2026). Daily W-D: dev 2000–2015, validation 2016–2024, holdout Jan 2025–Oct 2026. Continuous symbols are **not** back-adjusted. Costs and the stop floor are §2.1 (v2.6a): ES $17 and MES $2.50 per round trip, stop = max(structural, floor), skip only if the widened stop breaches 1% of equity.

"Macro" means two different things. SP-09's clock window is the presenter's word. The catalogue **Macro mask** is the M-EVENT tier-1 news blackout (§2.1, −2/+10 minutes). SP-09 still obeys the blackout. The two filters are independent.

IDs

ID	Idea	Family	Video	Extends
PF-08	Donchian / Turtle daily trend sleeve	PF	Dollar Wisdom (local file; public upload lDn93erRQSM)	Companion to PF-01. Numeric form of YV-09. Optional arms from Faith, not from the video.
SP-09	Clock-window equal-liquidity sweep into an HTF FVG	SP	Dylan Richards	Numeric form of YV-07. Caution: PS-18 / Telonics sweep-fade null.
OF-09	Weekly bias → 30m VA break → 1m failed-seller	OF	Trader Oxygen	Extends DV-16. Numeric form of YV-01.
OF-10	ES vs NQ order-flow selection layer	OF	same	Numeric form of YV-02. Not buildable until a second footprint exists.
EX-13	1.5R partial, deep-pullback breakeven, imbalance trail	EX	same	Ablated on OF-09. Distinct from EX-07 and EX-11.

PF-08 · Donchian / Turtle daily trend sleeve (companion to PF-01)

- **Implementation status (v2.7): Not started** — catalogue entry only; no entry-specific code or build spec.
- **Family · Source:** PF · YouTube, Dollar Wisdom, *With This Simple Breakout Strategy, He Turned $1,600 Into a $1.2 Billion Fortune* (owner's local file, 2026-11-08 notes; the 2026-11-01 pass matched the same title to https://youtu.be/lDn93erRQSM). The discretionary extract is **YV-09** and is not restated here. Optional arms, labelled below, are from Curtis Faith, *The Original Turtle Trading Rules* (public, https://www.tradingblox.com/originalturtles/originalturtlerules.htm), **not** from the video.
- **Evidence: E** for this sleeve. Presenter claims, unverified and **not** results of these rules: account from $1,600 to hundreds of millions; Turtles about $175M; a win rate under 40% is acceptable. The **family** prior for diversified time-series momentum is **A** (PF-01: Moskowitz, Ooi & Pedersen; Hurst, Ooi & Pedersen). That grade does **not** transfer to a 20/55-day Donchian on this book. Lit: YouTube + Indep (family only).

- **Markets · TF:** Daily. **Signal** on a difference-adjusted continuous of ES (primary), then NQ, and CL, GC, ZN where the dxFeed bundle exists (Rev 2.7 §E1, unverified). **Execution** on the micro (MES, MNQ, MCL, MGC) when the floor of the unit is at least 1; otherwise the full-size contract or skip. MES/MNQ exist only from May 2019, so they are execution vehicles, not the W-D history. No FX, no cash index, no crypto. The video's "currencies and stock indexes" are out of the data set. Start with ES alone; the book is the portfolio form.
- **Data · test window:** daily · **W-D** (agreed split §2.0.1: dev 2000–2015, validation 2016–2024, holdout Jan 2025–Oct 2026, once). ES exists from 1997, NQ from 1999, so dev starts at 2000 for those two. CL/GC/ZN start dates unverified. **Back-adjustment is required.** dxFeed `@ES` is unadjusted. A 55-day high taken across a raw roll gap is not a Donchian level. M-DAILY already difference-adjusts stored o/h/l/c into the new contract on each roll (`OnRoll` / `applyRoll`). Donchian highs, Donchian lows, EMA(20) and N are computed on that adjusted series. Orders are sent on the **current** contract (the adjusted history is already in current-contract prices after the last roll). Set `atrRestartOnRoll = false` so N carries across the splice (the splice day's true range is skipped). The day ring must hold ≥ 60 completed days (`smaLength` ≥ 60); there is no public `High(ago)`, so the strategy keeps its own buffer of those adjusted highs and lows. A week or a day that is itself the splice session takes no new entry.
- **Why it might work:** Futures trends have a fat right tail. A channel breakout holds the tail and cuts the rest with a channel exit. Diversifying across low-correlation roots is what makes a low win rate survivable. This is the same reason PF-01 exists. PF-08 is a simpler sleeve (one Donchian speed, no carry), not a replacement.
- **Rules:** All levels use **completed** daily bars only. The level for day t is known at the close of day t−1. "Preceding L days" does **not** include day t.
- **Filter:** a root is eligible when N (below) is finite and the adjusted history has ≥ 55 completed days since the last rejected splice. One position per root. ES and NQ are **not** collapsed to one unit here (they are two roots); PF-03's ρ monitor still flags them if the book's daily P&L is hidden beta. No intraday clock.
- **Signal / entry (stop, intraday on the daily bar):** buy stop at `DonchianHigh(L) + 1 tick`, sell stop at `DonchianLow(L) − 1 tick`, placed before the session. `DonchianHigh(L)` = max adjusted high of the preceding L completed days. Fill if the day's high (low) trades through the stop; if the open gaps through, fill at the open. Slip 1 tick (§2.1). Do not wait for the close. Cancel the unfilled stop at the session's end.
- **Video systems** (the only systems in the pre-registered sweep):
  - **S1:** L = 20 entry, exit M = 10. Long exits on a stop at `DonchianLow(10) − 1 tick`; short mirrors.
  - **S2 (primary):** L = 55 entry, exit M = 20.
  - **Modern:** L = 55 entry. Exit is **not** a channel. At the close of day t, if a long's adjusted close is below EMA(20) of adjusted closes, exit at the **next** session's open (1 tick slip). Short: close above EMA(20). EMA period 20, multiplier 2/21, seed = SMA of the first 20 adjusted closes, usable from bar 20. The video drew no initial stop on this arm. **Catalogue assumption:** initial stop = `2 × Atr20d` beyond the fill (Wilder ATR from M-DAILY, `atrLength = 20`, `atrRestartOnRoll = false`), and the trade also exits if that stop is traded through. Whichever of the stop and the EMA exit comes first.
- **S1/S2 risk stop:** the exit channel **is** the stop. There is no tighter video stop. Distance = fill − exit-stop price (long). If that distance is ≤ 0 (the channel is on the wrong side of the fill), skip.
- **Size (video):** risk% of equity at that distance. `contracts = floor(risk% × equity / (distance × $/point))`. `risk%` is 1% in the primary cell and 2% in the sweep. Floor 0 → skip, do not round up. $/point: ES 50, MES 5, NQ 20, MNQ 2, and the root's own point value otherwise. The §2.1 14-tick floor does not bind on a daily channel stop; do not widen a daily stop to 14 ticks.
- **Management:** no partial, no breakeven, no pyramid in the video systems. Reverse is allowed: an opposite signal flattens and enters the new side only when that side's own signal fires (do not reverse inside the channel). Flat means no position, not "always in".
- **Optional public arms (Faith 2003 document; each is one extra config; do not cross them with each other or with the six video cells):**
  - **O1 — N unit, channel exit.** `TR = max(H−L, |H−PDC|, |PDC−L|)` on the adjusted daily bar. `N = (19×PDN + TR) / 20`, seeded with the 20-day simple average of TR. This is Wilder ATR(20) and equals `Atr20d` when the flags above are set. `Unit = floor(0.01 × equity / (N × $/point))`. Entry and exit stay on the S2 channel. One unit, no pyramid.
  - **O2 — 2N stop.** As O1, plus an initial stop `2×N` beyond the fill. Exit is the first of that stop and the S2 channel exit. Faith: no trade risks more than 2% because 1N was sized as 1% of equity.
  - **O3 — pyramid.** As O2. Add one unit every `0.5×N` beyond the **previous fill** (not beyond the original breakout), up to 4 units. On each add, raise every earlier unit's stop by `0.5×N`, so the book sits about `2×N`

beyond the latest fill. Adds may happen the same day. Still capped at 4 units in one root (Faith's single-market cap). The 6/10/12-unit correlation caps are **not** implemented here; PF-03 / M-PORT heat is the book cap instead.
    - **O4 — S1 skip-after-winner.** S1 only. A 20-day breakout is **ignored** when the previous breakout in that root, whether it was taken or skipped, and in either direction, was a winner. It was a loser only if price moved `2×N` against the breakout direction before a profitable 10-day exit. If the 20-day breakout is ignored, the entry for that episode is the 55-day breakout (Faith's failsafe). Sizing and stop as O2, no pyramid. S2 does not use this filter.
- **Sweep:** video layer, system ∈ {S1, S2, Modern} × risk% ∈ {1, 2} → **6**. Primary cell, read first: **S2 × 1%**. Optional arms O1–O4 are four further pre-registered configs, not a factorial. Total 10, under the §1 cap of 30. No other Donchian lengths.
- **Frequency (est.):** a handful of entries per root per year per system. Author estimate only.
- **Fails when:** a multi-year range (the channel whipsaws); one root dominates the book's P&L; the adjusted series is wrong at a roll (a gap left in the high/low buffer); the modern arm's 2×ATR stop, which the video never stated, cuts trends the EMA would have kept.
- **Needs:** ✓ M-DAILY (difference-adjusted o/h/l/c, `Atr20d`, `atrRestartOnRoll = false`, ring ≥ 60) · ✓ F-ROLL (splice flag; skip the splice session) · ✗ no public Donchian accessor (local buffer of adjusted highs/lows, same roll rebase) · EMA(20) computed in the strategy on adjusted closes · ◐ M-PORT for the multi-root book (coded, P5b live checks pending). Single-root ES does not need M-PORT.
- **Readiness (v2.7):** Buildable on W-D for one root (ES) with the adjusted-bar buffer. The book waits on M-PORT Probe P5b before any portfolio number is read. No order flow.
- **Gate:** G0-a and G0-b. Not a G0-d level (no prior-session profile).
- **Test:** on the same adjusted series and the same 1% risk, against (1) RG-06's daily piece, long/short the sign of `Tsmom(20)`, flat when the sign is zero, stop `2 × Atr20d`; (2) buy-and-hold ES. Report longs and shorts separately (K-DR). A long-only ES result is not accepted as the sleeve: CL/GC/ZN (once the bundles are verified) have to be in the book before the result is called anything other than index drift. Costs: ES $17 per round trip per contract, MES $2.50, other roots at the unconfirmed §2.1 R6 figures. **Kill:** on the holdout, net Sharpe ≤ the TSMOM(20) sleeve **or** ≤ 0. Below 30 pooled round-trips on the dev book: no evaluation (§2.3). Between 30 and 149: park. An ES-only run is expected to land in that band; it does not get a loosened rule.
- **Differs from: PF-01** (EWMAC at several speeds + carry + 12% vol target; this is one Donchian, no carry). **RG-06** (sign of a 20/60-day return, not a channel break). **A2-71** (Turtle −20% size per 10% drawdown and ATR sizing; an overlay, not an entry — it may sit on top of PF-08 later, and it is not switched on here). **YV-09** (the same video, discretionary; the "initial stop = the exit channel" note there is adopted above for S1/S2 and marked as a catalogue assumption for the modern arm). **AV-03 / A2-02** use a 20-day Donchian only as a control, not as this sleeve. **SW-01** is a weekly balance break, not a daily channel.
- **Sources:**
- Video (local file; public match): https://youtu.be/lDn93erRQSM
- YV-09 in this catalogue (§3.19) and `specs/video-ideas-2026-11-01-additions.md`
- Optional arms only: Curtis Faith, *The Original Turtle Trading Rules*, https://www.tradingblox.com/originalturtles/originalturtlerules.htm — N = 20-day exponential true range, unit = 1% / (N × $/point), stop 2N, add every ½N up to 4 units, System 1 skipped when the previous breakout was a winner, 55-day failsafe.

SP-09 · Clock-window equal-liquidity sweep into an HTF fair-value gap (ICT "macro" scalp)

- **Implementation status (v2.7): Not started** — catalogue entry only; no entry-specific code or build spec.
- **Family · Source:** SP · YouTube, Dylan Richards (Adora Trading), *How to Find High Probability Scalps Every Day (No Daily Bias Needed)*, https://www.youtube.com/watch?v=83d144f2e0k. The discretionary extract is **YV-07**. Shorts are written out; longs mirror (high↔low, bearish FVG↔bullish FVG).
- **Evidence: E**. Presenter claims, unverified: about $2,500 in under two minutes across several accounts; about 10 ES points in about two minutes. **Prior on the naked sweep is (0):** Telonics, sweep fades 49.9% vs 50.0% (PS-18). This entry is a sweep fade with extra filters. Those filters are untested. Lit: YouTube. The word **macro** here is the presenter's clock window. It is not the M-EVENT Macro mask.

- **Markets · TF:** ES, with MES as the execution vehicle when the stop floor requires it. NQ/MNQ is the K-DR replicate, not a second simultaneous position (§2.1: ES and NQ are one correlated position — run them as separate experiments). Two arms:
- **Arm M (primary, W-M):** context and the draw on 5-minute bars, trigger on 1-minute bars. This is the fractal the notes asked for so the idea is testable without ticks.
- **Arm S (W-T only):** context stays 5-minute; trigger is **15-second** bars built from trade ticks (last price and size; bid/ask not required). 15-second bars do not exist on the 1-minute history.
- **Data · test window:** Arm M: 1m · **W-M** (agreed split §2.0.1). Verify the symbol's first full month (Rev 2.7 §E2). Arm S: trade ticks · **W-T** (≈ Jul 2024–Oct 2026, 250/125/125 sessions, **≤ 4 configs**). Arm S does not multiply Arm M's grid. No bid/ask and no order flow. ETH bars are needed only to **see** the London session extreme (03:00–08:30 ET); if the Globex template is unverified (Rev 2.7 §E5), drop session extremes and keep equal pivots only. RTH entries either way.
- **Why it might work:** Stops sit beyond equal highs. Running those stops into a 5-minute bearish gap, then failing, traps the breakout buyers. The new 1-minute (or 15-second) gap is the retest, and the equal lows are the next stop pool. The clock filter is the presenter's claim that this delivery clusters in the first and last ten minutes of the hour. PS-18 says the sweep alone is a coin flip, so the clock and the gap have to earn their place against the window-off control.
- **Rules:** Closed bars only. A pivot exists only from its `confirmTime` (M-SWING, fractal, strength bars after the extreme). An FVG exists only from bar 3's close (`_FvgDetector`, VP-5): bullish if `Low3 > High1`, zone `[High1, Low3]`, start = `High1`; bearish if `High3 < Low1`, zone `[High3, Low1]`, start = `Low1`. Usable from the next bar. `crossSessions = false`, `rthOnly = true`, `maxAgeSessions = 5`, `fillOn = Close`. A bearish gap is filled, and therefore dead, when a later bar **closes above** its `hi`.
- **Clock filter ("macro"):** ET. A trigger bar is inside the window when its **close** time falls in `[H:50, H+1:10)`. RTH windows only: 09:50–10:10, 10:50–11:10, 11:50–12:10, 12:50–13:10, 13:50–14:10, 14:50–15:10. The 09:30–09:45 blackout (§2.1) does not cover 09:50. No new order after 15:30. The M-EVENT blackout (−2/+10 around tier-1 releases) still vetoes. One attempt per window per direction.
- **Draw on liquidity (the target), 5m:** an equal-low pair from M-SWING. `isEqual` is true when a new confirmed 5m swing low is within `equalFactor × ATR` of an earlier swing low, looking back `lookbackPivots` same-side pivots. Primary: `equalFactor = 0.10`, `lookbackPivots = 5`, fractal **strength = 2** (§2.1: N = 2 on 1m and 5m). The tolerance is the engine's own: `equalFactor × ATR` with `atrLength = 20` (SMA of true range, the `_PriceActionEngine` default). Do not rebuild that test with ATR(14); `isEqual` would no longer match. Displacement, below, is a different number and uses ATR(14) on the trigger stream (§2.1). The target price is the **nearer** of the two lows (the higher one), minus 1 tick. A London extreme (high/low of 03:00–08:30 ET, closed 1m bars) or the prior RTH low counts as one side of the pair **only** when it is within the same tolerance of a confirmed 5m swing. It is never a target by itself. If no pair sits at least `0.5 R` beyond the entry after the stop floor, skip.
- **HTF gap, 5m, must be respected:** a live bearish 5m FVG with `minTicks = 1` and `minAtrFrac = 0.15` (**catalogue freeze**: a 1-tick gap is not "the" 5m gap; 0.15 was not in the video). The sweep bar's range overlaps the zone (`high ≥ lo` and `low ≤ hi`). The gap's `createdTime` is strictly before the sweep bar. It has not been filled.
- **Sweep and intermediate-term high, on the trigger TF:** during the window, a closed trigger bar trades at least 1 tick **above** a confirmed trigger-TF swing high that is `isEqual` to an earlier trigger-TF swing high (same `equalFactor`, strength 2, `lookbackPivots` as the 5m draw). The intermediate-term high (ITH) is the highest trigger-TF high from that sweep bar through the displacement bar, inclusive. The ITH is above the swept pivot by construction.
- **Displacement:** `_FvgDetector.NewThisBar` on the trigger TF is a bearish FVG (`minTicks = 1`, `minAtrFrac = 0`; the size gate is the next sentence, not the detector). Bar 3's close is ≤ `sweptHigh − d × ATR(14)` of the trigger TF. Bar 3 closes within **3** trigger bars of the sweep bar. Primary `d = 0.50`.
- **Entry:** sell **limit** at the new bearish FVG's **low edge** (`lo` = `High3`), the near edge a retrace from below hits first. This is **not** `start` (DV-08's "beginning", which for a bearish gap is the upper edge). The limit is working until the window ends plus **2** trigger bars, then cancelled. One position. Stop-first if a bar touches stop and target (§2.1).
- **Stop:** `ITH + 1 tick`, then `max(that, cost floor)`: ES 14 ticks, MES 20, NQ 19, MNQ 35 (§2.1). If the widened stop risks more than 1% of equity, skip and log. Do not shrink size to fit.
- **Target:** the draw price from the equal-low rule. Bracket. No partial, no breakeven, no trail. Flat by 15:55.

- **No daily bias.** No weekly filter. No order-flow filter. The presenter's "order flow" is the 5m gap being respected, and that is the FVG rule above.
- **Sweep:** Arm M, five cells, primary read first: (`equalFactor`, `lookbackPivots`, `d`) ∈ {**(0.10, 5, 0.50)**, (0.25, 5, 0.50), (0.10, 8, 0.50), (0.25, 8, 0.50), (0.10, 5, 0.25)}. Strength stays 2. `minAtrFrac = 0.15` on the 5m gap stays frozen. Arm S, two cells, not crossed with Arm M: strength ∈ {2, 1} at (0.10, 5, 0.50) on 15-second bars. Under the W-T cap of 4.
- **Frequency (est.):** Arm M, 0–2 per session, often zero. Author estimate only. The presenter's "every day" is a claim, not a measured rate.
- **Fails when:** the sweep-fade prior is right and the clock does not help; the 14-tick floor blows the reward on a 15-second ITH; equal highs at `equalFactor = 0.25` are just noise; the 5m gap is so wide that "tap the gap" is true most of the session.
- **Needs:** ✓ `_FvgDetector` (VP-5) on the 5m stream and on the trigger stream (`Extra` instance or a second detector; FVG is per stream) · ✓ M-SWING / `_PriceActionEngine` on those streams (`equalFactor`, `lookbackPivots`, `strength`, `isEqual`) · ✓ M-MTF for closed 5m bars (`HtfClosed`) · ✓ M-TOD or the session clock for the window · ✓ F-TM (flat 15:55, one position) · ◐ M-EVENT for the news blackout · Arm S: ✓ M-TICK as a **bar builder** only (counts/timing exist; size outputs are not used). 15-second aggregation from the trade tick is strategy code, not a new engine.
- **Readiness (v2.7):** Arm M is buildable on W-M now. Arm S is buildable only inside W-T, and only as a tick aggregation. Session-extreme targets need the ETH template; without it the equal-pivot target still runs.
- **Gate:** G0-a and G0-b. G0-d's current level list does not include equal-highs or FVGs, so this is not blocked on A2-33. Report the equal-low and the FVG edge into the level study anyway.
- **Test: Clock control (pre-registered):** the same Arm M rules with the window filter **off**, entries allowed 09:45–15:30, same one-attempt cap removed only in the sense that the window no longer defines the attempt — cap attempts at one per 20-minute block shifted to `H:20`–`H:40` as well, and read the on-window arm against the off-window arm on the same days. Second control: enter at the 5m bearish FVG's near edge (`lo`) with no trigger-TF sweep and no new FVG. K-FL: shift the equal-low target by ±0.5 × ATR5. K-RT inside the window. The PS-18 S7 canary (sweep fade with no shape filter, expected ≈ 0) is the base rate this must beat, not a host to merge into. **Kill:** Arm M mean net R ≤ 0 at ≥ 150 dev events, **or** the confidence interval of its lift over the off-window control includes 0, **or** it does not beat the 5m-FVG-only entry. Arm S is killed on its own 250-session block the same way, and is never pooled with Arm M to manufacture a sample. Between 30 and 149 events: park. Do not loosen `equalFactor` to raise the count.
- **Differs from: YV-07** (same video; "relatively equal", "displacement" and "intermediate-term high" left verbal). **PS-18** (P/b-profile, 1–4 tick sweep of a 5m swing, buy the close back above; no FVG, no clock window; the Telonics null is the caution, not a template). **DV-08** (30m FVG aligned with a heavy-volume zone, used as a **level filter** on other Dale entries; the entry here is the new lower-TF gap's near edge, and the 5m gap is the context). **DV-20** (equal lows as a veto, tolerance 0.1 × ATR30 on 30m swings). **YV-08** (1h swing-failure close, then a 5m FVG; no clock window). **TS-02** (London **range break** on CL/GC, not an ES liquidity draw). **SP-01** (failed double top as a breakout, not a fade).
- **Sources:**
- https://www.youtube.com/watch?v=83d144f2e0k
- YV-07 (§3.19); `_FvgDetector.Function.CS` (VP-5); M-SWING `equalFactor` / `isEqual` (`_PriceActionEngine.Function.CS`)
- Telonics sweep-fade null, as cited on PS-18 (49.9% vs 50.0%)

OF-09 · Weekly bias, 30m value-area break, 1m failed-seller (order-flow cascade)

- **Implementation status (v2.7): Not started** — catalogue entry only; no entry-specific code or build spec.
- **Family · Source:** OF · YouTube, Trader Oxygen, *Most Traders Enter Too Early: Order Flow Entry (World Champion Method)*, https://youtu.be/jmX_ReJxFm8. Transcript checked against the 2026-11-08 auto-captions. The discretionary extract is **YV-01**. Longs are written out; shorts mirror. Selection across ES and NQ is **OF-10**. Partial, breakeven and trail are **EX-13**. This entry is the signal and the bracket.
- **Evidence: E**. One narrated example. Spoken management: a partial near 1:1.5 and a stop-out near 1:2.5. Both are presenter claims about that example, not a sample. Lit: YouTube. Adjacent evidence is hostile: OF-04 absorption sorted the wrong way at sweeps (Telonics, **B (−)**); OF-08's large-print retest is parked. Do not treat the example's R-multiple as an expectancy.

- **Markets · TF:** ES or NQ, one instrument per run (OF-10 is the only thing allowed to choose between them). Micro for execution (MES/MNQ) under the same rules. Weekly completed profile for bias; 30m for the balance and the value area; 5m for the pullback zone; 1m for the trigger. The video's context chart was MNQ and the fill was MES; the rules are identical on either root and are not fit to that one morning.
- **Data · test window:** 1-tick Trade + Bid + Ask · **W-T only** (≈ Jul 2024–Oct 2026; @ES bid/ask from 2024-10-28; 250/125/125; **≤ 4 configs**). FlowQuality must be MC-BidAsk or Quote (High). BarUpDown is never a signal. There is no aggressor field. The price skeleton (balance, break, pullback) may be **logged** on W-M with flow fields set to NaN, as a control series, and is not a fill. Big-trade size is gated: `TickConfig.sizeOutputsVerified = false` until Rev 2.7 §E6 (live check). CME may aggregate prints per aggressor order, so a "big trade" is not known to be one institutional order.
- **Why it might work:** A value area that has held is the price the passive inventory will defend. A close that leaves it on heavy, one-sided delta and does not come back is initiative, not a poke (the same mechanism as PS-01 / OF-02). The first pullback into the initiative prints is where late sellers try to fade and fail. DV-16 already bets on a failed footprint at a **pre-defined** level. Here the level is the value-area break itself.
- **Rules:** Closed bars only. Higher-timeframe values are read from the last **closed** HTF bar (`HtfClosed`). Longs below; shorts mirror (VAH↔VAL, buy imbalance↔sell imbalance).
- **Weekly bias, fixed for the session:** from `_WeeklyProfiles`, `includeDeveloping = false`, RTH sessions, `minSessions = 3`, roll policy Reset. A week with `crossesRoll` is ignored. Bias is known only after the week is complete (after Friday 16:00 ET), and it does not update on the developing week. The video looked at the current week; **this spec does not**, because that profile repaints. `bias = +1` if the last completed week's close > that week's POC **and** that close > the prior completed week's close. `bias = −1` on both inequalities the other way. Otherwise `bias = 0` (the "choppy" case). The daily profile is **not** a filter. The video's daily read ("range, no direction") did not cancel the trade.
- **30m balance:** on closed RTH 30m bars, a suffix of n bars ending at the latest closed bar, n ∈ [4, 12], is a balance when `(max high − min low) ≤ 1.5 × ATR(14)` on 30m, ATR from bars **before** the suffix's last bar. The active balance is the longest such suffix. `_RangeProfile` on those bars only: distribution mode 2 (uniform over each bar's range), `valueAreaPercent = 0.70`, `useTickLadder = false`, `rollPolicy = Reject` (a suffix that touches a splice is dropped). VAH, VAL, POC usable from the **next** 30m bar.
- **Breakout (the level):** the first later closed 30m bar whose close is ≥ `VAH + δ`, with δ = max(2 ticks, 0.10 × ATR5) (§2.1), **and** that bar's volume z ≥ +1 **and** its delta z ≥ z^* **and** its bar delta > 0. z is the M-TOD z against the same clock bucket over the prior 20 sessions, MC-BidAsk delta. Then the **next** closed 30m bar must still close above VAH (it did not return). If it closes back through VAH, cancel. The 09:30 bar may be the breakout bar; the **entry** is still forbidden before 09:45 (§2.1). One breakout per RTH session. The pullback must happen the same session or the setup expires at 15:30.
- **Pullback zone, 5m, buildable arm (no print size):** the price rows of buy-side `StackedImbalances` on closed 5m bars from the breakout bar's open through the bar before the 1m trigger. Stack = the §2.1 definition: diagonal **3:1**, volume floor at the 70th percentile, **≥ 3** consecutive. If that set is empty, the zone is the upper 30% of the breakout 30m bar's range: `[low + 0.70×(high−low), high]`. The 1m pullback must trade into the zone (`low ≤ zone high`) and close back above the zone low, and it must stay above VAH.
- **Big-trade zone, parked, not one of the 4 configs:** a print is big when its size ≥ the **P99.5** percentile of trade sizes over the prior 20 RTH sessions (arm P99, not crossed in). Buy-side = ask-traded size on the MC-BidAsk split (there is no aggressor flag). Zone = those print prices ± 2 ticks on the breakout leg. **Do not run this arm** while `sizeOutputsVerified` is false. It replaces the stacked-imbalance zone when it is someday enabled; it does not add to it inside the same config.
- **1m trigger (failed seller):** on a closed 1m bar S inside the zone, `StackedImbalances` sell-side ≥ 3 (same 3:1 and P70). The next closed bar S+1 **closes above S.high** (the sellers did not extend) **and** S+1's bar delta > 0. Entering on the first up-close **without** S is forbidden (the video's explicit negative example). Buy **limit** at S+1's close, working for 3 one-minute bars, then cancelled.
- **Stop:** the lowest 1m low from the first bar that traded into the zone through S+1, minus 1 tick, then the §2.1 floor (ES 14 ticks, MES 20, NQ 19, MNQ 35). Skip if the widened stop breaches 1% of equity.
- **Counter-HTF size:** if `bias ≠ 0` and the breakout direction ≠ `bias`, size at **0.5×** (floor; floor 0 → skip) and the **target is 1.5R with no runner**. If `bias = 0` or the breakout agrees with `bias`, size at 1% and the runner, if any, is EX-13's job. The video's "in and out quickly" is this 1.5R cap, not a discretion.
- **Target when EX-13 is off:** 1.5R bracket, no partial. Flat 15:55. News blackout −2/+10 still applies.
- **Sweep (the only four W-T configs):** z^* ∈ {0.5, 1.0} × counter-HTF ∈ {0.5×, skip}. Primary, read first: **z^* = `1.0`, counter-HTF = 0.5×**, stacked-imbalance zone, failed-seller required. Balance length, the 1.5× ATR

cap, the 3:1 stack, the empty-zone fallback and the 1.5R target are frozen. The big-trade percentile is not in these four.

- **Frequency (est.):** a few times a month per root inside W-T. Author estimate only. About 500 sessions will not support a finer grid.
- **Fails when:** the breakout delta is the clock-minute's usual open burst (z does not separate it); stacked imbalances are footprint noise; the counter-HTF half-size still loses the full trend the weekly bias was pointing at; §E6 later shows the parked bubble arm was the only part the presenter was actually using.
- **Needs:** ✓ F-COMP is **not** the balance (that helper is multi-session). The balance profile is ✓ `_RangeProfile` (VP-1) · ✓ `_WeeklyProfiles` (VP-2) for the completed week · ✓ F-OF `StackedImbalances`, `BarDelta`, `CumDelta` at MC-BidAsk · ✓ M-TOD delta z and volume z (W-T) · ✓ M-MTF closed 30m and 5m · ✓ M-SWING not required for the trigger (the stop is the pullback low, not a fractal) · ◐ M-TICK size outputs **gated** (§E6) for the parked zone only · ◐ M-EVENT blackout · ✗ no dual-instrument footprint (that block is OF-10, not this entry).
- **Readiness (v2.7):** The four-config arm is buildable on W-T now, without print size. The big-trade zone stays parked with OF-08 until §E6 passes. Not buildable on W-M as a trade.
- **Gate:** G0-a and G0-b. The value area is built the same day from closed bars, so G0-d (prior-session level persistence) is not a prerequisite. K-SH is mandatory regardless.
- **Test:** on the same breakout events, the price-only control is PS-01's trigger: first confirmed 1m higher low inside the zone, no imbalance and no delta gate. **K-SH:** permute bar deltas inside the session and rebuild the delta-z gate and the failed-seller delta. Report MC-BidAsk and Quote separately; drop BarUpDown. **Kill:** lift over the price-only higher-low ≤ 0, **or** lift ≤ K-SH, on the first 250 sessions, at the primary cell. The other three cells are robustness, not a second chance. Below 30 events: no evaluation. Do not drop the failed-seller bar to raise the count.
- **Differs from: DV-16** (confirmation at a pre-defined Dale level; arms a–d. OF-09 builds the level from the 30m balance and uses only the failed-stack arm, plus a weekly size scalar). **OF-01** (first retest of a stacked-imbalance origin; no value-area break and no failed-seller sequence). **OF-02** (delta-z layer on PS-01/PS-08/PS-24; the z^* values {0.5, 1.0} are reused and then stopped). **OF-08 / DV-17** (large-print zone, P99.5; that definition is the parked arm here, not the entry). **PS-01** (accepted balance break, first higher low; the price control). **YV-01** (same video, verbal rules). **EX-11** (flow trail; the trail lives in EX-13).
- **Sources:**
- https://youtu.be/jmX_ReJxFm8 (auto-captions, 2026-11-08: weekly POC magnet and bearish weekly read ≈ 01:48–03:02; daily chop ≈ 03:06–03:50; 30m fixed-range value area and the 09:30 break with volume, green delta and rising CVD ≈ 03:53–07:40; counter to the weekly bias, smaller and quicker ≈ 06:48–07:14; 5m green bubbles ≈ 08:54–10:19; do not buy the first up candle ≈ 11:43–12:28; buy limit, stop under the 1m swing ≈ 15:19–15:25)
- YV-01 (§3.19). Engines: `_RangeProfile`, `_WeeklyProfiles`, `_OrderFlow` stacked imbalances, `_TodNormaliser`.

OF-10 · ES vs NQ relative order-flow selection (layer on OF-09)

- **Implementation status (v2.7): Not started** — catalogue entry only; no entry-specific code or build spec.
- **Family · Source:** OF (layer) · same video, https://youtu.be/jmX_ReJxFm8, the 11:00 ET switch from MNQ to MES. The discretionary extract is **YV-02**. The score below is a **catalogue proposal**. The video said "more bullish confluence", more green bubbles, a failed bearish stack, and a more bullish CVD. It did not state a formula.
- **Evidence: E**. One example. No statistic. Lit: YouTube.
- **Markets · TF:** ES and NQ (micros for the fill). Compared on the closed 1m bar where OF-09's trigger completes, plus the prior two closed 1m bars (three bars).
- **Data · test window:** W-T only, and **only on OF-09's primary cell** ($z^* = 1.0$, counter-HTF 0.5×). NQ bid/ask depth is unverified (YV-02). If NQ's MC-BidAsk history does not cover the ES window, the overlap is the test, and the rest is dropped. ≤ 4 configs, and this layer uses two of them, not times four.
- **Why it might work:** ES and NQ usually move together. If one footprint shows the seller failing and the other does not, the failing-seller leg is the one the video switched to. It can also be noise: the second leg's CVD z has a wide error on three bars.
- **Rules:** Run OF-09's **detection** (not the order) on both roots. Instruments stay one position (§2.1): at most one fill.
- Let the **host** be a root that just closed a valid OF-09 trigger (S+1).

- On each root, over the three closed 1m bars ending at that timestamp, with that root's own MC-BidAsk footprint:
  - `cvdZ` = M-TOD z of the sum of the three bar deltas, same clock bucket, prior 20 sessions. Missing z → that root is not scorable.
  - `imb` = 1 if a failed opposite stack printed (OF-09's S / S+1 definition) on that root inside the three bars, else 0.
  - `big` = 1 if a same-side print ≥ P99.5 occurred, else 0. **`big` is held at 0** until §E6. It is not in the sweep.
- `score = cvdZ + imb + big`.
- The other root is eligible only if its last 1m bar traded into **its own** OF-09 pullback zone (no entry on a pretty footprint that is not at the level).
- If the other root is ineligible, or unscorable, take the host.
- If both scores < 0, skip.
- If the eligible other score ≥ host score + 0.5, take the other root. Otherwise take the host. Ties within 0.5 stay on the host.
- Size, stop and target are OF-09's, measured on the **chosen** root (the stop is that root's pullback low, not the host's).
- **Sweep:** on the primary OF-09 cell only: score ∈ {`cvdZ` alone, `cvdZ + imb`} → 2. Primary: `cvdZ + imb`. Do not re-sweep `z*` here.
- **Frequency (est.):** a subset of OF-09 events. Author estimate only.
- **Fails when:** the score picks the noisier leg; NQ and ES stops are not the same R because the point values differ (they are not: R is the chosen root's own stop); the second footprint is stale.
- **Needs: ✗ a second order-flow engine.** F-OF today is one stream. ✓ M-XMKT streams the other instrument's **price**, return, correlation and beta, and it does **not** build a footprint. ✓ M-MTF can host a second series. The missing piece is an `_OrderFlow` instance on Data2 with its own MC-BidAsk tier and its own M-TOD delta. Until that exists this layer does not run. Do not approximate it with M-XMKT's return z.
- **Readiness (v2.7): Not buildable.** Specified so the layer can be coded when the second footprint exists. No dual-instrument order-flow engine is in the repo.
- **Test:** paired, same OF-09 events: R of the host leg vs R of the chosen leg, costs on each root (ES $17, NQ $9.48 unconfirmed, micros at their own §2.1 rates). **K-SH** on both legs' deltas. **Kill:** chosen-leg mean net R ≤ host-leg mean net R on the first 250 sessions. Below 30 paired events: no evaluation.
- **Differs from: YV-02** (same video; the score here is the formula that note left open). **PF-03** (correlation monitor; it does not choose the fill). **M-XMKT** (infrastructure). **A2-37** (cross-instrument dislocation as a fragility **filter**, not an execution choice). **OF-09** (the host; this layer never fires alone).
- **Sources:**
- https://youtu.be/jmX_ReJxFm8 (≈ 12:33–14:54: MNQ showed a red bubble and no green bubbles; MES showed green bubbles, a bearish stacked imbalance that failed, and a more bullish CVD; the fill was MES)
- YV-02 (§3.19)

EX-13 · 1.5R partial, deep-pullback breakeven, trail under the initiative print (module)

- **Implementation status (v2.7): Not started** — catalogue entry only; no entry-specific code or build spec.
- **Family · Source:** EX (module) · same video, https://youtu.be/jmX_ReJxFm8, the management after the fill (≈ 15:19–17:00). Host for the test: **OF-09** aligned trades only. OF-09 counter-HTF trades stay on their own 1.5R bracket and do **not** take this module. The video's "swing low" in the caption at the target sentence is treated as a caption error: a long target below the swing low contradicts the rest of the clip, which places the partial near 1:1.5 and under the prior swing high.
- **Evidence: E**. One example (partial about 1:1.5, remainder stopped about 1:2.5). Lit: YouTube. No claim that a 1.5R partial raises expectancy. EX-07's only support for scaling out is the variance arithmetic, not this video.
- **Markets · TF:** the host's. Tested on OF-09, so W-T, ES/NQ, 1m management bars.
- **Data · test window:** inherits OF-09 (W-T, primary cell only). The partial and the breakeven do not need ticks. The **bubble** trail does, and it is gated. The substitute trail uses bar delta and stacked imbalances, which are already required by OF-09.
- **Why it might work:** If the edge dies after 1.5R (EX-08's fast-decay case), taking half there and letting the rest go only while initiative prints continue cuts the give-back. If the edge is the trend, the partial taxes it.

The test is which one OF-09 is. The video does not answer that.

- **Rules:** Longs; shorts mirror. Applied after the OF-09 limit fill. `R` = the filled stop distance (after the cost floor).
- **Partial:** if `contracts ≥ 2`, sell half (floor) at +1.5R, limit, good until 15:55. If `contracts = 1`, there is no partial: the whole position uses the 1.5R limit (log "partial skipped, size 1"). Micros exist so a 1% risk often clears 2 MES; when it does not, the size-1 path is correct, not a bug.
- **Deep pullback → breakeven:** only after the partial has filled. If a later closed 1m bar prints `low ≤ entry + 0.75R` and `low > entry`, move the stop on the next bar to true breakeven: `entry + (round-trip cost in points + 1 tick)`. Cost is §2.1 (ES $17 → 0.34 pt; MES $2.50 → 2 ticks). Never loosen. The video's "retraced heavily, stop to breakeven" is this 0.75R give-back (half of the 1.5R that was taken), not a touch of the entry.
- **Trail, buildable substitute:** after breakeven, each new closed 1m bar with bar delta > 0 **and** a buy-side stack (≥ 3, 3:1, P70) sets the stop to that bar's low − 1 tick if that is tighter. This stands in for "trail under the new green bubble" while size outputs are gated.
- **Trail, gated bubble (off):** when `sizeOutputsVerified` becomes true, the same bar may instead set the stop to the lowest same-side P99.5 print on that bar, − 1 tick, if tighter. Do not run both trails. The bubble trail is a **replacement** arm, not in the four cells below.
- Flat at 15:55 whatever the trail is doing. No add-on. The original stop remains until a tighter one replaces it.
- **Sweep:** on OF-09 primary, aligned trades, four cells: partial ∈ {on, off} × breakeven ∈ {on, off}. When breakeven is off, the substitute trail is off. When breakeven is on, the substitute trail is on. Primary cell: **partial on, breakeven on**. The bubble trail is a fifth config held back until §E6, and it replaces the substitute rather than joining this factorial. These four do not multiply OF-09's four.
- **Frequency (est.):** one management path per OF-09 aligned fill.
- **Fails when:** OF-09's winners run past 1.5R and the partial gives them away; the 0.75R breakeven is tagged and the trade then goes; the substitute trail ratchets up on ordinary positive-delta bars and is shaken out. All three are what the ablation measures.
- **Needs:** ✓ F-TM (scale-out and a working stop; EX-07 already assumes this) · ✓ F-OF for the substitute trail (already on for OF-09) · ◐ M-TICK size outputs gated, bubble arm only · ✓ F-JRNL so the partial and the runner are one trade's R, not two. Size ≥ 2 uses MES/MNQ (A2-71's micro point, not its vol target).
- **Readiness (v2.7):** Partial and breakeven are buildable on the host window now. Substitute trail is buildable on W-T with OF-09. Bubble trail is parked with §E6.
- **Test:** against OF-09's plain 1.5R bracket (this module off) on the **same** fills. Report mean R, R variance and max drawdown. **K-SH** on the trail's delta and stack (rebuild the trail on shuffled deltas; the partial and the breakeven stay, because they do not use flow). **Kill:** mean net R lower than the bracket, **or** max drawdown higher at a mean R that is not higher, on the first 250 sessions. A tie keeps the bracket (fewer states). The bubble arm, when it is eventually run, has to beat the substitute trail, not just the bracket.
- **Differs from: EX-07** (half off at **1R**, stop to breakeven immediately, runner on EX-04/05). **EX-11** (trail while imbalances continue; stop parked beyond an LVN; no 1.5R partial and no pullback-triggered breakeven). **A2-73** (breakeven around 3R or the rolling average gain, not after a 0.75R give-back). **EX-05** (last confirmed 5m higher low; this trail is the 1m initiative bar). **YV-01** (the verbal trail). **OF-09** (the host; counter-HTF trades never reach this module).
- **Sources:**
- https://youtu.be/jmX_ReJxFm8 (≈ 15:19–17:03: buy limit, stop under the 1m swing, first partial about 1:1.5, sellers failed so the rest was held, stop to breakeven on the deep retrace, then trailed under the new buy bubble and the buy-side stack, stopped near 1:2.5)
- EX-07, EX-08, EX-11, A2-73 in this catalogue

Judgement calls

1. **Version v2.7, not v2.6.** The markdown source attached for this task is already catalogue v2.6a (YV-01… YV-10 and the confirmed ES/MES costs). The PDF in `docs/` is still v2.5. Bumping the markdown to v2.6 would have erased that history. v2.7 is the next line.
2. **Five IDs, not three.** OF-09 + OF-10 + EX-13 instead of one Oxygen entry. Counter-HTF size stayed inside OF-09. Recorded in the preamble.

3. **YV extracts were not rewritten.** One cross-reference line was added to YV-01, YV-02, YV-07 and YV-09, and to PF-01, DV-16, PS-18, DV-08, OF-01, OF-02 and the A2-71 block inside PF-06. Their rules were not edited.
4. **Weekly profile is the last completed week.** The video used the developing week. A developing weekly profile repaints, so OF-09 refuses it.
5. **Modern Turtle stop is 2×ATR20d.** The video drew no stop on the EMA arm. S1/S2 use the exit channel as the risk stop (the same catalogue assumption YV-09 already noted).
6. **Faith arms are optional and uncrossed.** N, the 2N stop, the four-unit pyramid and the System-1 skip are cited from the public rules and are not described as video content. Faith's 6/10/12-unit correlation caps were left out in favour of M-PORT / PF-03.
7. **SP-09 primary arm is 5m context and 1m trigger.** The video's execution was 15s. 15s cannot be tested on W-M. Arm S keeps 15s inside W-T. `minAtrFrac = 0.15` on the 5m gap is a freeze so a one-tick gap does not qualify; the video did not state it. Strength stays 2 on Arm M, matching §2.1.
8. **ICT entry edge is the near edge (`lo` on a bearish gap), not DV-08's start edge.** The video sells the low of the new bearish gap.
9. **London 03:00–08:30 ET** is only allowed as one side of an equal pair. The video's "London session low" had no clock. Without ETH bars the pair rule still runs.
0. **OF-10 is specified and marked not buildable.** M-XMKT does not compute a second footprint. The score is a proposal, labelled as one.
1. **Big-trade arms are parked**, same gate as OF-08 (`sizeOutputsVerified`, §E6). The buildable substitutes are stacked imbalances (OF-09 zone, EX-13 trail).
2. **Matrix rows for PF-08, SP-09, OF-09 and OF-10 are drafter estimates.** They are not inserted into the top 40. EX-13 is unscored, like the other EX modules.
3. **No performance numbers** were taken from the videos into a kill line or a target Sharpe, other than "beat TSMOM(20) or clear 0" for PF-08, which is a hurdle, not a forecast.