UN SOLO ENDPOINT CENTINAIA DI MODELLI

LITELLM SPIEGATO A MIA MADRE






ETTORE CIARCIA

PREMIUM
ENGINEER @SUSE


Fai una domanda


Fai una domanda


CONTATTIAMO DIRETTAMENTE UN MODELLO DI OPENAI

```
curl -s https://api.openai.com/v1/responses \
  -H "Authorization: Bearer $OPENAI_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "model": "gpt-5-nano",
    "reasoning": {"effort": "minimal"},
    "input": "Saluta i partecipanti del Linux Day di Benevento in una frase breve."
  }'
{
  "answer": "Un saluto caloroso a tutti i partecipanti del Linux Day di Benevento: buon lavoro,
curiosità e condivisione!",
  "model": "gpt-5-nano-2025-08-07",
  "status": "completed",
  "tokens": {
    "input": 22,
    "output": 45,
    "total": 67
  }
}
```






PROVIAMO A FARE LA STESSA RICHIESTA MA QUESTA VOLTA SU UN MODELLO DI GOOGLE



```
curl -sS \
  "https://generativelanguage.googleapis.com/v1beta/models/gemini-3.5-flash-lite:generateContent" \
  -H "x-goog-api-key: $GEMINI_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "model": "gpt-5-nano",
    "reasoning": {"effort": "minimal"},
    "input": "Saluta i partecipanti del Linux Day di Benevento in una frase breve."
  }'
{
  "status": "INVALID_ARGUMENT",
  "error_code": 400,
  "error": "Invalid JSON payload received. Unknown name \"reasoning\": Cannot find field.\nInvalid JSON payload received. Unknown name \"input\": Cannot find field."
}
```

```
curl -sS \
  "https://generativelanguage.googleapis.com/v1beta/models/gemini-3.5-flash-lite:generateContent" \
  -H "x-goog-api-key: $GEMINI_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "contents": [
      {
        "parts": [
          {
            "text": "Saluta i partecipanti del Linux Day di Benevento in una frase breve."
          }
        ]
      }
    ]
  }'
{
  "model": "gemini-3.5-flash-lite",
  "status": "completed",
  "input_tokens": 15,
  "output_tokens": 33,
  "total_tokens": 48,
  "reasoning_tokens": 0,
  "duration_ms": null,
  "response": "Un caloroso saluto a tutti i partecipanti del Linux Day di Benevento: che sia una giornata ricca di condivisione, open source e innovazione libera!",
  "error": null
}
```

PROBLEMI




1. COME GESTIAMO LE DIFFERENTI API DEI PROVIDER LLM




2. COME DISTRIBUIAMO E RUOTIAMO LE CHIAVI IN SICUREZZA?




3. COME EVITIAMO CHE UN SERVIZIO SATURI I LIMITI DELLE CHIAVI



4. SE UN MODELLO VA GIU, FACCIAMO FALLIRE LA RICHIESTA O FACCIAMO IL FAILOVER SU UN ALTRO MODELLO



WHO CALLS
Developer
Coding agent
Your app
LiteLLM
LLM APIS
+100
MCP TOOLS
any MCP
A2A AGENTS
any A2A


ARCHITETTURA DI LITELLM



LITELLM. NASCE COME UNA LIBRERIA PYTHON PER UNIFORMARE LE CHIAMATE VERSO DIVERSI MODELLI E SI EVOLVE IN UN'AI GATEAWAY COMPLETO

COSA SUCCEDE QUANDO FACCIAMO UNA RICHIESTA AL NOSTRO AI GATEWAY




LiteLLM
v1.104.2
AI Gateway
Models + Endpoints
Docs
Blog
AI GATEWAY
Virtual Keys
Playground
Models + Endpoints
Agentic
MCP Servers
Skills
Guardrails
Policies
Tools
OBSERVABILITY
Usage
Cost Optimization
Beta
Logs
Guardrails Monitor
ACCESS CONTROL
Teams
Internal Users
DE
Account
Admin
Model Management
Add and manage models for the proxy
All Models
Add Model
Auto-Routers
Beta
LLM Credentials
Pass-Through Endpoints
Health Status
Model Retry Settings
Search model names...
Team Personal
View Current Team Models
Columns
Filters
Model ID
Model Information
Credentials
Created By
Updated At
Costs
255266e5-80...
llama3.2:3b
llama3.2:3b
Manual
Unknown
Unknown date
Rows per page
50
Showing 1 - 1 of 1
Page 1 of 1
To access these models, create a Virtual Key without selecting a team on the Virtual Keys page.
LiteAdmin



LiteLLM v1.104.2

AI Gateway > Virtual Keys

Docs Blog

AI GATEWAY

- Virtual Keys
- Playground
- Models + Endpoints
- Agentic
- MCP Servers
- Skills
- Guardrails
- Policies
- Tools

OBSERVABILITY

- Usage
- Cost Optimization Beta
- Logs
- Guardrails Monitor

ACCESS CONTROL

- Teams
- Internal Users

DE Account Admin

Virtual Keys

Every key that authenticates requests to the gateway.

+ Create New Key

Search by key alias or ID...


Columns Filters

Key	Team	User	Created At	Last Active	Spend / Budget	Lifetime Spend
personal-key sk-...LqDQ Active	-	Default Proxy Admin	Oct 15, 2026	Oct 17, 2026	$0.0001 · Unlimited	$0.0001

Rows per page 50

Showing 1 - 1 of 1 Page 1 of 1

LiteAdmin


⌥⌘1
ollama
⌘1
-zsh
⌘2
experiments/ai-gateway on main [!?] via v3.14.7 (venv) ❯
experiments/ai-gateway on main [!?] via v3.14.7 (venv) ❯


Top Virtual Keys

5 | 10 | 25 | 50 | Table View | Chart View

Key ID	Key Alias	User	Spend (USD)
aba1b46d30f…	linux-day-key	default_user_id	< $0.01
90ab5b178f9…	personal-key	default_user_id	< $0.01
litellm-inter…	-	-	< $0.01
056bf03f957…	-	default_user_id	-
338f9045077…	-	default_user_id	-

Top Public Model Names

5 | 10 | 25 | 50 | Public Model Name | Litellm Model Name



Spend by Provider

Show Zero Spend | Show Unknown



Provider	Spend	Successful	Failed	Tokens
openai	< $0.01	17	0	872
gemini	< $0.01	3	1	151

LiteAd

GRAZIE!

linkedin.com/in/ettoreciarcia

ettoreciarcia.tech@gmail.com

ettoreciarcia.com

github.com/ettoreciarcia





SEE YOU NEXT TIME!