

MORULE 7 ACTION BAR





TABLE OF CONTENT

- Action Bar
- Adding Action Item
- Action Item Event
- Up Button
- Webography





- Action bar functions
 - To identify the user location
 - Name of the app/activity

If no name is given to the activity in AndroidManifest.xml (through android:label attribute)

the app name is displayed

- To provide user actions and navigation modes through
 - Action button
 - Appears directly in the action bar with an icon and/or text
 - Action overflow (hidden actions)
 - Contains actions that can't fit in the action bar or aren't important enough






- Automatically adapted for different screen configurations
- Style
 - According to the application style defined in AndroidManifest.xml
 - For <application> or <activity>
 - Through android:theme attribute
 - N.B: Define styles in res/values/styles.xml!
 - E.g,
 - Theme.AppCompat.Light.DarkActionBar











- Menu in xml file
 - In res/menu directory

```
res
                                  public class MainActivity extends AppCompatActivity {
drawable
                                      @Override

▼ Iayout

                                      protected void onCreate(Bundle savedInstanceState) {
     activity_main.xml
                                          super.onCreate(savedInstanceState);
▼ 🛅 menu
                                          setContentView(R.layout.activity main);
      menu_main.xml
  mipmap
                                      @Override
  values
                                      public boolean onCreateOptionsMenu (Menu menu) {
                                          this.getMenuInflater().inflate(R.menu.menu main,menu);
                                          return true:
```



Displays action bar









Adding Action Item

- Define action items in XML menu resource
 - <item> element for each item to include in the action bar
 - title attribute
 - Label of the action item
 - icon attribute
 - Place icons files in appropriate res/drawable-?? directory
 - Use icons provided in the Action Bar Icon Pack
 http://developer.android.com/design/downloads/index.html
 - app:showAsAction attribute
 - never (by default): action item hidden in the action overfow
 - always: item shown as action button in the action bar
 - ifRoom: item appears as an action button when room is available in the action bar





Adding Action Item

▶ E.g, HelloApp <?xml version="1.0" encoding="utf-8"?> <menu xmlns:android="http://schemas.android.com/apk/res/android"</pre> Hello world xmlns:app="http://schemas.android.com/apk/res-auto" xmlns:tools="http://schemas.android.com/tools" tools:context=".MajnActivit <item android:id="@+id/itemEmailID" android:icon="@drawable/ic action email android:title="@string/emailTitleID" app:showAsAction="always"/> <item android:id="@+id/itemCallID" android:icon="@drawable/ic action call" android:title="@string/CallTitleID" app:showAsAction="always"/> <item android:id="@+id/itemSearchID" HelloApp Search android:icon="@drawable/ic action search" android:title="@string/searchTitleID" Settings app:showAsAction="ifRoom" /> Hello world! <item android:id="@+id/action settings"</pre> android:title="@string/action settings" android:orderInCategory="100" app:showAsAction="never" </menu>





Action Item Event

- If press on action item
 - onOptionsItemSelected() callback method is called
 - Use **getItemId()** on the given MenuItem to determine which item is pressed





Action Item Event

▶ E.g,

```
@Override
public boolean onOptionsItemSelected(MenuItem item) {
    switch (item.getItemId())
    case R.id.itemEmailID:
        ··· To do when press on Email action item
        return true:
    case R.id.itemCallID:
        To do when press on Phone action item
        return true;
    case R.id.itemSearchID:
         To do when press on Search action item
        return true:
    case R.id.itemSettingsID:
        To do when press on Settings action item
        return true:
    default:
        return super.onOptionsItemSelected(item);
```





Up Button


- ▶ To navigate to the logical parent screen in the app's hierarchy
- With Android 4.1 (API level 16) and above
 - Declare the parent activity in the AndroidManifest.xml
 - Through android:parentActivityName





Up Button


- ▶ E.g,
 - In AndroidManifest.xml







Up Button







Webography

- http://developer.android.com/training/basics/actionbar/index.html
- http://developer.android.com/guide/topics/ui/actionbar.html

