

Contents

| | |
|---------------------------------------|-----------|
| Public functions | 2 |
| Clean DHWB | 2 |
| clean-dhbw | 2 |
| Custom equations | 8 |
| equation | 8 |
| outlined-equations | 8 |
| ToDo | 8 |
| todo | 8 |
| Internal functions | 10 |
| Custom outline Entry | 10 |
| custom-outline-entry-formatting | 10 |

Public functions

Clean DHWB

- `clean-dhbw()`

`clean-dhbw`

This function does provide a template in (unofficial) accordance to the DHBW Stuttgart guideline for a Thesis.

Parameters

```
clean-dhbw(  
    title: str,  
    authors: dictionary,  
    language: str,  
    at-university: bool,  
    confidentiality-marker: dictionary,  
    type-of-thesis: str,  
    show-confidentiality-statement: bool,  
    show-declaration-of-authorship: bool,  
    show-table-of-contents: bool,  
    show-table-of-images: bool,  
    show-table-of-tables: bool,  
    show-table-of-code: bool,  
    show-table-of-equations: bool,  
    show-acronyms: bool,  
    show-abstract: bool,  
    glossary-spacing: length,  
    outline-number-title-spacing: length,  
    outline-entry-height: length,  
    outline-new-chapter-spacing: length,  
    abstract: content,  
    abstract-second-language: content,  
    second-language-for-abstract: str,  
    appendix: content,  
    acronyms: dictionary,  
    glossary,  
    confidentiality-statement-content: content,  
    declaration-of-authorship-content: content,  
    titlepage-content: content,  
    university: str,  
    university-location: str,  
    university-short: str,  
    city: str,  
    supervisor: str,  
    date: datetime,  
    date-format: str,  
    bibliography,  
    bib-style: str,  
    logo-left: content,  
    logo-right: content,  
    body: content  
)
```

title `str`

The title of your document.

Default: `str`

authors `dictionary`

A list of dictionaries with the authors. Each Author should have following elements: name:

Name of the author -> `str`

student-id: Student-ID of the author -> `str`

course: Course of the author -> `str`

course-of-studies: -> `str`

company: Dictionary containing name -> `str`, post-code -> `str`, city -> `str`, country -> `str`

Default: `dictionary`

language `str`

The language in which this document is written. Currently supported are “de” and “en”.

Default: `str`

at-university `bool`

Define if the document is written for the university. Setting this true will hide the company and confidentiality statement.

Default: `bool`

confidentiality-marker `dictionary`

Show a red dot on the upper right corner of the title page.

Default: (`display`: `false`)

type-of-thesis `str`

The type of the thesis, e.g. Bachelor Thesis or Paper.

Default: `str`

show-confidentiality-statement `bool`

Display the confidentiality statement. This will be ignored if `at-university` is set to true.

Default: `true`

show-declaration-of-authorship `bool`

Display declaration-of-authorship.

Default: `true`

show-table-of-contents `bool`

Display table of contents.

Default: `true`

show-table-of-images `bool`

Display table of figures (images).

Default: `true`

show-table-of-tables `bool`

Display table of tables.

Default: `true`

show-table-of-code `bool`

Display table of code.

Default: `true`

show-table-of-equations `bool`

Display table of equations.

Default: `true`

show-acronyms `bool`

Display all used acronyms.

Default: `true`

show-abstract `bool`

Display the abstract.

Default: `true`

glossary-spacing length

Spacing between the glossary term and its definition.

Default: **1.5em**

outline-number-title-spacing length

The spacing between the chapter number the the heading in an outline entry.

Default: **1em**

outline-entry-height length

The height of a outline entry (on single line).

Default: **1.1em**

outline-new-chapter-spacing length

The space above a new level 1 chapter in outlines, should be equa to page-grid.

Default: **16pt**

abstract content

The abstract in the main language.

Default: content

abstract-second-language content

The abstarkt in the second language, second-language-for-abstract must be set.

Default: **none**

second-language-for-abstract str

The language for a second abstarkt. See language for options.

Default: **none**

appendix content

The appendix.

Default: **none**

acronyms dictionary

Dictionary containing all acronyms.

Default: **none**

glossary

The glossary dictionary, containing words and their description.

Default: **none**

confidentiality-statement-content content

Overwrite the default content of the confidentiality statement.

Default: **none**

declaration-of-authorship-content content

Overwrite the default content of the declaration of authorship.

Default: **none**

titlepage-content content

Overwrite the default content of the titlepage.

Default: **none**

university str

Name the of the university.

Default: **none**

university-location str

Location of the university.

Default: **none**

university-short str

Shorthand for the university (eg. KIT), displayed for the university supervisor.

Default: **none**

city `str`

City of the author (only needed when at-university is true).

Default: `none`

supervisor `str`

Dictionary containing the name of the supervisor with the “university” or “company”. One of the two should be provided.

Default: `(:)`

date `datetime`

Datetime object to be displayed in the document.

Default: `datetime`

date-format `str`

Date format to be displayed. See Typst docs for more information.

Default: `"[day].[month].[year]"`

bibliography

Bibliography object to be displayed.

Default: `none`

bib-style `str`

Display Style of the bibliography, see Typst docs for more information.

Default: `"ieee"`

logo-left `content`

Logo on the right side in the header. Should be the company logo. If only one logo is specified it will be centered on the titlepage.

Default: `image("img/general/firmenlogo.png")`

logo-right `content`

Logo on the left side in the header. Should be the University logo. If only one logo is specified it will be centered on the titlepage.

Default: `image("img/general/dhbw.svg")`

body `content`

The main Body, the actually written document.

Custom equations

- `equation()`

Variables:

- `outlined-equations`

`equation`

Custom wrapper for equations to store them in `outlined-equations` and display them in an custom outline.

Parameters

```
equation(  
    body,  
    caption: str content,  
    label: dictionary label location ref-label str  
)
```

caption `str` or `content`

Caption of the equation.

Default: `none`

label `dictionary` or `label` or `location` or `ref-label` or `str`

Label of the equation. Must be provided.

Default: `none`

outlined-equations `dictionary`

Dictionary to store a equations label and caption in order to display them in a custom outline.

ToDo

- `todo()`

`todo`

Small function to mark text italic red and add the prefix “ToDo: “.

Parameters

```
todo(task: str content) -> content
```


task `str` or `content`

Content of the task.

Internal functions

Custom outline Entry

- custom-outline-entry-formatting()

custom-outline-entry-formatting

This function create one line seperated into front, mid, and back. It is intended to be used as a custom outline entry.

Parameters

```
custom-outline-entry-formatting(  
    location: dictionary label location ref-label str ,  
    front: content ,  
    mid: content ,  
    back: content ,  
    front-max-width: length fraction ,  
    spacing-after-front: length ,  
    entry-height: length  
)
```

location dictionary or label or location or ref-label or str

The location of the content, none will create no link.

Default: none

front content

Content of the front part, eg. "Figure 2.4".

Default: none

mid content

Content of the middle part eg. "This image shows a Cat".

Default: none

back content

Content of the end, will be most to the right. Eg. the page number "4".

Default: none

front-max-width length or fraction

Maximum width of all front entries, this is used so all front parts have the same width and the mid parts are aligned.

Default: 1fr

spacing-after-front length

The space inserted after front-max-width. If front-max-width is a fraction, this has no effect.

Default: **3em**

entry-height length

The height of a single line (entry).

Default: **1em**