Safety data sheet for chemical products

SDS

Samples Name: Rechargeable Li-ion Battery

Client Name: Lüliang Huhu Trade Co., Ltd.

Client Address: No. 113, Dahe Village, Muguaping Township, Linxian County, Lüliang City, Shanxi Province

Authorized signature

Fox Rong

Technical supervisor

Approved Signatory

Guangzhou Supreme Technology & Testing Service Co., Ltd.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Section 1 - Chemical Product and Company Identification

Product Name: Rechargeable Li-ion Battery
Model No.: 18650
Client Name: Lüliang Huhu Trade Co., Ltd
Client Address: No. 113, Dahe Village, Muguaping Township, Linxian County, Lüliang City, Shanxi Province
Manufacturer: Shenzhen Feipai Technology Co., Ltd.
Manufactured Address: Factory building at No. 79 Guantian Road, Niuhu Community, Guanlan Subdistrict, Longhua District, Shenzhen, Guangdong Province

E-mail: /
Fax: /
Post Code: /

Section 2 - Hazards Identification

Hazards Classification

In accordance with Regulation (EC) No. 1272/2008, the sample is divided into dangerous article.

Physical hazard: Ingestion / Respiratory irritation

Health hazard: Skin / Eye irritation

Environment hazard: Hazardous to the aquatic environment.

Label elements

Hazard pictograms:

Signal word: Danger

Hazard statements:

H228 Flammable solid.
H301 Toxic if swallowed
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H350 May cause cancer.
H372 Causes damage to organs (Bone, Teeth) through prolonged or repeated exposure if inhaled.
H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects

Precautionary statements-Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothingeye protection/ face protection.
P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
P304+P340+P312 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P314 Get medical advice/attention if you feel unwell.
P363 Wash contaminated clothing before reuse.
P337 + P313 IF eye irritation persists: Get medical advice/attention.
P391 Collect spillage.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Supplemental hazard: No data available.

Section 3 –Composition/Information on Ingredient

Composition:

Chemical Name	CAS No.	Content (%)
Lithium Cobalt Oxide	12190-79-3	35.05
Graphite	7782-42-5	15.98
Carbon black	1333-86-4	0.79
POLY (VINYLIDENE FLUORIDE-CO-HEXAFLUOROPROPYLENE)	9011-17-0	9.87
Dimethyl carbonate	616-38-6	4.38
Ethyl methyl carbonate	623-53-0	2.29
Lithium hexafluorophosphate	21324-40-3	2.95
Ethylene carbonate(EC)	96-49-1	6.34
Diethyl carbonate(DEC)	105-58-8	2.76
Propylene carbonate(PC)	108-32-7	1.11
Copper	7440-50-8	8.39
Styrene-butadiene rubber(SBR)	61789-96-6	0.71
Aluminum	7429-90-5	9.38

Section 4 - First Aid Measures

Skin contact: Remove contaminated clothing and rinse skin thoroughly with soapy and clean water. Seek medical attention if allergic.

Eyes contact: Immediately lift eyelids and rinse thoroughly with plenty of running water or saline for at least 15 minutes. Seek medical attention if allergic.

Inhalation: Leave the contaminated area immediately, take a deep breath of fresh air. Administer oxygen if breathing is difficult. If breathing stops, give artificial respiration immediately and seek medical attention.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Section 5 - Fire Fighting Measures

1) Extinguishing media

- Extinguish fire with water mist, dry powder, foam or carbon dioxide extinguishing agent. Avoid using direct running water to extinguish the fire, which may cause splashing of flammable liquid and spread the fire.

2) Special hazards arising from the substance or mixture

- No data available.

3) Advice for firefighters

- Firefighters must wear gas masks and full-body fireproof suits and should work in protected shelters. Extinguish the fire in the upwind direction. Move the container from the fire source to an open area as much as possible. Prevent objects from splashing up and causing burns.

4) Further information

- Use water spray to cool unopened containers.

Section 6 –Accidental Release Measures

Emergency treatment:

1) Personal precautions, protective equipment and emergency procedures

Isolate the contaminated area of leakage and restrict access. It is recommended that emergency personnel wear gas mask and special protective clothing. Do not contact spills directly. Avoid dust formation.Avoid breathing vapours, mist or gas. Avoid breathing dust. Ensure adequate ventilation.Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations.

2) Environmental precautions

Control leakage when it is safe. The product is not allowed to flow into sewers, drainage ditches or other confined Spaces to avoid being discharged into the environment.

3) Methods and materials for containment and cleaning up

-Small leakage: Collect the leaked substance in a sealed container as much as possible. Avoid raising dust and s weep carefully and transfer to a safe place. Do not flush down the drain

- Large leakage: Cover with plastic sheeting or canvas. Collect and recycle or transport to a waste treatment facility for disposal.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Section 7 - Handling and Storage

Handling: Operators must be specially trained and strictly abide by the operating procedures. Operation and handling should be carried out in a place equipped with local ventilation or general ventilation and air exchange facilities. Avoid contact with eyes and skin, and avoid inhaling vapors. Keep away from fire and heat sources. Smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and lighting equipment. Take measures to prevent static buildup. Do not use mechanical equipment and tools that can easily produce sparks. Avoid exposure to oxidizing agent, bases and acids. Do not mix with food chemicals. Handle with care during transportation to prevent damage to the packaging. Equipped with the corresponding variety and quantity of fire equipment and leakage emergency treatment equipment. Empty containers may still contain harmful substances.

Storage: Keep the container sealed and store it in a dry, cool and well-ventilated warehouse.Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from fire and heat. Do not mix with oxidants and edible chemicals Do not store in large quantities or for a long time. The storage area should be equipped with leak emergency treatment equipment and suitable containment materials.

Section 8 - Exposure Controls, Personal Protection

Control measures

- Handle in accordance with good industrial hygiene and safety practice.

Individual protection measures

- Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK(EN 14387) respirator cartridges as a backup to engineering controls.if the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH(US) or CEN(EU).
- Eye /face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
- Skin and body protection: Handle with gloves. Gloves must be inspected prior to use.Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Environmental exposure controls

- Control measures refer to national and local regulations.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Section 9 - Physical and Chemical Properties

Appearance: Solid

Color: Blue

Odour: Odorless

Flashpoint: No data available.

Ignition temperature: No data available.

Solubility: Partly dissolved in water

Section 10 - Stability and Reactivity

Stability: Stable under recommended conditions.

Distribution of Ban: No data available.

Conditions to Avoid: No data available.

Hazardous Polymerization: No data available.

Hazardous Decomposition Products: Under the recommended storage and use conditions, no harmful decomposition products should be produced.

Section 11 - Toxicological Information

Acute Toxicity: No available data.

Sub-acute and Chronic Toxicity: No available data.

Irritation: No available data.

Sensitization: No available data.

Mutagenicity: No available data.

Carcinogenicity: No available data.

Others: No available data.

Section 12 - Ecological Information

Eco-toxicity: No available data.

Biodegradable: No available data.

Non-biodegradable: No available data.

Bioconcentration or biological accumulation: No available data.

Other harmful effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.Harmful to aquatic life.

Section 13 - Disposal Considerations

Waste disposal methods: Offer surplus and non-recyclable solutions to a licensed disposal company.

Attention abandoned: National and local regulations should be consulted before disposal.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Section 14 - Transport Information

Number of dangerous goods: /

UN Number: /

Packaging Mark: /

Packaging Method: /

Transport fashion: No data available.

Transport Attentions: Please select the appropriate means of transportation and storage conditions according to the nature of the chemical. The means of transport shall be equipped with the corresponding varieties and quantities of fire fighting materials and leakage emergency treatment equipment. If you choose road transport, please follow the prescribed route.

Section 15 - Regulatory Information

Regulatory Information: ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections. Regulation (EC) No. 1272/2008 Classification, Labelling and Packaging of Substances and Mixtures.

Section 16 - Additional Information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling.storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other The above information is based on the data of which we are aware and is believed to be correct as of the data reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. Accordingly, XNO Testing Center will not be responsible for damages resulting from use of or reliance upon this information.

***** End of SDS*****

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com