# How I Learned to Stop Worrying and Love the inline-block

by Robert Szaloki



### Create a carousel





### The carousel



rhoncus dui.

<section> </section>

### List of items



<section>

</section>



# Navigation



<section>

<button>&lang;</button><button>&rang;</button>

</section>



### The code

<hr>

```
<!DOCTYPE html>
<html lang="en-us">
<head>...</head>
<body>
  <section data-component="carousel">
     <button data-carousel-nav="prev">&lang;</button>
     <button data-carousel-nav="next">&rang;</button>
     <0|>
      <|i><|i></|i>
      <|i><|i></|i>
      <|i><|i></|i>
     </0|>
  </section>
```


### The code

<hr>

```
<!DOCTYPE html>
                        position:relative
<html lang="en-us">
<head>...</head>
<body>
  <section data-component="carousel">
     <button data-carousel-nav="prev">&lang;</button>
     <button data-carous !-nav="next">&rang;</button>
     <0|>
                              position:absolute;
       ∢|i>
                                   top:0;
 margin:0 40px;
                                 bottom:0;
                                height:40px;
       SII/S/II/
                               margin:auto 0;
                                width:40px;
     </0|>
  </section>
```




# Dimensions






### Carousel item



```
<|i><|i><strong>....</strong>
<img>
<button>...</button>
...
</|i>
```



### Carousel item



### Almost...

```
<!DOCTYPE html>
<html lang="en-us">
<head>...</head>
<body>
  <section data-component="carousel">
     <button data-carousel-nav="prev">&lang;</button>
     <button data-carousel-nav="next">&rang;</button>
     <0|>
      <|i><|i></|i>
      <|i><|i><|i>>
      <|i><|i></|i>
     </0|>
  </section>
  <hr>
```

margin:0 40px; white-space:nowrap; overflow:hidden; transition:all 0.3s ease-in-out:



### How will it move?





Add to Purr

Praesent sed

sapien vel elit sollicitudin



Nuncvitae

sodales mi. a

dolor at tempus

rísus pulvinar nulla, at venenatis



Aenean pulvinar,

dolor at tempus



cat8.jpg

In viverra elit nec

mallis. Danec nec

sed, feugiat nunc.



#### Add to Purr Add to Purr

Donec nec sapien sapien interdum, tincidunt augue

#### long cat is text-indent:-[ width]px







adipiscing elit.

Add to Purr

Nulla vehícula est pulvinarluctus

Add to Purr

Nulla vehícula est pulvinar luctus. sapien eget porttitor facilis dalar nibh labar mauris, vel molestie ante

Add to Purr

dui.



cursus nis.



Add to Purr Add to Purr

sollicitudin cursus nisl. aliquam. Nunc vitae sodales mi. a



Add to Purr

risus pulvinar nulla, at venenatis

Add to Purr turpis elementum.

mauris, vel

augue rhonous

mollis. Donec nec tincidunt augue sed, feugiat nunc

cat9.jpg

Add to Purr

tincidunt augue sed, feugjat nunc Suspendisse sed molestie arcu. Pellentesque et commodo libero.



### DEMO!

#### https://c9.io/rszaloki 1/carousel/workspace/index.html

#### cat1.jpg



Add to Purr

Lorem ípsum dolor

consectetur

adipiscing elit.

Add to Purr

Nam aliquam vitae

libero nec blandit.

Nulla vehícula est

consectetur

pulvinar luctus.

# looooong.jpg

long cat is

#### Add to Purr



Nulla vehícula est consectetur pulvinar luctus.



#### cat4.jpg



#### Add to Purr

molestie ante augue rhoncus dui.

#### Intently stare at the same spot

Climb legintrigued by the shower chase mice

Cat ipsum dolor sit amet, nap all day and hate dog, Inspect anything brought into the house behind the couch shake treat bag cat snacks yet nap all day. Intently stare at the same spot give attitude chase imaginary bugs nap all day and inspect anything brought into the house. Stretch cat snacks yet hate dog, nap all day yet intrigued by the shower so attack feet. Sleep on keyboard all of a sudden go crazy, intrigued by the shower or need to chase tail intently sniff hand so flop over. Rub face on everything find something else more interesting so under the bed. Under the bed destroy couch so play time so under the bed all of a sudden go crazy, hunt anything that moves and inspect anything brought into the house. Attack feet rub face on everything claw drapes yet hunt anything that moves, yet hopped up on goofballs. Hopped up on goofballs run in circles shake treat bag all of a sudden go crazy climb leg under the bed



# Debug mode





# But why?

 the elements are now inline elements, so they create a line box



### Line box? Line of text!


Lorem ipsum dolor sit amet, consectetur

adipiscing elit. Aenean ac gravida sapien. Nullam

tristique conque pharetra. Nullam fringilla pulvinar

ipsum in adipiscing. Donec porttitor justo tortor. Sed

risus ipsum, porta ac dui vitae, faucibus bibendum



#### <div>

Lorem ipsum dolor sit amet,

<b>consectetur adipiscing elit. Aenean ac
gravida sapien. Nullam tristique congue pharetra.


<i>Nullam fringilla pulvinar ipsum in adipiscing.</i>

Donec porttitor justo tortor. Sed risus ipsum, porta ac dui vitae, faucibus bibendum purus. Integer congue scelerisque tristique.





# Height of a line box





# But why?

- the elements are now inline
   elements, so they create a line box
- vertical-align:baseline means, the elements in a line box should align with the parents baseline



### vertical-align

- baseline: align to the parents baseline
- top: top of the line
- middle: Aligns the middle of the element with the middle of lowercase letters in the parent. (???)
- <value>
- <percentage>

"The baseline of an 'inline-block' is the baseline of its last line box in the normal flow"



# But why?


- the elements are now inline
   elements, so they create a line box
- vertical-align:baseline means, the elements in a line box should align with the parents baseline
- since the is not in the rendering flow (because it's floating) the current baseline is the baseline of the button's text.
- only the inline blocks are in the parent, so they will align nicely

# Uhm, wait!





# I see white spaces!





### HTML is data

- you are not programming in HTML
- it's not a poem, it's a structured, linked, semantic data
- don't add white spaces, just for formatting
- the DOM is your target, not the View Source



# "Uglify"



# Add interaction - Javascript

Let's see the code!



# Add interaction - Javascript

- use event delegation
- use Event.currentTarget and Event.target
- use jQuery, but you don't need jQuery plugins
- define behaviours



### THANK YOU!

Questions?

http://c9.io/rszaloki\_1/carousel

contact: robert.szaloki@euedge.com

