

Behavioral Experiment Simulation Tool

Proprietary Software by Dr. Eugen Dimant

Generate publication-ready synthetic data for behavioral science experiments

Overview

The Behavioral Experiment Simulation Tool is a sophisticated platform that generates high-fidelity synthetic datasets for behavioral science research. Whether you're piloting a new experiment, preparing analysis code, or teaching research methods, this tool produces data that mirrors what you would collect from actual human participants.

Unlike simple random number generators, this system applies decades of survey methodology research to create responses that exhibit realistic psychological properties—including response styles, attention patterns, and treatment effects calibrated to your specifications.

Who Benefits from This Tool?

Academic Researchers

- **Pre-registration preparation:** Generate synthetic data to develop and test your analysis scripts before collecting real data
- **Power analysis:** Validate sample size calculations with data that matches your expected effect sizes
- **Grant applications:** Include preliminary analyses in proposals using realistic simulated data
- **Pilot testing:** Test your experimental design logic and identify issues before investing in data collection

Graduate Students and Postdocs

- **Methods training:** Learn data analysis techniques with realistic datasets that have known properties
- **Thesis preparation:** Develop analysis pipelines while awaiting IRB approval
- **Replication planning:** Generate data matching published effect sizes to plan replication studies

Course Instructors

- **Teaching materials:** Create datasets with specific statistical properties for classroom exercises
- **Exam development:** Generate realistic data for assessment questions
- **Student projects:** Provide synthetic data for students who cannot access real participant data

Industry Researchers

- **A/B test planning:** Simulate experiment outcomes before deploying to production
 - **UX research:** Generate survey response data for prototyping analysis dashboards
 - **Stakeholder presentations:** Demonstrate analysis approaches with representative data
-

How It Works

Step 1: Upload Your Survey

Simply upload your Qualtrics survey file (.qsx format). The system automatically extracts:

- Experimental conditions from your BlockRandomizer or branch logic
- Dependent variables (Likert scales, sliders, matrices)
- Open-ended questions and their visibility rules
- Survey flow logic determining which questions each participant sees

Step 2: Confirm Your Design

Review the detected experimental structure:

- Verify that conditions are correctly identified
- Confirm which scales represent your dependent variables
- Adjust factorial design specifications if needed

Step 3: Configure Parameters

Specify your simulation parameters:

- **Sample size:** How many participants to generate
- **Effect size:** Target Cohen's d for treatment effects (0.2 = small, 0.5 = medium, 0.8 = large)
- **Data quality:** Proportion of attentive vs. careless responders

Step 4: Generate and Download

The system produces a publication-ready CSV file containing:

- Participant IDs and condition assignments
- Likert scale responses with realistic distributions

- Unique open-ended text responses
 - Demographics and metadata
 - Quality metrics and validation flags
-

The Science Behind the Simulation

Persona-Based Response Generation

Rather than generating random responses, the system assigns each simulated participant a "persona" based on survey methodology research. **These personas have been trained on hundreds of scientific insights from decades of research across the social and behavioral sciences**, including:

- **Behavioral Economics:** Trust, cooperation, altruism, fairness, reciprocity, risk preferences, loss aversion, framing effects
- **Social Psychology:** Social identity, group dynamics, conformity, prosocial behavior, intergroup relations, attitudes, persuasion
- **Cognitive Psychology:** Decision-making heuristics, cognitive biases, memory, attention, reasoning processes
- **Organizational Behavior:** Leadership, motivation, job satisfaction, team dynamics, workplace attitudes
- **Political Psychology:** Polarization, partisanship, civic engagement, media effects, political trust
- **Consumer Behavior:** Brand perception, purchase intent, product evaluation, advertising effectiveness
- **Moral Psychology:** Ethical judgment, values, moral emotions, fairness perceptions
- **Health Psychology:** Medical decisions, wellbeing, health behaviors, treatment preferences

This rich scientific foundation enables each persona to generate responses that align with documented human response patterns across these diverse research domains.

The personas reflect actual patterns observed in human respondents:

Engaged Responders: High attention, thoughtful responses, full scale use. Based on scientific work, "optimizers" who invest cognitive effort in providing accurate answers. These participants draw on genuine reflection about the topic at hand.

Satisficers: Lower effort responses, tendency toward agreement, restricted scale range. Research documented this common response strategy where participants provide acceptable rather than optimal answers.

Extreme Responders: Consistent use of scale endpoints. Published work identified this stable response style that varies across individuals.

Acquiescent Responders: Strong agreement bias regardless of item content. Studies documented this tendency to agree with statements.

Careless Responders: Low attention, random patterns. Research characterized these inattentive participants common in online samples.

Effect Size Calibration

Treatment effects are calibrated using Cohen's d, the standard measure in behavioral science:

$$d = (\text{Treatment Mean} - \text{Control Mean}) / \text{Pooled Standard Deviation}$$

When you specify $d = 0.5$, the system adjusts response distributions so that the mean difference between conditions matches your target. This is achieved through:

1. **Semantic parsing** of condition names to determine effect direction
2. **Graduated adjustments** applied at the individual response level
3. **Validation checks** confirming achieved effects match targets

Scale Reliability Modeling

Multi-item scales exhibit realistic internal consistency (Cronbach's alpha) through a factor model approach:

$$\text{Response} = \text{lambda} * \text{Common_Factor} + \text{sqrt}(1 - \text{lambda}^2) * \text{Unique_Error}$$

Where lambda (factor loading) is derived from the target reliability. Items measuring the same construct share common variance while retaining item-specific variation, producing alpha values typically ranging 0.75-0.90.

Response Style Modeling

The system models several well-documented response styles:

Acquiescence Bias: Tendency to agree with statements, producing higher means on positively-worded items. Modeled as a per-participant offset.

Extreme Response Style: Tendency to use scale endpoints. Higher extremity = more responses at 1 or 7 (on 7-point scales).

Social Desirability: Inflation of socially favorable responses. Applied proportionally based on item content.

Midpoint Avoidance: Cultural variation in willingness to use neutral midpoint. East Asian samples typically show lower midpoint avoidance than Western samples.

Survey Flow Logic

The system respects your experimental design by tracking which questions each participant would actually see:

- **Block-level conditions:** Participants only receive responses for their assigned condition's blocks
- **Display logic:** Questions with condition-specific visibility rules are handled appropriately
- **Factorial designs:** Crossed conditions (e.g., AI x Hedonic, AI x Utilitarian) are properly parsed

Open-Ended Response Generation

Text responses are generated using domain-specific templates and word banks, ensuring:

1. **Uniqueness:** No two participants give identical responses
2. **Context-awareness:** Responses reference the experimental manipulation when appropriate
3. **Condition-specificity:** Only participants who would see a question receive a response
4. **Length variation:** Verbosity varies by persona and question type

Example Responses

For a question "What did you think about the AI recommendations?":

Treatment participant (saw AI):

"I found the AI-generated recommendations to be helpful. The system seemed to capture my preferences well. I appreciated how it addressed my needs effectively."

Control participant (no AI):

(Empty - this participant didn't see this question)

Research Domain Coverage: 225+ Scientific Areas

The response generation system has been trained on **hundreds of scientific insights** drawn from decades of research across the social and behavioral sciences. This extensive knowledge base enables the tool to generate contextually appropriate responses for virtually any research topic you might study.

Major Research Fields

The system covers **33 major research categories** with over **225 specialized domains**:

Field	Domains	Example Topics
-------	---------	----------------

Field	Domains	Example Topics
Behavioral Economics	12	Trust games, dictator games, ultimatum games, public goods, risk preferences, time preferences, loss aversion, framing effects, anchoring, sunk cost fallacy
Social Psychology	15	Intergroup relations, social identity, norms, conformity, prosocial behavior, cooperation, fairness, social influence, attribution, stereotypes, prejudice, empathy
Political Science	10	Polarization, partisanship, voting behavior, media effects, policy attitudes, civic engagement, political trust, ideology, misinformation
Consumer/Marketing	10	Brand perception, advertising effectiveness, purchase intent, brand loyalty, price perception, service quality, customer satisfaction, word-of-mouth
Organizational Behavior	10	Leadership, teamwork, motivation, job satisfaction, organizational commitment, work-life balance, employee engagement, organizational culture
Technology & AI	10	AI attitudes, privacy concerns, automation, algorithm aversion, technology adoption, social media, digital wellbeing, human-AI interaction
Health Psychology	10	Medical decision-making, wellbeing, health behaviors, mental health, vaccination attitudes, pain management, patient-provider communication
Ethics & Moral Psychology	8	Moral judgment, ethical dilemmas, moral emotions, values, ethical leadership, corporate ethics, research ethics
Environmental Psychology	8	Sustainability, climate attitudes, pro-environmental behavior, green consumption, conservation, energy behavior
Cognitive Psychology	8	Decision-making, memory, attention, reasoning, problem-solving, cognitive biases, metacognition

Additional Specialized Domains

The system also covers:

- **Education** (8 domains): Learning, academic motivation, teaching effectiveness, online learning, educational technology
- **Developmental Psychology** (6 domains): Parenting, childhood development, aging, life transitions
- **Clinical Psychology** (6 domains): Anxiety, depression, coping strategies, therapy attitudes, stress
- **Communication** (6 domains): Persuasion, media effects, interpersonal communication, narrative processing
- **Neuroeconomics** (6 domains): Reward processing, impulse control, emotional regulation, cognitive load

- **Sports Psychology** (6 domains): Athletic motivation, team dynamics, performance anxiety, fan behavior
- **Legal Psychology** (6 domains): Jury decision-making, witness memory, procedural justice
- **Food Psychology** (6 domains): Eating behavior, food choice, nutrition knowledge, body image
- **Human Factors** (6 domains): User experience, interface design, safety behavior, human error
- **Cross-Cultural** (5 domains): Cultural values, acculturation, cultural identity
- **Positive Psychology** (5 domains): Gratitude, resilience, flourishing, life satisfaction
- **Financial Psychology** (6 domains): Financial literacy, investment behavior, retirement planning
- **Personality Psychology** (6 domains): Big Five traits, narcissism, dark triad, self-concept
- **Social Media Research** (6 domains): Online identity, digital communication, influencer effects

Topic-Specific Response Generation

For each research domain, the system maintains specialized knowledge about:

1. **Key constructs and terminology** used in that field
2. **Typical response patterns** observed in empirical studies
3. **Common participant concerns and attitudes** documented in the literature
4. **Domain-specific language and phrasing** that real participants use

This means when you study cooperation in public goods games, the system generates responses that reference concepts like "contribution," "free-riding," "collective benefit," and "reciprocity"—just as real participants would. Similarly, for AI trust research, responses naturally mention "algorithmic recommendations," "automation," "reliability," and "transparency."

Scientific Foundation

The domain knowledge is built on insights from:

- **Classic experiments:** Kahneman & Tversky's prospect theory work, Milgram's obedience studies, Asch's conformity experiments
- **Meta-analyses:** Aggregated findings from hundreds of studies in each domain
- **Replication projects:** Many Labs, Psychological Science Accelerator, and other large-scale replication efforts
- **Contemporary research:** Recent publications in top journals (JPSP, Psychological Science, JEP:G, Management Science, etc.)

Data Quality Features

Attention Check Simulation

Configurable proportion of participants fail attention checks, matching real-world rates. Failed attention checks are flagged for potential exclusion.

Careless Response Detection

The system can identify (and optionally flag or exclude) simulated careless responses:

- **Straight-lining:** Same response repeated across items
- **Alternating patterns:** Systematic alternation (1-7-1-7)
- **Midpoint overuse:** Excessive neutral responses
- **Response time anomalies:** Unrealistically fast completion

Validation Metrics

Generated datasets include quality metrics:

- Achieved effect sizes with confidence intervals
- Condition balance verification
- Missing data rates
- Response distribution statistics

Technical Specifications

Input Requirements

- Qualtrics Survey Format (.qsf) file
- Internet connection for web interface

Output Format

- CSV file compatible with R, SPSS, Stata, Python
- Metadata JSON with simulation parameters
- Optional quality report

Supported Question Types

Type	Example
Likert Scales	7-point agreement scales
Sliders	Visual analog scales (0-100)
Matrix Tables	Multi-item scales with shared options

Type	Example
Multiple Choice	Single selection questions
Text Entry	Open-ended responses
Numeric Input	Willingness to pay, quantities
Rank Order	Preference rankings
Heatmaps	Click coordinate data

Supported Experimental Designs

- Between-subjects (2+ conditions)
 - Factorial (2x2, 2x3, 3x3, etc.)
 - Mixed designs with between and within factors
 - Complex branching and skip logic
-

Frequently Asked Questions

Is this generating "fake data"?

No—this is **synthetic data generation**, a legitimate research methodology. The tool produces data with known statistical properties for specific purposes:

- Testing analysis code before real data collection
- Teaching data analysis with realistic datasets
- Power analysis and sample size planning
- Developing preprocessing pipelines

Synthetic data should never be misrepresented as real participant data in publications.

How realistic are the responses?

The responses exhibit statistical properties matching published research on human survey behavior:

- Mean responses around 5.0-5.5 on 7-point scales (documented positive response bias)
- Standard deviations of 1.2-1.8 (typical for Likert data)
- Cronbach's alphas of 0.75-0.90 for multi-item scales
- Effect sizes within +/-0.15 of specified targets

Can I use this for any survey?

The tool is optimized for behavioral science experiments with:

- Clear experimental conditions (treatment/control)
- Likert or similar scale DVs
- Defined effect size expectations

It may not be suitable for purely exploratory surveys or complex longitudinal designs.

How are effect directions determined?

The system parses condition names to determine which should produce higher/lower responses:

- **Positive indicators:** "high", "treatment", "reward", "positive"
- **Negative indicators:** "low", "control", "loss", "negative"

For complex designs, effect direction can be specified manually.

Getting Started

1. **Export your Qualtrics survey** as a .qsf file (Survey > Tools > Import/Export > Export Survey)
 2. **Access the tool** at the provided URL
 3. **Upload your .qsf file** and review the detected structure
 4. **Configure parameters** for your specific needs
 5. **Generate and download** your synthetic dataset
-

Citation

If you use this tool in your research or teaching, please acknowledge:

Dimant, E. (2024). Behavioral Experiment Simulation Tool (Version 1.0) [Computer software].

Version 1.0.0 | Proprietary Software | All Rights Reserved

Developed by Dr. Eugen Dimant