


ONE-BEDROOM TYPE 1B
FLOOR PLAN AND LIGHTING LAYOUT

SCALE


1:60 MTS



ONE-BEDROOM TYPE 1B
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE

1:60 MTS




ONE-BEDROOM TYPE 1B
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE

1:60 MTS


LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 100DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 100DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTOR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP64	FL1	■	FLOOR LAMPS BY I.D.
R14	●	9W 300DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 400DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 500DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	●	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				□	MICRO SWITCH



DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)


SCALE

1:10 MTS



DETAIL G2

SCALE



DETAIL G3

SCALE

1:20 MTS

PROJECT NAME
PROPOSED 32-STORY SERVICE APARTMENT
SALCEDO VILLAGE, MAKATI CITY
CLIENT: GRAND PINE INC.

DRAWING TITLE
ONE-BEDROOM TYPE 1B
FLOOR PLAN AND LIGHTING LAYOUT

DRAWING INFORMATION

LL-GR6-06

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0


0

0

REMARKS
: All directional lighting fixtures are to be aimed on site.
: All dimensions and cut outs for installation details are to be verified by the contractor on site.
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
: The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER


PROJECT 7, QUEZON CITY 63917-8268601 * 632-5089313 * 632-2112672



ONE-BEDROOM TYPE 1B'
FLOOR PLAN AND LIGHTING LAYOUT

SCALE


1:60 MTS



ONE-BEDROOM TYPE 1B'
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE

1:60 MTS




ONE-BEDROOM TYPE 1B'
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE

1:60 MTS


LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 100DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 100DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTOR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 90DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	9W 300DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 500DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	●	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				□	MICRO SWITCH



DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)


SCALE

1:10 MTS



DETAIL G2

SCALE



DETAIL G3

SCALE

1:20 MTS

PROJECT NAME
PROPOSED 32-STORY SERVICE APARTMENT
SALCEDO VILLAGE, MAKATI CITY
CLIENT: GRAND PINE INC.

DRAWING TITLE
ONE-BEDROOM TYPE 1B'
FLOOR PLAN AND LIGHTING LAYOUT

DRAWING INFORMATION

LL-GR6-09

0

AMENDMENT / ISSUE REGISTER

REV.

DESCRIPTION

DRAWN

CHECKED

DATE

AMENDMENT / ISSUE REGISTER

REV.

DESCRIPTION

DRAWN

CHECKED

DATE

AMENDMENT / ISSUE REGISTER

REV.

DESCRIPTION

DRAWN

CHECKED

DATE

AMENDMENT / ISSUE REGISTER

REV.

DESCRIPTION

DRAWN

CHECKED


DATE

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

REMARKS
: All directional lighting fixtures are to be aimed on site.
: All dimensions and cut outs for installation details are to be verified by the contractor on site.
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
: The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.

PROJECT 7, QUEZON CITY


63917-8268601 * 632-5089313 * 632-2112672



TYPICAL ONE-BEDROOM TYPE 2 AND 2A
FLOOR PLAN AND LIGHTING LAYOUT

SCALE

1:60 MTS




TYPICAL ONE-BEDROOM TYPE 2 AND 2A
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTOR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	●	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				■	MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE 1:4 MTS



DETAIL G3

SCALE 1:20 MTS

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	TYPICAL ONE-BEDROOM TYPE 2 AND 2A FLOOR PLAN AND LIGHTING LAYOUT
CLIENT: GRAND PINE INC.	


DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER		
LL-GR6-20		0					
DESIGNED BY	JE	DATE OF ISSUE	27TH JULY 2018	DRAWN	CHECKED	DATE	
CHECKED BY	JE	STATUS					
DRAWN BY	JE	DESIGN DEVELOPMENT					
SCALE AS SHOWN @A3							

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

PROJECT 7, QUEZON CITY

63917-8268601 * 632-5089313 * 632-2112672

REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.




TYPICAL ONE-BEDROOM TYPE 2 AND 2A
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTOR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	●	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				■	MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE 1:4 MTS



DETAIL G3

SCALE 1:20 MTS

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	TYPICAL ONE-BEDROOM TYPE 2 AND 2A RCP AND LIGHTING LAYOUT WITH DIMENSIONS
CLIENT: GRAND PINE INC.	


DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER		
LL-GR6-20A		0	REV.	DESCRIPTION	DRAWN	CHECKED	DATE
DESIGNED BY	JE	DATE OF ISSUE	27TH JULY 2018	0	DESIGN DEVELOPMENT	JE	JE
CHECKED BY	JE	STATUS		07.27.18			
DRAWN BY	JE	DESIGN DEVELOPMENT					
SHEET AS SHOWN @A3							

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

PROJECT 7, QUEZON CITY

63917-8268601 * 632-5089313 * 632-2112672


REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.



ONE-BEDROOM TYPE 2B FLOOR PLAN AND LIGHTING LAYOUT

SCALE

1:60 MTS




ONE-BEDROOM TYPE 2B REFLECTED CEILING PLAN AND LIGHTING LAYOUT

SCALE


1·60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●→	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●→	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●→	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTIR LIGHTS 2700K IP65
R12	●●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP LED RECESSED DOWNLIGHTS 2700K IP54	FL1	□	FLOOR LAMPS BY I.D.
R14	●●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	→	TABLE LAMPS BY I.D.
R17	●●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	○	PENDANT LAMPS BY I.D.
R19	●●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	○	PENDANT LAMPS BY I.D.
				□□	ON/OFF
				▲	INTEGRATED SWITCH
				□□	MICRO SWITCH



DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

This technical cross-section diagram illustrates the internal structure of a light fixture. On the left, a large rectangular panel features a grid of diagonal lines. A vertical red line marks the center, separating the fixture into two sections. The right section contains a vertical stack of components: a top diffuser layer, followed by several layers of wavy reflectors, and a bottom LED strip component labeled '(LED1B) LED STRIPS 0.90M'. An arrow points from the text 'LID OPENING FOR MAINTENANCE PURPOSES' at the top right towards the top edge of the central vertical assembly.

DETAIL G3

PROJECT NAME

PROPOSED 32-STORY SERVICE APARTMENT

SALCEDO VILLAGE, MAKATI CITY

CLIENT: GRAND PINE INC

DRAWING TITLE

ONE-BEDROOM TYPE 2B

FLOOR PLAN AND LIGHTING LAYOUT


DRAWING INFORMATION	
DESIGN BY	JE
CHECKED BY	JE
DRAWN BY	JE
SCALE AS SHOWN @ A	

ON		AMENDMENT	
6-24	0	REV.	
DATE OF ISSUE		0	DESIGN
27TH JULY 2018			
STATUS			
DESIGN DEVELOPMENT			

AR. BUENAVENTURA T. MADDATU II

LIGHTING DESIGNER

MARKS
All directional lighting fixtures are to be aimed on site.
All dimensions and cut out for installation details are to be
lifted by the contractor on site.
Light grouping refers to lighting scenario only based which
elements are on at the same time. Power loading and circuiting is
not taken into consideration.
The contractor shall take full responsibility to highlight any
discrepancy between drawings and actual site condition for
prompt designer confirmation and approval.




ONE-BEDROOM TYPE 2B
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 400LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTOR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	◎	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	◎	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	◎	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	◎	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	◎	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				■	MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE 1:4 MTS



DETAIL G3

SCALE 1:20 MTS

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	ONE-BEDROOM TYPE 2A RCP AND LIGHTING LAYOUT WITH DIMENSIONS
CLIENT: GRAND PINE INC.	


DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER		
LL-GR6-24A		0	REV.	DESCRIPTION	DRAWN	CHECKED	DATE
DRAWN BY	JE	DATE OF ISSUE	27TH JULY 2018	0	DESIGN DEVELOPMENT	JE	JE
CHECKED BY	JE	STATUS			07.27.18		
DRAWN BY	JE	DESIGN DEVELOPMENT					
SHEET AS SHOWN @A3							

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

PROJECT 7, QUEZON CITY

63917-8268601 * 632-5089313 * 632-2112672

REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.




ONE-BEDROOM TYPE 1
FLOOR PLAN AND LIGHTING LAYOUT

SCALE

1:60 MTS


LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/MTM LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/MTM LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTIR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB	—	EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	—	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	—	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	—	PENDANT LAMPS BY I.D.
R19	●	25W 90DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/MTM LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	—	ON/OFF
					INTegrated SWITCH
					MICRO SWITCH



ONE-BEDROOM TYPE 1
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE


1:60 MTS



ONE-BEDROOM TYPE 1
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE


1:60 MTS



DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)


SCALE

1:10 MTS



DETAIL G2

SCALE



DETAIL G3

SCALE

1:20 MTS

PROJECT NAME
**PROPOSED 32-STORY
SERVICE APARTMENT**
SALCEDO VILLAGE, MAKATI CITY
CLIENT: GRAND PINE INC.

DRAWING TITLE
**ONE-BEDROOM TYPE 1
FLOOR PLAN AND LIGHTING LAYOUT**

DRAWING INFORMATION

LL-GR6-00 1
DRAWN BY JE DATE OF ISSUE 27TH JULY 2018
CHECKED BY JE STATUS DESIGN DEVELOPMENT
DRAWN BY JE
SHEET AS SHOWN @A3

AMENDMENT / ISSUE REGISTER


REV.	DESCRIPTION	DRAWN	CHECKED	DATE	DESCRIPTION	DRAWN	CHECKED	DATE
0	DESIGN DEVELOPMENT	JE	JE	08.02.17				
1	DESIGN DEVELOPMENT	JE	JE	07.27.18				

AMENDMENT / ISSUE REGISTER

REV.	DESCRIPTION	DRAWN	CHECKED	DATE	DESCRIPTION	DRAWN	CHECKED	DATE

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER
PROJECT 7, QUEZON CITY
63917-8268601 * 632-5089313 * 632-2112672


REMARKS
: All directional lighting fixtures are to be aimed on site.
: All dimensions and cut outs for installation details are to be verified by the contractor on site.
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
: The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.



ONE-BEDROOM TYPE 1A
FLOOR PLAN AND LIGHTING LAYOUT

SCALE


1:60 MTS



ONE-BEDROOM TYPE 1A
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE

1:60 MTS




ONE-BEDROOM TYPE 1A
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6WIM LED STRIPS WITH ALUMINUM PROFILE 300K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6WIM LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTOR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	○	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6WIM LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	■	ON/OFF
					MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVE LIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE



DETAIL G3

SCALE

PROJECT NAME
PROPOSED 32-STORY SERVICE APARTMENT
SALCEDO VILLAGE, MAKATI CITY
CLIENT: GRAND PINE INC.

DRAWING TITLE
ONE-BEDROOM TYPE 1A
FLOOR PLAN AND LIGHTING LAYOUT

DRAWING INFORMATION

LL-GR6-03

1

REVISION

0

DATE OF ISSUE

27TH JULY 2018

CHECKED BY

JE

STATUS

DESIGN DEVELOPMENT

DRAWN BY

JE

SCALE AS SHOWN @A3

AMENDMENT / ISSUE REGISTER


REV. DESCRIPTION DRAWN CHECKED DATE

AMENDMENT / ISSUE REGISTER

REV. DESCRIPTION DRAWN CHECKED DATE

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER
PROJECT 7, QUEZON CITY
63917-8268601 * 632-5089313 * 632-2112672


REMARKS
: All directional lighting fixtures are to be aimed on site.
: All dimensions and cut outs for installation details are to be verified by the contractor on site.
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
: The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.



ONE-BEDROOM TYPE 2A'
FLOOR PLAN AND LIGHTING LAYOUT

SCALE

1:60 MTS




ONE-BEDROOM TYPE 2A'
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTIR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 80DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	●	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				■	MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE 1:4 MTS



DETAIL G3

SCALE 1:20 MTS

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT	ONE-BEDROOM TYPE 2A' FLOOR PLAN AND LIGHTING LAYOUT
SALCEDO VILLAGE, MAKATI CITY	

CLIENT: GRAND PINE INC.


DRAWING INFORMATION		
LL-GR6-22	1	
DRAWN BY JE	DATE OF ISSUE 27TH JULY 2018	
CHECKED BY JE	STATUS DESIGN DEVELOPMENT	
DRAWN BY JE		
SCALE AS SHOWN @A3		

AMENDMENT / ISSUE REGISTER		
REV. 0	DESCRIPTION DESIGN DEVELOPMENT	DRAWN CHECKED DATE JE JE 08.02.17
1	DESCRIPTION DESIGN DEVELOPMENT	DRAWN CHECKED DATE JE JE 07.27.18

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.

PROJECT 7, QUEZON CITY 63917-8268601 * 632-5089313 * 632-2112672




ONE-BEDROOM TYPE 2A'
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTIR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	●	PENDANT LAMPS BY I.D.
				■	ON/OFF
				▲	INTEGRATED SWITCH
				■	MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE 1:4 MTS



DETAIL G3

SCALE 1:20 MTS


PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	ONE-BEDROOM TYPE 2A' RCP AND LIGHTING LAYOUT WITH DIMENSIONS
CLIENT: GRAND PINE INC.	

DRAWING INFORMATION		
LL-GR6-22A	1	
DESIGNED BY	JE	DATE OF ISSUE 27TH JULY 2018
CHECKED BY	JE	STATUS DESIGN DEVELOPMENT
DRAWN BY	JE	
SCALE AS SHOWN @A3		

AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER		
REV.	DESCRIPTION	DRAWN CHECKED DATE	REV.	DESCRIPTION	DRAWN CHECKED DATE
0	DESIGN DEVELOPMENT	JE JE 08.02.17	1	DESIGN DEVELOPMENT	JE JE 07.27.18

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER
PROJECT 7, QUEZON CITY
63917-8268601 * 632-5089313 * 632-2112672


REMARKS
: All directional lighting fixtures are to be aimed on site.
: All dimensions and cut out for installation details are to be verified by the contractor on site.
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
: The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.



ONE-BEDROOM TYPE 2C
FLOOR PLAN AND LIGHTING LAYOUT

SCALE

1:60 MTS




ONE-BEDROOM TYPE 2C
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTIR LIGHTS 2700K IP65
R12	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB	■	EMERGENCY BATTERY PACK
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	●	TABLE LAMPS BY I.D.
R15	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	●	TABLE LAMPS BY I.D.
R17	●	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	●	WALL LAMPS BY I.D.
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	●	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
R19	●	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL3	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	O101	ON/OFF	INTEGRATED SWITCH
					MICRO SWITCH




DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MTS



DETAIL G2

SCALE 1:4 MTS



DETAIL G3

SCALE 1:20 MTS

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	ONE-BEDROOM TYPE 2C FLOOR PLAN AND LIGHTING LAYOUT
CLIENT: GRAND PINE INC.	

DRAWING INFORMATION		
LL-GR6-26	1	
DRAWN BY JE	DATE OF ISSUE 27TH JULY 2018	
CHECKED BY JE	STATUS DESIGN DEVELOPMENT	
DRAWN BY JE		
SCALE AS SHOWN @A3		

AMENDMENT / ISSUE REGISTER		
REV. 0	DESCRIPTION DESIGN DEVELOPMENT	DRAWN JE 08.02.17
1	DESCRIPTION DESIGN DEVELOPMENT	DRAWN JE 07.27.18


AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

PROJECT 7, QUEZON CITY

63917-8268601 * 632-5089313 * 632-2112672

REMARKS

: All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.




ONE-BEDROOM TYPE 2C
**REFLECTED CEILING PLAN AND
LIGHTING LAYOUT W/ DIMENSIONS**

SCAL


1:60 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R2	●→	5W 30DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED1B	—	9.6W/1M LED STRIPS WITH ALUMINUM PROFILE 3000K IP65
R3	●→	5W 40DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED DOWNLIGHTS 2700K IP20 (WARM WHITE)	LED2	—	9.6W/1M LED STRIPS WITH RECESSED ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R5	●○	5W 10DEG 450LUMENS REPLACEABLE LED MODULE ADJUSTABLE DEEP RECESSED PINHOLE DOWNLIGHTS 2700K IP20 (WARM WHITE)	FU1	●○	3W 10DEG LED RECESSED FURNITURE LIGHTS 2700K IP20
R11	●○	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	S3	●→	7W 40DEG OUTDOOR SURFACE MOUNTED LED PROJECTIR LIGHTS 2700K IP65
R12	●○	5W 60DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	EB		EMERGENCY BATTERY PACK
R13	●○	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP LED RECESSED DOWNLIGHTS 2700K IP54	FL1	■	FLOOR LAMPS BY I.D.
R14	●○	5W 30DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL2	○	TABLE LAMPS BY I.D.
R15	●○	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	TL1	○	TABLE LAMPS BY I.D.
R17	●○	5W 60DEG 450LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	WL1	▽	WALL LAMPS BY I.D.
R18	●○	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL1	○+	PENDANT LAMPS BY I.D.
R19	●○	25W 50DEG 1800 LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	PL2	●	PENDANT LAMPS BY I.D.
LED1	—	9.6W/1M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65	PL3	○+	PENDANT LAMPS BY I.D.
				□	ON/OFF
				▲	INTEGRATED SWITCH
				■	MICRO SWITCH



DETAIL G4 (TYPICAL GUESTROOM STRAIGHT COVELIGHT MOUNTING DETAILS)

SCALE 1:10 MT



DETAIL G2

Technical cross-section diagram of a lighting fixture labeled DETAIL G3. The diagram shows a vertical assembly with a left panel featuring diagonal hatching and a right panel with wavy lines. A red vertical line indicates the center. Labels include:

- LID OPENING FOR MAINTENANCE PURPOSES
- DIFFUSER
- (LED1B) LED STRIPS 0.90M

At the bottom, it says DETAIL G3 and SCALE.

PROJECT NAME	DRAWING TITLE	DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER			REMARKS		
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	ONE-BEDROOM TYPE 2C RCP AND LIGHTING LAYOUT WITH DIMENSIONS	LL-GR6-26A	1	REV.	DESCRIPTION	DRAWN	CHECKED	DATE	DESCRIPTION	DRAWN	CHECKED	DATE
DESIGN BY	JE	DATE OF ISSUE	27TH JULY 2018	0	DESIGN DEVELOPMENT	JE	JE	08.02.17				
CHECKED BY	JE	STATUS	DESIGN DEVELOPMENT	1	DESIGN DEVELOPMENT	JE	JE	07.27.18				
DRAWN BY	JE											
SCALE	AS SHOWN @A3											
CLIENT: GRAND PINE INC.									PROJECT 7, QUEZON CITY	63917-8268601 * 632-5089313 * 632-2112672		
AR. BUENAVENTURA T. MADDATU II LIGHTING DESIGNER											: All directional lighting fixtures are to be aimed on site. : All dimensions and cut out for installation details are to be verified by the contractor on site. : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration. : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.	