


LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
R24	(⊕)	24W 75DEG RECESSED LED DOWNLIGHTS 2700K IP44 (WARM WHITE)
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
EB		EMERGENCY BATTERY PACK
	ON/OFF	ON/OFF
	UN/DIM	DIMMABLE
	S	OCCUPANCY SENSOR
	TIMER	ON TIMER SWITCH

7F LIFT LOBBY
REFLECTED CEILING PLAN AND LIGHTING LAYOUT

SCALE


1:40 MTS

PROJECT NAME	DRAWING TITLE	DRAWING INFORMATION	AMENDMENT / ISSUE REGISTER	AMENDMENT / ISSUE REGISTER	REMARKS
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F LIFT LOBBY REFLECTED CEILING PLAN AND LIGHTING LAYOUT	LL-PA-7.02 1 DRAWN BY JE DATE OF ISSUE 27TH JULY 2018 CHECKED BY JE STATUS DESIGN DEVELOPMENT DRAWN BY JE SHEET AS SHOWN @A3	REV. DESCRIPTION DRAWN CHECKED DATE 0 DESIGN DEVELOPMENT JE JE 06.22.18 1 DESIGN DEVELOPMENT JE JE 07.27.18	REV. DESCRIPTION DRAWN CHECKED DATE	All directional lighting fixtures are to be aimed on site. All dimensions and cut out for installation details are to be verified by the contractor on site. Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration. The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.
CLIENT: GRAND PINE INC.					
					AR. BUENAVENTURA T. MADDATU II LIGHTING DESIGNER
					PROJECT 7, QUEZON CITY 63917-8268601 * 632-5089313 * 632-2112672



7F FUNCTION ROOMS
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT


SCALE 1:80 MTS



DETAIL 2 (TYPICAL STRAIGHT COVE MOUNTING
DETAILS)

SCALE 1:10 MTS


PROJECT NAME	DRAWING TITLE	DRAWING INFORMATION	AMENDMENT / ISSUE REGISTER	AMENDMENT / ISSUE REGISTER	REMARKS
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F FUNCTION ROOMS REFLECTED CEILING PLAN AND LIGHTING LAYOUT	LL-PA-4.02 2 DRAWN BY JE DATE OF ISSUE 27TH JULY 2018 CHECKED BY JE STATUS DESIGN DEVELOPMENT DRAWN BY JE SCALE AS SHOWN @A3	REV. 0 DESIGN DEVELOPMENT JE JE 07.24.17 1 DESIGN DEVELOPMENT JE JE 08.02.17 2 DESIGN DEVELOPMENT JE JE 07.27.18	REV. DESCRIPTION DRAWN CHECKED DATE DESCRIPTION DRAWN CHECKED DATE	: All directional lighting fixtures are to be aimed on site. : All dimensions and cut out for installation details are to be verified by the contractor on site. : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration. : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.
CLIENT: GRAND PINE INC.					AR. BUENAVENTURA T. MADDATU II LIGHTING DESIGNER
					PROJECT 7, QUEZON CITY 63917-8046526 ^ 632-5089313



7F FUNCTION ROOMS
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT WITH DIMENSIONS

SCALE

1:80 MTS



DETAIL 2 (TYPICAL STRAIGHT COVE MOUNTING
DETAILS)

SCALE 1:10 MTS


PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F FUNCTION ROOMS REFLECTED CEILING PLAN AND LIGHTING LAYOUT WITH DIMENSIONS
CLIENT: GRAND PINE INC.	

DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER		
LL-PA-4.02A	2	REV.	DESCRIPTION	DRAWN	CHECKED	DATE	
DRAWN BY	JE	DATE OF ISSUE	27TH JULY 2018	JE	JE	07.24.17	
CHECKED BY	JE	STATUS	DESIGN DEVELOPMENT	JE	JE	08.02.17	
DRAWN BY	JE		DESIGN DEVELOPMENT	JE	JE	07.27.18	
SCALE AS SHOWN @A3							

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.

63917-8046526 ^ 632-5089313




7F INDOOR GYM
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE

1:80 MTS

LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
R25	Ⓐ	24W 75DEG RECESSED DOWNLIGHTS 4000K IP44 (COOL WHITE)
EB		EMERGENCY BATTERY PACK
	ON/OFF	
	DIMMABLE	
	OCCUPANCY SENSOR	
	ON TIMER SWITCH	



7F INDOOR GYM
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT WITH DIMENSIONS

SCALE

1:80 MTS

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F INDOOR GYM REFLECTED CEILING PLAN AND LIGHTING LAYOUT
CLIENT: GRAND PINE INC.	

DRAWING INFORMATION		
LL-PA-5.00	2	
DRAWN BY: JE	DATE OF ISSUE: 27TH JULY 2018	
CHECKED BY: JE	STATUS: DESIGN DEVELOPMENT	
DRAWN BY: JE		
SHEET AS SHOWN @A3		


AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER		
REV.	DESCRIPTION	DRAWN CHECKED DATE	DESCRIPTION	DRAWN CHECKED DATE	
0	DESIGN DEVELOPMENT	JE JE 07.24.17			
1	DESIGN DEVELOPMENT	JE JE 08.02.17			
2	DESIGN DEVELOPMENT	JE JE 07.27.18			

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.

PROJECT 7, QUEZON CITY


63917-8046526 ^ 632-5089313




7F KIDS ROOM
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE

1:50 MTS



DETAIL 01 (TYPICAL CURVED COVE DETAILS)
SCALE 1:10 MTS



DETAIL 02 (TYPICAL STRAIGHT COVE DETAILS)
SCALE 1:10 MTS


LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
LED4		9.6W/M FLEXIBLE LED STRIPS 4000K IP65 (COOL WHITE)
LED5		9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 4000K IP65 (COOL WHITE)
SL1		PENDANT LAMPS BY LD. WITH 35W 75DEG LED DOWNLIGHTS (TO BE COORDINATED WITH LD)
EB		EMERGENCY BATTERY PACK
		DIMMABLE
		OCCUPANCY SENSOR

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F KIDS ROOM REFLECTED CEILING PLAN AND LIGHTING LAYOUT
CLIENT: GRAND PINE INC.	SCALE AS SHOWN @A3


DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER		
LL-PA-6.02	2	REV. DESCRIPTION DRAWN CHECKED DATE		
DESIGNED BY JE	DATE OF ISSUE 27TH JULY 2018	0 DESIGN DEVELOPMENT	JE	JE 07.24.17
CHECKED BY JE	STATUS DESIGN DEVELOPMENT	1 DESIGN DEVELOPMENT	JE	08.02.17
DRAWN BY JE		2 DESIGN DEVELOPMENT	JE	07.27.18

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER
PROJECT 7, QUEZON CITY
63917-8046526 ^ 632-5089313


REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut out for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.




7F CHANGING ROOMS
FLOOR PLAN AND LIGHTING LAYOUT
SCALE 1:50 MTS




7F CHANGING ROOMS
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT
SCALE 1:50 MTS



7F CHANGING ROOMS
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT WITH DIMENSIONS
SCALE 1:50 MTS



DETAIL 06 (MIRROR LIGHTS MOUNTING DETAILS)
SCALE 1:4 MTS



DETAIL 02 (TYPICAL STRAIGHT COVE DETAILS)
SCALE 1:10 MTS


LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R10	●	5W 3000K 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	LED1	—	8.6W/11W LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
R11	●	5W 4000K 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	LED1B	—	8.6W/11W LED STRIPS WITH ALUMINUM PROFILE 2700K IP66 (WARM WHITE)
R13	●	8W 6000K 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	LED3	—	4.8W/6W LED STRIPS WITH ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R18	●	8W 6000K 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	EB	—	EMERGENCY BATTERY PACK
R30	●	2W 14DEG MINI LED RECESSED DOWNLIGHTS IP44 2700K (WARM WHITE)	ON/OFF	—	
			DIMMABLE	—	
			(\$)	OCCUPANCY SENSOR	

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F CHANGING ROOMS REFLECTED CEILING PLAN AND LIGHTING LAYOUT
CLIENT: GRAND PINE INC.	SCALE AS SHOWN @A3

DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER			
REV.	DESCRIPTION	DRAWN	CHEKED	DATE	DESCRIPTION	DRAWN	CHEKED	DATE
0	DESIGN DEVELOPMENT	JE	JE	07.24.17				
1	DESIGN DEVELOPMENT	JE	JE	08.02.17				
2	DESIGN DEVELOPMENT	JE	JE	07.27.18				

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER
PROJECT 7, QUEZON CITY
63917-8046526 ^ 632-5089313


REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut outs for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.



7F PUBLIC TOILET
FLOOR PLAN AND LIGHTING LAYOUT

SCALE


1:50 MTS



7F PUBLIC TOILET
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE


1:50 MTS



7F PUBLIC TOILET
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT WITH DIMENSIONS

SCALE


1:50 MTS



DETAIL 06 (MIRROR LIGHTS MOUNTING DETAILS)

SCALE

1:4 MTS



DETAIL 02 (TYPICAL STRAIGHT COVE DETAILS)

SCALE

1:10 MTS

LIGHTING LEGEND			LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION	REF. CODE	LEGEND	DESCRIPTION
R10	●	5W 30DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	LED1	—	9.6W LED STRIPS WITH ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
R11	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE RECESSED DOWNLIGHTS 2700K IP44 (WARM WHITE)	LED1B	—	9.6W LED STRIPS WITH ALUMINUM PROFILE 2700K IP66
R13	●	5W 40DEG 450LUMENS REPLACEABLE LED MODULE DEEP LED RECESSED DOWNLIGHTS 2700K IP54	LED3	—	4.8W LED STRIPS WITH ALUMINUM PROFILE AND OPAL PMMA DIFFUSER 2700K IP65
R18	●	9W 60DEG 600LUMENS REPLACEABLE LED MODULE DEEP RECESSED DOWNLIGHTS IP20 2700K (WARM WHITE)	EB	—	EMERGENCY BATTERY PACK
R30	●	2W 14DEG MINI LED RECESSED DOWNLIGHTS IP44 2700K (WARM WHITE)	ON/OFF	—	
	■		DIMMABLE	—	
	□		OCCUPANCY SENSOR	—	

PROJECT NAME	DRAWING TITLE
PROPOSED 32-STORY SERVICE APARTMENT SALCEDO VILLAGE, MAKATI CITY	7F PUBLIC TOILET REFLECTED CEILING PLAN AND LIGHTING LAYOUT
CLIENT: GRAND PINE INC.	AS SHOWN @A3


DRAWING INFORMATION		AMENDMENT / ISSUE REGISTER			AMENDMENT / ISSUE REGISTER			
REV.	DESCRIPTION	DRAWN	CHEKED	DATE	DESCRIPTION	DRAWN	CHEKED	DATE
0	DESIGN DEVELOPMENT	JE	JE	07/24/17				
1	DESIGN DEVELOPMENT	JE	JE	08/02/17				
2	DESIGN DEVELOPMENT	JE	JE	08/10/18				
3	DESIGN DEVELOPMENT	JE	JE	07/27/18				

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

PROJECT 7, QUEZON CITY

63917-8046526 ^ 632-5089313

REMARKS
 : All directional lighting fixtures are to be aimed on site.
 : All dimensions and cut outs for installation details are to be verified by the contractor on site.
 : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.
 : The contractor should take full responsibility to highlight any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.




7F OUTDOOR GYM/ FUNCTION ROOM
FLOOR PLAN AND LIGHTING LAYOUT

SCALE

1:100 MTS


DETAIL 08 (LED STRIPS MOUNTING DETAILS)
SCALE 1:10 MTS



LIGHTING LEGEND

REF. CODE	LEGEND	DESCRIPTION
R24	⊕	24W 75DEG RECESSED LED DOWNLIGHTS 2700K IP44 (WARM WHITE)
U02	●	10W 60DEG IN-GROUND RECESSED UPLIGHTS 2700K IP65 (WARM WHITE)
B01	✚	6W 700M-900MM LED BOLLARDS 2700K IP65 (WARM WHITE)
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
LA1	▷	10W 36DEG LED LANDSCAPE LIGHTS WITH SPIKE 2700K IP65 (WARM WHITE)
EB		EMERGENCY BATTERY PACK
	ON OFF	ON/OFF
	UN DIM	DIMMABLE
	S	OCCUPANCY SENSOR
	TIMER	ON TIMER SWITCH

PROJECT NAME	PROPOSED 32-STORY SERVICE APARTMENT		
LOCATION	SALEEDO VILLAGE, MAKATI CITY		
CLIENT	GRAND PINE INC.		
DRAWING TITLE	7F OUTDOOR GYM/FUNCTION ROOM FLOOR PLAN LIGHTING LAYOUT		
DATE OF ISSUE	27TH JULY 2018		
REVISION	3		
DESIGNED BY	JE		
CHECKED BY	JE		
DRAINED BY	JE		
APPROVED BY	JE		
REMARKS	<p>: All directional lighting fixtures are to be aligned on site. : All dimensions and cut out for installation details are to be verified by the contractor on site. : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration. : The contractor should take into consideration any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.</p>		
Lighting Designer	AR. BUENAVENTURA T. MADDATU II		
Project No.	63917-8046526 • 632-5089313		
Project Location	PROJECT 7, QUEZON CITY		



7F OUTDOOR GYM/ FUNCTION ROOM
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE

1:100 MTS

LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
R24	(@)	24W 75DEG RECESSED LED DOWNLIGHTS 2700K IP44 (WARM WHITE)
U02	(●)	10W 60DEG IN-GROUND RECESSED UPLIGHTS 2700K IP65 (WARM WHITE)
B01	(+)	6W 700M-900MM LED BOLLARDS 2700K IP65 (WARM WHITE)
LED1	—	9.6W/M LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
LA1	(△)	10W 36DEG LED LANDSCAPE LIGHTS WITH SPIKE 2700K IP65 (WARM WHITE)
EB		EMERGENCY BATTERY PACK
	[ON/OFF]	ON/OFF

PROJECT NAME	PROPOSED 32-STORY SERVICE APARTMENT		DRAWING TITLE	AMENDMENT / ISSUE REGISTER
	LL-PA-12-02	3	REV.	AMENDMENT / ISSUE REGISTER
DESIGNER	J.E.	DATE	DRAWN	DRAINED
CREATED BY	J.E.	DESIGN DEVELOPMENT	J.E.	J.E.
MODIFIED BY	J.E.	DESIGN DEVELOPMENT	J.E.	J.E.
DRAWN BY	J.E.	DESIGN DEVELOPMENT	J.E.	J.E.
SUPERVISED BY	J.E.	DESIGN DEVELOPMENT	J.E.	J.E.
APPROVED BY	J.E.	DESIGN DEVELOPMENT	J.E.	J.E.
SCALE AS SHOWN @A3				
CLIENT: GRAND PINE INC.			PROJECT 7, QUEZON CITY	63917-B046526 * 632-5089313
REMARKS	All directional lighting fixtures need to be aligned on site. All dimensions and cut out for installation details are to be verified by the contractor on site. Light grouping refers to lighting scenario only based which lights are on at the same time. Power leading and circuiting is not taken into consideration. The contractor should take into consideration any discrepancies between drawings and actual site conditions for lighting designer confirmation and approval.			
AR. BUENAVENTURA T. MADDATU II	LIGHTING DESIGNER			

PROJECT NAME		PROPOSED 32-STORY SERVICE APARTMENT	
SALCEDO VILLAGE, MAKATI CITY		63917-8046526 • 632-5089313	
CLIENT : GRAND PINE INC.		PROJECT 7, QUEZON CITY	
DRAWING TITLE		7F POOL FLOOR PLAN AND LIGHTING LAYOUT	
REF. CODE		LL-PA-11-00	
DESIGNED BY	4	DATE OF ISSUE	27TH JULY 2018
CHECKED BY	0	STATUS	DESIGN DEVELOPMENT
DRAWN BY	1	DESIGNER	J.E.
SUPERVISED BY	2	DESIGN DEVELOPMENT	J.E.
APPROVED BY	3	DESIGN DEVELOPMENT	J.E.
SCALE AS SHOWN @A3	4	DESIGN DEVELOPMENT	J.E.
AMENDMENT / ISSUE REGISTER			
REF. NO.	REV.	REVISION NUMBER	ISSUED DATE
0	0	0 DESIGN DEVELOPMENT	J.E. 07.24.17
1	1	1 DESIGN DEVELOPMENT	J.E. 08.2.17
2	2	2 DESIGN DEVELOPMENT	J.E. 08.10.18
3	3	3 DESIGN DEVELOPMENT	J.E. 08.22.18
4	4	4 DESIGN DEVELOPMENT	J.E. 07.27.18
AMENDMENT / ISSUE REGISTER			
REF. NO.	REV.	REVISION NUMBER	ISSUED DATE
0	0	0 DESIGN DEVELOPMENT	J.E. 07.24.17
1	1	1 DESIGN DEVELOPMENT	J.E. 08.2.17
2	2	2 DESIGN DEVELOPMENT	J.E. 08.10.18
3	3	3 DESIGN DEVELOPMENT	J.E. 08.22.18
4	4	4 DESIGN DEVELOPMENT	J.E. 07.27.18
REMARKS			
: All directional lighting fixtures are to be aligned on site.			
: All dimensions and cut out for installation details are to be verified by the contractor on site.			
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.			
: The contractor should take into consideration any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.			



LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
R27	(@)	30W 70DEG RECESSED LED DOWNLIGHTS 4000K IP44 (COOL WHITE)
R48	(@)	20W 45DEG RECESSED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
S1	(+)	18W 36DEG SURFACE MOUNTED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
S2	(+)	18W 24DEG SURFACE MOUNTED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
LA1	(V)	10W 36DEG LED LANDSCAPE LIGHTS WITH SPIKE 2700K IP65 (WARM WHITE)
P01	(L)	14.4W 30DEG LED RECESSED SWIMMING POOL LIGHTS 4000K IP68 (COOL WHITE)
P02	(L)	4W 20DEG LED RECESSED SWIMMING POOL LIGHTS 4000K IP68 (COOL WHITE)
WL1	(□)	2X16W 80DEG/90DEG UP/DOWN LED SURFACE MOUNTED WALL LIGHTS 2700K IP65 (WARM WHITE)
WL2	(□)	23W ASYMMETRIC BEAM LED SURFACE MOUNTED WALL LIGHTS 2700K IP65 (WARM WHITE)
LED1	(—)	0.6W/1W LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
EB	(■)	EMERGENCY BATTERY PACK
	(ON/OFF)	ON/OFF
	(DIMMABLE)	DIMMABLE
	(S)	OCCUPANCY SENSOR
	(TIMER)	ON TIMER SWITCH

AR. BUENAVENTURA T. MADDATU II
LIGHTING DESIGNER

63917-8046526 • 632-5089313




7F POOL
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT

SCALE

1:100 MTS

PROJECT NAME		PROPOSED 32-STORY SERVICE APARTMENT	
SALCEDO VILLAGE, MAKATI CITY			
CLIENT: GRAND PINE INC.			
DRAWING TITLE		7F POOL REFLECTED CEILING PLAN AND LIGHTING LAYOUT	
REMARKS		<p>: All directional lighting fixtures are to be aligned on site. : All dimensions and cut out for installation details are to be verified by the contractor on site. : Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration. : The contractor should take into consideration any discrepancy between drawings and actual site condition for lighting designer confirmation and approval.</p>	
AR. BUENAVENTURA T. MADDATU II		L I G H T I N G D E S I G N E R	
PROJECT 7, QUEZON CITY		63917-8046526 • 632-5089313	
DRAWING INFORMATION	LL-PA-11-02	AMENDMENT / ISSUE REGISTER	AMENDMENT / ISSUE REGISTER
DESIGNED BY	J.E.	DATE OF ISSUE	07-24-17
CHECKED BY	J.E.	STATUS	DESIGN DEVELOPMENT
DRAWN BY	J.E.	DESIGNER	DESIGN DEVELOPMENT
SIZE AS SHOWN @A3		REVISION	REVISION
		ISSUED DRAWN	ISSUED DRAWN
		DATE	DATE
		DESCRIPTION	DESCRIPTION
		REVISION NUMBER	REVISION NUMBER



DETAIL 02 (TYPICAL STRAIGHT COVE DETAILS)

SCALE

1:15 MTS

LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
R27	(@)	35W 75DEG RECESSED LED DOWNLIGHTS 4000K IP44 (COOL WHITE)
R48	(@)	20W 40DEG RECESSED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
S1	(+)	18W 36DEG SURFACE MOUNTED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
S2	(+)	18W 24DEG SURFACE MOUNTED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
LA1	(X)	10W 36DEG LED LANDSCAPE LIGHTS WITH SPIKE 2700K IP65 (WARM WHITE)
P01	(A)	14.4W 23DEG LED RECESSED SWIMMING POOL LIGHTS 4000K IP68 (COOL WHITE)
P02	(A)	4W 23DEG LED RECESSED SWIMMING POOL LIGHTS 4000K IP68 (COOL WHITE)
WL1	(□)	2X16W 8DEG/6DEG UP/DOWN LED SURFACE MOUNTED WALL LIGHTS 2700K IP65 (WARM WHITE)
WL2	(□)	23W ASYMMETRIC BEAM LED SURFACE MOUNTED WALL LIGHTS 2700K IP65 (WARM WHITE)
LED1	(—)	9.6W/18W LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
EB		EMERGENCY BATTERY PACK
	(ON/OFF)	ON/OFF
	(DIMMABLE)	DIMMABLE
	(OCCUPANCY SENSOR)	OCCUPANCY SENSOR
	(ON TIMER SWITCH)	ON TIMER SWITCH


**7F POOL
REFLECTED CEILING PLAN AND
LIGHTING LAYOUT WITH DIMENSIONS**

SCALE

1:100 MTS



DETAIL 02 (TYPICAL STRAIGHT COVE DETAILS)



**7F POOL
REFLECTED CEILING PLAN AND LIGHTING
LAYOUT WITH DIMENSIONS**

**PROPOSED 32-STORY
SERVICE APARTMENT**
SALEDO VILLAGE, MAKATI CITY
CLIENT: GRAND PINE INC.

AR. BUENAVENTURA T. MADDATU II		REMARKS	
LIGHTING DESIGNER		: All directional lighting fixtures are to be aligned on site. : All dimensions and cut out for installation details are to be verified by the contractor on site.	
: Light grouping refers to lighting scenario only based which lights to be on at the same time. Power loading and circuiting is not taken into consideration.		: The contractor should take into consideration all discrepancies between drawings and actual site condition for lighting designer confirmation and approval.	
PROJECT 7, QUEZON CITY		63917-8046526 • 632-5089313	

LIGHTING LEGEND		
REF. CODE	LEGEND	DESCRIPTION
R27	(@)	35W 70DEG RECESSED LED DOWNLIGHTS 4000K IP44 (COOL WHITE)
R48	(@)	20W 45DEG RECESSED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
S1	(+)	18W 36DEG SURFACE MOUNTED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
S2	(+)	18W 24DEG SURFACE MOUNTED LED DOWNLIGHTS 2700K IP65 (WARM WHITE)
LA1	(X)	10W 36DEG LED LANDSCAPE LIGHTS WITH SPIKE 2700K IP65 (WARM WHITE)
P01	(X)	4W 23DEG LED RECESSED SWIMMING POOL LIGHTS 4000K IP68 (COOL WHITE)
P02	(X)	4W 23DEG LED RECESSED SWIMMING POOL LIGHTS 4000K IP68 (COOL WHITE)
WL1	(□)	2X16W 8DEG/8DEG UP/DOWN LED SURFACE MOUNTED WALL LIGHTS 2700K IP65 (WARM WHITE)
WL2	(□)	23W ASYMMETRIC BEAM LED SURFACE MOUNTED WALL LIGHTS 2700K IP65 (WARM WHITE)
LED1	(—)	9.6W/16W LED STRIPS WITH 45DEG ALUMINUM PROFILE OR ALUMINUM PROFILE WITH ADJUSTABLE MOUNTING TILT 2700K IP65
EB		EMERGENCY BATTERY PACK
	(V)	ON/OFF
	(W)	DIMMABLE
	(S)	OCCUPANCY SENSOR
	(In)	ON TIMER SWITCH

PROJECT NAME	DATE OF DRAWING	DESIGNER	REVISION	DRAWN BY	APPROVED BY	DATE
PROPOSED 32-STORY SERVICE APARTMENT	27TH JULY 2018	J.E	0	DESIGN DEVELOPMENT	J.E	07.24.17
		CHECKED BY	1	DESIGN DEVELOPMENT	J.E	08.2.17
		DRAWN BY	2	DESIGN DEVELOPMENT	J.E	05.10.18
		CODE AS SHOWN @A3	3	DESIGN DEVELOPMENT	J.E	06.22.18
			4	DESIGN DEVELOPMENT	J.E	07.27.18