

# Infinite 3D medium, Isotropic Point Source, Isotropic Scattering

BesselK0 Random Flight

This is code to accompany the book:

A Hitchhiker's Guide to Multiple Scattering

© 2020 Eugene d'Eon

[www.eugenedeon.com/hitchhikers](http://www.eugenedeon.com/hitchhikers)

---


## Path Setup

Put a file at `~/hitchhikerpath` with the path to your hitchhiker repo so that these worksheets can find the MC data from the C++ simulations for verification

```
In[2681]:= SetDirectory[Import["~/hitchhikerpath"]]
```

---

## Notation



$c$  - single-scattering albedo

$r$  - radial position coordinate in medium (distance from point source at origin)

$u = \cos \theta$  - direction cosine

## Namespace

```
In[2831]:= Begin["inf3DisopointIsoscatterK0`"]
```

```
Out[2831]:= inf3DisopointIsoscatterK0`
```

---

## Analytical results

### Collision rate density

collision rate density Cc due to correlated emission:

#### derivation

#### result

```
In[2882]:= Ccexact[r_, c_] := NIntegrate[
$$\frac{u^2 \text{ArcSinh}[u] \text{Sinc}[r u]}{2 \pi^2 (u - c \text{ArcSinh}[u])},$$

{u, 0, Infinity}, Method → "ExtrapolatingOscillatory"]
```

---

## load MC data

```
In[2893]:= ppoints[xs_, dr_, maxx_] :=
  Table[{dr (i) - 0.5 dr, xs[[i]]}, {i, 1, Length[xs]}}][[1 ;; -2]]

In[2894]:= ppointsu[xs_, du_, st_] :=
  Table[{-1.0 + du (i) - 0.5 du, xs[[i]] / (2 st)}, {i, 1, Length[xs]}}][[1 ;; -1]]

In[2895]:= fs = FileNames["code/3D_medium/infinite3Dmedium/Isotropicpointsource/MCdata/
  inf3D_isotropicpoint_isotropicscatter_bessel*"];

In[2896]:= index[x_] := Module[{data, c},
  data = Import[x, "Table"];
  c = data[[2, 3]];
  {c, data}];
simulations = index /@ fs;
cs = Union[#[[1]] & /@ simulations]

Out[2898]:= {0.01, 0.1, 0.3, 0.5, 0.7, 0.8, 0.9, 0.95, 0.99, 0.999}

In[2899]:= numcollorders = simulations[[1]][[-1]][[2, 13]];
```

---

# Compare analytic and MC

## Collision-rate density - Exact solution - comparison to MC

```
In[2900]:= {ActionMenu["Set c", "c = "<>ToString[#]>␣⇒␣(c = #;) & /@cs], Dynamic[c]}
```

```
Out[2900]= { Set c, 0.8 }
```



```

In[2910]:= data = SelectFirst[simulations, #[[1]] == c &][[2]];
maxr = data[[2, 5]];
dr = data[[2, 7]];
MCCollisionRate = ppoints[data[[4]], dr, maxr];
exact1CRShallow =
  Quiet[{#[[1]], 4 Pi #[[1]]^2 Ccexact#[[1]], c}] & /@ MCCollisionRate[[1 ;; 60]];
exact1CR = Quiet[{#[[1]], 4 Pi #[[1]]^2 Ccexact#[[1]], c}] & /@
  MCCollisionRate[[61 ;; -1 ;; 10]];
plotϕshallow = Quiet[Show[
  ListPlot[MCCollisionRate[[1 ;; 60]],
    PlotRange → All, PlotStyle → PointSize[.01]],
  ListPlot[exact1CRShallow, PlotRange → All, Joined → True, PlotStyle → Black],
  Frame → True,
  FrameLabel -> {{4 π r2 Cc"[r],}, {r,}}
]];
logplotϕ = Quiet[Show[
  ListLogPlot[MCCollisionRate, PlotRange → All, PlotStyle → PointSize[.01]],
  ListLogPlot[exact1CR, PlotRange → All, Joined → True, PlotStyle → Black],
  ListLogPlot[exact1CRShallow,
    PlotRange → All, Joined → True, PlotStyle → Black],
  Frame → True,
  FrameLabel -> {{4 π r2 Cc"[r],}, {r,}}
]];
Show[GraphicsGrid[{{plotϕshallow, logplotϕ}}, ImageSize → 800],
  PlotLabel -> "Infinite 3D, isotropic point source,
    Isotropic scattering, BesselK0 random flight - correlated
    emission\nCollision-rate density Cc[r], c = "<>ToString[c]]

```

Infinite 3D, isotropic point source, Isotropic scattering, BesselK<sub>0</sub> random flight – correlated emission  
Collision-rate density  $C_c[r]$ ,  $c = 0.8$

Out[2918]=



---

## Namespace

In[2919]:= **End[]**

Out[2919]= inf3DisopointIsoscatterK0`