Table of contents

Periodicity (Cyclicity), cyclicity repeats within lim (rotational, closed loop inside restricted band), transcendency passes only once (tangential, linear infinit):

$$\begin{aligned} 2\pi = k\lambda = \mathcal{T}\omega = \frac{\omega}{\nu} = k\frac{c}{\nu} = \frac{\Delta\varphi}{\Delta s}\frac{c}{\nu} = \frac{\Delta\varphi}{n} = \frac{u}{r} = \frac{h}{\hbar} = 2\frac{\mathcal{M}_B}{\mathcal{L}_B} \\ = \left(\frac{\pi}{2} - \alpha\right) + \alpha + \left(\frac{\pi}{2} - \beta\right) + \beta + \pi \\ = 360^\circ = 12\ hours\ (half\ day) = 12\ music\ notes\ (one\ octave) \end{aligned} \tag{1}$$

where:
$\alpha :=$ irradiaton angle, incoming radiation direction, from source/sender (Einstrahlungswinkel zur Normalen auf Grenzfläche des Mediums)
$\beta :=$ refraction angle for bented transmitted radiation A_t orientation in matter (Durchstrahlungsswinkel zur Normalen aus Grenzfläche ins Medium)
$\mathcal{M}_B :=$ Blackbody Radiant Exitance
$\mathcal{L}_B :=$ Blackbody Radiance

Orientation of Radiation:



Figure 1: Radiation

ϑ = reflection angle for redirected radiation $A_{r\parallel}$ parallel to α from matter [1]

θ = diffraction angle for redirected radiation $A_{r\perp}$ orthogonal to α from matter [2]

$\varpi = \beta_1 + \beta_2$ = angle of converging body surfaces (point tip of prismic medium), spread angle of prism

ς = deviation angle of redirected ray beam after refraction (transmission) and diffraction

[1] Abstrahlwinkel zur Grenzfläche des Mediums
[2] Beugungswinkel durch Objekt ins Vakuum

u_g = aperture angle (acceptance) from sender source (at distance g)

w_b = inclination angle at observer receiver (at distance b)

ε = visual angle from observer/receiver (of eye)