

# **Physics Concepts as Indicative Framework to Model Systems of Economies Ex-ante**

**Coincise Notes and Conjectures Explorations of Natural Laws to Preliminarily Structure Economies for Allocating Finite Resources under Constraints**

Eugenio Net

2025-12-24

## **Table of contents**

<b>Abstract</b>	<b>1</b>
<b>Introduction</b>	<b>2</b>
<b>Work and Energy</b>	<b>2</b>
<b>Constraints and Conditions</b>	<b>4</b>
<b>Determinism and Uncertainty</b>	<b>5</b>
<b>Ex-ante Framing and Post-ante Optimization</b>	<b>5</b>
<b>Productivity and Value</b>	<b>7</b>
<b>Hypothesis and Conjecture</b>	<b>9</b>
<b>Acronyms</b>	<b>11</b>
Acronyms of Physics: Chapter . . . . .	11
Acronyms of Economy: Chapter . . . . .	12

---

## Abstract

An exploratory attempt ...

Interconnection network between movement, force, momentum, energy, and work. Describing systems with Lagrangian and Hamiltonian when constraints and starting conditions exist. Modeling systems and optimisation with constraints and conditions. Interwoven system of macro- and microeconomics under constraints, limitations, and conditions.

## Introduction

Nature strives through Physics to behave economical by using its resources in an austere way: Principle of Least Action.

Economy - not pre-given by natural laws - is constructed as social set of co-living rules to allocate, distribute and share (natural and non-natural) resources. Ex-ante modelling economic systems by rules (contractual, legislative, judicative, executive).

The state (situation, position) of the Economy can be described by e.g. Assets, Liabilities, Expenses, Incomes, Profitability, Productivity, etc.. The Economy changes through time from a state  $r_0 = \text{"start"}$  to a state  $r_1 = \text{"end"}$ . For the state to change, work is applied by processing limited resources (e.g. access to raw materials and availability of intermediate goods), constrained capital (e.g. financial funds, interest rates, and inflation), as well as labor capacity (e.g machines and human force).

How can a trajectory  $r = r_1 - r_0$  between two states be modelled by work  $W$ , which is applied for the change of the state to occur:  $r = \int A = \int \int W = \int \int (\mathcal{L} + \mathcal{H}) = \int \int (\Delta E - \Delta H)$  ?

## Work and Energy

$\exists$  Work done or received  $W \neq 0 \Rightarrow \exists$  Change of State (“Displacement”, “Deformation”)  $r \neq 0$ :

$$r = r(t) = r_x(t_x) - r_0(t_0) = \Delta r(\Delta t) \\ \stackrel{Path}{=} \text{State(arrival)} - \text{State(start)} = \text{Trajectory(Change)} \quad (1)$$

$$v = \dot{r} = \frac{d}{dt}r \quad p = \frac{1}{v} \sqrt{E^2 - (mv^2)^2} \quad F = \dot{p} = \frac{d}{dt}p \quad (2)$$

$$E = E_{kin} + E_{pot} \quad E_{kin} := \mathcal{K} = \frac{f}{n}pv \quad E_{pot} := \mathcal{U} = \mathcal{V} + \mathcal{Z} \quad (3)$$

$$W = \partial_t A = \partial_t(E \cdot t) = \partial_t(p \cdot r) = F_1 \cdot r_1 + p_2 \cdot v_2 = \begin{cases} F \cdot r \\ p \cdot v \end{cases} \quad (4)$$

Geometrical:

$$W = F \cdot r = mr \cdot a = I \cdot \frac{v}{t} = \frac{p}{t} \cdot tv = Ft \cdot v = pv = mv^2 \quad (5)$$

Analytical:

$$\mathcal{L} = \mathcal{L}(r, \dot{r}, t) = E_{kin} - E_{pot} \quad (6)$$

$$\mathcal{H} = \mathcal{H}(r, p, t) = \sum_i^f \dot{r}_i p_i - \mathcal{L} \stackrel{konserv.}{=} E_{kin} + E_{pot} = const. \quad (7)$$

$$W = p \cdot v = \mathcal{L} + \mathcal{H} = (\mathcal{K} - \mathcal{U}) + \mathcal{H} \\ \stackrel{konserv.}{=} (\mathcal{K} - \mathcal{U}) + (\mathcal{K} + \mathcal{U}) = (\mathcal{K} - \mathcal{U}) + E \quad (8)$$

Electro Magnetic:

$$W = \mathcal{L} + \mathcal{H} = \left( \frac{1}{2}mv^2 - q(\Phi - \vec{\mathcal{A}} \cdot \vec{v}) \right) + \left( \frac{1}{2} \frac{1}{m}(\vec{p} - q\vec{\mathcal{A}})^2 + q\Phi \right) \quad (9)$$

Relativistic:

$$W = p \cdot v = \frac{v}{c} \sqrt{E^2 - (mc^2)^2} \quad (10)$$

---

Thermal:

$$W = Fr = PV^\nu = T \cdot V^{\frac{f+2}{f}} = T \cdot V^{(\frac{c_P}{c_V} - 1)} = TV^{\kappa-1} = T \cdot l \cdot g_0 = T \cdot n \cdot b_0 = T \cdot m \cdot c_0 \quad (11)$$

Thermo Statistical:

$$W = \mathcal{L} + \mathcal{H} = \Delta U - \Delta H = \Delta(T \cdot \Delta S - P \cdot \Delta V) - \Delta(T \cdot S) \quad (12)$$

Quantistic:

$$W = p \cdot v = k \cdot \omega = h\nu k = Ek \quad (13)$$

$$\Delta A = \Delta p \cdot \Delta r = \Delta E \cdot \Delta t \geq \frac{1}{2}\hbar \quad (14)$$

see description of “movement” Equation 19

acronyms see Section

## Constrains and Conditions

Constraints: - initial state - boundry conditions - access to limited resources - contractual covenants - juristic law

Modelling movement (change of state) under constraints:

1. Movement ist charecterized by change of energy, Lagrangian  $\mathcal{L} \neq 0$ :

$$\mathcal{L} = E_{kin} - E_{pot} \quad (15)$$

2. Movement happens within constraints of forces:

$$\hat{F}_i + \tilde{F}_i = \hat{F}_i + \sum_{k=1}^{s_d} \lambda_k a_{ki} = \frac{d}{dt} \left( \frac{\partial \mathcal{L}}{\partial v_i} \right) - \frac{\partial \mathcal{L}}{\partial r_i} \quad (16)$$

and at same time, constraining conditions delimitate movement:

$$\sum_{l=1}^f a_{kl} v_l + b_k = 0 \quad (17)$$

3. Rest is characterized by unchanged energy, Hamiltonian  $\mathcal{H} = E_{kin} + E_{pot} = const..$   
There is movement from state of rest if  $\mathcal{H} \neq 0$ :

$$\mathcal{H} = \sum_i p_i v_i - \mathcal{L} = p v - \mathcal{L} = F r - \mathcal{L} = W - \mathcal{L} = (\Delta E - \Delta H) - \mathcal{L} \quad (18)$$

4. Change of state/position is characterized by movement:

$$\dot{r}_i = v_i = \frac{\partial \mathcal{H}}{\partial p_i} \quad \dot{p}_i = F_i = -\frac{\partial \mathcal{H}}{\partial r_i} \quad (19)$$

see description of “work” Equation 5

where:

$s_d$  = constraints  $i = 1, \dots, f$  = degrees of freedom  $k = 1, \dots, s_d$  = constraints

$\hat{F}_i$  = known constraining forces  $\tilde{F}_i = \sum_{k=1}^{s_d} \lambda_k a_{ki}$  = unknown constraining forces

$\lambda_k(t)$  = Eigenvalues for transformation of reference system

$a_{ki}$  = Eigenvectors of transformation matrix

$\lambda_k \cdot \vec{r}_i = \lambda_k \cdot [a_{ki}]_{matrix}$

---

## Determinism and Uncertainty

- Determinism through contracting & jurisdiction
- Uncertainty minimizations
- Statistical approximation
- Prognosis matching Determinism

see Equation 14

## Ex-ante Framing and Post-ante Optimization

Framing contracts and jurisdiction ahead to match  $p$  = "Economy Funds" and  $v$  = "Economy Velocity" that can be modelled with typical approaches for function  $z$  = "arrival state" depending on  $x$  = "starting state", so that "work"  $W = F \cdot r = F \cdot (z - x)$ :

Table 1: Modelling Functions

Type	Model	Linearisation
Linear	$z = a + bx$	$z = a + bx$
Geometric	$z = a \cdot x^b$	$\log z = \log a + b \cdot (\log x)$
Exponential deca.	$z = a \cdot b^x$	$\log z = \log a + (\log b) \cdot x$
Exponential nat.	$z = a \cdot e^{bx}$	$\ln z = \ln a + bx$
Periodical		
Polynomial		
Taylor		

Linear optimization to achieve target states " $z, h$ ":

1. Oneness situation modelling:

minimize efforts =  $z$  or maximize return =  $z$

---

target:	$z = c^T \cdot x$
min. constraints:	$[a_{ki}] \cdot x \geq b$
max. constraints:	$[a_{ki}] \cdot x \leq b$
condition:	$x \geq 0$

(20)

2. Duality situation modelling:

minimize efforts =  $z$  and maximize return =  $h$

target min.:	$z = c^T \cdot x$
min. constraints:	$[a_{ki}] \cdot x \geq b$
condition:	$x \geq 0$
<i>and</i>	
target max.:	$h = b^T \cdot y$
max. constraints:	$[a_{ki}]^T \cdot y \leq c$
condition:	$y \geq 0$

(21)

3. Normalization:

target:	$z = c^T \cdot x$
min. constraints:	$([a_{ki}] - x_{n+k}) \cdot x = b$
max. constraints:	$([a_{ki}] + x_{n+k}) \cdot x = b$
condition:	$x \geq 0$

(22)

4. Solution with [Simplex algorithm](#)

multilinear and exponential models ...

---

## Productivity and Value

Society's living requires:

- “Resources” are processed to create goods to be consumed
- “Labor” is used to process goods and services
- “Capital” intermediates value between goods and services

Society organizes in groups of households:

- natural households
- juristic corporations
- governmental institutions

Households cooperate through exchange (trade) of goods and services between “Demand” and “Supply” using monetary valuation:

- Goods Market Production, Inventory, Trade → “Price” for value of production
- Labor Market Employment, Demographic Structure, Work Capabilities → “Wage” for value of labor
- Capital Market Savings, Investments, Exchange → “Interest” for value of capital

acronyms see Section

Supply is provided by the income  $Y$ :

$$Y = L + Y_H + Y_A + T_A + Y_G - Z_G \quad (23)$$

$$Y = C + S + T + M - X \quad (24)$$

Demand is satisfied by the production  $V_I$ :

$$V_I = C + I + G + X - M \quad (25)$$

Equilibrium:

---


$$\begin{aligned}
Y &= V_I \\
L - C &= S = I \\
C + S &= L \\
C + I &= R
\end{aligned} \tag{26}$$

Domestic Production & International Trade:

$$V_S = Y + T - G_A + D_A \tag{27}$$

$$V_N = V_S - D_A \tag{28}$$

$$V_I = V_S - R_M + R_X \tag{29}$$

Monetary Value of Production:

$$P \cdot V_I = Q \cdot N \tag{30}$$

Macro Productivity:

$$\text{Productivity} = \frac{\text{Output}}{\text{Input}} = \frac{V_I}{Y} \tag{31}$$

We track production at microeconomic level through (acronyms see Section ):

$A$  = Assets represent “Property Capital” which consist of “Current Capital” and “Structural Capital”. Those investments are required for the production processes.

$B$  = Liabilities represent “Financial Capital” which consist of “Exogen Funds” and “Endogen Funds”. Later includes “Equity Capital” and “Retained Gains”. Those funds do finance Assets.

$W$  = Expenses represent “Work Efforts” to “Supply Production” with use of Assets.

$Y$  = Income represents “Received Earnings” achieved with production to “Satisfy Demand”. Parts of the gains will be retained to finance Assets.

$R$  = Gain, Profit or Loss from executed work (resultant value from input efforts) is represented by  $R = Y - W$

---

The “transfer of energy” between all subsystems is mapped in balancing out theirs capital (usage of capital for production though possessed assets):  $A = B + R$

Micro Productivity:

$$\text{Productivity} = \frac{\text{Output}}{\text{Input}} = \frac{Y}{W} \quad (32)$$

## Hypothesis and Conjecture

Conjecture of Equation 30 and Equation 11

How consistently map economic measures to the quantities of nature to model the economical system?

Input:

$$\text{Input} = f_0(\text{Resources}, \text{Labor}, \text{Capital}) = \text{Work} = \Delta\text{Energy} = p \cdot v \quad (33)$$

Output:

$$\text{Output} = \text{Goods} + \text{Services} = \text{Production} = \Delta\text{State} = V_I \quad (34)$$

Productivity:

$$\text{Productivity} = \frac{\text{Output}}{\text{Input}} = \frac{\Delta\text{State}}{\Delta\text{Energy}} = \frac{\text{Production}}{\text{Work}} = \frac{V_I}{pv} \quad (35)$$

see description of “movement” Equation 19

Table 2: Core Measurements

<b>Economy</b>	$\rightarrow$		$\leftarrow$	<b>Physics</b>
Resources	Assets		Force	Matter
Capital	Liabilities		Momentum	Space
Labor	Expenses		Work	
	Income	Production	Energy	Time

---

As a first approach, considering the geometrical perspective of the concept of “work” (Equation 5), applied to economical measurements, so to satisfy the following system:

$f_A(\text{Assets}) = f_B(\text{Liabilities} + \text{Gain})$  = “momentum”  $p$  from initial state  $r_0$  to new state  $r_1$ , where the change of state is  $r = r_1 - r_0$

Matter substance, object movement/change:

$$A = f_A = F \cdot t = p \quad (36)$$

Space of movement, maneuverability:

$$B + R = f_B = m \cdot v = p \quad (37)$$

Work input (efforts, costs) through labor force, machines and infrastructure applied, and materials consumed for production:

$$W = f_0 = F \cdot r = m \cdot \frac{v}{t} \cdot r = p \cdot v \quad (38)$$

Energy transfer, energy change, profit or loss:

$$Y = \Delta E = \frac{1}{2}pv + \mathcal{U} \quad (39)$$

Production value inflation adjusted:

$$P \cdot V_I = \sum Y_{\text{adjust}} = \sum (W + R)_{\text{adjust}} = \Delta U - \Delta H = Q \cdot N \quad (40)$$

see Equation 12 and Equation 5

Thus, to be determined are  $v$  (economy velocity) and  $p$  (financial structure). Eventually, determine  $r$  = “state change through trajectory” (substance change to the new assets structure) by given  $v$  = “velocity of movement” (Business speed = monetary value, price with inflation), or determine  $v$  by given  $r$ . The individual positions  $\{i, j, l, m\}$  of Liabilities  $\{B_i + R_j\}_k$ , Assets  $\{A_m\}_k$ , and Expenses  $\{W_l\}_k$  shall be grouped in sets  $\{k\}$ , so to satisfy  $f_k(i, j) = f_k(m) = f_k(l) = \{pv\}_k$ .

The constraints shall be modelled with the Lagrangian. Hence, “Work” shall be derived from the Hamiltonian which leads to the identification of the “movement” (= change, transformation) of the trajectory (= path to new state) with  $\dot{r} = v$  and  $\dot{p} = F$ .

---

Experiment design:  $p$  and  $v$  are modelled ex-ante with means of CONSTRAINTS from contractual agreement and from given juristic legislation, in such a way that physics laws are satisfied. Decisions making occur within this ex-ante frame.

## Acronyms

### Acronyms of Physics: Chapter

---

$A$ = Action	$E = E_{kin} + E_{pot}$ = total energy
$t$ = time	$r$ = dpace (distance between two points, one-dimensional length)
$v$ = velocity	$c$ = light speed
$p$ = momentum	$F$ = force
$I$ = inertia	$\mathcal{L}$ = Lagrangian
$\mathcal{H}$ = Hamiltonian	$\mathcal{K}$ = kinetic Energy
$\mathcal{U}$ = effective potential Energy ( $\in E_{pot}$ )	$\mathcal{V}$ = potential Energy ( $\in E_{pot}$ )
$Z = \frac{1}{2} \frac{L_0^2}{mr^2}$ = Centrifugal Potential	$V = r_1 \cdot r_2 \cdot r_3$ = Volume
$k$ = Wave Vector ("curvature")	$W$ = Work (done vs. received)
$P$ = Pressure	$L_0$ = angular momentum
$T$ = endogen Temperature	$H$ = exogen Heat
$U$ = endogen Energy ( $E_{kin} + E_{pot}$ )	$\Phi = \frac{\mathcal{V}}{q}$ = Electric Potential
$\mathcal{A}$ = Magnetic Potential	$b_0$ = Boltzmann constant
$g_0$ = Gas constant	$m$ = mass
$q$ = charge	$\$n$ = amount of objectes (particles density $n = \frac{N}{V}$ ), $n = 2$ and $f = 1$
$\epsilon_0$ = electric constant	$f = 3n \pm z$ = degrees of freedom, $f = 1$ and $n = 2$
$\mu_0$ = magnetic constant	$\mathcal{B}$ = Magnetic Field
$\mathcal{E}$ = Electric Field	$H\mathcal{C} = m \cdot c_0 = \frac{\Delta H}{\Delta T}$ = heat capacity
$c_0 = \frac{1}{m} \frac{\Delta H}{\Delta T}$ = specific heat	$S = b_0 \cdot \ln(\Omega)$ = Entropy (macro state)
$l$ = Moll quantity	$\Omega$ = micro states
$z$ = amount of constraints (boundary conditions)	$b_0$ = Boltzmann constant
$\kappa = \frac{c_P}{c_V} = \frac{f+2}{f}$ = adiabat	$\iota = \kappa$ adiabat
$\iota = 0$ isobar	$\iota = 1$ isotherm
$\iota = \infty$ isochor	...
...	...

---

---

## Acronyms of Economy: Chapter

---

$T$  = Taxes

$G$  = Government Expenses, incl. Social Insurances

$Y$  = Income of Economy from Turnover

$D_A$  = Depreciations (Reinvestments) on Assets

$N$  = Monetary Quantity

$V_I$  = Gross Domestic Product GDP =  $\frac{\text{Output}}{\text{Input}}$ , Tradevolume

$L$  = Wages from Labor Work (Salaries, ...)

$Y_A$  = Income of priv. Business Households (Companies, Services, Real Estate Rentals, Retained Profits)

$T_A$  = Tax on Capital of Corporate Companies (Business Assets)

$Z_G$  = Interests on Governmental Debt

$I$  = Investments on Assets, incl. Storage Change

$R_X$  Capital Earnings and Wages to Abroad (to Foreign System)

$M$  = Import of Goods and Services from foreign systems

$X$  = Export of Goods and Services to foreign system

$G_A$  = Governmental Subsidies

$V_N$  = Net National Production, Society NNP

$Q$  = Monetary Turnover Velocity

$P$  = Price niveau (Inflation adjusted Value)

$R$  = Returns, Earnings, Gains

$Y_H$  = Income from priv. Capital Households (Interests, Coupons, Dividends, ... of priv. Assets, Investmens, Credits, Debits, Bonds, Equity)

$Y_G$  = Governmental Income from Assets, Services, Social Institutions/Insurances

$V_S$  = Gross National Produkt, Society GNP

$R_M$  = Capital Earnings and Wages from Abroad (from Foreign System)

$W$  = Expenses, costs from human and machinery work efforts

---

see also [1]

- 
1. Wachter A, Hoeber H (2005) [Compendium of Theoretical Physics](#). Springer
  2. Cockshott WP (2011) [Classical Econophysics](#). Routledge Advances in Experimental; Computable Economics
  3. Wladyslaw W (2013) [Macroeconometric Models](#), 1st ed. Springer
  4. Lichtenegger K (2015) [Schlüsselkonzepte zur Physik](#), 1st ed. Springer Spektrum

- 
5. Padmanabhan T (2015) *Sleeping Beauties in Theoretical Physics*, 1st ed. Springer
  6. Carter M (2001) *Foundations of Mathematical Economics*. The MIT Press
  7. Michaelides PG (2025) *21 Equations that Shaped the World Economy*, 1st ed. Palgrave Macmillan Cham
  8. Pires da Cruz J (2025) *Introduction to the Physics of the Economy and Finance*, 1st ed. Springer Cham
  9. Cass D, Shell K (2014) *The Hamiltonian Approach to Dynamic Economics*, 1st ed. Elsevier, Academic Press
  10. Haven E, Khrennikov AI, Robinson T (2017) *Quantum Methods in Social Science - A First Course*. World Scientific, Publishing Europe Ltd