

**Patient Name** : Eugenii Grushin  
**Lab Ref** : 906779480  
**Age/Sex/DOB** : 34 / M / 1987-07-08  
**ID Num.** : NOT AVAILABLE  
**Contact Nos** : (C) 0828746355  
**Email** : euggrush@gmail.com

**Lab Name** : Central  
**Dr. Ref No.** : 37 DANVILLE AVE  
**Spec No.** : 1227:DN02826U  
**Collection Date** : 27/12/21 1412  
**Receive Date** : 27/12/21 1438  
**Report Date** : 27/12/21 2147

**Report for Doctor**  
 Patient Referral

**Other Doctors**  
 Submit Dr : Patient Referral

**Guarantor Information**  
 Name : A Du Plessis  
 Contact Nos :  
 Email :  
 MedAid : REFERRAL

**Tests:** SMS NOTIFICATION, SARS-COV-2 RT-PCR

### Clinical Data

PASSPORT NUMBER: 723182643

## Molecular Infectious Diseases

### SARS-CoV-2

### Not detected

SARS-CoV-2 nucleic acid was not detected by means of a real-time reverse transcriptase polymerase chain reaction (RT-PCR) test.

A "Not Detected" (Negative) test result for this test means that SARS-CoV-2 RNA was not present in the specimen. However, it does not exclude the possibility of COVID-19 and should not be used as the sole basis for patient management decisions.

A false-negative result can be due to several factors including inadequate specimen collection, sampling too early or late in the course of infection, and clinical severity of disease.

Repeat testing is recommended only if clinically indicated.

Lancet Laboratories is an ISO 15189 accredited laboratory recognised by the South African government for COVID testing. This laboratory result constitutes a certificate for travel purposes.

For consultation by referring doctors only, please call:

Dr Allison Glass (011) 358 0800      Prof Eftyhia Vardas +2711 358 0800  
 Dr Steven Miller (011) 358 0800      Dr Leana Maree +2711 358 0800



Scan to verify this result

