


0. SAP HANA Cloud Trial



SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial Homepage



SAP HANA Cloud Trial Homepage 접속

- <https://sap.com/products/hana/cloud-trial.html>
- “Get started with a 30 day trial” 버튼을 클릭

SAP HANA Cloud Trial



SAP HANA Cloud Trial

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 정보 입력

white papers

Tell us about yourself

E-mail address

First name

Last name

Company

Country/Region
Korea, South

Phone
+82

Department

Relationship to SAP
Partner

Create password
..... Show

Confirm password
..... Show

Must have at least 8 characters.

☐ Would you like to receive additional SAP communications along with information related to this inquiry? By checking this box, you agree that your contact details will be used by SAP Korea Ltd. in accordance with the [SAP Marketing Consent Statement](#).

☒ I have read and understood the Terms and Conditions of [SAP.com](#)

SAP will use any of the data provided hereunder in accordance with the [Privacy Statement](#).

This site is protected by reCAPTCHA and the Google [Privacy Policy](#) and [Terms of Service](#) apply.

Submit

Click!

Already registered?

Log in


Contact Us

SAP HANA Cloud Trial 계정 정보

- E-mail : Login을 위한 User ID 역할
- First Name
- Last Name
- Company
- Country
- Phone : 등록 코드가 필요하므로 정확히 기입
- Department
- Relationship to SAP : Partner 선택
- Password : Login을 위한 암호 역할
- 모든 정보를 입력 후 “Submit” 버튼 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 승인 완료




SAP HANA Cloud Trial 계정 승인 완료

- 신청 시 입력한 E-mail로 생성 완료 메일 전송
- “Register here” 버튼을 클릭하면 계정 생성을 위한 SAP Cloud Platform Page로 이동
- **Trial 계정 생성은 최소 1 일 이상 소요될 수 있어 Enablement 교육 시작일 2 ~ 3일 전에 반드시 신청**

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 생성 작업



SAP HANA Cloud Trial 계정 Welcome 화면

- “Click here to start your trial!” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 생성 작업

전화번호 확인

전화번호를 변경할 수 있습니다. 먼저 +(국가 코드)를 입력한 후 지역 코드를 입력한 다음(앞의 0은 생략) 등
숫자 번호를 입력하십시오. 예: +(XXX) XXX XXXXXXX

SAP BTP Trial 어플리케이션을 사용하기 위해서는 전화번호 확인이 필요합니다. 해당 전화번호로 코
드를 발송하였으니 받은 코드를 입력 후 계속을 누르십시오.

전화 *

코드 *

*필수

신규 코드 요청

Click!

SAP® ID Service

SAP HANA Cloud Trial 계정 생성을 위한 본인 확인

- Trial 계정 신청 시 입력한 휴대 전화로
전송된 코드 입력
- “계속” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 생성 작업

The screenshot shows a web browser window with two tabs: 'SAP HANA Cloud Trial' and 'SAP BTP Trial: 이용 약관'. The address bar shows 'accounts.sap.com/ui/verifyphone/submit'. The main content area is titled 'SAP BTP Trial에 대한 법적 면책 사항' (Legal disclaimer for SAP BTP Trial). Below the title, it states: '법적 문서가 업데이트되었습니다. SAP BTP Trial에 액세스하여 사용하려면 아래 문서를 읽고 동의하십시오.' (The legal document has been updated. To access SAP BTP Trial and use it, please read the following document and agree.)

조건 (Conditions):

- ☒ SAP BTP Trial의 개인정보 보호 정책을 읽었음을 확인합니다. *
- ☒ SAP BTP Trial의 조건을 읽고 이해했습니다. *

At the bottom right, there is a blue button labeled '동의' (Agree). Above this button is the text '*필수' (Required). A yellow box with the text 'Click!' and an arrow points to the '동의' button.

SAP® ID Service

SAP HANA Cloud Trial 계정 생성을 위한 조건 동의

- 화면의 2 개 사항을 읽고 “동의” 버튼을 클릭

SAP HANA Cloud Trial 신청


SAP HANA Cloud Trial 계정 생성 작업

SAP HANA Cloud Trial 계정을 생성할 Region을 선택

- “US East(VA) - AWS” 를 선택
- “계정 생성” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 생성 작업



SAP HANA Cloud Trial 계정을 생성 중

- 2 ~ 3 분 소요

SAP HANA Cloud Trial 신청

SAP HANA Cloud Trial 계정 생성 작업

이 사이트에서는 SAP Web Analytics를 사용하여 이 사이트가 사용되는 방법을 분석합니다. 쿠키는 반복 방문을 식별하는 데 사용됩니다. 동의할 경우 아래의 “허용” 옵션을 사용하여 기본 설정을 지정하십시오. 이 옵션을 사용하지 않을 경우 익명화 추적에 계속 이루어집니다. 생성되는 정보(IP 주소 및 브라우저 ID의 일부 포함)는 SAP에 의해 서버로 전송되어 저장됩니다. 이 정보는 웹사이트 사용을 평가하고 웹사이트 운영자의 웹사이트 액티비티에 대한 보고서를 컴파일하여 최종적으로 사이트를 개선하기 위한 목적으로만 사용됩니다. 이 옵션을 선택할 경우 위에서 언급한 방식 및 용도로 귀하와 관련된 분석 데이터를 처리하는 데 동의하는 것입니다.

클라우드 앱을 생성 및 배포하고 포괄적인 플랫폼 서비스에 액세스하는 방법을 알아보십시오.

개인 평가판을 시작합니다.

사용자의 계정을 설정하겠습니다. 이 프로세스는 1분 정도 걸릴 수 있습니다.

지역: US East (VA) - AWS

글로벌 계정: c7e5fe79trial

하위 계정: trial

조직: c7e5fe79trial

공간: dev

계속


Click!

SAP HANA Cloud Trial 계정을 생성 완료

- “계속” 버튼을 클릭

SAP HANA Cloud Trial 신청




SAP BTP Cockpit



SAP BTP Cockpit Homepage

- <https://account.hanatrial.ondemand.com/trial/#/home/trial>
- “사용자의 평가판 계정 입력” 버튼을 클릭

자습서 시작

 <p>Automate and Extend Employee Onboarding Extension Suite - Digital Process Automation</p>	 <p>Build a Business Application Using CAP for Node.js Extension Suite - Development Efficiency</p>	 <p>Create and Expose a CDS-Based Data Model With SAP BTP ABAP Environment Extension Suite - Development Efficiency</p>
Build and deploy an extension to the employee onboarding scenario from SAP SuccessFactors using Workflow, Business	Develop a business application using SAP Cloud Application Programming Model (CAP)	Get to know the ABAP RESTful Application Programming Model by creating and

SAP HANA Cloud Trial 신청

SAP BTP Cockpit

평가판 홈 > c7e5fe79trial > 하위 계정

account.hanatrial.ondemand.com/trial/#/globalaccount/fafc1b40-1c43-4dc8-850d-675165f5a965/subaccounts

SAP BTP 콕핏

하위 계정

평가판 홈 / c7e5fe79trial

글로벌 계정: c7e5fe79trial - 하위 계정

하위 도메인: c7e5fe79trial-ga

모두: 1

신규 하위 계정 글로벌 계정 전환 평가판 계정 삭제

모든 환경 모든 데이터 센터 하위 계정 검색

trial

프로바이더: Amazon Web Services(AWS)

지역: 미국 동부(VA)

내역: -없음-

환경: 다중 환경

Click!

글로벌 계정과 하위 계정 간의 관계를 이해하고 계정 모델 설정에 대한 권장사항을 확인하십시오.

유용한 링크

https://account.hanatrial.ondemand.com/trial/

Global Account

- “trial” 타일을 클릭

SAP HANA Cloud Trial 신청

SAP BTP Cockpit

평가판 홈 > c7e5fe79trial > trial x

account.hanatrial.ondemand.com/trial/#/globalaccount/fafc1b40-1c43-4dc8-850d-675165f5a965/subaccount/37ff3bf3-4f9a-4dc9-88aa-fc4d773bd361/subaccountoverview

SAP BTP 콕핏

개요

서비스

등록

Cloud Foundry

연결

보안

인타이틀먼트

사용 Analytics

하위 계정: trial

하위 도메인: c7e5fe79trial

ID: 37ff3bf3-4f9a-4dc9-88aa-fc4d773bd361

하위 계정 삭제

Cloud Foundry 환경

Kyma 환경

인타이틀먼트

조직 이름: c7e5fe79trial

조직 ID: e88802a8-87eb-4069-9ed7-50563c2caf8c

멤버: 1

API 엔드포인트: https://api.cf.us10.hana.ondemand.com

공간(1)

공간의 이름

dev

공간 생성

Click!

Cloud Foundry 사용 안 함

Kyma 환경

현재 Kyma 기능을 사용하고 있지 않습니다.

Kyma 사용

인타이틀먼트


서비스	서비스 계획	쿼터 지정
감사 로그 뷰어	Audit Log Viewer	1
거기 토지	표지	1

Sub Account : trial

- “dev” Space(공간)을 클릭

SAP HANA Cloud Trial 신청

SAP BTP Cockpit




Space : dev

- “SAP HANA Cloud” 메뉴를 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud Main Console




SAP HANA Cloud Main Console

- SAP HANA Cloud 인스턴스를 생성, 삭제할 수 있는 화면
- “생성” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업



SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업

평가판 홈 > c7e5fe79trial > trial x Instances - SAP HANA Cloud Co x +

hana-cockpit.cfapps.us10.hana.ondemand.com/hcs/sap/hana/cloud/index.html#/org/e88802a8-87eb-4069-9ed7-50563c2caf8c/space/2da4fe03-5f48-4a70-993a-7bd7da5c9b7...

SAP HANA Cloud Central SAP

Instances

Create Instance

1 Location and Basics 2 SAP HANA 3 SAP HANA Advance... (선택사항) 4 Data Lake

Organization: c7e5fe79trial

Space: dev

Basics

Provide a name and description for your instance.

Instance Name: myhana

Description: HANA Instance

27자 남아 있음

The administration user DBADMIN is automatically created with the instance. Enter a password for this account. You use this user to log on to the SAP HANA cockpit and perform all initial user administration tasks.

User: DBADMIN

Administrator Password: *****

Confirm Administrator Password: *****

단계 2 ← Click!


Cancel

SAP HANA Cloud 인스턴스 생성

- Instance Name : myhana
- Description : HANA Instance
- Administrator Password
- Confirm Administrator Password
- 정보 입력 후 “단계2” 버튼을 클릭
- SAP HANA Cloud 인스턴스의 Administrator 역할을 하는 **DBADMIN**로 자동 생성

SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업



SAP HANA Cloud 인스턴스 생성

- Trial 계정의 SAP HANA Cloud 인스턴스는 메모리는 30 GB, CPU는 2 vCPU로 기본 설정
- 정보 입력 후 “단계3” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업

The screenshot shows the 'Create Instance' wizard in SAP HANA Cloud Central. The progress bar at the top indicates four steps: 1. Location and Basics, 2. SAP HANA, 3. SAP HANA Advanced Settings (selected), and 4. Data Lake. The 'Connections' section is active, with a warning message: 'Changing the allowed IP addresses in SAP HANA does not automatically sync the new settings to data lake. You have to edit data lake settings individually for them to match.' Below this, the 'Allowed connections' section has three radio button options: 'Deny all IP addresses (except Business Technology Platform)', 'Allow all IP addresses' (which is selected and highlighted with a red box), and 'Allow only specific IP addresses and IP ranges (in addition to Business Tec...)'. At the bottom left, a blue button labeled '단계 4' is pointed to by a yellow box containing the text 'Click!'. The 'Create Instance' button is at the bottom right.

SAP HANA Cloud 인스턴스 생성

- “Allow all IP addresses” 선택
- 정보 입력 후 “단계4” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업

평가판 홈 > c7e5fe79trial > trial x Instances - SAP HANA Cloud Central

hana-cockpit.cfapps.us10.hana.ondemand.com/hcs/sap/hana/cloud/index.html#/org/e88802a8-87eb-4069-9ed7-50563c2caf8c/space/2da4fe03-5f48-4a70-993a-7bd7da5c9b7...

Create Instance

1 Location and Basics — 2 SAP HANA — 3 SAP HANA Advanced ... (선택사항) — 4 Data Lake

4. Data Lake

Add the data lake storage tier to your SAP HANA Cloud instance to ingest, store, and analyze high volumes of infrequently updated data, economically and securely. You access and manage the integrated data lake from SAP HANA Cloud. For more information, read the [Data Lake Documentation](#)

Create Data Lake: ☒

Basics

Provide a name for your instance.

Instance Name: * myrdl

Associated SAP HANA Cloud Instance: myhana

Storage

Specify the amount of vCPUs and storage of your data lake. For details, see the [SAP HANA Cloud Capacity Unit Estimator](#)

Compute: — 4 + vCPUs Min 4 vCPUs, Max 4 vCPUs

Storage: — 1 + TB Min 1 TB, Max 1 TB

Coordinator: 1 × 2 vCPUs

Workers: 1 × 2 vCPUs

Storage Service

Create Instance

Click!

SAP HANA Cloud 인스턴스 생성

- “Create Data Lake” 옵션을 활성화
- Instance Name : myrdl
- 나머지 정보는 그대로
- 정보 입력 후 “Create Instance” 버튼을 클릭

SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업

The screenshot displays the SAP HANA Cloud Central web interface. The left sidebar shows the 'Instances' menu. The main area is titled 'All Instances' and includes a search bar and filter options. A table lists the instances being created:

Status	Name	Type	Notifications	Storage	Compute	Memory	Actions
HANA Instance							
△ CREATING	myhana	SAP HANA		30 GB Memory 120 GB Storage	2 vCPUs		...
△ CREATING	myrdl	Data Lake		1 TB	2 vCPU Workers (1) 2 vCPU Coordinato...		...

SAP HANA Cloud 인스턴스 생성

- SAP HANA 인스턴스 및 Data Lake 인스턴스 생성
- 10 분 내외로 소요

SAP HANA Cloud Trial 신청

SAP HANA Cloud 인스턴스 생성 작업

The screenshot displays the SAP HANA Cloud Central web interface. The left sidebar shows the 'Instances' menu. The main area is titled 'All Instances' and includes a search bar and filter options. The filter section shows 'Organization: c7e5fe79trial' and 'Space: dev'. Below the filters, a table lists the instances. Two instances are shown, both with a 'RUNNING' status, which is highlighted by a red box. The first instance is 'myhana' (SAP HANA) and the second is 'myrdl' (Data Lake).

Status	Name	Type	Notifications	Storage	Compute	Memory	Actions
<input checked="" type="checkbox"/> RUNNING	myhana	SAP HANA		30 GB Memory 120 GB Storage	2 vCPUs		...
<input checked="" type="checkbox"/> RUNNING	myrdl	Data Lake		1 TB	2 vCPU Workers (1) 2 vCPU Coordinato...		...

SAP HANA Cloud 인스턴스 생성

- SAP HANA 인스턴스 및 Data Lake 인스턴스 생성 완료