

Formatting, Latex, plot and table samples

output: Rmarkdown PDF

Fabian Koch

```
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.0 --
```

```
## v ggplot2 3.3.3    v purrr   0.3.4
## v tibble  3.0.4    v dplyr   1.0.2
## v tidyr   1.1.2    v stringr 1.4.0
## v readr   1.4.0    v forcats 0.5.0
```

```
## -- Conflicts ----- tidyverse_conflicts() --
```

```
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
```

```
library(ggplot2)
library(tmap)
library(kableExtra)
```

```
##
## Attaching package: 'kableExtra'
```

```
## The following object is masked from 'package:dplyr':
##
##   group_rows
```

```
library(viridis)
```

```
## Loading required package: viridisLite
```

Data

```
data("World")

# Data mit geometry
WorldGeom <- World
# Data ohne
WorldData <- World %>%
  sf::st_drop_geometry()
```

Map

label

Titel

Untertitel

Titel Legende




Hoch



Mittel



Niedrig



Fußnote

Scatter


```
# Manuelle Farbpalette
PAL_well <- c("#fc8d62", "#e78ac3", "#66c2a5", "#8da0cb", "#a6d854", "#ffd92f", "#e5c494")

scatterData <- WorldData %>%
  select(
    name,
    continent,
    inequality,
    well_being,
    gdp_cap_est,
    economy) %>%
  group_by(
    continent) %>%
  mutate(avg_gdp = mean(gdp_cap_est, na.rm = TRUE)) %>%
  ungroup() %>%
  drop_na() %>%
  mutate(
    # Vereinigung der Kategorien
    economy = forcats::fct_collapse(economy,
      "entwickelt" = c("1. Developed region: G7", "2. Developed region: nonG7"),
      "aufstrebend" = c("3. Emerging region: BRIC", "4. Emerging region: MIKT", "5. Emerging region: G2"),
      "nicht-entwickelt" = c("6. Developing region", "7. Least developed region"))

ggplot(scatterData) +
  geom_point(
    aes(
      inequality,
      well_being,
      colour = fct_reorder(continent, desc(avg_gdp))),
    alpha = 0.8) +
  facet_wrap(
    ~ economy,
    nrow = 2) +
  scale_colour_manual(
    values = PAL_well,
    guide = guide_legend(
      title.position = "top",
      title = "Kontinente",
      direction = "horizontal",
      nrow = 3,
      ncol = 2)) +
  geom_smooth(aes(x = inequality, y = well_being), method = "lm") +
  theme_minimal() +
  xlab("Wohlbefinden") +
  ylab("Ungleichheit") +
  theme(
    # Legenden Position, Alternativ: "top", "bottom", "right", "left"
    legend.position = c(0.72, 0.27),
    # Legenden Schrift fett
    legend.title = element_text(face = "bold"),
    # Abstand der Achsentitel zum Achsentext
```

```
axis.title.x = element_text(margin = margin(t = 15, r = 0, b = 0, l = 0)),
axis.title.y = element_text(margin = margin(t = 0, r = 15, b = 0, l = 0))
```

```
## 'geom_smooth()' using formula 'y ~ x'
```



kableExtra

```
kableData <- WorldData %>%
  select(
    continent,
    pop_est_dens,
    gdp_cap_est,
    life_exp,
    well_being,
    inequality,
    HPI) %>%
  group_by(continent) %>%
  summarise(
    across(
      pop_est_dens:HPI,
      ~round(
        mean(., na.rm = TRUE)
        ,1))) %>%
  filter(!is.na(well_being))
```

'summarise()' ungrouping output (override with '.groups' argument)

```
kableExtra::kbl(kableData,
  col.names = c(
    "Kontinent",
    "Bevölkerungsdichte",
    "BIP (pro Kopf)",
    "Lebenserwartung",
    "Wohlbefinden",
    "Ungleichheit",
    "Happy Planet"),
  booktabs = T) %>%
kableExtra::add_header_above(c(
  " " = 4,
  "Index" = 3)) %>%
kableExtra::kable_styling(latex_options = c(
  "striped",
  "scale_down",
  "repeat_header"))
```

Kontinent	Bevölkerungsdichte	BIP (pro Kopf)	Lebenserwartung	Index		
				Wohlbefinden	Ungleichheit	Happy Planet
Africa	60.4	3391.9	59.8	4.4	0.4	19.9
Asia	176.0	13605.7	71.7	5.1	0.2	27.9
Europe	114.6	25960.5	77.9	6.1	0.1	27.2
North America	136.3	14725.4	73.9	6.1	0.2	32.2
Oceania	19.4	13074.2	78.3	7.0	0.1	31.0
South America	20.6	11045.6	74.2	6.3	0.2	32.3