



Preliminary constant from proposed work intervals — not a calibrated TCP recipe




All samples within each proposed interval are retained; boundaries were selected before viewing force means.


episode_0.hdf5 | mean 23.30 N




episode_1.hdf5 | mean 20.82 N




episode_2.hdf5 | mean 19.98 N




episode_3.hdf5 | mean 21.59 N



episode_4.hdf5 | mean 23.11 N




episode_5.hdf5 | mean 19.91 N




All samples within each proposed interval are retained; boundaries were selected before viewing force means.


episode_6.hdf5 | mean 22.51 N




episode_7.hdf5 | mean 23.54 N




episode_8.hdf5 | mean 21.54 N




episode_9.hdf5 | mean 25.15 N



episode_10.hdf5 | mean 20.50 N




episode_11.hdf5 | mean 21.43 N




All samples within each proposed interval are retained; boundaries were selected before viewing force means.


episode_12.hdf5 | mean 20.43 N




episode_13.hdf5 | mean 21.03 N




episode_14.hdf5 | mean 22.01 N




episode_15.hdf5 | mean 24.73 N



episode_16.hdf5 | mean 23.03 N




episode_17.hdf5 | mean 25.38 N




All samples within each proposed interval are retained; boundaries were selected before viewing force means.


episode_18.hdf5 | mean 23.88 N




episode_19.hdf5 | mean 25.90 N




episode_20.hdf5 | mean 19.71 N




episode_21.hdf5 | mean 22.45 N



episode_23.hdf5 | mean 25.12 N




episode_24.hdf5 | mean 26.99 N




All samples within each proposed interval are retained; boundaries were selected before viewing force means.


episode_25.hdf5 | mean 21.82 N




episode_26.hdf5 | mean 23.41 N




episode_27.hdf5 | mean 25.37 N




episode_28.hdf5 | mean 20.05 N



episode_29.hdf5 | mean 21.55 N




episode_30.hdf5 | mean 19.19 N




All samples within each proposed interval are retained; boundaries were selected before viewing force means.


episode_31.hdf5 | mean 23.37 N




episode_32.hdf5 | mean 27.93 N




episode_33.hdf5 | mean 23.51 N




episode_34.hdf5 | mean 27.67 N



episode_36.hdf5 | mean 24.99 N




episode_38.hdf5 | mean 22.46 N



All samples within each proposed interval are retained; boundaries were selected before viewing force means.

episode_40.hdf5 | mean 22.54 N



episode_41.hdf5 | mean 26.78 N

