

Don't see what you're looking for? Log in for the full Help Center experience

Configuring webhooks

Updated 3 months ago

Before you begin

Please note the following:

- Only Admin-level users (Owner, Admin, and Non-Signing Admin) can configure webhooks.
- Each webhook URL must be a legal, globally available HTTPS address (e.g., `https://example.com`) accessible via port 443.
- Webhook URLs cannot exceed 255 characters in length.
- You can enter up to 10 webhook URLs.
- Webhook v2 only: Subdomain URLs cannot contain underscores (`_`). Including them returns the error: `url must be a URL address`.

If you're looking for information about Audit Event Webhooks for monitoring your workspace's audit log, check out this article instead.

Note:

The `BALANCE_UPDATE` event is now available through Webhooks v2. Customers can self-subscribe to these events directly via the Fireblocks Console or API. Fireblocks no longer manually enables the `BALANCE_UPDATE` feature flag for customers.

Configuring Webhooks v1

1. In the Fireblocks Console, go to **Settings**  > **General** > **Webhooks** and then select **Manage webhooks**.
2. On the Manage webhooks window, enter a URL to define the endpoint, then press **Enter**.
3. Select **Save**.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C



- Via the Fireblocks Console
- [Via the Fireblocks API & SDKs](#) (requires an API key with Admin-level permissions)

Creating a webhook

1. In the Fireblocks Console, go to **Developer center** > **Webhooks** and then select **Create webhook**.
2. On the Create webhook dialog, complete the following fields:
 - a. **Endpoint URL:** Enter the webhook's URL address.
 - b. **Description:** Optionally, enter a short description of the webhook.
 - c. **Status:** Select whether you want the webhook to be active or inactive.
 - d. **Listen for:** Select an event category to listen for all its associated events, or select the specific events to listen for from each category.
3. Select **Create webhook**.

Editing a webhook

1. In the Fireblocks Console, go to **Developer center** > **Webhooks**.
2. Find the webhook you want to edit, then select **More actions** **⋮** > **Edit webhook**.
3. On the Edit webhook dialog, make the necessary changes and then select **Save**.

Deactivating & Activating a webhook

1. In the Fireblocks Console, go to **Developer center** > **Webhooks**.
2. Find the webhook you want to deactivate or activate, then select **More actions** **⋮** > **Deactivate webhook** or **Activate webhook**.
3. On the Deactivate or Activate webhook dialog, select **Deactivate** or **Activate**.

Deleting a webhook

1. In the Fireblocks Console, go to **Developer center** > **Webhooks**.
2. Find the webhook you want to delete, then select **More actions** **⋮** > **Delete webhook**.
3. On the Delete webhook dialog, select **Delete**.

Via the API & SDKs

Visit our [Developer Portal](#) to learn more about configuring webhooks via the Fireblocks API & SDKs.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

/

ON THIS PAGE

Before you begin

Configuring Webhooks v1

Configuring Webhooks v2

Related Articles

 IP allowlisting for webhooks & notifications

 Audit Event webhooks & notifications

 About webhooks & notifications



[fireblocks.com](#)

[Status](#)

[API Docs](#)

[Console](#)

info@fireblocks.com



Fireblocks © 2026. All Rights Reserved. NMLS Registration Number: 2066055

[Privacy Policy](#)