

Don't see what you're looking for? Log in for the full Help Center experience

Hosted MPC Customer-Side Setup

Updated 1 year ago

Deployment Requirements

Working with the Hosted MPC model requires you to deploy at least three Co-Signers in your environment. You must deploy all the Co-Signers on SGX-enabled machines, in a cloud service provider with compatible servers, or on-premises. Deploying the Co-Signers in different locations to gain business continuity is possible. You can learn more about SGX Co-Signers [here](#).

High Availability in Hosted MPC


In the Hosted MPC model, you are responsible for deploying a configuration that provides business continuity and mitigates failures. Fireblocks recommends deploying the Co-Signers across different data centers, or Azure Availability Zones, should one of them incur a failure. You should also configure the Co-Signers to work in high availability mode, as explained in the [Configuring multiple API Co-Signers in high availability mode](#) article.

The following diagram illustrates a typical High Availability “Hot Signing” setup across two Availability Zones (A & B):

Don't see what you're looking for? Log in for the full Help Center experience

Fireblocks Fireblocks Help Center

/



As shown above, all your Co-Signers connect to Fireblocks and are the only ones participating in the MPC signing process. Our Customer Support staff configures the Co-Signers during the workspace creation.

Cold Signing support in Hosted MPC


You can configure a Hosted MPC setup for Cold Signing using an offline signing device instead of the Primary Co-Signer. The following diagram illustrates a typical High Availability Cold Signing setup across two Availability Zones (A & B).

To learn more about Cold Signing, see the article about [Fireblocks Cold Wallet](#).

Don't see what you're looking for? Log in for the full Help Center experience

Fireblocks Fireblocks Help Center

/



Our Customer Support staff must set up a new Hosted MPC Workspace for Cold Signing, similar to a Hosted MPC Hot Signing setup. You cannot use existing Cold Signing Workspaces for this purpose.

Was this article helpful?

Yes

No

ON THIS PAGE

Deployment Requirements

High Availability in Hosted MPC

Cold Signing support in Hosted MPC

Related Articles



Hosted MPC Overview



Hosted MPC Workspace Configuration

Don't see what you're looking for? Log in for the full Help Center experience



Fireblocks Help Center



Fireblocks © 2026. All Rights Reserved. NMLS Registration Number: 2066055

[Privacy Policy](#)