

Don't see what you're looking for? Log in for the full Help Center experience

Swapping tokens on Fireblocks

Updated 2 months ago

Important

Swapping on Fireblocks is not currently available in Germany.

Overview

Fireblocks allows you to swap tokens using orders directly in the Fireblocks Console. Swapping involves trading one token for another. For example, you can create an order to swap ETH for USDT or USDC to DAI. While you use the Fireblocks platform to initiate the transaction, swaps are performed by a 3rd party provider.

Notes

1. Details in this article refer to swapping via the Console or the Swap API endpoints in the Developers portal.
2. Testnet is supported via Ethereum's Sepolia.

Don't see what you're looking for? Log in for the full Help Center experience

Fireblocks Fireblocks Help Center

/

Pay

Balance: 2,745.368

 **USDC (USD Coin)** Ethereum

100

\$99.98

↓

Receive (estimated)

Balance: 2,484.237

 **USDT (Tether USD)** Ethereum

99.48372

\$99.49

Slippage tolerance

0.5%

1 USDC = 0.994837 USDT

Route

 **Uniswap Classic**

Provider fee

\$0

Total network fee

\$2.1

Clear

Swap

Your token swap is automatically routed to an available provider offering the best price for your quote, but you can manually select a different route.

Swaps are routed through the Fireblocks Provider Network, which includes both CeFi providers and DeFi protocols such as Uniswap.

See [here](#) for the full list of providers and their capabilities.

Prerequisites

Account connection

Follow the required setup steps described in [this](#) article.

Policy

See the following policy rule sections:

1. [Digital asset to digital asset - swap via CeFi](#)
2. [Digital asset to digital asset - swap via DeFi](#)

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

2. Select the vault account containing the token you want to swap from.
3. Select the tokens you want to swap and the amount to swap. [Learn what to do if you can't find the desired token.](#)
4. You can change the slippage tolerance as necessary.
5. Expand the dialog showing the rate and the chosen provider (under the Slippage tolerance) to view all available providers and the applicable fees.
6. You can click on the selected route, and change it to any other available route. Note that while the default route contains the best price, changing routes can be helpful when prioritizing longer message deadlines to avoid the short expiration on certain routes, or if you have other specific routes and providers preferences.
7. Select **Create order** (or **Approve & swap** if an Approve transaction is required).

After initiating your swap the appropriate transactions or actions are sent to your mobile device for approval and signing. The exact transactions you must sign depend on the chosen provider and previous allowance approvals.

Following are examples of the expected transactions and approval per different route types:

Uniswap Classic

- First, sign the Approve transaction (unless you've already signed an Approve transaction for the token you're swapping from).
- Then, sign the Permit message to allow Uniswap to create the swap transaction.
- Lastly, sign the Contract Call transaction to complete the swap.

UniswapX

- First, sign the Approve transaction (unless you've already signed an Approve transaction for the token you're swapping from).
- Then, sign the Permit message. For UniswapX swaps, the Permit message allows Uniswap to create and complete the swap on your behalf.

Notes

1. Supported chains on UniswapX: Ethereum, Unichain, Arbitrum and Base.
2. In order to get UniswapX quotes on chains that are not Ethereum, e.g. on Unichain, Arbitrum, Base, the quote amount must be larger than \$300.

CeFi providers

- Approve the swap order.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center



may be used. Make sure you have created Policy rules for each transaction type. See the [Policy prerequisites](#) section above.

Each transaction used during the swap appears in the Fireblocks mobile app, Recent activity panel, and Transaction History.

Approve

Note

Approve transactions apply to both Uniswap Classic and UniswapX swaps.

Approve transactions call an approve function that allows another address to spend tokens on behalf of the signer. Before the tokens can be swapped, you must sign an Approve transaction that lets the smart contract move your funds.

When swapping tokens on Fireblocks, you only have to sign an Approve transaction per source token. For example, if you swap DAI for USDC and then DAI for USDT, you only have to sign an Approve transaction for the first swap.

Typed messages

Note

Typed message transactions apply to both Uniswap Classic and UniswapX swaps.

Typed messages are a type of off-chain message that can be used to interact with decentralized apps (dApps) or other platforms.

When swapping tokens on Fireblocks, typed message signing is used for signing Permit allowances that allow dApps and smart contracts to move your tokens. Permit allowances combine the token approval and the actual swap into one operation to help you save money on gas fees.

Contract calls

Note

Contract call transactions only apply to Uniswap Classic swaps.

Contract calls are simply methods for calling smart contract functions to execute an operation.

Don't see what you're looking for? Log in for the full Help Center experience


 Fireblocks Help Center

/

Recent swaps

You can use the **Recent swaps** tab on the right side of the Swap page to track your current and previous swaps. Tokens and amounts appear for each swap transaction. Select an in-progress swap to see the next step in the transaction. Select a completed or failed swap tab to see the transaction's entire flow and status for each step.

Completed and failed swaps are removed from the **Recent swaps** tab after 48 hours of their final status.



Message deadlines

Swaps using Uniswap Classic must be signed within 30 minutes of initiating the transaction.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

Fees

Network gas fees apply to onchain DeFi swaps much like other blockchain transactions.

In addition to the network gas fee, an additional provider fee might apply, depending on the provider and the token pair.

The actual Provider fee amount being charged can be viewed when expanding the quote details at the bottom (below the slippage tolerance).

Slippage tolerance

Slippage is the difference between the estimated amount you will receive and the actual amount you receive after the swap order is finalized. For example, a slippage of 5% when swapping tokens might result in you receiving 5% less tokens than what is estimated.

When swapping tokens on Fireblocks, you can define a slippage tolerance value in the field appearing below the quote, and you may override the default value.

If you set your slippage too low, the swap transaction can fail.

The application of slippage tolerance can vary between different providers and different routes.

Price impact

Price impact indication will appear in the detailed quote info when expanding it for the Uniswap classic route.

A high price impact indicates a bad price for your swap. The larger the price impact, the greater the loss you might experience.

Price impact is the change in token price directly caused by your swap. It is reflected as the difference between the current market price and how your swap impacts the total liquidity in a pool. Your price impact is opposite to the size of the liquidity pool, so that when the pool has high liquidity, your swap may have a smaller price impact, and vice versa. The larger the price impact, the greater loss you may experience. Price impact can be especially high for illiquid markets/pairs.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

/

the possible statuses for your swaps.

- **Creating:** Fireblocks is creating the swap you initiated.
- **Pending approval:** The Approve transaction must be signed before the swap can proceed.
- **Pending permit:** The Permit allowance typed message must be signed before the swap can proceed.
- **Pending contract call:** The contract call transaction must be signed before the swap can proceed.
- **Processing:** The relevant transactions and messages have been signed, and the swap is in progress.
- **Complete:** The swap has been completed.
- **Canceled:** The swap was canceled.
- **Failed:** The swap could not be completed. Following are some of the reasons a swap can fail:
 - The swap quote expired.
 - The slippage percentage exceeded your defined slippage tolerance.
 - The transaction fee was insufficient.
 - Fireblocks could not create the swap.

Same-chain swaps via DeFi providers

- Swaps via DeFi routes are available for token pairs residing on the same blockchain (same-chain swap) and are executed via Uniswap.
- We have integrated Uniswap's [UniversalRouter](#) and [Permit2](#) contracts to process token swaps and Uniswap's API to enable UniswapX and pricing estimates.
- **Supported blockchains:**
Arbitrum, Avalanche, Base, Blast, BNB Chain, Celo, Ethereum, Ethereum (Sepolia), OP Mainnet (Optimism), Polygon, World Chain, Zksync.

The assets on these blockchains must be supported by Uniswap and Fireblocks, either globally or individually on your workspace.

Was this article helpful?

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

/

Overview

Prerequisites

How to swap tokens

Types of transactions used during swaps

Recent swaps

Message deadlines

Fees

Slippage tolerance

Price impact

Swap statuses

Same-chain swaps via DeFi providers

Related Articles

 Tezos tokens are now supported (July 2023)

 XRP Token transfers

 Cross-chain bridging in Fireblocks



fireblocks.com

[Status](#)

[API Docs](#)

[Console](#)

info@fireblocks.com



Fireblocks © 2026. All Rights Reserved. NMLS Registration Number: 2066055

[Privacy Policy](#)