

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

Search the Help Center /

Using a local gasless relay in your workspace

Updated 3 months ago

Overview

Use a local gasless relay when:

- You have no restrictions against holding base assets (e.g., ETH or MATIC)
- You want to use a single Vault account to manage transaction fees for all other supported addresses in the same workspace

With a local gasless relay, you are responsible for managing the balance in the relay Vault account that funds transaction fees.

Configuring a local gasless relay

1. In the Fireblocks Console, go to **Settings**  > **General** > **Gasless transactions**.
2. Toggle on **EVM**.
3. On the EVM window, select the **Universal gasless** option if it is visible. Otherwise, continue with the following steps.

With Universal gasless option

Without Universal gasless option

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

/

Relay

This workspace

External workspace

Fireblocks

Relay Gas Tank



Gas fees will be covered by a vault account in this workspace. [Learn more](#)

5. Use the drop-down menu to select the Vault account you want to act as the gasless relay.
6. Select how you want the gasless relay to be used:
 - a. **On by default:** Gasless transactions are enabled when available, but may be disabled per transaction.
 - b. **Off by default:** Gasless transactions are disabled, but may be enabled per transaction.
 - c. **Off:** Gasless transactions are disabled.
7. When you're finished, select **Save**.

Was this article helpful?

Yes

No

ON THIS PAGE

Overview

Configuring a local gasless relay

Related articles

[fireblocks.com](#)

[Status](#)

[API Docs](#)

[Console](#)

info@fireblocks.com



Don't see what you're looking for? Log in for the full Help Center experience



Fireblocks Help C

