

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

Search the Help Center /

[Fireblocks Help Center](#)

[Identity & Compliance](#)

About Compliance

AML Post-Screening Policy

Note

The AML integration is a premium feature that requires an additional purchase. Reach out to [your Customer Success Manager](#) if you do not have an agreement with an AML provider or you need help enabling the feature.

Overview

The AML Post-Screening Policy pre-determines what action to take on a screened transaction based on the screening result returned by Chainalysis, Elliptic, or your third-party AML provider.

Fireblocks recommends using your AML provider as a resource when determining what actions to take against suspicious transactions.

Default policy vs. custom policy

By default, the AML Post-Screening Policy accepts all transactions. The policy runs in the background of your operations, meaning:

- Your workflow remains the same since there are no rejections.
- You can automate registering each transaction with Chainalysis or Elliptic.
- You can view AML results on the Transaction History page in the Console and using the API.

However, you can replace the default AML Post-Screening Policy with a custom policy that suits your business's needs and risk strategies.

Don't see what you're looking for? Log in for the full Help Center experience

Fireblocks Fireblocks Help Center

/

Building your AML Post-Screening Policy

You can create and customize your AML Post-Screening Policy using the steps below.

CSV Policy Upload

To get started:

1. Download the [AML Post-Screening Policy template](#) and read the instructions on the Instructions tab.
2. Use the following [rule parameters](#) to build and customize your post-screening rules.


Alternative: Compliance Policy Editor (Early access)

Important:

This feature is not yet available to all customers. Contact your [Customer Success manager](#) to learn more.

To get started, in your Fireblocks Console:

1. Navigate to **Policies > Compliance policies > AML**.
2. Connect to your provider by following the prompts.
3. Once connected, you can begin right away with the default screening rules that are automatically enabled.
4. You can also use the [Policy Editor](#) and [advanced configuration settings](#) to build your custom AML Screening Policy rules following the [rule parameters](#) below.



Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

Direction

This parameter specifies whether the rule applies to incoming or outgoing transactions or both. You can select one of the following:

- **Inbound:** This applies the rule to incoming transactions that match the rule's parameters.
- **Outbound:** This applies the rule to outgoing transactions that match the rule's parameters.
- **Any:** This applies the rule to all incoming and outgoing transactions that match the rule's parameters.

Risk Score

This parameter specifies the amount of risk associated with the transaction according to Chainalysis. You can select one of the following:

- **Any or Low:** This applies the rule to transactions with any risk score that match the rule's parameters.
- **Medium:** This applies the rule to transactions with a "Medium", "High", or "Severe" risk score that match the rule's parameters.
- **High:** This applies the rule to transactions with a "High" or "Severe" risk score that match the rule's parameters.
- **Severe:** This applies the rule only to transactions with a "Severe" risk score that match the rule's parameters.

Note

The "Medium" and "Severe" risk scores are only available if using Chainalysis V2.

There is also the "Unknown" risk score, which indicates that the transaction's amount of risk has not yet been determined by Chainalysis. This means there may be indirect risk associated with the transaction. While this risk score can appear as a screening result from Chainalysis, you cannot use this value in your policy rules.

Chainalysis severity scores

Chainalysis also provides indirect severity scores that are **not supported by Fireblocks**. These scores are associated with Chainalysis severity alerts, which provide indirect attributions and analyses that are not instant. A single transfer can trigger multiple severity alerts over time.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

- Low

These scores differ from the risk scores that are available on Fireblocks and used in your policy. The risk scores used by Fireblocks are Chainalysis "Know Your Transaction" (KYT) scores, which provide instant direct transaction analysis.

Fireblocks does not currently support indirect severity scores in the AML Post-Screening Policy since the attributions are not instant. You can receive notifications of risky indirect exposure and ongoing attributions via severity alerts in your Chainalysis dashboard.

Name

This parameter specifies the transaction's counterparty. For certain transactions, this information may be unavailable.

Category

This parameter specifies the risk category as defined by Chainalysis. For certain transactions, this information may be unavailable.

You can select **Any**, which applies the rule to *all* of the categories below, or select one of the following categories for each rule. Listed below are the category IDs and their descriptions.

- 1 - child abuse material
- 2 - darknet market
- 3 - sanctioned entity
- 4 - no kyc exchange
- 6 - stolen funds
- 7 - mining pool
- 9 - other
- 10 - ethereum contract
- 11 - hosted wallet
- 12 - ransomware
- 13 - mixing
- 14 - ico
- 15 - erc20 token
- 16 - gambling
- 17 - merchant services
- 18 - scam

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

/

- 24 - atm
- 25 - sanctioned jurisdiction
- 26 - lending
- 27 - decentralized exchange
- 28 - fraud shop
- 29 - illicit actor-org
- 30 - infrastructure as a service
- 31 - token smart contract
- 32 - smart contract
- 33 - protocol privacy
- 34 - special measures
- 35 - malware
- 36 - online pharmacy
- 37 - bridge
- 38 - nft platform - collection
- 39 - seized funds
- 41 - unnamed service
- 42 - stolen bitcoins
- 43 - stolen ether
- 45 - escort service
- 46 - institutional platform
- 47 - instant exchange
- 999 - custom address

Exposure type (Chainalysis V2 only)

This parameter specifies whether the rule applies to transactions with direct exposure or indirect exposure to the counterparty. You can select one of the following:

- **Any:** This applies the rule to transactions with any exposure type.
- **Direct:** This applies the rule to transactions without any intermediaries between the source and destination of funds.
- **Indirect:** This applies the rule to transactions with intermediaries between the source and destination of funds.

Amount

This parameter specifies the United States dollar (USD) amount a transaction's value must be higher than to trigger the rule. This value must be entered in USD.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

- For incoming transactions, funds become immediately spendable within the wallet.
- For outgoing transactions, you can have a designated signer who can decide whether or not to sign transactions based on their risk score and category.
- **Reject:** This action stops the transaction and generates an alert.
 - For incoming transactions, Fireblocks freezes the transaction's funds in the destination wallet. The wallet will continue to function normally, but the frozen funds cannot be spent until an Admin-level user unfreezes them.
 - For outgoing transactions, Fireblocks prevents the transaction from being sent to the risky counterparty. However, the rejected transaction's funds are not frozen since no illegal or illicit activity occurred. If necessary, Admin-level users can bypass the policy and send rejected transactions.
- **Alert:** This action approves the transaction and generates an alert on the Audit Log and in the [channels you've configured to receive AML notifications](#). The alert contains the transaction's AML information.

Note

Transactions with an "Unknown" risk score do not generate alerts and cannot be rejected since they do not have any identifiable risk associated with them.

Example Chainalysis policy

Important

We provide you with an example of an AML Post-Screening Policy below to demonstrate its capabilities and formatting. However, we will not provide a policy for you to copy and use.

If you need assistance building a policy, we recommend contacting Chainalysis. They may have compliance experts as part of their team to assist you. Additionally, you can use Chainalysis alert rules as a reference for your own policy.

Don't see what you're looking for? Log in for the full Help Center experience

Fireblocks Fireblocks Help Center

/

	Direction	Risk Score	Category	Amount	Threshold	Action
3	Outbound	High	Any	Scam	> \$1,000	Alert
4	Any	Low	Any	Sanctions	Any	Reject
5	Any	High	Any	Any	Any	Reject
6	Any	Low	Any	Any	> \$500	Alert
7	Any	Low	Any	Any	Any	Alert

1. Any incoming and outgoing transactions associated with Coinbase.com are accepted.
2. Incoming transactions greater than \$1,000 with a "High" risk score and a category of "Scam" are rejected.
3. Outgoing transactions greater than \$1,000 with a "High" risk score and a category of "Scam" generate an alert.
4. Any incoming and outgoing transactions with a "Low" risk score and a category of "Sanctions" are rejected.
5. Any incoming and outgoing transactions with a "High" risk score are rejected.
6. Any incoming and outgoing transactions greater than \$500 with a "Low" risk score are accepted but generate an alert.
7. Any incoming and outgoing transactions not specified above are accepted but generate an alert.

Building your Elliptic AML Post-Screening Policy

CSV Policy

To get started, download the [Post-Screening Policy template](#) and read the instructions on the **Instructions** tab. Use the following rule parameters to build your custom AML Post-Screening Policy rules for the Elliptic integration.

Rule parameters

Direction

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

- **Outbound:** This applies the rule to outgoing transactions that match the rule's parameters.
- **Any:** This applies the rule to all incoming and outgoing transactions that match the rule's parameters.

Risk Score

This parameter specifies the amount of risk associated with the transaction according to Elliptic.

You can select a risk score on a scale of **0.0-10.0**, 10.0 being the highest possible amount of risk. Note that when you select a risk score for a rule, the rule also applies to transactions with a higher risk score that match it. For example, if you specify an **8.0** risk score for a rule, the rule also applies to transactions with a **9.0** or **10.0** risk score.

There is also the **No Risk Detected** risk score. Rules with this value only apply to transactions with no risk detected. They do not apply to transactions with any amount of risk, such as 7 or even 0.

Although Fireblocks receives additional risk information from Elliptic, only the Risk Score is used in the Post-Screening Policy since the parameter calculation can be [adjusted in your Elliptic dashboard](#).

Amount

This parameter specifies the United States dollar (USD) amount a transaction's value must be higher than to trigger the rule. This value must be entered in USD.

Action

This parameter specifies the action to take when a transaction matches the rule. You can choose one of the following actions:

- **Accept:** This action approves the transaction.
 - For incoming transactions, funds become immediately spendable within the wallet.
 - For outgoing transactions, you can have a designated signer who can decide whether or not to sign transactions based on their risk score and category.
- **Reject:** This action stops the transaction and generates an alert.
 - For incoming transactions, Fireblocks freezes the transaction's funds in the destination wallet. The wallet will continue to function normally, but the frozen funds cannot be spent until an Admin-level user unfreezes them.

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help C

/

- **Alert:** This action approves the transaction and generates an alert on the Audit Log and in the [channels you've configured to receive AML notifications](#). The alert contains the transaction's AML information.

Note

Transactions with a **N/A** risk score do not generate alerts and cannot be rejected since they do not have any identifiable risk associated with them.

Example Elliptic policy

Important

We provide you with an example of an AML Post-Screening Policy below to demonstrate its capabilities and formatting. However, we will not provide a policy for you to copy and use.

If you need assistance building a policy, we recommend contacting Elliptic. They may have compliance experts as part of their team to assist you. Additionally, you can use Elliptic alert rules as a reference for your own policy.

Rule	Direction	Risk Score	Amount	Action
1	Inbound	> 4.0	> \$2,000	Reject
2	Any	> 7.0	Any	Reject
3	Outbound	Any	> \$2,000	Alert
4	Any	Any	Any	Accept

1. Incoming transactions with a risk score greater than 4.0 and greater than \$2,000 will be rejected and will generate an alert.
2. Any transactions (incoming or outgoing) with a risk score greater than 7.0 and any amount will be rejected and will generate an alert.

Don't see what you're looking for? Log in for the full Help Center experience

Uploading your Post-Screening Policy - CSV Policy

To upload your workspace’s AML Post-Screening Policy, go to **Settings > Compliance** and select your AML provider. Then select **Change policy**  in the Post-screening row, and upload the template with your custom policy.

Was this article helpful?

Yes

No

ON THIS PAGE

- Overview
 - Default policy vs. custom policy
 - Building your AML Post-Screening Policy
 - Rule parameters
 - Example Chainalysis policy
 - Building your Elliptic AML Post-Screening Policy
 - Rule parameters
 - Example Elliptic policy
 - Uploading your Post-Screening Policy - CSV Policy

Related Articles

-  Global Policy: How Fireblocks ensures OFAC sanctions compliance
-  AML Advanced Configuration settings
-  Transaction screening operations
-  AML Transaction Screening & Monitoring

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center



-  Set up an Elliptic integration
-  Customer Reference ID
-  Travel Rule Support Overview



[fireblocks.com](#) [Status](#) [API Docs](#) [Console](#) info@fireblocks.com



Fireblocks © 2026. All Rights Reserved. NMLS Registration Number: 2066055

[Privacy Policy](#)