

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center


Search the Help Center /

Gasless settings for individual transfers

Updated 1 year ago

The Transfer dialog displays gasless fee settings for relevant assets. If your workspace has a gasless relay configured, the relay is shown in the transaction Fee settings. Transaction fees are drawn from the source vault account if no relay is configured.

The example below shows a gasless transfer using a third-party relay. All fee settings are handled automatically for gasless transactions. To learn more about different fee settings in cases of non-configured or inactive relays, see [here](#).



The screenshot shows the 'Transfer' dialog in the Fireblocks interface. It includes the following fields and options:

- Asset:** A dropdown menu showing 'USDC' with a USDC icon.
- From:** A dropdown menu showing 'Vault Account A' with a vault icon.
- To:** A dropdown menu showing 'Vault Account X' with a vault icon.
- Amount:** A text input field showing '0.0 USDC' and '\$0.0'. Below it are tabs for 'Net' and 'Gross', and a checkbox for 'Max (567 USDC)'.
- Fee:** A section with two tabs: 'Direct' and 'Gasless'. The 'Gasless' tab is selected, showing 'Omer's Workspace' and '3rd party relay'.
- Buttons:** A blue 'Transfer' button with a shield icon, and a link 'Add internal note'.

Disabling gasless for individual transfers

Don't see what you're looking for? Log in for the full Help Center experience

Fireblocks Fireblocks Help Center

/

Transfer

Asset

USDC
USDC

From

Vault Account A
Vault account

To

Vault Account X
Vault account

Amount

0.0 USDC \$0.0

Net Gross ☐ Max (567 USDC)

Fee: Direct Gasless

0.0 SAT/BYTE

Slow Medium Fast Custom

Add internal note

Transfer

Tracking gasless transaction statuses

Gasless transactions appear in the Recent Activity panel and Transaction History as any other transaction. The status progress from created to completed, rejected, or failed is based mostly on the delivery of the signed message on the blockchain. Relay-specific interactions occur during the transaction signing stage and while the transaction is created, before being sent to the blockchain.

Gasless transactions can fail if the gas relay rejects the request or cannot fuel the transaction for any reason.

Was this article helpful?

Don't see what you're looking for? Log in for the full Help Center experience

 Fireblocks Help Center

/

Disabling gasless for individual transfers

Tracking gasless transaction statuses

Related Articles

-  Tron gasless transactions via GasFree (3.2025)
-  Using a workspace as a gasless relay provider
-  Kusama transaction fee estimation
-  Gasless fee contingencies
-  Configuring Solana Gasless transactions
-  TRON fee calculation
-  About the Fireblocks Gasless Service
-  Using an external workspace as a gasless relay
-  Transaction fee & Transaction amount representation
-  Using the Fireblocks Gasless Relay



fireblocks.com

[Status](#)

[API Docs](#)

[Console](#)

info@fireblocks.com



Fireblocks © 2026. All Rights Reserved. NMLS Registration Number: 2066055

[Privacy Policy](#)