The inputenx package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2006/08/24 v1.0

Abstract

This package deals with input encodings. The first stage is already available. It provides input encodings using standard mappings and covers nearly all slots. Thus it serves as more uptodate replacement for package inputenc.

Contents

1 Documentation **2**
1.1 Definition files . . . 2
1.2 Unicode . . . 3
1.3 Math . . . 3
1.4 ToDo . . . 3

2 Implementation **4**
2.1 Identification . . . 4
2.2 Encoding names . . . 4
2.2.1 Record current encoding names . . . 4
2.2.2 Aliases for encoding names . . . 4
2.3 Package options . . . 5
2.3.1 Declare and process options . . . 5
2.3.2 Load inputenc with encoding options . . . 5
2.3.3 \InputEncoding . . . 5
2.3.4 Option math . . . 6
2.4 Alias encoding file . . . 6
2.5 Encoding files . . . 7
2.5.1 Encoding ascii . . . 7
2.5.2 Encoding iso-8859-1 . . . 7
2.5.3 Encoding iso-8859-2 . . . 9
2.5.4 Encoding iso-8859-3 . . . 12
2.5.5 Encoding iso-8859-4 . . . 14
2.5.6 Encoding iso-8859-9 . . . 16
2.5.7 Encoding iso-8859-10 . . . 18
2.5.8 Encoding iso-8859-13 . . . 20
2.5.9 Encoding iso-8859-14 . . . 23
2.5.10 Encoding iso-8859-15 . . . 24
2.5.11 Encoding iso-8859-16 . . . 26
2.5.12 Encoding cp437 . . . 28
2.5.13 Encoding cp850 . . . 32
2.5.14 Encoding cp852 . . . 35
2.5.15 Encoding cp858 . . . 38
2.5.16 Encoding cp865 . . . 41
2.5.17 Encoding cp1250 . . . 45
2.5.18 Encoding cp1252 . . . 48
2.5.19 Encoding cp1257 . . . 51

2.5.20 Encoding mac-roman . . . 54
2.5.21 Encoding mac-ce . . . 57
2.5.22 Encoding nextstep . . . 60
2.5.23 Encoding dec-mcs . . . 63
2.5.24 Non-Unicode additions . . . 65
2.6 Additions for utf8enc.dfu . . . 65
2.7 Name list . . . 68
2.8 Mapping Slot, UC to Encodings . . . 68
2.9 Mapping UC to LICR . . . 68
2.10 Math meaning declarations . . . 68
2.11 Documentation files . . . 70
2.11.1 List of known LICR commands . . . 70
2.11.2 Commented additions for utf8enc.dfu . . . 71

3 Installation **72**
3.1 Some details for the interested . . . 73

4 References **73**
4.1 Mappings to Unicode . . . 73

5 History **74**
[2006/03/05 v1.0] . . . 74

6 Index **74**

1 Documentation

This project is unfinished. The main goal is to have a package that allows the selection and defining input encodings by the characters in question itself. Then the whole TeX file could transparently be recoded without changing the specification of the input encoding.

However, the first stage is already available. Here the encoding tables are build with mappings to Unicode.

1.1 Definition files

The input encoding definition files are prefixed with `x-` to distinguish them from the names package inputenc uses. The definition files of inputenx may also be used by package inputenc, eg.:

```
\usepackage[x-iso-8859-1]{inputenc}
```

As option for package inputenx the prefix may be dropped:

```
\usepackage[iso-8859-1]{inputenx}
```

The following definition files are available. The second column lists alternative option names for inputenx:

x-ascii.def	ascii, us-ascii	ASCII encoding, 8bit characters disabled
x-cp437.def	cp437, cp437de	Code page 437
x-cp850.def	cp850	Code page 850
x-cp852.def	cp852	Code page 852
x-cp858.def	cp858	Code page 858
x-cp865.def	cp865	Code page 865
x-cp1250.def	cp1250	Code page 1250
x-cp1252.def	cp1252, ansinew	Code page 1252
x-cp1257.def	cp1257	Code page 1257
x-dec-mcs.def	dec-mcs, decmulti	DEC Multinational

x-iso-8859-1.def	iso-8859-1, latin1	ISO-8859-1
x-iso-8859-2.def	iso-8859-2, latin2	ISO-8859-2
x-iso-8859-3.def	iso-8859-3, latin3	ISO-8859-3
x-iso-8859-4.def	iso-8859-4, latin4	ISO-8859-4
x-iso-8859-9.def	iso-8859-9, latin5	ISO-8859-9
x-iso-8859-10.def	iso-8859-10, latin6	ISO-8859-10
x-iso-8859-13.def	iso-8859-13, latin7	ISO-8859-13
x-iso-8859-14.def	iso-8859-14, latin8	ISO-8859-14
x-iso-8859-15.def	iso-8859-15, latin9	ISO-8859-15
x-iso-8859-16.def	iso-8859-16, latin10	ISO-8859-16
x-mac-ce.def	mac-ce, macce	MAC OS Central European
x-mac-roman.def	mac-roman, applemac	MAC OS Roman
x-nextstep	nextstep, next	NextStep Encoding

Also the box drawings characters of some older DOS code pages (cp437, cp850, cp852, cp858, cp865) can be used. They are provided by package pmboxdraw.

For the following characters I didn't find suitable LICR (LaTeX Internal Character Representation):

```
\DeclareUnicodeCharacter{2015}{}
  % HORIZONTAL BAR
  % QUOTATION DASH
  % iso-8859-10[0xBD/189]

\DeclareUnicodeCharacter{2017}{}
  % DOUBLE LOW LINE
  % SPACING DOUBLE UNDERSCORE
  % cp850[0xF2/242] cp858[0xF2/242]

\DeclareUnicodeCharacter{2310}{}
  % REVERSED NOT SIGN
  % cp437[0xA9/169] cp865[0xA9/169]

\DeclareUnicodeCharacter{2320}{}
  % TOP HALF INTEGRAL
  % cp437[0xF4/244] cp865[0xF4/244]

\DeclareUnicodeCharacter{2321}{}
  % BOTTOM HALF INTEGRAL
  % cp437[0xF5/245] cp865[0xF5/245]

\DeclareUnicodeCharacter{F8FF}{}
  % <Private Use, Last>
  % mac-roman[0xF0/240]
```

1.2 Unicode

File `ix-utf8enc.dfu` provides additions to inputenc's file `utf8enc.dfu`.

1.3 Math

The current philosophy of LaTeX/package inputenc is not to declare characters for math only. Instead there is a experimental package inpmath that extends package inputenc, to change the behaviour of input characters if used in math mode. File `ix-math.def` provides some definitions of math characters.

1.4 ToDo

- Implementing the remaining main features.
- Documentation.

2 Implementation

2.1 Identification

```
⟨*package⟩
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{inputenx}%
  [2006/08/24 v1.0 Enhanced input encoding handling (HO)]
```

2.2 Encoding names

2.2.1 Record current encoding names

\CurrentInputEncodingName

```
\providecommand*{\CurrentInputEncodingName}{}
```

\CurrentInputEncodingOption

```
\providecommand*{\CurrentInputEncodingOption}{}
```

2.2.2 Aliases for encoding names

```
\def\IEX@LookupEncoding#1{%
  \edef\CurrentInputEncodingName{#1}%
  \@onelevel@sanitize\CurrentInputEncodingName
  \let\CurrentInputEncodingOption\@empty
  \@ifundefined{IEX@enc@\CurrentInputEncodingName}{%
    \global\expandafter\let
       \csname IEX@enc@\CurrentInputEncodingName\endcsname
       \CurrentInputEncodingName
    \IEX@DoLookup
  }{}%
  \edef\CurrentInputEncodingOption{%
    \csname IEX@enc@\CurrentInputEncodingName\endcsname
  }%
  \ifx\CurrentInputEncodingOption\@empty
    \PackageWarning{inputenx}{%
      Encoding `\CurrentInputEncodingName' is not available\MessageBreak
      and therefore ignored%
    }%
  \else
    \IfFileExists{\CurrentInputEncodingOption.def}{%
      \PackageInfo{inputenx}{%
        Encoding name: \CurrentInputEncodingName\MessageBreak
        Encoding file: \CurrentInputEncodingOption.def\MessageBreak
      }%
    }{%
      \PackageError{inputenx}{%
        Cannot load encoding `\CurrentInputEncodingName'.\MessageBreak
        A valid encoding alias was not found and\MessageBreak
        encoding file `\CurrentInputEncodingOption.def' does not exist%
      }\@ehc
      \global\expandafter\let
          \csname IEX@enc@\CurrentInputEncodingName\endcsname\@empty
      \let\CurrentInputEncodingName\@empty
      \let\CurrentInputEncodingOption\@empty
    }%
  \fi
}
```

Encoding is in `\CurrentInputEncodingName`. Search the alias file until an entry is found and define `IEX@enc@\CurrentInputEncodingName`.

```
\def\IEX@DoLookup{%
  \begingroup
    \advance\endlinechar\@M
```

```
    \IfFileExists{ix-alias.cfg}{%
      \input{ix-alias.cfg}%
    }{%
      \input{ix-alias.def}%
    }%
    \advance\endlinechar-\@M
  \endgroup
}
\def\InputenxAlias#1#2{%
  \edef\IEX@temp{#1}%
  \@onelevel@sanitize\IEX@temp
  \ifx\IEX@temp\CurrentInputEncodingName
    \edef\IEX@temp{#2}%
    \@onelevel@sanitize\IEX@temp
    \IfFileExists{\IEX@temp.def}{%
      \global\expandafter\let
          \csname IEX@enc@\CurrentInputEncodingName\endcsname\IEX@temp
      \expandafter\endinput
    }{%
      \PackageWarning{inputenx}{%
        Missing encoding file `\IEX@temp.def'\MessageBreak
        for encoding `\CurrentInputEncodingName', continuing\MessageBreak
        with lookup search%
      }%
    }%
  \fi
}
```

2.3 Package options

2.3.1 Declare and process options

```
\newif\ifIEX@math
\DeclareOption{math}{\IEX@mathtrue}
\let\IEX@enclist\@empty
\DeclareOption*{%
  \ifx\IEX@enclist\@empty
    \let\IEX@enclist\CurrentOption
  \else
    \edef\IEX@enclist{\IEX@enclist,\CurrentOption}%
  \fi
}
\ProcessOptions*
```

2.3.2 Load **inputenc** with encoding options

```
\@for\CurrentOption:=\IEX@enclist\do{%
  \IEX@LookupEncoding\CurrentOption
  \ifx\CurrentInputEncodingOption\@empty
  \else
    \PassOptionsToPackage{\CurrentInputEncodingOption}{inputenc}%
  \fi
}
\RequirePackage{inputenc}
```

2.3.3 \InputEncoding

\InputEncoding

\InputEncoding is basically the same as \inputencoding of package inputenc. However aliases are supported.

```
\newcommand*{\InputEncoding}[1]{%
  \IEX@LookupEncoding{#1}%
  \ifx\CurrentInputEncodingOption\@empty
  \else
    \inputencoding{\CurrentInputEncodingOption}%
%    \ifx\PassOptionsToPackage\@notprerr
```

```
%    \else
%      \expandafter\PassOptionsToPackage\expandafter{%
%        \CurrentInputEncodingOption
%      }{inputenc}%
%      \ifx\CurrentInputEncodingName\CurrentInputEncodingOption
%      \else
%        \expandafter\PassOptionsToPackage\expandafter{%
%          \CurrentInputEncodingName
%        }{inputenc}%
%      \fi
%    \fi
  \fi
}
```

2.3.4 Option math

```
\ifIEX@math
  \RequirePackage{inpmath}
  \IfFileExists{ix-math.cfg}{%
    \input{ix-math.cfg}%
  }{%
    \input{ix-math.def}%
  }%
\fi
```

⟨/package⟩

2.4 Alias encoding file

⟨*alias⟩

```
\ProvidesFile{ix-alias.def}[2006/08/24 v1.0 Alias list (inputenx)]
```

The alias mechanism is also used to hide the prefix `x-`:

```
\InputenxAlias{ascii}{x-ascii}
\InputenxAlias{iso-8859-1}{x-iso-8859-1}
\InputenxAlias{iso-8859-2}{x-iso-8859-2}
\InputenxAlias{iso-8859-3}{x-iso-8859-3}
\InputenxAlias{iso-8859-4}{x-iso-8859-4}
\InputenxAlias{iso-8859-9}{x-iso-8859-9}
\InputenxAlias{iso-8859-10}{x-iso-8859-10}
\InputenxAlias{iso-8859-13}{x-iso-8859-13}
\InputenxAlias{iso-8859-14}{x-iso-8859-14}
\InputenxAlias{iso-8859-15}{x-iso-8859-15}
\InputenxAlias{iso-8859-16}{x-iso-8859-16}
\InputenxAlias{cp437}{x-cp437}
\InputenxAlias{cp850}{x-cp850}
\InputenxAlias{cp852}{x-cp852}
\InputenxAlias{cp858}{x-cp858}
\InputenxAlias{cp865}{x-cp865}
\InputenxAlias{cp1250}{x-cp1250}
\InputenxAlias{cp1252}{x-cp1252}
\InputenxAlias{cp1257}{x-cp1257}
\InputenxAlias{mac-roman}{x-mac-roman}
\InputenxAlias{mac-ce}{x-mac-ce}
\InputenxAlias{nextstep}{x-nextstep}
\InputenxAlias{dec-mcs}{x-dec-mcs}
```

Now the real aliases start:

```
\InputenxAlias{ansinew}{x-cp1252}
\InputenxAlias{applemac}{x-mac-roman}
\InputenxAlias{cp437de}{x-cp437}
\InputenxAlias{decmulti}{x-dec-mcs}
\InputenxAlias{latin1}{x-iso-8859-1}
\InputenxAlias{latin10}{x-iso-8859-16}
\InputenxAlias{latin2}{x-iso-8859-2}
```

```
\InputenxAlias{latin3}{x-iso-8859-3}
\InputenxAlias{latin4}{x-iso-8859-4}
\InputenxAlias{latin5}{x-iso-8859-9}
\InputenxAlias{latin6}{x-iso-8859-10}
\InputenxAlias{latin7}{x-iso-8859-13}
\InputenxAlias{latin8}{x-iso-8859-14}
\InputenxAlias{latin9}{x-iso-8859-15}
\InputenxAlias{macce}{x-mac-ce}
\InputenxAlias{next}{x-nextstep}
\InputenxAlias{us-ascii}{x-ascii}
```

⟨/alias⟩

2.5 Encoding files

2.5.1 Encoding ascii

The encoding file `ascii.def` of package inputenc before 2006/03/04 v1.1b generate a unnecessary warning. Therefore a separate variant is provided here.

⟨∗ascii⟩

```
\ProvidesFile{x-ascii.def}%
  [2006/08/24 v1.0 Input encoding ascii (inputenx)]
\@inpenc@test
```

⟨/ascii⟩

2.5.2 Encoding iso-8859-1

⟨∗iso − 8859 − 1⟩

```
\ProvidesFile{x-iso-8859-1.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-1 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
```

```
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textexclamdown}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\textyen}
\DeclareInputText{166}{\textbrokenbar}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\textordfeminine}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\textasciimacron}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\textordmasculine}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textonequarter}
\DeclareInputText{189}{\textonehalf}
\DeclareInputText{190}{\textthreequarters}
\DeclareInputText{191}{\textquestiondown}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
```

```
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge‘E}
\DeclareInputText{201}{\@tabacckludge’E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\@tabacckludge‘I}
\DeclareInputText{205}{\@tabacckludge’I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{208}{\DH}
\DeclareInputText{209}{\~N}
\DeclareInputText{210}{\@tabacckludge‘O}
\DeclareInputText{211}{\@tabacckludge’O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\@tabacckludge‘U}
\DeclareInputText{218}{\@tabacckludge’U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge’Y}
\DeclareInputText{222}{\TH}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge‘a}
\DeclareInputText{225}{\@tabacckludge’a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge‘e}
\DeclareInputText{233}{\@tabacckludge’e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge‘\i}
\DeclareInputText{237}{\@tabacckludge’\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\dh}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge‘o}
\DeclareInputText{243}{\@tabacckludge’o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\@tabacckludge‘u}
\DeclareInputText{250}{\@tabacckludge’u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge’y}
\DeclareInputText{254}{\th}
\DeclareInputText{255}{\"y}
```
⟨/iso − 8859 − 1⟩

2.5.3 Encoding iso-8859-2

```
⟨∗iso − 8859 − 2⟩
\ProvidesFile{x-iso-8859-2.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-2 (inputenx)]
```

```
\ProvideTextCommandDefault{\textacutedbl}{%
  \H{}%
}
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciibreve}{%
  \u{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\k A}
\DeclareInputText{162}{\textasciibreve}
\DeclareInputText{163}{\L}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\v L}
\DeclareInputText{166}{\@tabacckludge'S}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\v S}
\DeclareInputText{170}{\c S}
\DeclareInputText{171}{\v T}
\DeclareInputText{172}{\@tabacckludge'Z}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\v Z}
\DeclareInputText{175}{\.Z}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\k a}
\DeclareInputText{178}{\k{}}
\DeclareInputText{179}{\l}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\v l}
\DeclareInputText{182}{\@tabacckludge's}
\DeclareInputText{183}{\textasciicaron}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\v s}
\DeclareInputText{186}{\c s}
\DeclareInputText{187}{\v t}
\DeclareInputText{188}{\@tabacckludge'z}
\DeclareInputText{189}{\textacutedbl}
\DeclareInputText{190}{\v z}
\DeclareInputText{191}{\.z}
\DeclareInputText{192}{\@tabacckludge'R}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
```

```
\DeclareInputText{195}{\u A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\@tabacckludge'L}
\DeclareInputText{198}{\@tabacckludge'C}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\v C}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\k E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\v E}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\v D}
\DeclareInputText{208}{\DJ}
\DeclareInputText{209}{\@tabacckludge'N}
\DeclareInputText{210}{\v N}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\H O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\v R}
\DeclareInputText{217}{\r U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\H U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge'Y}
\DeclareInputText{222}{\c T}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge'r}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\u a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\@tabacckludge'l}
\DeclareInputText{230}{\@tabacckludge'c}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\v c}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\k e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\v e}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\v d}
\DeclareInputText{240}{\dj}
\DeclareInputText{241}{\@tabacckludge'n}
\DeclareInputText{242}{\v n}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\H o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\v r}
\DeclareInputText{249}{\r u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\H u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge'y}
\DeclareInputText{254}{\c t}
\DeclareInputText{255}{\.{}}
⟨/iso − 8859 − 2⟩
```

2.5.4 Encoding iso-8859-3

```
⟨∗iso − 8859 − 3⟩
\ProvidesFile{x-iso-8859-3.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-3 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciibreve}{%
  \u{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textmalteseH}{%
  \TextSymbolUnavailable\textmalteseH
}
\ProvideTextCommandDefault{\textmalteseh}{%
  \TextSymbolUnavailable\textmalteseh
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{^3}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{^2}%
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textmalteseH}
\DeclareInputText{162}{\textasciibreve}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{166}{\^H}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\.I}
\DeclareInputText{170}{\c S}
\DeclareInputText{171}{\u G}
\DeclareInputText{172}{\^J}
\DeclareInputText{173}{\-}
\DeclareInputText{175}{\.Z}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textmalteseh}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\textasciiacute}
```

```
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\^h}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\i}
\DeclareInputText{186}{\c s}
\DeclareInputText{187}{\u g}
\DeclareInputText{188}{\^j}
\DeclareInputText{189}{\textonehalf}
\DeclareInputText{191}{\.z}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\.C}
\DeclareInputText{198}{\^C}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge`E}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\@tabacckludge`I}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{209}{\~N}
\DeclareInputText{210}{\@tabacckludge`O}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\.G}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\^G}
\DeclareInputText{217}{\@tabacckludge`U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\u U}
\DeclareInputText{222}{\^S}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge`a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\.c}
\DeclareInputText{230}{\^c}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge`e}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge`\i}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge`o}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\.g}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
```

```
\DeclareInputText{248}{\^g}
\DeclareInputText{249}{\@tabacckludge‘u}
\DeclareInputText{250}{\@tabacckludge’u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\u u}
\DeclareInputText{254}{\^s}
\DeclareInputText{255}{\.{}}
⟨/iso − 8859 − 3⟩
```

2.5.5 Encoding iso-8859-4

```
⟨∗iso − 8859 − 4⟩
\ProvidesFile{x-iso-8859-4.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-4 (inputenx)]
\ProvideTextCommandDefault{\textTstroke}{%
  \TextSymbolUnavailable\textTstroke
}
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge’{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textkra}{%
  \TextSymbolUnavailable\textkra
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttstroke}{%
  \TextSymbolUnavailable\texttstroke
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\k A}
\DeclareInputText{162}{\textkra}
\DeclareInputText{163}{\c R}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\~I}
\DeclareInputText{166}{\c L}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\v S}
\DeclareInputText{170}{\@tabacckludge=E}
\DeclareInputText{171}{\c G}
\DeclareInputText{172}{\textTstroke}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\v Z}
\DeclareInputText{175}{\textasciimacron}
```

```
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\k a}
\DeclareInputText{178}{\k{}}
\DeclareInputText{179}{\c r}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\~\i}
\DeclareInputText{182}{\c l}
\DeclareInputText{183}{\textasciicaron}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\v s}
\DeclareInputText{186}{\@tabacckludge=e}
\DeclareInputText{187}{\c g}
\DeclareInputText{188}{\texttstroke}
\DeclareInputText{189}{\NG}
\DeclareInputText{190}{\v z}
\DeclareInputText{191}{\ng}
\DeclareInputText{192}{\@tabacckludge=A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\k I}
\DeclareInputText{200}{\v C}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\k E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\.E}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\@tabacckludge=I}
\DeclareInputText{208}{\DJ}
\DeclareInputText{209}{\c N}
\DeclareInputText{210}{\@tabacckludge=O}
\DeclareInputText{211}{\c K}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\k U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\~U}
\DeclareInputText{222}{\@tabacckludge=U}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge=a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\k i}
\DeclareInputText{232}{\v c}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\k e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\.e}
\DeclareInputText{237}{\@tabacckludge'\i}
```

```
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\@tabacckludge=\i}
\DeclareInputText{240}{\dj}
\DeclareInputText{241}{\c n}
\DeclareInputText{242}{\@tabacckludge=o}
\DeclareInputText{243}{\c k}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\k u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\~u}
\DeclareInputText{254}{\@tabacckludge=u}
\DeclareInputText{255}{\.{}}
⟨/iso − 8859 − 4⟩
```

2.5.6 Encoding iso-8859-9

```
⟨∗iso − 8859 − 9⟩
\ProvidesFile{x-iso-8859-9.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-9 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
```

```
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textexclamdown}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\textyen}
\DeclareInputText{166}{\textbrokenbar}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\textordfeminine}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\textasciimacron}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\textordmasculine}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textonequarter}
\DeclareInputText{189}{\textonehalf}
\DeclareInputText{190}{\textthreequarters}
\DeclareInputText{191}{\textquestiondown}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge`E}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
```

```
\DeclareInputText{204}{\@tabacckludge‘I}
\DeclareInputText{205}{\@tabacckludge’I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{208}{\u G}
\DeclareInputText{209}{\~N}
\DeclareInputText{210}{\@tabacckludge‘O}
\DeclareInputText{211}{\@tabacckludge’O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\@tabacckludge‘U}
\DeclareInputText{218}{\@tabacckludge’U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\.I}
\DeclareInputText{222}{\c S}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge‘a}
\DeclareInputText{225}{\@tabacckludge’a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge‘e}
\DeclareInputText{233}{\@tabacckludge’e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge‘\i}
\DeclareInputText{237}{\@tabacckludge’\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\u g}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge‘o}
\DeclareInputText{243}{\@tabacckludge’o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\@tabacckludge‘u}
\DeclareInputText{250}{\@tabacckludge’u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\i}
\DeclareInputText{254}{\c s}
\DeclareInputText{255}{\"y}
⟨/iso − 8859 − 9⟩
```

2.5.7 Encoding iso-8859-10

```
⟨∗iso − 8859 − 10⟩
\ProvidesFile{x-iso-8859-10.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-10 (inputenx)]
\ProvideTextCommandDefault{\textTstroke}{%
  \TextSymbolUnavailable\textTstroke
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
```

```
}
\ProvideTextCommandDefault{\textkra}{%
  \TextSymbolUnavailable\textkra
}
\ProvideTextCommandDefault{\texttstroke}{%
  \TextSymbolUnavailable\texttstroke
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\k A}
\DeclareInputText{162}{\@tabacckludge=E}
\DeclareInputText{163}{\c G}
\DeclareInputText{164}{\@tabacckludge=I}
\DeclareInputText{165}{\~I}
\DeclareInputText{166}{\c K}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\c L}
\DeclareInputText{169}{\DJ}
\DeclareInputText{170}{\v S}
\DeclareInputText{171}{\textTstroke}
\DeclareInputText{172}{\v Z}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\@tabacckludge=U}
\DeclareInputText{175}{\NG}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\k a}
\DeclareInputText{178}{\@tabacckludge=e}
\DeclareInputText{179}{\c g}
\DeclareInputText{180}{\@tabacckludge=\i}
\DeclareInputText{181}{\~\i}
\DeclareInputText{182}{\c k}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\c l}
\DeclareInputText{185}{\dj}
\DeclareInputText{186}{\v s}
\DeclareInputText{187}{\texttstroke}
\DeclareInputText{188}{\v z}
\DeclareInputText{190}{\@tabacckludge=u}
\DeclareInputText{191}{\ng}
\DeclareInputText{192}{\@tabacckludge=A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\k I}
\DeclareInputText{200}{\v C}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\k E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\.E}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{208}{\DH}
\DeclareInputText{209}{\c N}
\DeclareInputText{210}{\@tabacckludge=O}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\~U}
```

```
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\k U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge'Y}
\DeclareInputText{222}{\TH}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge=a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\k i}
\DeclareInputText{232}{\v c}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\k e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\.e}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\dh}
\DeclareInputText{241}{\c n}
\DeclareInputText{242}{\@tabacckludge=o}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\~u}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\k u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge'y}
\DeclareInputText{254}{\th}
\DeclareInputText{255}{\textkra}
⟨/iso − 8859 − 10⟩
```

2.5.8 Encoding iso-8859-13

```
⟨∗iso − 8859 − 13⟩
\ProvidesFile{x-iso-8859-13.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-13 (inputenx)]
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
```

```
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textquotedblright}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\quotedblbase}
\DeclareInputText{166}{\textbrokenbar}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\O}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\c R}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\AE}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\textquotedblleft}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\o}
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\c r}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textonequarter}
\DeclareInputText{189}{\textonehalf}
\DeclareInputText{190}{\textthreequarters}
\DeclareInputText{191}{\ae}
\DeclareInputText{192}{\k A}
\DeclareInputText{193}{\k I}
```

```
\DeclareInputText{194}{\@tabacckludge=A}
\DeclareInputText{195}{\@tabacckludge'C}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\k E}
\DeclareInputText{199}{\@tabacckludge=E}
\DeclareInputText{200}{\v C}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\@tabacckludge'Z}
\DeclareInputText{203}{\.E}
\DeclareInputText{204}{\c G}
\DeclareInputText{205}{\c K}
\DeclareInputText{206}{\@tabacckludge=I}
\DeclareInputText{207}{\c L}
\DeclareInputText{208}{\v S}
\DeclareInputText{209}{\@tabacckludge'N}
\DeclareInputText{210}{\c N}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\@tabacckludge=O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\k U}
\DeclareInputText{217}{\L}
\DeclareInputText{218}{\@tabacckludge'S}
\DeclareInputText{219}{\@tabacckludge=U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\.Z}
\DeclareInputText{222}{\v Z}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\k a}
\DeclareInputText{225}{\k i}
\DeclareInputText{226}{\@tabacckludge=a}
\DeclareInputText{227}{\@tabacckludge'c}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\k e}
\DeclareInputText{231}{\@tabacckludge=e}
\DeclareInputText{232}{\v c}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\@tabacckludge'z}
\DeclareInputText{235}{\.e}
\DeclareInputText{236}{\c g}
\DeclareInputText{237}{\c k}
\DeclareInputText{238}{\@tabacckludge=\i}
\DeclareInputText{239}{\c l}
\DeclareInputText{240}{\v s}
\DeclareInputText{241}{\@tabacckludge'n}
\DeclareInputText{242}{\c n}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\@tabacckludge=o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\k u}
\DeclareInputText{249}{\l}
\DeclareInputText{250}{\@tabacckludge's}
\DeclareInputText{251}{\@tabacckludge=u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\.z}
\DeclareInputText{254}{\v z}
\DeclareInputText{255}{\textquoteright}
```

1130 ⟨/iso − 8859 − 13⟩

2.5.9 Encoding iso-8859-14

1131 ⟨∗iso − 8859 − 14⟩
```
1132 \ProvidesFile{x-iso-8859-14.def}%
1133   [2006/08/24 v1.0 Input encoding iso-8859-14 (inputenx)]
1134 \DeclareInputText{160}{\nobreakspace}
1135 \DeclareInputText{161}{\.B}
1136 \DeclareInputText{162}{\.b}
1137 \DeclareInputText{163}{\textsterling}
1138 \DeclareInputText{164}{\.C}
1139 \DeclareInputText{165}{\.c}
1140 \DeclareInputText{166}{\.D}
1141 \DeclareInputText{167}{\textsection}
1142 \DeclareInputText{168}{\@tabacckludge‘W}
1143 \DeclareInputText{169}{\textcopyright}
1144 \DeclareInputText{170}{\@tabacckludge’W}
1145 \DeclareInputText{171}{\.d}
1146 \DeclareInputText{172}{\@tabacckludge‘Y}
1147 \DeclareInputText{173}{\-}
1148 \DeclareInputText{174}{\textregistered}
1149 \DeclareInputText{175}{\"Y}
1150 \DeclareInputText{176}{\.F}
1151 \DeclareInputText{177}{\.f}
1152 \DeclareInputText{178}{\.G}
1153 \DeclareInputText{179}{\.g}
1154 \DeclareInputText{180}{\.M}
1155 \DeclareInputText{181}{\.m}
1156 \DeclareInputText{182}{\textparagraph}
1157 \DeclareInputText{183}{\.P}
1158 \DeclareInputText{184}{\@tabacckludge‘w}
1159 \DeclareInputText{185}{\.p}
1160 \DeclareInputText{186}{\@tabacckludge’w}
1161 \DeclareInputText{187}{\.S}
1162 \DeclareInputText{188}{\@tabacckludge‘y}
1163 \DeclareInputText{189}{\"W}
1164 \DeclareInputText{190}{\"w}
1165 \DeclareInputText{191}{\.s}
1166 \DeclareInputText{192}{\@tabacckludge‘A}
1167 \DeclareInputText{193}{\@tabacckludge’A}
1168 \DeclareInputText{194}{\^A}
1169 \DeclareInputText{195}{\~A}
1170 \DeclareInputText{196}{\"A}
1171 \DeclareInputText{197}{\r A}
1172 \DeclareInputText{198}{\AE}
1173 \DeclareInputText{199}{\c C}
1174 \DeclareInputText{200}{\@tabacckludge‘E}
1175 \DeclareInputText{201}{\@tabacckludge’E}
1176 \DeclareInputText{202}{\^E}
1177 \DeclareInputText{203}{\"E}
1178 \DeclareInputText{204}{\@tabacckludge‘I}
1179 \DeclareInputText{205}{\@tabacckludge’I}
1180 \DeclareInputText{206}{\^I}
1181 \DeclareInputText{207}{\"I}
1182 \DeclareInputText{208}{\^W}
1183 \DeclareInputText{209}{\~N}
1184 \DeclareInputText{210}{\@tabacckludge‘O}
1185 \DeclareInputText{211}{\@tabacckludge’O}
1186 \DeclareInputText{212}{\^O}
1187 \DeclareInputText{213}{\~O}
1188 \DeclareInputText{214}{\"O}
1189 \DeclareInputText{215}{\.T}
1190 \DeclareInputText{216}{\O}
```

```
\DeclareInputText{217}{\@tabacckludge‘U}
\DeclareInputText{218}{\@tabacckludge’U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge’Y}
\DeclareInputText{222}{\^Y}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge‘a}
\DeclareInputText{225}{\@tabacckludge’a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge‘e}
\DeclareInputText{233}{\@tabacckludge’e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge‘\i}
\DeclareInputText{237}{\@tabacckludge’\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\^w}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge‘o}
\DeclareInputText{243}{\@tabacckludge’o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\.t}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\@tabacckludge‘u}
\DeclareInputText{250}{\@tabacckludge’u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge’y}
\DeclareInputText{254}{\^y}
\DeclareInputText{255}{\"y}
⟨/iso − 8859 − 14⟩
```

2.5.10 Encoding iso-8859-15

```
⟨∗iso − 8859 − 15⟩
\ProvidesFile{x-iso-8859-15.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-15 (inputenx)]
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
```

```
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textexclamdown}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\texteuro}
\DeclareInputText{165}{\textyen}
\DeclareInputText{166}{\v S}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\v s}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\textordfeminine}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\textasciimacron}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\v Z}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\v z}
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\textordmasculine}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\OE}
\DeclareInputText{189}{\oe}
\DeclareInputText{190}{\"Y}
\DeclareInputText{191}{\textquestiondown}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge`E}
```

```
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\@tabacckludge`I}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{208}{\DH}
\DeclareInputText{209}{\~N}
\DeclareInputText{210}{\@tabacckludge`O}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\@tabacckludge`U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge'Y}
\DeclareInputText{222}{\TH}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge`a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge`e}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge`\i}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\dh}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge`o}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\@tabacckludge`u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge'y}
\DeclareInputText{254}{\th}
\DeclareInputText{255}{\"y}
⟨/iso − 8859 − 15⟩
```

2.5.11 Encoding iso-8859-16

```
⟨∗iso − 8859 − 16⟩
\ProvidesFile{x-iso-8859-16.def}%
  [2006/08/24 v1.0 Input encoding iso-8859-16 (inputenx)]
\ProvideTextCommandDefault{\textcommabelow}[1]{%
  \hmode@bgroup
```

```
    \ooalign{%
      \null#1\crcr
      \hidewidth
      \raise-.31ex\hbox{%
        \check@mathfonts
        \fontsize\ssf@size\z@
        \math@fontsfalse\selectfont,%
      }%
      \hidewidth
    }%
  \egroup
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\k A}
\DeclareInputText{162}{\k a}
\DeclareInputText{163}{\L}
\DeclareInputText{164}{\texteuro}
\DeclareInputText{165}{\quotedblbase}
\DeclareInputText{166}{\v S}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\v s}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\textcommabelow S}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\@tabacckludge'Z}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\@tabacckludge'z}
\DeclareInputText{175}{\.Z}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\v C}
\DeclareInputText{179}{\l}
\DeclareInputText{180}{\v Z}
\DeclareInputText{181}{\textquotedblright}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\v z}
\DeclareInputText{185}{\v c}
\DeclareInputText{186}{\textcommabelow s}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\OE}
\DeclareInputText{189}{\oe}
\DeclareInputText{190}{\"Y}
\DeclareInputText{191}{\.z}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\u A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\@tabacckludge'C}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge`E}
```

```
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\@tabacckludge`I}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{208}{\DJ}
\DeclareInputText{209}{\@tabacckludge'N}
\DeclareInputText{210}{\@tabacckludge`O}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\H O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\@tabacckludge'S}
\DeclareInputText{216}{\H U}
\DeclareInputText{217}{\@tabacckludge`U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\k E}
\DeclareInputText{222}{\textcommabelow T}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge`a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\u a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\@tabacckludge'c}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge`e}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge`\i}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\dj}
\DeclareInputText{241}{\@tabacckludge'n}
\DeclareInputText{242}{\@tabacckludge`o}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\H o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\@tabacckludge's}
\DeclareInputText{248}{\H u}
\DeclareInputText{249}{\@tabacckludge`u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\k e}
\DeclareInputText{254}{\textcommabelow t}
\DeclareInputText{255}{\"y}
⟨/iso − 8859 − 16⟩
```

2.5.12 Encoding cp437

```
⟨*cp437⟩
\ProvidesFile{x-cp437.def}%
  [2006/08/24 v1.0 Input encoding cp437 (inputenx)]
\ProvideTextCommandDefault{\textGamma}{%
  \ensuremath\Gamma
```

```
}
\ProvideTextCommandDefault{\textOmega}{%
  \ensuremath\Omega
}
\ProvideTextCommandDefault{\textPhi}{%
  \ensuremath\Phi
}
\ProvideTextCommandDefault{\textSigma}{%
  \ensuremath\Sigma
}
\ProvideTextCommandDefault{\textTheta}{%
  \ensuremath\Theta
}
\ProvideTextCommandDefault{\textalpha}{%
  \ensuremath\alpha
}
\ProvideTextCommandDefault{\textapproxequal}{%
  \ensuremath\approx
}
\ProvideTextCommandDefault{\textblacksquare}{%
  \vrule \@width .3em \@height .4em \@depth -.1em\relax
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdelta}{%
  \ensuremath\delta
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textepsilon}{%
  \ensuremath\varepsilon
}
\ProvideTextCommandDefault{\textequivalence}{%
  \ensuremath\equiv
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
}
\ProvideTextCommandDefault{\textgreaterequal}{%
  \ensuremath\geq
}
\ProvideTextCommandDefault{\textinfinity}{%
  \ensuremath\infty
}
\ProvideTextCommandDefault{\textintersection}{%
  \ensuremath\cap
}
\ProvideTextCommandDefault{\textlessequal}{%
  \ensuremath\leq
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textnsuperior}{%
```

```
  \ensuremath{{^n}}%
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textpeseta}{%
  Pt%
}
\ProvideTextCommandDefault{\textphi}{%
  \ensuremath\phi
}
\ProvideTextCommandDefault{\textpi}{%
  \ensuremath\pi
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textsigma}{%
  \ensuremath\sigma
}
\ProvideTextCommandDefault{\textsurd}{%
  \ensuremath\surd
}
\ProvideTextCommandDefault{\texttau}{%
  \ensuremath\tau
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{128}{\c C}
\DeclareInputText{129}{\"u}
\DeclareInputText{130}{\@tabacckludge'e}
\DeclareInputText{131}{\^a}
\DeclareInputText{132}{\"a}
\DeclareInputText{133}{\@tabacckludge`a}
\DeclareInputText{134}{\r a}
\DeclareInputText{135}{\c c}
\DeclareInputText{136}{\^e}
\DeclareInputText{137}{\"e}
\DeclareInputText{138}{\@tabacckludge`e}
\DeclareInputText{139}{\"\i}
\DeclareInputText{140}{\^\i}
\DeclareInputText{141}{\@tabacckludge`\i}
\DeclareInputText{142}{\"A}
\DeclareInputText{143}{\r A}
\DeclareInputText{144}{\@tabacckludge'E}
\DeclareInputText{145}{\ae}
\DeclareInputText{146}{\AE}
\DeclareInputText{147}{\^o}
\DeclareInputText{148}{\"o}
\DeclareInputText{149}{\@tabacckludge`o}
\DeclareInputText{150}{\^u}
\DeclareInputText{151}{\@tabacckludge`u}
\DeclareInputText{152}{\"y}
\DeclareInputText{153}{\"O}
\DeclareInputText{154}{\"U}
```

```
\DeclareInputText{155}{\textcent}
\DeclareInputText{156}{\textsterling}
\DeclareInputText{157}{\textyen}
\DeclareInputText{158}{\textpeseta}
\DeclareInputText{159}{\textflorin}
\DeclareInputText{160}{\@tabacckludge'a}
\DeclareInputText{161}{\@tabacckludge'\i}
\DeclareInputText{162}{\@tabacckludge'o}
\DeclareInputText{163}{\@tabacckludge'u}
\DeclareInputText{164}{\~n}
\DeclareInputText{165}{\~N}
\DeclareInputText{166}{\textordfeminine}
\DeclareInputText{167}{\textordmasculine}
\DeclareInputText{168}{\textquestiondown}
\DeclareInputText{170}{\textlnot}
\DeclareInputText{171}{\textonehalf}
\DeclareInputText{172}{\textonequarter}
\DeclareInputText{173}{\textexclamdown}
\DeclareInputText{174}{\guillemotleft}
\DeclareInputText{175}{\guillemotright}
\DeclareInputText{176}{\textltshade}
\DeclareInputText{177}{\textshade}
\DeclareInputText{178}{\textdkshade}
\DeclareInputText{179}{\textSFxi}
\DeclareInputText{180}{\textSFix}
\DeclareInputText{181}{\textSFxix}
\DeclareInputText{182}{\textSFxx}
\DeclareInputText{183}{\textSFxxi}
\DeclareInputText{184}{\textSFxxii}
\DeclareInputText{185}{\textSFxxiii}
\DeclareInputText{186}{\textSFxxiv}
\DeclareInputText{187}{\textSFxxv}
\DeclareInputText{188}{\textSFxxvi}
\DeclareInputText{189}{\textSFxxvii}
\DeclareInputText{190}{\textSFxxviii}
\DeclareInputText{191}{\textSFiii}
\DeclareInputText{192}{\textSFii}
\DeclareInputText{193}{\textSFvii}
\DeclareInputText{194}{\textSFvi}
\DeclareInputText{195}{\textSFviii}
\DeclareInputText{196}{\textSFx}
\DeclareInputText{197}{\textSFv}
\DeclareInputText{198}{\textSFxxxvi}
\DeclareInputText{199}{\textSFxxxvii}
\DeclareInputText{200}{\textSFxxxviii}
\DeclareInputText{201}{\textSFxxxix}
\DeclareInputText{202}{\textSFxl}
\DeclareInputText{203}{\textSFxli}
\DeclareInputText{204}{\textSFxlii}
\DeclareInputText{205}{\textSFxliii}
\DeclareInputText{206}{\textSFxliv}
\DeclareInputText{207}{\textSFxlv}
\DeclareInputText{208}{\textSFxlvi}
\DeclareInputText{209}{\textSFxlvii}
\DeclareInputText{210}{\textSFxlviii}
\DeclareInputText{211}{\textSFxlix}
\DeclareInputText{212}{\textSFl}
\DeclareInputText{213}{\textSFli}
\DeclareInputText{214}{\textSFlii}
\DeclareInputText{215}{\textSFliii}
\DeclareInputText{216}{\textSFliv}
\DeclareInputText{217}{\textSFiv}
```

```
\DeclareInputText{218}{\textSFi}
\DeclareInputText{219}{\textblock}
\DeclareInputText{220}{\textdnblock}
\DeclareInputText{221}{\textlfblock}
\DeclareInputText{222}{\textrtblock}
\DeclareInputText{223}{\textupblock}
\DeclareInputText{224}{\textalpha}
\DeclareInputText{225}{\ss}
\DeclareInputText{226}{\textGamma}
\DeclareInputText{227}{\textpi}
\DeclareInputText{228}{\textSigma}
\DeclareInputText{229}{\textsigma}
\DeclareInputText{230}{\textmu}
\DeclareInputText{231}{\texttau}
\DeclareInputText{232}{\textPhi}
\DeclareInputText{233}{\textTheta}
\DeclareInputText{234}{\textOmega}
\DeclareInputText{235}{\textdelta}
\DeclareInputText{236}{\textinfinity}
\DeclareInputText{237}{\textphi}
\DeclareInputText{238}{\textepsilon}
\DeclareInputText{239}{\textintersection}
\DeclareInputText{240}{\textequivalence}
\DeclareInputText{241}{\textpm}
\DeclareInputText{242}{\textgreaterequal}
\DeclareInputText{243}{\textlessequal}
\DeclareInputText{246}{\textdiv}
\DeclareInputText{247}{\textapproxequal}
\DeclareInputText{248}{\textdegree}
\DeclareInputText{249}{\textbullet}
\DeclareInputText{250}{\textperiodcentered}
\DeclareInputText{251}{\textsurd}
\DeclareInputText{252}{\textnsuperior}
\DeclareInputText{253}{\texttwosuperior}
\DeclareInputText{254}{\textblacksquare}
\DeclareInputText{255}{\nobreakspace}
⟨/cp437⟩
```

2.5.13 Encoding cp850

```
⟨*cp850⟩
\ProvidesFile{x-cp850.def}%
  [2006/08/24 v1.0 Input encoding cp850 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textblacksquare}{%
  \vrule \@width .3em \@height .4em \@depth -.1em\relax
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
```

```
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{128}{\c C}
\DeclareInputText{129}{\"u}
\DeclareInputText{130}{\@tabacckludge'e}
\DeclareInputText{131}{\^a}
\DeclareInputText{132}{\"a}
\DeclareInputText{133}{\@tabacckludge`a}
\DeclareInputText{134}{\r a}
\DeclareInputText{135}{\c c}
\DeclareInputText{136}{\^e}
\DeclareInputText{137}{\"e}
\DeclareInputText{138}{\@tabacckludge`e}
\DeclareInputText{139}{\"\i}
\DeclareInputText{140}{\^\i}
\DeclareInputText{141}{\@tabacckludge`\i}
\DeclareInputText{142}{\"A}
\DeclareInputText{143}{\r A}
\DeclareInputText{144}{\@tabacckludge'E}
\DeclareInputText{145}{\ae}
\DeclareInputText{146}{\AE}
\DeclareInputText{147}{\^o}
```

```
\DeclareInputText{148}{\"o}
\DeclareInputText{149}{\@tabacckludge‘o}
\DeclareInputText{150}{\^u}
\DeclareInputText{151}{\@tabacckludge‘u}
\DeclareInputText{152}{\"y}
\DeclareInputText{153}{\"O}
\DeclareInputText{154}{\"U}
\DeclareInputText{155}{\o}
\DeclareInputText{156}{\textsterling}
\DeclareInputText{157}{\O}
\DeclareInputText{158}{\texttimes}
\DeclareInputText{159}{\textflorin}
\DeclareInputText{160}{\@tabacckludge’a}
\DeclareInputText{161}{\@tabacckludge’\i}
\DeclareInputText{162}{\@tabacckludge’o}
\DeclareInputText{163}{\@tabacckludge’u}
\DeclareInputText{164}{\~n}
\DeclareInputText{165}{\~N}
\DeclareInputText{166}{\textordfeminine}
\DeclareInputText{167}{\textordmasculine}
\DeclareInputText{168}{\textquestiondown}
\DeclareInputText{169}{\textregistered}
\DeclareInputText{170}{\textlnot}
\DeclareInputText{171}{\textonehalf}
\DeclareInputText{172}{\textonequarter}
\DeclareInputText{173}{\textexclamdown}
\DeclareInputText{174}{\guillemotleft}
\DeclareInputText{175}{\guillemotright}
\DeclareInputText{176}{\textltshade}
\DeclareInputText{177}{\textshade}
\DeclareInputText{178}{\textdkshade}
\DeclareInputText{179}{\textSFxi}
\DeclareInputText{180}{\textSFix}
\DeclareInputText{181}{\@tabacckludge’A}
\DeclareInputText{182}{\^A}
\DeclareInputText{183}{\@tabacckludge‘A}
\DeclareInputText{184}{\textcopyright}
\DeclareInputText{185}{\textSFxxiii}
\DeclareInputText{186}{\textSFxxiv}
\DeclareInputText{187}{\textSFxxv}
\DeclareInputText{188}{\textSFxxvi}
\DeclareInputText{189}{\textcent}
\DeclareInputText{190}{\textyen}
\DeclareInputText{191}{\textSFiii}
\DeclareInputText{192}{\textSFii}
\DeclareInputText{193}{\textSFvii}
\DeclareInputText{194}{\textSFvi}
\DeclareInputText{195}{\textSFviii}
\DeclareInputText{196}{\textSFx}
\DeclareInputText{197}{\textSFv}
\DeclareInputText{198}{\~a}
\DeclareInputText{199}{\~A}
\DeclareInputText{200}{\textSFxxxviii}
\DeclareInputText{201}{\textSFxxxix}
\DeclareInputText{202}{\textSFxl}
\DeclareInputText{203}{\textSFxli}
\DeclareInputText{204}{\textSFxlii}
\DeclareInputText{205}{\textSFxliii}
\DeclareInputText{206}{\textSFxliv}
\DeclareInputText{207}{\textcurrency}
\DeclareInputText{208}{\dh}
\DeclareInputText{209}{\DH}
```

```
\DeclareInputText{210}{\^E}
\DeclareInputText{211}{\"E}
\DeclareInputText{212}{\@tabacckludge‘E}
\DeclareInputText{213}{\i}
\DeclareInputText{214}{\@tabacckludge’I}
\DeclareInputText{215}{\^I}
\DeclareInputText{216}{\"I}
\DeclareInputText{217}{\textSFiv}
\DeclareInputText{218}{\textSFi}
\DeclareInputText{219}{\textblock}
\DeclareInputText{220}{\textdnblock}
\DeclareInputText{221}{\textbrokenbar}
\DeclareInputText{222}{\@tabacckludge‘I}
\DeclareInputText{223}{\textupblock}
\DeclareInputText{224}{\@tabacckludge’O}
\DeclareInputText{225}{\ss}
\DeclareInputText{226}{\^O}
\DeclareInputText{227}{\@tabacckludge‘O}
\DeclareInputText{228}{\~o}
\DeclareInputText{229}{\~O}
\DeclareInputText{230}{\textmu}
\DeclareInputText{231}{\th}
\DeclareInputText{232}{\TH}
\DeclareInputText{233}{\@tabacckludge’U}
\DeclareInputText{234}{\^U}
\DeclareInputText{235}{\@tabacckludge‘U}
\DeclareInputText{236}{\@tabacckludge’y}
\DeclareInputText{237}{\@tabacckludge’Y}
\DeclareInputText{238}{\textasciimacron}
\DeclareInputText{239}{\textasciiacute}
\DeclareInputText{240}{\-}
\DeclareInputText{241}{\textpm}
\DeclareInputText{243}{\textthreequarters}
\DeclareInputText{244}{\textparagraph}
\DeclareInputText{245}{\textsection}
\DeclareInputText{246}{\textdiv}
\DeclareInputText{247}{\c\ }
\DeclareInputText{248}{\textdegree}
\DeclareInputText{249}{\textasciidieresis}
\DeclareInputText{250}{\textperiodcentered}
\DeclareInputText{251}{\textonesuperior}
\DeclareInputText{252}{\textthreesuperior}
\DeclareInputText{253}{\texttwosuperior}
\DeclareInputText{254}{\textblacksquare}
\DeclareInputText{255}{\nobreakspace}
⟨/cp850⟩
```

2.5.14 Encoding cp852

```
⟨*cp852⟩
\ProvidesFile{x-cp852.def}%
  [2006/08/24 v1.0 Input encoding cp852 (inputenx)]
\ProvideTextCommandDefault{\textacutedbl}{%
  \H{}%
}
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge’{}%
}
\ProvideTextCommandDefault{\textasciibreve}{%
  \u{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
```

```
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textblacksquare}{%
  \vrule \@width .3em \@height .4em \@depth -.1em\relax
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\DeclareInputText{128}{\c C}
\DeclareInputText{129}{\"u}
\DeclareInputText{130}{\@tabacckludge'e}
\DeclareInputText{131}{\^a}
\DeclareInputText{132}{\"a}
\DeclareInputText{133}{\r u}
\DeclareInputText{134}{\@tabacckludge'c}
\DeclareInputText{135}{\c c}
\DeclareInputText{136}{\l}
\DeclareInputText{137}{\"e}
\DeclareInputText{138}{\H O}
\DeclareInputText{139}{\H o}
\DeclareInputText{140}{\^\i}
\DeclareInputText{141}{\@tabacckludge'Z}
\DeclareInputText{142}{\"A}
\DeclareInputText{143}{\@tabacckludge'C}
\DeclareInputText{144}{\@tabacckludge'E}
\DeclareInputText{145}{\@tabacckludge'L}
\DeclareInputText{146}{\@tabacckludge'l}
\DeclareInputText{147}{\^o}
\DeclareInputText{148}{\"o}
\DeclareInputText{149}{\v L}
\DeclareInputText{150}{\v l}
\DeclareInputText{151}{\@tabacckludge'S}
\DeclareInputText{152}{\@tabacckludge's}
\DeclareInputText{153}{\"O}
\DeclareInputText{154}{\"U}
\DeclareInputText{155}{\v T}
\DeclareInputText{156}{\v t}
\DeclareInputText{157}{\L}
\DeclareInputText{158}{\texttimes}
\DeclareInputText{159}{\v c}
\DeclareInputText{160}{\@tabacckludge'a}
\DeclareInputText{161}{\@tabacckludge'\i}
\DeclareInputText{162}{\@tabacckludge'o}
\DeclareInputText{163}{\@tabacckludge'u}
\DeclareInputText{164}{\k A}
\DeclareInputText{165}{\k a}
\DeclareInputText{166}{\v Z}
\DeclareInputText{167}{\v z}
\DeclareInputText{168}{\k E}
```

```
\DeclareInputText{169}{\k e}
\DeclareInputText{170}{\textlnot}
\DeclareInputText{171}{\@tabacckludge'z}
\DeclareInputText{172}{\v C}
\DeclareInputText{173}{\c s}
\DeclareInputText{174}{\guillemotleft}
\DeclareInputText{175}{\guillemotright}
\DeclareInputText{176}{\textltshade}
\DeclareInputText{177}{\textshade}
\DeclareInputText{178}{\textdkshade}
\DeclareInputText{179}{\textSFxi}
\DeclareInputText{180}{\textSFix}
\DeclareInputText{181}{\@tabacckludge'A}
\DeclareInputText{182}{\^A}
\DeclareInputText{183}{\v E}
\DeclareInputText{184}{\c S}
\DeclareInputText{185}{\textSFxxiii}
\DeclareInputText{186}{\textSFxxiv}
\DeclareInputText{187}{\textSFxxv}
\DeclareInputText{188}{\textSFxxvi}
\DeclareInputText{189}{\.Z}
\DeclareInputText{190}{\.z}
\DeclareInputText{191}{\textSFiii}
\DeclareInputText{192}{\textSFii}
\DeclareInputText{193}{\textSFvii}
\DeclareInputText{194}{\textSFvi}
\DeclareInputText{195}{\textSFviii}
\DeclareInputText{196}{\textSFx}
\DeclareInputText{197}{\textSFv}
\DeclareInputText{198}{\u A}
\DeclareInputText{199}{\u a}
\DeclareInputText{200}{\textSFxxxviii}
\DeclareInputText{201}{\textSFxxxix}
\DeclareInputText{202}{\textSFxl}
\DeclareInputText{203}{\textSFxli}
\DeclareInputText{204}{\textSFxlii}
\DeclareInputText{205}{\textSFxliii}
\DeclareInputText{206}{\textSFxliv}
\DeclareInputText{207}{\textcurrency}
\DeclareInputText{208}{\dj}
\DeclareInputText{209}{\DJ}
\DeclareInputText{210}{\v D}
\DeclareInputText{211}{\"E}
\DeclareInputText{212}{\v d}
\DeclareInputText{213}{\v N}
\DeclareInputText{214}{\@tabacckludge'I}
\DeclareInputText{215}{\^I}
\DeclareInputText{216}{\v e}
\DeclareInputText{217}{\textSFiv}
\DeclareInputText{218}{\textSFi}
\DeclareInputText{219}{\textblock}
\DeclareInputText{220}{\textdnblock}
\DeclareInputText{221}{\c T}
\DeclareInputText{222}{\r U}
\DeclareInputText{223}{\textupblock}
\DeclareInputText{224}{\@tabacckludge'O}
\DeclareInputText{225}{\ss}
\DeclareInputText{226}{\^O}
\DeclareInputText{227}{\@tabacckludge'N}
\DeclareInputText{228}{\@tabacckludge'n}
\DeclareInputText{229}{\v n}
\DeclareInputText{230}{\v S}
```

```
\DeclareInputText{231}{\v s}
\DeclareInputText{232}{\@tabacckludge'R}
\DeclareInputText{233}{\@tabacckludge'U}
\DeclareInputText{234}{\@tabacckludge'r}
\DeclareInputText{235}{\H U}
\DeclareInputText{236}{\@tabacckludge'y}
\DeclareInputText{237}{\@tabacckludge'Y}
\DeclareInputText{238}{\c t}
\DeclareInputText{239}{\textasciiacute}
\DeclareInputText{240}{\-}
\DeclareInputText{241}{\textacutedbl}
\DeclareInputText{242}{\k{}}
\DeclareInputText{243}{\textasciicaron}
\DeclareInputText{244}{\textasciibreve}
\DeclareInputText{245}{\textsection}
\DeclareInputText{246}{\textdiv}
\DeclareInputText{247}{\c\ }
\DeclareInputText{248}{\textdegree}
\DeclareInputText{249}{\textasciidieresis}
\DeclareInputText{250}{\.{}}
\DeclareInputText{251}{\H u}
\DeclareInputText{252}{\v R}
\DeclareInputText{253}{\v r}
\DeclareInputText{254}{\textblacksquare}
\DeclareInputText{255}{\nobreakspace}
⟨/cp852⟩
```

2.5.15 Encoding cp858

```
⟨*cp858⟩
\ProvidesFile{x-cp858.def}%
  [2006/08/24 v1.0 Input encoding cp858 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textblacksquare}{%
  \vrule \@width .3em \@height .4em \@depth -.1em\relax
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
```

```
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{128}{\c C}
\DeclareInputText{129}{\"u}
\DeclareInputText{130}{\@tabacckludge'e}
\DeclareInputText{131}{\^a}
\DeclareInputText{132}{\"a}
\DeclareInputText{133}{\@tabacckludge`a}
\DeclareInputText{134}{\r a}
\DeclareInputText{135}{\c c}
\DeclareInputText{136}{\^e}
\DeclareInputText{137}{\"e}
\DeclareInputText{138}{\@tabacckludge`e}
\DeclareInputText{139}{\"\i}
\DeclareInputText{140}{\^\i}
\DeclareInputText{141}{\@tabacckludge`\i}
\DeclareInputText{142}{\"A}
\DeclareInputText{143}{\r A}
\DeclareInputText{144}{\@tabacckludge'E}
\DeclareInputText{145}{\ae}
\DeclareInputText{146}{\AE}
\DeclareInputText{147}{\^o}
\DeclareInputText{148}{\"o}
\DeclareInputText{149}{\@tabacckludge`o}
\DeclareInputText{150}{\^u}
\DeclareInputText{151}{\@tabacckludge`u}
\DeclareInputText{152}{\"y}
\DeclareInputText{153}{\"O}
\DeclareInputText{154}{\"U}
\DeclareInputText{155}{\o}
```

```
\DeclareInputText{156}{\textsterling}
\DeclareInputText{157}{\O}
\DeclareInputText{158}{\texttimes}
\DeclareInputText{159}{\textflorin}
\DeclareInputText{160}{\@tabacckludge'a}
\DeclareInputText{161}{\@tabacckludge'\i}
\DeclareInputText{162}{\@tabacckludge'o}
\DeclareInputText{163}{\@tabacckludge'u}
\DeclareInputText{164}{\~n}
\DeclareInputText{165}{\~N}
\DeclareInputText{166}{\textordfeminine}
\DeclareInputText{167}{\textordmasculine}
\DeclareInputText{168}{\textquestiondown}
\DeclareInputText{169}{\textregistered}
\DeclareInputText{170}{\textlnot}
\DeclareInputText{171}{\textonehalf}
\DeclareInputText{172}{\textonequarter}
\DeclareInputText{173}{\textexclamdown}
\DeclareInputText{174}{\guillemotleft}
\DeclareInputText{175}{\guillemotright}
\DeclareInputText{176}{\textltshade}
\DeclareInputText{177}{\textshade}
\DeclareInputText{178}{\textdkshade}
\DeclareInputText{179}{\textSFxi}
\DeclareInputText{180}{\textSFix}
\DeclareInputText{181}{\@tabacckludge'A}
\DeclareInputText{182}{\^A}
\DeclareInputText{183}{\@tabacckludge`A}
\DeclareInputText{184}{\textcopyright}
\DeclareInputText{185}{\textSFxxiii}
\DeclareInputText{186}{\textSFxxiv}
\DeclareInputText{187}{\textSFxxv}
\DeclareInputText{188}{\textSFxxvi}
\DeclareInputText{189}{\textcent}
\DeclareInputText{190}{\textyen}
\DeclareInputText{191}{\textSFiii}
\DeclareInputText{192}{\textSFii}
\DeclareInputText{193}{\textSFvii}
\DeclareInputText{194}{\textSFvi}
\DeclareInputText{195}{\textSFviii}
\DeclareInputText{196}{\textSFx}
\DeclareInputText{197}{\textSFv}
\DeclareInputText{198}{\~a}
\DeclareInputText{199}{\~A}
\DeclareInputText{200}{\textSFxxxviii}
\DeclareInputText{201}{\textSFxxxix}
\DeclareInputText{202}{\textSFxl}
\DeclareInputText{203}{\textSFxli}
\DeclareInputText{204}{\textSFxlii}
\DeclareInputText{205}{\textSFxliii}
\DeclareInputText{206}{\textSFxliv}
\DeclareInputText{207}{\textcurrency}
\DeclareInputText{208}{\dh}
\DeclareInputText{209}{\DH}
\DeclareInputText{210}{\^E}
\DeclareInputText{211}{\"E}
\DeclareInputText{212}{\@tabacckludge`E}
\DeclareInputText{213}{\texteuro}
\DeclareInputText{214}{\@tabacckludge'I}
\DeclareInputText{215}{\^I}
\DeclareInputText{216}{\"I}
\DeclareInputText{217}{\textSFiv}
```

```
\DeclareInputText{218}{\textSFi}
\DeclareInputText{219}{\textblock}
\DeclareInputText{220}{\textdnblock}
\DeclareInputText{221}{\textbrokenbar}
\DeclareInputText{222}{\@tabacckludge‘I}
\DeclareInputText{223}{\textupblock}
\DeclareInputText{224}{\@tabacckludge’O}
\DeclareInputText{225}{\ss}
\DeclareInputText{226}{\^O}
\DeclareInputText{227}{\@tabacckludge‘O}
\DeclareInputText{228}{\~o}
\DeclareInputText{229}{\~O}
\DeclareInputText{230}{\textmu}
\DeclareInputText{231}{\th}
\DeclareInputText{232}{\TH}
\DeclareInputText{233}{\@tabacckludge’U}
\DeclareInputText{234}{\^U}
\DeclareInputText{235}{\@tabacckludge‘U}
\DeclareInputText{236}{\@tabacckludge’y}
\DeclareInputText{237}{\@tabacckludge’Y}
\DeclareInputText{238}{\textasciimacron}
\DeclareInputText{239}{\textasciiacute}
\DeclareInputText{240}{\-}
\DeclareInputText{241}{\textpm}
\DeclareInputText{243}{\textthreequarters}
\DeclareInputText{244}{\textparagraph}
\DeclareInputText{245}{\textsection}
\DeclareInputText{246}{\textdiv}
\DeclareInputText{247}{\c\ }
\DeclareInputText{248}{\textdegree}
\DeclareInputText{249}{\textasciidieresis}
\DeclareInputText{250}{\textperiodcentered}
\DeclareInputText{251}{\textonesuperior}
\DeclareInputText{252}{\textthreesuperior}
\DeclareInputText{253}{\texttwosuperior}
\DeclareInputText{254}{\textblacksquare}
\DeclareInputText{255}{\nobreakspace}
⟨/cp858⟩
```

2.5.16 Encoding cp865

```
⟨*cp865⟩
\ProvidesFile{x-cp865.def}%
  [2006/08/24 v1.0 Input encoding cp865 (inputenx)]
\ProvideTextCommandDefault{\textGamma}{%
  \ensuremath\Gamma
}
\ProvideTextCommandDefault{\textOmega}{%
  \ensuremath\Omega
}
\ProvideTextCommandDefault{\textPhi}{%
  \ensuremath\Phi
}
\ProvideTextCommandDefault{\textSigma}{%
  \ensuremath\Sigma
}
\ProvideTextCommandDefault{\textTheta}{%
  \ensuremath\Theta
}
\ProvideTextCommandDefault{\textalpha}{%
  \ensuremath\alpha
}
\ProvideTextCommandDefault{\textapproxequal}{%
  \ensuremath\approx
```

```
}
\ProvideTextCommandDefault{\textblacksquare}{%
  \vrule \@width .3em \@height .4em \@depth -.1em\relax
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{^\circ}%
}
\ProvideTextCommandDefault{\textdelta}{%
  \ensuremath\delta
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textepsilon}{%
  \ensuremath\varepsilon
}
\ProvideTextCommandDefault{\textequivalence}{%
  \ensuremath\equiv
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
}
\ProvideTextCommandDefault{\textgreaterequal}{%
  \ensuremath\geq
}
\ProvideTextCommandDefault{\textinfinity}{%
  \ensuremath\infty
}
\ProvideTextCommandDefault{\textintersection}{%
  \ensuremath\cap
}
\ProvideTextCommandDefault{\textlessequal}{%
  \ensuremath\leq
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textnsuperior}{%
  \ensuremath{^n}%
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textpeseta}{%
  Pt%
}
\ProvideTextCommandDefault{\textphi}{%
  \ensuremath\phi
}
\ProvideTextCommandDefault{\textpi}{%
  \ensuremath\pi
}
\ProvideTextCommandDefault{\textpm}{%
```

```
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textsigma}{%
  \ensuremath\sigma
}
\ProvideTextCommandDefault{\textsurd}{%
  \ensuremath\surd
}
\ProvideTextCommandDefault{\texttau}{%
  \ensuremath\tau
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{^2}%
}
\DeclareInputText{128}{\c C}
\DeclareInputText{129}{\"u}
\DeclareInputText{130}{\@tabacckludge'e}
\DeclareInputText{131}{\^a}
\DeclareInputText{132}{\"a}
\DeclareInputText{133}{\@tabacckludge`a}
\DeclareInputText{134}{\r a}
\DeclareInputText{135}{\c c}
\DeclareInputText{136}{\^e}
\DeclareInputText{137}{\"e}
\DeclareInputText{138}{\@tabacckludge`e}
\DeclareInputText{139}{\"\i}
\DeclareInputText{140}{\^\i}
\DeclareInputText{141}{\@tabacckludge`\i}
\DeclareInputText{142}{\"A}
\DeclareInputText{143}{\r A}
\DeclareInputText{144}{\@tabacckludge'E}
\DeclareInputText{145}{\ae}
\DeclareInputText{146}{\AE}
\DeclareInputText{147}{\^o}
\DeclareInputText{148}{\"o}
\DeclareInputText{149}{\@tabacckludge`o}
\DeclareInputText{150}{\^u}
\DeclareInputText{151}{\@tabacckludge`u}
\DeclareInputText{152}{\"y}
\DeclareInputText{153}{\"O}
\DeclareInputText{154}{\"U}
\DeclareInputText{155}{\o}
\DeclareInputText{156}{\textsterling}
\DeclareInputText{157}{\O}
\DeclareInputText{158}{\textpeseta}
\DeclareInputText{159}{\textflorin}
\DeclareInputText{160}{\@tabacckludge'a}
\DeclareInputText{161}{\@tabacckludge'\i}
\DeclareInputText{162}{\@tabacckludge'o}
\DeclareInputText{163}{\@tabacckludge'u}
\DeclareInputText{164}{\~n}
\DeclareInputText{165}{\~N}
\DeclareInputText{166}{\textordfeminine}
\DeclareInputText{167}{\textordmasculine}
\DeclareInputText{168}{\textquestiondown}
\DeclareInputText{170}{\textlnot}
\DeclareInputText{171}{\textonehalf}
\DeclareInputText{172}{\textonequarter}
\DeclareInputText{173}{\textexclamdown}
\DeclareInputText{174}{\guillemotleft}
\DeclareInputText{175}{\textcurrency}
\DeclareInputText{176}{\textltshade}
```

```
\DeclareInputText{177}{\textshade}
\DeclareInputText{178}{\textdkshade}
\DeclareInputText{179}{\textSFxi}
\DeclareInputText{180}{\textSFix}
\DeclareInputText{181}{\textSFxix}
\DeclareInputText{182}{\textSFxx}
\DeclareInputText{183}{\textSFxxi}
\DeclareInputText{184}{\textSFxxii}
\DeclareInputText{185}{\textSFxxiii}
\DeclareInputText{186}{\textSFxxiv}
\DeclareInputText{187}{\textSFxxv}
\DeclareInputText{188}{\textSFxxvi}
\DeclareInputText{189}{\textSFxxvii}
\DeclareInputText{190}{\textSFxxviii}
\DeclareInputText{191}{\textSFiii}
\DeclareInputText{192}{\textSFii}
\DeclareInputText{193}{\textSFvii}
\DeclareInputText{194}{\textSFvi}
\DeclareInputText{195}{\textSFviii}
\DeclareInputText{196}{\textSFx}
\DeclareInputText{197}{\textSFv}
\DeclareInputText{198}{\textSFxxxvi}
\DeclareInputText{199}{\textSFxxxvii}
\DeclareInputText{200}{\textSFxxxviii}
\DeclareInputText{201}{\textSFxxxix}
\DeclareInputText{202}{\textSFxl}
\DeclareInputText{203}{\textSFxli}
\DeclareInputText{204}{\textSFxlii}
\DeclareInputText{205}{\textSFxliii}
\DeclareInputText{206}{\textSFxliv}
\DeclareInputText{207}{\textSFxlv}
\DeclareInputText{208}{\textSFxlvi}
\DeclareInputText{209}{\textSFxlvii}
\DeclareInputText{210}{\textSFxlviii}
\DeclareInputText{211}{\textSFxlix}
\DeclareInputText{212}{\textSFl}
\DeclareInputText{213}{\textSFli}
\DeclareInputText{214}{\textSFlii}
\DeclareInputText{215}{\textSFliii}
\DeclareInputText{216}{\textSFliv}
\DeclareInputText{217}{\textSFiv}
\DeclareInputText{218}{\textSFi}
\DeclareInputText{219}{\textblock}
\DeclareInputText{220}{\textdnblock}
\DeclareInputText{221}{\textlfblock}
\DeclareInputText{222}{\textrtblock}
\DeclareInputText{223}{\textupblock}
\DeclareInputText{224}{\textalpha}
\DeclareInputText{225}{\ss}
\DeclareInputText{226}{\textGamma}
\DeclareInputText{227}{\textpi}
\DeclareInputText{228}{\textSigma}
\DeclareInputText{229}{\textsigma}
\DeclareInputText{230}{\textmu}
\DeclareInputText{231}{\texttau}
\DeclareInputText{232}{\textPhi}
\DeclareInputText{233}{\textTheta}
\DeclareInputText{234}{\textOmega}
\DeclareInputText{235}{\textdelta}
\DeclareInputText{236}{\textinfinity}
\DeclareInputText{237}{\textphi}
\DeclareInputText{238}{\textepsilon}
```

```
\DeclareInputText{239}{\textintersection}
\DeclareInputText{240}{\textequivalence}
\DeclareInputText{241}{\textpm}
\DeclareInputText{242}{\textgreaterequal}
\DeclareInputText{243}{\textlessequal}
\DeclareInputText{246}{\textdiv}
\DeclareInputText{247}{\textapproxequal}
\DeclareInputText{248}{\textdegree}
\DeclareInputText{249}{\textbullet}
\DeclareInputText{250}{\textperiodcentered}
\DeclareInputText{251}{\textsurd}
\DeclareInputText{252}{\textnsuperior}
\DeclareInputText{253}{\texttwosuperior}
\DeclareInputText{254}{\textblacksquare}
\DeclareInputText{255}{\nobreakspace}
⟨/cp865⟩
```

2.5.17 Encoding cp1250

```
⟨*cp1250⟩
\ProvidesFile{x-cp1250.def}%
  [2006/08/24 v1.0 Input encoding cp1250 (inputenx)]
\ProvideTextCommandDefault{\textacutedbl}{%
  \H{}%
}
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciibreve}{%
  \u{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
```

```
\DeclareInputText{128}{\texteuro}
\DeclareInputText{130}{\quotesinglbase}
\DeclareInputText{132}{\quotedblbase}
\DeclareInputText{133}{\textellipsis}
\DeclareInputText{134}{\textdagger}
\DeclareInputText{135}{\textdaggerdbl}
\DeclareInputText{137}{\textperthousand}
\DeclareInputText{138}{\v S}
\DeclareInputText{139}{\guilsinglleft}
\DeclareInputText{140}{\@tabacckludge'S}
\DeclareInputText{141}{\v T}
\DeclareInputText{142}{\v Z}
\DeclareInputText{143}{\@tabacckludge'Z}
\DeclareInputText{145}{\textquoteleft}
\DeclareInputText{146}{\textquoteright}
\DeclareInputText{147}{\textquotedblleft}
\DeclareInputText{148}{\textquotedblright}
\DeclareInputText{149}{\textbullet}
\DeclareInputText{150}{\textendash}
\DeclareInputText{151}{\textemdash}
\DeclareInputText{153}{\texttrademark}
\DeclareInputText{154}{\v s}
\DeclareInputText{155}{\guilsinglright}
\DeclareInputText{156}{\@tabacckludge's}
\DeclareInputText{157}{\v t}
\DeclareInputText{158}{\v z}
\DeclareInputText{159}{\@tabacckludge'z}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textasciicaron}
\DeclareInputText{162}{\textasciibreve}
\DeclareInputText{163}{\L}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\k A}
\DeclareInputText{166}{\textbrokenbar}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\c S}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\.Z}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\k{}}
\DeclareInputText{179}{\l}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\k a}
\DeclareInputText{186}{\c s}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\v L}
\DeclareInputText{189}{\textacutedbl}
\DeclareInputText{190}{\v l}
\DeclareInputText{191}{\.z}
\DeclareInputText{192}{\@tabacckludge'R}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
```

```
\DeclareInputText{195}{\u A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\@tabacckludge'L}
\DeclareInputText{198}{\@tabacckludge'C}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\v C}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\k E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\v E}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\v D}
\DeclareInputText{208}{\DJ}
\DeclareInputText{209}{\@tabacckludge'N}
\DeclareInputText{210}{\v N}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\H O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\v R}
\DeclareInputText{217}{\r U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\H U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge'Y}
\DeclareInputText{222}{\c T}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge'r}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\u a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\@tabacckludge'l}
\DeclareInputText{230}{\@tabacckludge'c}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\v c}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\k e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\v e}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\v d}
\DeclareInputText{240}{\dj}
\DeclareInputText{241}{\@tabacckludge'n}
\DeclareInputText{242}{\v n}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\H o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\v r}
\DeclareInputText{249}{\r u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\H u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge'y}
\DeclareInputText{254}{\c t}
\DeclareInputText{255}{\.{}}
```
⟨/cp1250⟩

2.5.18 Encoding cp1252

```
⟨*cp1252⟩
\ProvidesFile{x-cp1252.def}%
  [2006/08/24 v1.0 Input encoding cp1252 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
```

```
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{128}{\texteuro}
\DeclareInputText{130}{\quotesinglbase}
\DeclareInputText{131}{\textflorin}
\DeclareInputText{132}{\quotedblbase}
\DeclareInputText{133}{\textellipsis}
\DeclareInputText{134}{\textdagger}
\DeclareInputText{135}{\textdaggerdbl}
\DeclareInputText{136}{\textasciicircum}
\DeclareInputText{137}{\textperthousand}
\DeclareInputText{138}{\v S}
\DeclareInputText{139}{\guilsinglleft}
\DeclareInputText{140}{\OE}
\DeclareInputText{142}{\v Z}
\DeclareInputText{145}{\textquoteleft}
\DeclareInputText{146}{\textquoteright}
\DeclareInputText{147}{\textquotedblleft}
\DeclareInputText{148}{\textquotedblright}
\DeclareInputText{149}{\textbullet}
\DeclareInputText{150}{\textendash}
\DeclareInputText{151}{\textemdash}
\DeclareInputText{152}{\textasciitilde}
\DeclareInputText{153}{\texttrademark}
\DeclareInputText{154}{\v s}
\DeclareInputText{155}{\guilsinglright}
\DeclareInputText{156}{\oe}
\DeclareInputText{158}{\v z}
\DeclareInputText{159}{\"Y}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{161}{\textexclamdown}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{165}{\textyen}
\DeclareInputText{166}{\textbrokenbar}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textasciidieresis}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\textordfeminine}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\textasciimacron}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\c\ }
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\textordmasculine}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textonequarter}
\DeclareInputText{189}{\textonehalf}
```

```
\DeclareInputText{190}{\textthreequarters}
\DeclareInputText{191}{\textquestiondown}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge`E}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\@tabacckludge`I}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{208}{\DH}
\DeclareInputText{209}{\~N}
\DeclareInputText{210}{\@tabacckludge`O}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\@tabacckludge`U}
\DeclareInputText{218}{\@tabacckludge'U}
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\@tabacckludge'Y}
\DeclareInputText{222}{\TH}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge`a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge`e}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge`\i}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{240}{\dh}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge`o}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\@tabacckludge`u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\^u}
```

```
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\@tabacckludge'y}
\DeclareInputText{254}{\th}
\DeclareInputText{255}{\"y}
⟨/cp1252⟩
```

2.5.19 Encoding cp1257

```
⟨*cp1257⟩
\ProvidesFile{x-cp1257.def}%
  [2006/08/24 v1.0 Input encoding cp1257 (inputenx)]
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
```

```
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{^2}}%
}
\DeclareInputText{128}{\texteuro}
\DeclareInputText{130}{\quotesinglbase}
\DeclareInputText{132}{\quotedblbase}
\DeclareInputText{133}{\textellipsis}
\DeclareInputText{134}{\textdagger}
\DeclareInputText{135}{\textdaggerdbl}
\DeclareInputText{137}{\textperthousand}
\DeclareInputText{139}{\guilsinglleft}
\DeclareInputText{141}{\textasciidieresis}
\DeclareInputText{142}{\textasciicaron}
\DeclareInputText{143}{\c\ }
\DeclareInputText{145}{\textquoteleft}
\DeclareInputText{146}{\textquoteright}
\DeclareInputText{147}{\textquotedblleft}
\DeclareInputText{148}{\textquotedblright}
\DeclareInputText{149}{\textbullet}
\DeclareInputText{150}{\textendash}
\DeclareInputText{151}{\textemdash}
\DeclareInputText{153}{\texttrademark}
\DeclareInputText{155}{\guilsinglright}
\DeclareInputText{157}{\textasciimacron}
\DeclareInputText{158}{\k{}}
\DeclareInputText{160}{\nobreakspace}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textcurrency}
\DeclareInputText{166}{\textbrokenbar}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\O}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\c R}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\textlnot}
\DeclareInputText{173}{\-}
\DeclareInputText{174}{\textregistered}
\DeclareInputText{175}{\AE}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{180}{\textasciiacute}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{184}{\o}
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\c r}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textonequarter}
\DeclareInputText{189}{\textonehalf}
\DeclareInputText{190}{\textthreequarters}
\DeclareInputText{191}{\ae}
\DeclareInputText{192}{\k A}
\DeclareInputText{193}{\k I}
\DeclareInputText{194}{\@tabacckludge=A}
```

```
\DeclareInputText{195}{\@tabacckludge'C}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\k E}
\DeclareInputText{199}{\@tabacckludge=E}
\DeclareInputText{200}{\v C}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\@tabacckludge'Z}
\DeclareInputText{203}{\.E}
\DeclareInputText{204}{\c G}
\DeclareInputText{205}{\c K}
\DeclareInputText{206}{\@tabacckludge=I}
\DeclareInputText{207}{\c L}
\DeclareInputText{208}{\v S}
\DeclareInputText{209}{\@tabacckludge'N}
\DeclareInputText{210}{\c N}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\@tabacckludge=O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\texttimes}
\DeclareInputText{216}{\k U}
\DeclareInputText{217}{\L}
\DeclareInputText{218}{\@tabacckludge'S}
\DeclareInputText{219}{\@tabacckludge=U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\.Z}
\DeclareInputText{222}{\v Z}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\k a}
\DeclareInputText{225}{\k i}
\DeclareInputText{226}{\@tabacckludge=a}
\DeclareInputText{227}{\@tabacckludge'c}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\k e}
\DeclareInputText{231}{\@tabacckludge=e}
\DeclareInputText{232}{\v c}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\@tabacckludge'z}
\DeclareInputText{235}{\.e}
\DeclareInputText{236}{\c g}
\DeclareInputText{237}{\c k}
\DeclareInputText{238}{\@tabacckludge=\i}
\DeclareInputText{239}{\c l}
\DeclareInputText{240}{\v s}
\DeclareInputText{241}{\@tabacckludge'n}
\DeclareInputText{242}{\c n}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\@tabacckludge=o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\textdiv}
\DeclareInputText{248}{\k u}
\DeclareInputText{249}{\l}
\DeclareInputText{250}{\@tabacckludge's}
\DeclareInputText{251}{\@tabacckludge=u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\.z}
\DeclareInputText{254}{\v z}
\DeclareInputText{255}{\.{}}
⟨/cp1257⟩
```

2.5.20 Encoding mac-roman

```
⟨∗mac − roman⟩
\ProvidesFile{x-mac-roman.def}%
  [2006/08/24 v1.0 Input encoding mac-roman (inputenx)]
\ProvideTextCommandDefault{\textOmega}{%
  \ensuremath\Omega
}
\ProvideTextCommandDefault{\textacutedbl}{%
  \H{}%
}
\ProvideTextCommandDefault{\textapproxequal}{%
  \ensuremath\approx
}
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciibreve}{%
  \u{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\texteuro}{%
  \TextSymbolUnavailable\texteuro
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
}
\ProvideTextCommandDefault{\textfractionsolidus}{%
  /%
}
\ProvideTextCommandDefault{\textgreaterequal}{%
  \ensuremath\geq
}
\ProvideTextCommandDefault{\textincrement}{%
  \ensuremath\Delta
}
\ProvideTextCommandDefault{\textinfinity}{%
  \ensuremath\infty
}
\ProvideTextCommandDefault{\textintegral}{%
  \ensuremath\int
}
\ProvideTextCommandDefault{\textlessequal}{%
  \ensuremath\leq
}
\ProvideTextCommandDefault{\textlnot}{%
```

```
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textlozenge}{%
  \ensuremath\diamond
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textnotequal}{%
  \ensuremath\neq
}
\ProvideTextCommandDefault{\textpartial}{%
  \ensuremath\partial
}
\ProvideTextCommandDefault{\textpi}{%
  \ensuremath\pi
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textproduct}{%
  \ensuremath\Pi
}
\ProvideTextCommandDefault{\textsummation}{%
  \ensuremath\Sigma
}
\ProvideTextCommandDefault{\textsurd}{%
  \ensuremath\surd
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{128}{\"A}
\DeclareInputText{129}{\r A}
\DeclareInputText{130}{\c C}
\DeclareInputText{131}{\@tabacckludge'E}
\DeclareInputText{132}{\~N}
\DeclareInputText{133}{\"O}
\DeclareInputText{134}{\"U}
\DeclareInputText{135}{\@tabacckludge'a}
\DeclareInputText{136}{\@tabacckludge`a}
\DeclareInputText{137}{\^a}
\DeclareInputText{138}{\"a}
\DeclareInputText{139}{\~a}
\DeclareInputText{140}{\r a}
\DeclareInputText{141}{\c c}
\DeclareInputText{142}{\@tabacckludge'e}
\DeclareInputText{143}{\@tabacckludge`e}
\DeclareInputText{144}{\^e}
\DeclareInputText{145}{\"e}
\DeclareInputText{146}{\@tabacckludge'\i}
\DeclareInputText{147}{\@tabacckludge`\i}
\DeclareInputText{148}{\^\i}
\DeclareInputText{149}{\"\i}
\DeclareInputText{150}{\~n}
\DeclareInputText{151}{\@tabacckludge'o}
\DeclareInputText{152}{\@tabacckludge`o}
\DeclareInputText{153}{\^o}
\DeclareInputText{154}{\"o}
\DeclareInputText{155}{\~o}
\DeclareInputText{156}{\@tabacckludge'u}
\DeclareInputText{157}{\@tabacckludge`u}
```

```
\DeclareInputText{158}{\^u}
\DeclareInputText{159}{\"u}
\DeclareInputText{160}{\textdagger}
\DeclareInputText{161}{\textdegree}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textsection}
\DeclareInputText{165}{\textbullet}
\DeclareInputText{166}{\textparagraph}
\DeclareInputText{167}{\ss}
\DeclareInputText{168}{\textregistered}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\texttrademark}
\DeclareInputText{171}{\textasciiacute}
\DeclareInputText{172}{\textasciidieresis}
\DeclareInputText{173}{\textnotequal}
\DeclareInputText{174}{\AE}
\DeclareInputText{175}{\O}
\DeclareInputText{176}{\textinfinity}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\textlessequal}
\DeclareInputText{179}{\textgreaterequal}
\DeclareInputText{180}{\textyen}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textpartial}
\DeclareInputText{183}{\textsummation}
\DeclareInputText{184}{\textproduct}
\DeclareInputText{185}{\textpi}
\DeclareInputText{186}{\textintegral}
\DeclareInputText{187}{\textordfeminine}
\DeclareInputText{188}{\textordmasculine}
\DeclareInputText{189}{\textOmega}
\DeclareInputText{190}{\ae}
\DeclareInputText{191}{\o}
\DeclareInputText{192}{\textquestiondown}
\DeclareInputText{193}{\textexclamdown}
\DeclareInputText{194}{\textlnot}
\DeclareInputText{195}{\textsurd}
\DeclareInputText{196}{\textflorin}
\DeclareInputText{197}{\textapproxequal}
\DeclareInputText{198}{\textincrement}
\DeclareInputText{199}{\guillemotleft}
\DeclareInputText{200}{\guillemotright}
\DeclareInputText{201}{\textellipsis}
\DeclareInputText{202}{\nobreakspace}
\DeclareInputText{203}{\@tabacckludge`A}
\DeclareInputText{204}{\~A}
\DeclareInputText{205}{\~O}
\DeclareInputText{206}{\OE}
\DeclareInputText{207}{\oe}
\DeclareInputText{208}{\textendash}
\DeclareInputText{209}{\textemdash}
\DeclareInputText{210}{\textquotedblleft}
\DeclareInputText{211}{\textquotedblright}
\DeclareInputText{212}{\textquoteleft}
\DeclareInputText{213}{\textquoteright}
\DeclareInputText{214}{\textdiv}
\DeclareInputText{215}{\textlozenge}
\DeclareInputText{216}{\"y}
\DeclareInputText{217}{\"Y}
\DeclareInputText{218}{\textfractionsolidus}
\DeclareInputText{219}{\texteuro}
```

```
\DeclareInputText{220}{\guilsinglleft}
\DeclareInputText{221}{\guilsinglright}
\DeclareInputText{222}{fi}
\DeclareInputText{223}{fl}
\DeclareInputText{224}{\textdaggerdbl}
\DeclareInputText{225}{\textperiodcentered}
\DeclareInputText{226}{\quotesinglbase}
\DeclareInputText{227}{\quotedblbase}
\DeclareInputText{228}{\textperthousand}
\DeclareInputText{229}{\^A}
\DeclareInputText{230}{\^E}
\DeclareInputText{231}{\@tabacckludge'A}
\DeclareInputText{232}{\"E}
\DeclareInputText{233}{\@tabacckludge`E}
\DeclareInputText{234}{\@tabacckludge'I}
\DeclareInputText{235}{\^I}
\DeclareInputText{236}{\"I}
\DeclareInputText{237}{\@tabacckludge`I}
\DeclareInputText{238}{\@tabacckludge'O}
\DeclareInputText{239}{\^O}
\DeclareInputText{241}{\@tabacckludge`O}
\DeclareInputText{242}{\@tabacckludge'U}
\DeclareInputText{243}{\^U}
\DeclareInputText{244}{\@tabacckludge`U}
\DeclareInputText{245}{\i}
\DeclareInputText{246}{\textasciicircum}
\DeclareInputText{247}{\textasciitilde}
\DeclareInputText{248}{\textasciimacron}
\DeclareInputText{249}{\textasciibreve}
\DeclareInputText{250}{\.{}}
\DeclareInputText{251}{\r{}}
\DeclareInputText{252}{\c\ }
\DeclareInputText{253}{\textacutedbl}
\DeclareInputText{254}{\k{}}
\DeclareInputText{255}{\textasciicaron}
⟨/mac − roman⟩
```

2.5.21 Encoding mac-ce

```
⟨*mac − ce⟩
\ProvidesFile{x-mac-ce.def}%
  [2006/08/24 v1.0 Input encoding mac-ce (inputenx)]
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textgreaterequal}{%
  \ensuremath\geq
}
\ProvideTextCommandDefault{\textincrement}{%
  \ensuremath\Delta
}
\ProvideTextCommandDefault{\textlessequal}{%
  \ensuremath\leq
}
\ProvideTextCommandDefault{\textlnot}{%
```

```
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textlozenge}{%
  \ensuremath\diamond
}
\ProvideTextCommandDefault{\textnotequal}{%
  \ensuremath\neq
}
\ProvideTextCommandDefault{\textpartial}{%
  \ensuremath\partial
}
\ProvideTextCommandDefault{\textsummation}{%
  \ensuremath\Sigma
}
\ProvideTextCommandDefault{\textsurd}{%
  \ensuremath\surd
}
\DeclareInputText{128}{\"A}
\DeclareInputText{129}{\@tabacckludge=A}
\DeclareInputText{130}{\@tabacckludge=a}
\DeclareInputText{131}{\@tabacckludge'E}
\DeclareInputText{132}{\k A}
\DeclareInputText{133}{\"O}
\DeclareInputText{134}{\"U}
\DeclareInputText{135}{\@tabacckludge'a}
\DeclareInputText{136}{\k a}
\DeclareInputText{137}{\v C}
\DeclareInputText{138}{\"a}
\DeclareInputText{139}{\v c}
\DeclareInputText{140}{\@tabacckludge'C}
\DeclareInputText{141}{\@tabacckludge'c}
\DeclareInputText{142}{\@tabacckludge'e}
\DeclareInputText{143}{\@tabacckludge'Z}
\DeclareInputText{144}{\@tabacckludge'z}
\DeclareInputText{145}{\v D}
\DeclareInputText{146}{\@tabacckludge'\i}
\DeclareInputText{147}{\v d}
\DeclareInputText{148}{\@tabacckludge=E}
\DeclareInputText{149}{\@tabacckludge=e}
\DeclareInputText{150}{\.E}
\DeclareInputText{151}{\@tabacckludge'o}
\DeclareInputText{152}{\.e}
\DeclareInputText{153}{\^o}
\DeclareInputText{154}{\"o}
\DeclareInputText{155}{\~o}
\DeclareInputText{156}{\@tabacckludge'u}
\DeclareInputText{157}{\v E}
\DeclareInputText{158}{\v e}
\DeclareInputText{159}{\"u}
\DeclareInputText{160}{\textdagger}
\DeclareInputText{161}{\textdegree}
\DeclareInputText{162}{\k E}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textsection}
\DeclareInputText{165}{\textbullet}
\DeclareInputText{166}{\textparagraph}
\DeclareInputText{167}{\ss}
\DeclareInputText{168}{\textregistered}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\texttrademark}
\DeclareInputText{171}{\k e}
\DeclareInputText{172}{\textasciidieresis}
```

```
\DeclareInputText{173}{\textnotequal}
\DeclareInputText{174}{\c g}
\DeclareInputText{175}{\k I}
\DeclareInputText{176}{\k i}
\DeclareInputText{177}{\@tabacckludge=I}
\DeclareInputText{178}{\textlessequal}
\DeclareInputText{179}{\textgreaterequal}
\DeclareInputText{180}{\@tabacckludge=\i}
\DeclareInputText{181}{\c K}
\DeclareInputText{182}{\textpartial}
\DeclareInputText{183}{\textsummation}
\DeclareInputText{184}{\l}
\DeclareInputText{185}{\c L}
\DeclareInputText{186}{\c l}
\DeclareInputText{187}{\v L}
\DeclareInputText{188}{\v l}
\DeclareInputText{189}{\@tabacckludge'L}
\DeclareInputText{190}{\@tabacckludge'l}
\DeclareInputText{191}{\c N}
\DeclareInputText{192}{\c n}
\DeclareInputText{193}{\@tabacckludge'N}
\DeclareInputText{194}{\textlnot}
\DeclareInputText{195}{\textsurd}
\DeclareInputText{196}{\@tabacckludge'n}
\DeclareInputText{197}{\v N}
\DeclareInputText{198}{\textincrement}
\DeclareInputText{199}{\guillemotleft}
\DeclareInputText{200}{\guillemotright}
\DeclareInputText{201}{\textellipsis}
\DeclareInputText{202}{\nobreakspace}
\DeclareInputText{203}{\v n}
\DeclareInputText{204}{\H O}
\DeclareInputText{205}{\~O}
\DeclareInputText{206}{\H o}
\DeclareInputText{207}{\@tabacckludge=O}
\DeclareInputText{208}{\textendash}
\DeclareInputText{209}{\textemdash}
\DeclareInputText{210}{\textquotedblleft}
\DeclareInputText{211}{\textquotedblright}
\DeclareInputText{212}{\textquoteleft}
\DeclareInputText{213}{\textquoteright}
\DeclareInputText{214}{\textdiv}
\DeclareInputText{215}{\textlozenge}
\DeclareInputText{216}{\@tabacckludge=o}
\DeclareInputText{217}{\@tabacckludge'R}
\DeclareInputText{218}{\@tabacckludge'r}
\DeclareInputText{219}{\v R}
\DeclareInputText{220}{\guilsinglleft}
\DeclareInputText{221}{\guilsinglright}
\DeclareInputText{222}{\v r}
\DeclareInputText{223}{\c R}
\DeclareInputText{224}{\c r}
\DeclareInputText{225}{\v S}
\DeclareInputText{226}{\quotesinglbase}
\DeclareInputText{227}{\quotedblbase}
\DeclareInputText{228}{\v s}
\DeclareInputText{229}{\@tabacckludge'S}
\DeclareInputText{230}{\@tabacckludge's}
\DeclareInputText{231}{\@tabacckludge'A}
\DeclareInputText{232}{\v T}
\DeclareInputText{233}{\v t}
\DeclareInputText{234}{\@tabacckludge'I}
```

```
\DeclareInputText{235}{\v Z}
\DeclareInputText{236}{\v z}
\DeclareInputText{237}{\@tabacckludge=U}
\DeclareInputText{238}{\@tabacckludge'O}
\DeclareInputText{239}{\^O}
\DeclareInputText{240}{\@tabacckludge=u}
\DeclareInputText{241}{\r U}
\DeclareInputText{242}{\@tabacckludge'U}
\DeclareInputText{243}{\r u}
\DeclareInputText{244}{\H U}
\DeclareInputText{245}{\H u}
\DeclareInputText{246}{\k U}
\DeclareInputText{247}{\k u}
\DeclareInputText{248}{\@tabacckludge'Y}
\DeclareInputText{249}{\@tabacckludge'y}
\DeclareInputText{250}{\c k}
\DeclareInputText{251}{\.Z}
\DeclareInputText{252}{\L}
\DeclareInputText{253}{\.z}
\DeclareInputText{254}{\c G}
\DeclareInputText{255}{\textasciicaron}
```
⟨/mac − ce⟩

2.5.22 Encoding nextstep

```
⟨*nextstep⟩
\ProvidesFile{x-nextstep.def}%
  [2006/08/24 v1.0 Input encoding nextstep (inputenx)]
\ProvideTextCommandDefault{\textacutedbl}{%
  \H{}%
}
\ProvideTextCommandDefault{\textasciiacute}{%
  \@tabacckludge'{}%
}
\ProvideTextCommandDefault{\textasciibreve}{%
  \u{}%
}
\ProvideTextCommandDefault{\textasciicaron}{%
  \v{}%
}
\ProvideTextCommandDefault{\textasciidieresis}{%
  \"{}%
}
\ProvideTextCommandDefault{\textasciigrave}{%
  \@tabacckludge`{}%
}
\ProvideTextCommandDefault{\textasciimacron}{%
  \@tabacckludge={}%
}
\ProvideTextCommandDefault{\textbrokenbar}{%
  \TextSymbolUnavailable\textbrokenbar
}
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdiv}{%
  \TextSymbolUnavailable\textdiv
}
\ProvideTextCommandDefault{\textflorin}{%
  \textit{f}%
}
```

```
\ProvideTextCommandDefault{\textfractionsolidus}{%
  /%
}
\ProvideTextCommandDefault{\textlnot}{%
  \ensuremath\lnot
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreequarters}{%
  \ensuremath{\frac34}%
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttimes}{%
  \ensuremath\times
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{128}{\nobreakspace}
\DeclareInputText{129}{\@tabacckludge`A}
\DeclareInputText{130}{\@tabacckludge'A}
\DeclareInputText{131}{\^A}
\DeclareInputText{132}{\~A}
\DeclareInputText{133}{\"A}
\DeclareInputText{134}{\r A}
\DeclareInputText{135}{\c C}
\DeclareInputText{136}{\@tabacckludge`E}
\DeclareInputText{137}{\@tabacckludge'E}
\DeclareInputText{138}{\^E}
\DeclareInputText{139}{\"E}
\DeclareInputText{140}{\@tabacckludge`I}
\DeclareInputText{141}{\@tabacckludge'I}
\DeclareInputText{142}{\^I}
\DeclareInputText{143}{\"I}
\DeclareInputText{144}{\DH}
\DeclareInputText{145}{\~N}
\DeclareInputText{146}{\@tabacckludge`O}
\DeclareInputText{147}{\@tabacckludge'O}
\DeclareInputText{148}{\^O}
\DeclareInputText{149}{\~O}
\DeclareInputText{150}{\"O}
\DeclareInputText{151}{\@tabacckludge`U}
\DeclareInputText{152}{\@tabacckludge'U}
\DeclareInputText{153}{\^U}
```

```
\DeclareInputText{154}{\"U}
\DeclareInputText{155}{\@tabacckludge'Y}
\DeclareInputText{156}{\TH}
\DeclareInputText{157}{\textmu}
\DeclareInputText{158}{\texttimes}
\DeclareInputText{159}{\textdiv}
\DeclareInputText{160}{\textcopyright}
\DeclareInputText{161}{\textexclamdown}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{164}{\textfractionsolidus}
\DeclareInputText{165}{\textyen}
\DeclareInputText{166}{\textflorin}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textcurrency}
\DeclareInputText{169}{\textquoteright}
\DeclareInputText{170}{\textquotedblleft}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{172}{\guilsinglleft}
\DeclareInputText{173}{\guilsinglright}
\DeclareInputText{174}{fi}
\DeclareInputText{175}{fl}
\DeclareInputText{176}{\textregistered}
\DeclareInputText{177}{\textendash}
\DeclareInputText{178}{\textdagger}
\DeclareInputText{179}{\textdaggerdbl}
\DeclareInputText{180}{\textperiodcentered}
\DeclareInputText{181}{\textbrokenbar}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textbullet}
\DeclareInputText{184}{\quotesinglbase}
\DeclareInputText{185}{\quotedblbase}
\DeclareInputText{186}{\textquotedblright}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textellipsis}
\DeclareInputText{189}{\textperthousand}
\DeclareInputText{190}{\textlnot}
\DeclareInputText{191}{\textquestiondown}
\DeclareInputText{192}{\textonesuperior}
\DeclareInputText{193}{\textasciigrave}
\DeclareInputText{194}{\textasciiacute}
\DeclareInputText{195}{\textasciicircum}
\DeclareInputText{196}{\textasciitilde}
\DeclareInputText{197}{\textasciimacron}
\DeclareInputText{198}{\textasciibreve}
\DeclareInputText{199}{\.{}}
\DeclareInputText{200}{\textasciidieresis}
\DeclareInputText{201}{\texttwosuperior}
\DeclareInputText{202}{\r{}}
\DeclareInputText{203}{\c\ }
\DeclareInputText{204}{\textthreesuperior}
\DeclareInputText{205}{\textacutedbl}
\DeclareInputText{206}{\k{}}
\DeclareInputText{207}{\textasciicaron}
\DeclareInputText{208}{\textemdash}
\DeclareInputText{209}{\textpm}
\DeclareInputText{210}{\textonequarter}
\DeclareInputText{211}{\textonehalf}
\DeclareInputText{212}{\textthreequarters}
\DeclareInputText{213}{\@tabacckludge`a}
\DeclareInputText{214}{\@tabacckludge'a}
\DeclareInputText{215}{\^a}
```

```
\DeclareInputText{216}{\~a}
\DeclareInputText{217}{\"a}
\DeclareInputText{218}{\r a}
\DeclareInputText{219}{\c c}
\DeclareInputText{220}{\@tabacckludge‘e}
\DeclareInputText{221}{\@tabacckludge’e}
\DeclareInputText{222}{\^e}
\DeclareInputText{223}{\"e}
\DeclareInputText{224}{\@tabacckludge‘\i}
\DeclareInputText{225}{\AE}
\DeclareInputText{226}{\@tabacckludge’\i}
\DeclareInputText{227}{\textordfeminine}
\DeclareInputText{228}{\^\i}
\DeclareInputText{229}{\"\i}
\DeclareInputText{230}{\dh}
\DeclareInputText{231}{\~n}
\DeclareInputText{232}{\L}
\DeclareInputText{233}{\O}
\DeclareInputText{234}{\OE}
\DeclareInputText{235}{\textordmasculine}
\DeclareInputText{236}{\@tabacckludge‘o}
\DeclareInputText{237}{\@tabacckludge’o}
\DeclareInputText{238}{\^o}
\DeclareInputText{239}{\~o}
\DeclareInputText{240}{\"o}
\DeclareInputText{241}{\ae}
\DeclareInputText{242}{\@tabacckludge‘u}
\DeclareInputText{243}{\@tabacckludge’u}
\DeclareInputText{244}{\^u}
\DeclareInputText{245}{\i}
\DeclareInputText{246}{\"u}
\DeclareInputText{247}{\@tabacckludge’y}
\DeclareInputText{248}{\l}
\DeclareInputText{249}{\o}
\DeclareInputText{250}{\oe}
\DeclareInputText{251}{\ss}
\DeclareInputText{252}{\th}
\DeclareInputText{253}{\"y}
⟨/nextstep⟩
```

2.5.23 Encoding dec-mcs

```
⟨*dec − mcs⟩
\ProvidesFile{x-dec-mcs.def}%
  [2006/08/24 v1.0 Input encoding dec-mcs (inputenx)]
\ProvideTextCommandDefault{\textcent}{%
  \TextSymbolUnavailable\textcent
}
\ProvideTextCommandDefault{\textcurrency}{%
  \TextSymbolUnavailable\textcurrency
}
\ProvideTextCommandDefault{\textdegree}{%
  \ensuremath{{^\circ}}%
}
\ProvideTextCommandDefault{\textmu}{%
  \ensuremath\mu
}
\ProvideTextCommandDefault{\textonehalf}{%
  \ensuremath{\frac12}%
}
\ProvideTextCommandDefault{\textonequarter}{%
  \ensuremath{\frac14}%
}
\ProvideTextCommandDefault{\textonesuperior}{%
```

```
  \ensuremath{{^1}}%
}
\ProvideTextCommandDefault{\textpm}{%
  \ensuremath\pm
}
\ProvideTextCommandDefault{\textthreesuperior}{%
  \ensuremath{{^3}}%
}
\ProvideTextCommandDefault{\texttwosuperior}{%
  \ensuremath{{^2}}%
}
\ProvideTextCommandDefault{\textyen}{%
  \TextSymbolUnavailable\textyen
}
\DeclareInputText{161}{\textexclamdown}
\DeclareInputText{162}{\textcent}
\DeclareInputText{163}{\textsterling}
\DeclareInputText{165}{\textyen}
\DeclareInputText{167}{\textsection}
\DeclareInputText{168}{\textcurrency}
\DeclareInputText{169}{\textcopyright}
\DeclareInputText{170}{\textordfeminine}
\DeclareInputText{171}{\guillemotleft}
\DeclareInputText{176}{\textdegree}
\DeclareInputText{177}{\textpm}
\DeclareInputText{178}{\texttwosuperior}
\DeclareInputText{179}{\textthreesuperior}
\DeclareInputText{181}{\textmu}
\DeclareInputText{182}{\textparagraph}
\DeclareInputText{183}{\textperiodcentered}
\DeclareInputText{185}{\textonesuperior}
\DeclareInputText{186}{\textordmasculine}
\DeclareInputText{187}{\guillemotright}
\DeclareInputText{188}{\textonequarter}
\DeclareInputText{189}{\textonehalf}
\DeclareInputText{191}{\textquestiondown}
\DeclareInputText{192}{\@tabacckludge`A}
\DeclareInputText{193}{\@tabacckludge'A}
\DeclareInputText{194}{\^A}
\DeclareInputText{195}{\~A}
\DeclareInputText{196}{\"A}
\DeclareInputText{197}{\r A}
\DeclareInputText{198}{\AE}
\DeclareInputText{199}{\c C}
\DeclareInputText{200}{\@tabacckludge`E}
\DeclareInputText{201}{\@tabacckludge'E}
\DeclareInputText{202}{\^E}
\DeclareInputText{203}{\"E}
\DeclareInputText{204}{\@tabacckludge`I}
\DeclareInputText{205}{\@tabacckludge'I}
\DeclareInputText{206}{\^I}
\DeclareInputText{207}{\"I}
\DeclareInputText{209}{\~N}
\DeclareInputText{210}{\@tabacckludge`O}
\DeclareInputText{211}{\@tabacckludge'O}
\DeclareInputText{212}{\^O}
\DeclareInputText{213}{\~O}
\DeclareInputText{214}{\"O}
\DeclareInputText{215}{\OE}
\DeclareInputText{216}{\O}
\DeclareInputText{217}{\@tabacckludge`U}
\DeclareInputText{218}{\@tabacckludge'U}
```

```
\DeclareInputText{219}{\^U}
\DeclareInputText{220}{\"U}
\DeclareInputText{221}{\'Y}
\DeclareInputText{223}{\ss}
\DeclareInputText{224}{\@tabacckludge`a}
\DeclareInputText{225}{\@tabacckludge'a}
\DeclareInputText{226}{\^a}
\DeclareInputText{227}{\~a}
\DeclareInputText{228}{\"a}
\DeclareInputText{229}{\r a}
\DeclareInputText{230}{\ae}
\DeclareInputText{231}{\c c}
\DeclareInputText{232}{\@tabacckludge`e}
\DeclareInputText{233}{\@tabacckludge'e}
\DeclareInputText{234}{\^e}
\DeclareInputText{235}{\"e}
\DeclareInputText{236}{\@tabacckludge`\i}
\DeclareInputText{237}{\@tabacckludge'\i}
\DeclareInputText{238}{\^\i}
\DeclareInputText{239}{\"\i}
\DeclareInputText{241}{\~n}
\DeclareInputText{242}{\@tabacckludge`o}
\DeclareInputText{243}{\@tabacckludge'o}
\DeclareInputText{244}{\^o}
\DeclareInputText{245}{\~o}
\DeclareInputText{246}{\"o}
\DeclareInputText{247}{\oe}
\DeclareInputText{248}{\o}
\DeclareInputText{249}{\@tabacckludge`u}
\DeclareInputText{250}{\@tabacckludge'u}
\DeclareInputText{251}{\^u}
\DeclareInputText{252}{\"u}
\DeclareInputText{253}{\'y}
⟨/dec − mcs⟩
```

2.5.24 Non-Unicode additions

```
⟨∗mac − roman⟩
\ProvideTextCommandDefault{\textapplelogo}{%
  \TextSymbolUnavailable\textapplelogo
}
\DeclareInputText{240}{\textapplelogo}
⟨/mac − roman⟩
```

2.6 Additions for `utf8enc.dfu`

```
⟨∗dfu⟩
\ProvidesFile{ix-utf8enc.dfu}%
  [2006/08/24 v1.0 Additions of inputenx for utf8enc.dfu]
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\DeclareUnicodeCharacter{00AD}{\-}
\DeclareUnicodeCharacter{0100}{\@tabacckludge=A}
\DeclareUnicodeCharacter{0101}{\@tabacckludge=a}
\DeclareUnicodeCharacter{0108}{\^C}
\DeclareUnicodeCharacter{0109}{\^c}
\DeclareUnicodeCharacter{010A}{\.C}
\DeclareUnicodeCharacter{010B}{\.c}
\DeclareUnicodeCharacter{0112}{\@tabacckludge=E}
\DeclareUnicodeCharacter{0113}{\@tabacckludge=e}
\DeclareUnicodeCharacter{0116}{\.E}
\DeclareUnicodeCharacter{0117}{\.e}
\DeclareUnicodeCharacter{011C}{\^G}
\DeclareUnicodeCharacter{011D}{\^g}
\DeclareUnicodeCharacter{0120}{\.G}
```

```
\DeclareUnicodeCharacter{0121}{\.g}
\DeclareUnicodeCharacter{0122}{\c G}
\DeclareUnicodeCharacter{0123}{\c g}
\DeclareUnicodeCharacter{0124}{\^H}
\DeclareUnicodeCharacter{0125}{\^h}
\DeclareUnicodeCharacter{0126}{\textmalteseH}
\DeclareUnicodeCharacter{0127}{\textmalteseh}
\DeclareUnicodeCharacter{0128}{\~I}
\DeclareUnicodeCharacter{0129}{\~\i}
\DeclareUnicodeCharacter{012A}{\@tabacckludge=I}
\DeclareUnicodeCharacter{012B}{\@tabacckludge=\i}
\DeclareUnicodeCharacter{012E}{\k I}
\DeclareUnicodeCharacter{012F}{\k i}
\DeclareUnicodeCharacter{0134}{\^J}
\DeclareUnicodeCharacter{0135}{\^j}
\DeclareUnicodeCharacter{0136}{\c K}
\DeclareUnicodeCharacter{0137}{\c k}
\DeclareUnicodeCharacter{0138}{\textkra}
\DeclareUnicodeCharacter{013B}{\c L}
\DeclareUnicodeCharacter{013C}{\c l}
\DeclareUnicodeCharacter{0145}{\c N}
\DeclareUnicodeCharacter{0146}{\c n}
\DeclareUnicodeCharacter{014C}{\@tabacckludge=O}
\DeclareUnicodeCharacter{014D}{\@tabacckludge=o}
\DeclareUnicodeCharacter{0156}{\c R}
\DeclareUnicodeCharacter{0157}{\c r}
\DeclareUnicodeCharacter{015C}{\^S}
\DeclareUnicodeCharacter{015D}{\^s}
\DeclareUnicodeCharacter{0166}{\textTstroke}
\DeclareUnicodeCharacter{0167}{\texttstroke}
\DeclareUnicodeCharacter{0168}{\~U}
\DeclareUnicodeCharacter{0169}{\~u}
\DeclareUnicodeCharacter{016A}{\@tabacckludge=U}
\DeclareUnicodeCharacter{016B}{\@tabacckludge=u}
\DeclareUnicodeCharacter{016C}{\u U}
\DeclareUnicodeCharacter{016D}{\u u}
\DeclareUnicodeCharacter{0172}{\k U}
\DeclareUnicodeCharacter{0173}{\k u}
\DeclareUnicodeCharacter{0174}{\^W}
\DeclareUnicodeCharacter{0175}{\^w}
\DeclareUnicodeCharacter{0176}{\^Y}
\DeclareUnicodeCharacter{0177}{\^y}
\DeclareUnicodeCharacter{1E02}{\.B}
\DeclareUnicodeCharacter{1E03}{\.b}
\DeclareUnicodeCharacter{1E0A}{\.D}
\DeclareUnicodeCharacter{1E0B}{\.d}
\DeclareUnicodeCharacter{1E1E}{\.F}
\DeclareUnicodeCharacter{1E1F}{\.f}
\DeclareUnicodeCharacter{1E40}{\.M}
\DeclareUnicodeCharacter{1E41}{\.m}
\DeclareUnicodeCharacter{1E56}{\.P}
\DeclareUnicodeCharacter{1E57}{\.p}
\DeclareUnicodeCharacter{1E60}{\.S}
\DeclareUnicodeCharacter{1E61}{\.s}
\DeclareUnicodeCharacter{1E6A}{\.T}
\DeclareUnicodeCharacter{1E6B}{\.t}
\DeclareUnicodeCharacter{1E80}{\@tabacckludge`W}
\DeclareUnicodeCharacter{1E81}{\@tabacckludge`w}
\DeclareUnicodeCharacter{1E82}{\@tabacckludge'W}
\DeclareUnicodeCharacter{1E83}{\@tabacckludge'w}
\DeclareUnicodeCharacter{1E84}{\"W}
\DeclareUnicodeCharacter{1E85}{\"w}
```

```
\DeclareUnicodeCharacter{1EF2}{\@tabacckludge`Y}
\DeclareUnicodeCharacter{1EF3}{\@tabacckludge`y}
\DeclareUnicodeCharacter{0218}{\textcommabelow S}
\DeclareUnicodeCharacter{0219}{\textcommabelow s}
\DeclareUnicodeCharacter{021A}{\textcommabelow T}
\DeclareUnicodeCharacter{021B}{\textcommabelow t}
\DeclareUnicodeCharacter{02CB}{\textasciigrave}
\DeclareUnicodeCharacter{02D9}{\.{}}
\DeclareUnicodeCharacter{02DA}{\r{}}
\DeclareUnicodeCharacter{02DB}{\k{}}
\DeclareUnicodeCharacter{0393}{\textGamma}
\DeclareUnicodeCharacter{0398}{\textTheta}
\DeclareUnicodeCharacter{03A3}{\textSigma}
\DeclareUnicodeCharacter{03A6}{\textPhi}
\DeclareUnicodeCharacter{03A9}{\textOmega}
\DeclareUnicodeCharacter{03B1}{\textalpha}
\DeclareUnicodeCharacter{03B4}{\textdelta}
\DeclareUnicodeCharacter{03B5}{\textepsilon}
\DeclareUnicodeCharacter{03C0}{\textpi}
\DeclareUnicodeCharacter{03C3}{\textsigma}
\DeclareUnicodeCharacter{03C4}{\texttau}
\DeclareUnicodeCharacter{03C6}{\textphi}
\DeclareUnicodeCharacter{207F}{\textnsuperior}
\DeclareUnicodeCharacter{20A7}{\textpeseta}
\DeclareUnicodeCharacter{2202}{\textpartial}
\DeclareUnicodeCharacter{2206}{\textincrement}
\DeclareUnicodeCharacter{220F}{\textproduct}
\DeclareUnicodeCharacter{2211}{\textsummation}
\DeclareUnicodeCharacter{2219}{\textbullet}
\DeclareUnicodeCharacter{221A}{\textsurd}
\DeclareUnicodeCharacter{221E}{\textinfinity}
\DeclareUnicodeCharacter{2229}{\textintersection}
\DeclareUnicodeCharacter{222B}{\textintegral}
\DeclareUnicodeCharacter{2248}{\textapproxequal}
\DeclareUnicodeCharacter{2260}{\textnotequal}
\DeclareUnicodeCharacter{2261}{\textequivalence}
\DeclareUnicodeCharacter{2264}{\textlessequal}
\DeclareUnicodeCharacter{2265}{\textgreaterequal}
\DeclareUnicodeCharacter{25A0}{\textblacksquare}
\DeclareUnicodeCharacter{25CA}{\textlozenge}
\DeclareUnicodeCharacter{FB01}{fi}
\DeclareUnicodeCharacter{FB02}{fl}
\DeclareUnicodeCharacter{2500}{\textSFx}
\DeclareUnicodeCharacter{2502}{\textSFxi}
\DeclareUnicodeCharacter{250C}{\textSFi}
\DeclareUnicodeCharacter{2510}{\textSFiii}
\DeclareUnicodeCharacter{2514}{\textSFii}
\DeclareUnicodeCharacter{2518}{\textSFiv}
\DeclareUnicodeCharacter{251C}{\textSFviii}
\DeclareUnicodeCharacter{2524}{\textSFix}
\DeclareUnicodeCharacter{252C}{\textSFvi}
\DeclareUnicodeCharacter{2534}{\textSFvii}
\DeclareUnicodeCharacter{253C}{\textSFv}
\DeclareUnicodeCharacter{2550}{\textSFxliii}
\DeclareUnicodeCharacter{2551}{\textSFxxiv}
\DeclareUnicodeCharacter{2552}{\textSFli}
\DeclareUnicodeCharacter{2553}{\textSFlii}
\DeclareUnicodeCharacter{2554}{\textSFxxxix}
\DeclareUnicodeCharacter{2555}{\textSFxxii}
\DeclareUnicodeCharacter{2556}{\textSFxxi}
\DeclareUnicodeCharacter{2557}{\textSFxxv}
\DeclareUnicodeCharacter{2558}{\textSFl}
```

```
\DeclareUnicodeCharacter{2559}{\textSFxlix}
\DeclareUnicodeCharacter{255A}{\textSFxxxviii}
\DeclareUnicodeCharacter{255B}{\textSFxxviii}
\DeclareUnicodeCharacter{255C}{\textSFxxvii}
\DeclareUnicodeCharacter{255D}{\textSFxxvi}
\DeclareUnicodeCharacter{255E}{\textSFxxxvi}
\DeclareUnicodeCharacter{255F}{\textSFxxxvii}
\DeclareUnicodeCharacter{2560}{\textSFxlii}
\DeclareUnicodeCharacter{2561}{\textSFxix}
\DeclareUnicodeCharacter{2562}{\textSFxx}
\DeclareUnicodeCharacter{2563}{\textSFxxiii}
\DeclareUnicodeCharacter{2564}{\textSFxlvii}
\DeclareUnicodeCharacter{2565}{\textSFxlviii}
\DeclareUnicodeCharacter{2566}{\textSFxli}
\DeclareUnicodeCharacter{2567}{\textSFxlv}
\DeclareUnicodeCharacter{2568}{\textSFxlvi}
\DeclareUnicodeCharacter{2569}{\textSFxl}
\DeclareUnicodeCharacter{256A}{\textSFliv}
\DeclareUnicodeCharacter{256B}{\textSFliii}
\DeclareUnicodeCharacter{256C}{\textSFxliv}
\DeclareUnicodeCharacter{2580}{\textupblock}
\DeclareUnicodeCharacter{2584}{\textdnblock}
\DeclareUnicodeCharacter{2588}{\textblock}
\DeclareUnicodeCharacter{258C}{\textlfblock}
\DeclareUnicodeCharacter{2590}{\textrtblock}
\DeclareUnicodeCharacter{2591}{\textltshade}
\DeclareUnicodeCharacter{2592}{\textshade}
\DeclareUnicodeCharacter{2593}{\textdkshade}
⟨/dfu⟩
```

2.7 Name list

```
⟨*name⟩
\ProvidesFile{ix-name.def}%
  [2006/08/24 v1.0 Name list (inputenx)]
```

List omitted here, see ***ix-name.def****.*

```
⟨/name⟩
```

2.8 Mapping Slot, UC to Encodings

```
⟨*slot⟩
\ProvidesFile{ix-slot.def}%
  [2006/08/24 v1.0 SLOT and UC to Encodings (inputenx)]
```

List omitted here, see ***ix-slot.def****.*

```
⟨/slot⟩
```

2.9 Mapping UC to LICR

```
⟨*uc⟩
\ProvidesFile{ix-uc.def}%
  [2006/08/24 v1.0 UC to LICR (inputenx)]
```

List omitted here, see ***ix-uc.def****.*

```
⟨/uc⟩
```

2.10 Math meaning declarations

Package inpmath already declares math meanings for LICRs. Here are some more. One goal is to use the input characters in math that were defined in the standard LaTeX encodings using \DeclareInputMath.

```
⟨*math⟩
\ProvidesFile{ix-math.def}%
  [2006/08/24 v1.0 Math list (inputenx)]
```

The next math meaning for `\ss` looks a little funny. But it is useful for input characters, where most encodings share in practice the same slot for `\ss` and `\beta`. Thus we do not need two encodings such as `cp437de.def` and `cp437.def`.

```
\DeclareMathMeaning{\ss}{\beta}

\DeclareMathMeaning{\textalpha}{\alpha}
\DeclareMathMeaning{\textapproxequal}{\aprox}
\DeclareMathMeaning{\textbardbl}{\Vert}% = \|
\DeclareMathMeaning{\textbullet}{\bullet}
\DeclareMathMeaning{\textcopyright}{{\nfss@text{\textcopyright}}}
\DeclareMathMeaning{\textdagger}{\dagger}
\DeclareMathMeaning{\textdaggerdbl}{\ddagger}
\DeclareMathMeaning{\textdegree}{{^\circ}}
\DeclareMathMeaning{\textdelta}{\delta}
\DeclareMathMeaning{\textdollar}{\mathdollar}
\DeclareMathMeaning{\textepsilon}{\varepsilon}
\DeclareMathMeaning{\textequivalence}{\equiv}
\DeclareMathMeaning{\textbraceleft}{\lbrace}
\DeclareMathMeaning{\textbraceright}{\rbrace}
\DeclareMathMeaning{\textdiv}{\div}
\DeclareMathMeaning{\textdownarrow}{\downarrow}
\DeclareMathMeaning{\textellipsis}{\mathellipsis}
\DeclareMathMeaning{\textGamma}{\Gamma}
\DeclareMathMeaning{\textgreaterequal}{\geq}
\DeclareMathMeaning{\textincrement}{\Delta}
\DeclareMathMeaning{\textinfinity}{\infty}
\DeclareMathMeaning{\textintegral}{\int}
\DeclareMathMeaning{\textintersection}{\cap}
\DeclareMathMeaning{\textlangle}{\langle}
\DeclareMathMeaning{\textleftarrow}{\leftarrow}
\DeclareMathMeaning{\textlessequal}{\leq}
\DeclareMathMeaning{\textlnot}{\lnot}
\DeclareMathMeaning{\textlogicalnot}{\lnot}
\DeclareMathMeaning{\textlozenge}{\diamond}
\DeclareMathMeaning{\textmu}{\mu}
\DeclareMathMeaning{\textnotequal}{\neq}
\DeclareMathMeaning{\textnsuperior}{^n}
\DeclareMathMeaning{\textohm}{\Omega}
\DeclareMathMeaning{\textOmega}{\Omega}
\DeclareMathMeaning{\textonehalf}{\frac12}
\DeclareMathMeaning{\textonequarter}{\frac14}
\DeclareMathMeaning{\textonesuperior}{^1}
\DeclareMathMeaning{\textopenbullet}{\circ}
\DeclareMathMeaning{\textparagraph}{\mathparagraph}
\DeclareMathMeaning{\textpartial}{\partial}
\DeclareMathMeaning{\textPhi}{\Phi}
\DeclareMathMeaning{\textphi}{\phi}
\DeclareMathMeaning{\textpi}{\pi}
\DeclareMathMeaning{\textproduct}{\prod}
\DeclareMathMeaning{\textrangle}{\rangle}
\DeclareMathMeaning{\textrightarrow}{\rightarrow}
\DeclareMathMeaning{\textsection}{\mathsection}
\DeclareMathMeaning{\textSigma}{\Sigma}
\DeclareMathMeaning{\textsigma}{\sigma}
\DeclareMathMeaning{\textsterling}{\mathsterling}
\DeclareMathMeaning{\textsummation}{\sum}
\DeclareMathMeaning{\textsurd}{\surd}
\DeclareMathMeaning{\texttau}{\tau}
\DeclareMathMeaning{\textTheta}{\Theta}
\DeclareMathMeaning{\textthreequarters}{\frac34}
\DeclareMathMeaning{\textthreesuperior}{^3}
\DeclareMathMeaning{\texttwosuperior}{^2}
\DeclareMathMeaning{\textuparrow}{\uparrow}
```

4004 ⟨/math⟩

2.11 Documentation files

2.11.1 List of known LICR commands

This is the list of commands for use in LICR that are already defined by standard LaTeX without extra packages.

```
4005 ⟨*licrcmds⟩
4006  % List of known LICR commdands of inputenx 2006/08/24 v1.0
4007  %
4008  % Format: \LICRcmd{<command>}{<type>}
4009  % Types:
4010  %   Accent:   <command> was defined by \DeclareTextAccentDefault
4011  %   Command:  <command> was defined by \DeclareTextCommandDefault
4012  %   Symbol:   <command> was defined by \DeclareTextSymbolDefault
4013  %   Internal: for \@tabacckludge
4014  %   Extra:    additional commands
4015  %
4016  % Entries derived from the 2ekernel part
4017  % of ltoutenc.dtx 2005/11/08 v1.99h.
4018  %
4019 \LICRcmd{\ }{Extra}
4020 \LICRcmd{\"}{Composite}
4021 \LICRcmd{\'}{Composite}
4022 \LICRcmd{\-}{Extra}
4023 \LICRcmd{\.}{Composite}
4024 \LICRcmd{\=}{Accent}
4025 \LICRcmd{\@tabacckludge}{Internal}
4026 \LICRcmd{\AE}{Symbol}
4027 \LICRcmd{\DH}{Symbol}
4028 \LICRcmd{\DJ}{Symbol}
4029 \LICRcmd{\H}{Composite}
4030 \LICRcmd{\IJ}{Symbol}
4031 \LICRcmd{\L}{Symbol}
4032 \LICRcmd{\NG}{Symbol}
4033 \LICRcmd{\O}{Symbol}
4034 \LICRcmd{\OE}{Symbol}
4035 \LICRcmd{\SS}{Symbol}
4036 \LICRcmd{\TH}{Symbol}
4037 \LICRcmd{\^}{Composite}
4038 \LICRcmd{\`}{Composite}
4039 \LICRcmd{\ae}{Symbol}
4040 \LICRcmd{\b}{Command}
4041 \LICRcmd{\c}{Composite}
4042 \LICRcmd{\d}{Command}
4043 \LICRcmd{\dh}{Symbol}
4044 \LICRcmd{\dj}{Symbol}
4045 \LICRcmd{\guillemotleft}{Symbol}
4046 \LICRcmd{\guillemotright}{Symbol}
4047 \LICRcmd{\guilsinglleft}{Symbol}
4048 \LICRcmd{\guilsinglright}{Symbol}
4049 \LICRcmd{\i}{Symbol}
4050 \LICRcmd{\ij}{Symbol}
4051 \LICRcmd{\j}{Symbol}
4052 \LICRcmd{\k}{CompositeCommand}
4053 \LICRcmd{\l}{Symbol}
4054 \LICRcmd{\ng}{Symbol}
4055 \LICRcmd{\nobreakspace}{Extra}
4056 \LICRcmd{\o}{Symbol}
4057 \LICRcmd{\oe}{Symbol}
4058 \LICRcmd{\quotedblbase}{Symbol}
```

```
\LICRcmd{\quotesinglbase}{Symbol}
\LICRcmd{\r}{Composite}
\LICRcmd{\ss}{Symbol}
\LICRcmd{\t}{Accent}
\LICRcmd{\textasciicircum}{Symbol}
\LICRcmd{\textasciitilde}{Symbol}
\LICRcmd{\textasteriskcentered}{Symbol}
\LICRcmd{\textbackslash}{Symbol}
\LICRcmd{\textbar}{Symbol}
\LICRcmd{\textbardbl}{Symbol}
\LICRcmd{\textbigcircle}{Symbol}
\LICRcmd{\textbraceleft}{Symbol}
\LICRcmd{\textbraceright}{Symbol}
\LICRcmd{\textbullet}{Symbol}
\LICRcmd{\textcircled}{Command}
\LICRcmd{\textcompwordmark}{Symbol}
\LICRcmd{\textcopyright}{CommandDefault}
\LICRcmd{\textdagger}{Symbol}
\LICRcmd{\textdaggerdbl}{Symbol}
\LICRcmd{\textdollar}{Symbol}
\LICRcmd{\textellipsis}{CommandDefault}
\LICRcmd{\textemdash}{Symbol}
\LICRcmd{\textendash}{Symbol}
\LICRcmd{\textexclamdown}{Symbol}
\LICRcmd{\textgreater}{Symbol}
\LICRcmd{\textless}{Symbol}
\LICRcmd{\textogonekcentered}{Command}
\LICRcmd{\textordfeminine}{CommandDefault}
\LICRcmd{\textordmasculine}{CommandDefault}
\LICRcmd{\textparagraph}{Symbol}
\LICRcmd{\textperiodcentered}{Symbol}
\LICRcmd{\textpertenthousand}{Command}
\LICRcmd{\textperthousand}{Command}
\LICRcmd{\textquestiondown}{Symbol}
\LICRcmd{\textquotedbl}{Symbol}
\LICRcmd{\textquotedblleft}{Symbol}
\LICRcmd{\textquotedblright}{Symbol}
\LICRcmd{\textquoteleft}{Symbol}
\LICRcmd{\textquoteright}{Symbol}
\LICRcmd{\textregistered}{CommandDefault}
\LICRcmd{\textsection}{Symbol}
\LICRcmd{\textsterling}{Symbol}
\LICRcmd{\texttrademark}{CommandDefault}
\LICRcmd{\textunderscore}{Symbol}
\LICRcmd{\textvisiblespace}{Symbol}
\LICRcmd{\th}{Symbol}
\LICRcmd{\u}{Composite}
\LICRcmd{\v}{Composite}
\LICRcmd{\~}{Composite}
⟨/licrcmds⟩
```

2.11.2 Commented additions for `utf8enc.dfu`

```
⟨*dfudoc⟩
 % inputenx-utf8enc.txt 2006/08/24 v1.0
 % Commented additions for utf8enc.dfu

```

List omitted here, see ***inputenx-utf8enc.txt****.*

```
⟨/dfudoc⟩
```

3 Installation

CTAN. This package is available on CTAN[1]:

CTAN:macros/latex/contrib/oberdiek/inputenx.dtx The source file.

CTAN:macros/latex/contrib/oberdiek/inputenx.pdf Documentation.

Unpacking. The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain-TEX:

```
tex inputenx.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
inputenx.sty            →  tex/latex/oberdiek/inputenx.sty
ix-alias.def            →  tex/latex/oberdiek/ix-alias.def
ix-math.def             →  tex/latex/oberdiek/ix-math.def
ix-name.def             →  tex/latex/oberdiek/ix-name.def
ix-slot.def             →  tex/latex/oberdiek/ix-slot.def
ix-uc.def               →  tex/latex/oberdiek/ix-uc.def
ix-utf8enc.dfu          →  tex/latex/oberdiek/ix-utf8enc.dfu
x-ascii.def             →  tex/latex/oberdiek/x-ascii.def
x-iso-8859-1.def        →  tex/latex/oberdiek/x-iso-8859-1.def
x-iso-8859-2.def        →  tex/latex/oberdiek/x-iso-8859-2.def
x-iso-8859-3.def        →  tex/latex/oberdiek/x-iso-8859-3.def
x-iso-8859-4.def        →  tex/latex/oberdiek/x-iso-8859-4.def
x-iso-8859-9.def        →  tex/latex/oberdiek/x-iso-8859-9.def
x-iso-8859-10.def       →  tex/latex/oberdiek/x-iso-8859-10.def
x-iso-8859-13.def       →  tex/latex/oberdiek/x-iso-8859-13.def
x-iso-8859-14.def       →  tex/latex/oberdiek/x-iso-8859-14.def
x-iso-8859-15.def       →  tex/latex/oberdiek/x-iso-8859-15.def
x-iso-8859-16.def       →  tex/latex/oberdiek/x-iso-8859-16.def
x-cp437.def             →  tex/latex/oberdiek/x-cp437.def
x-cp850.def             →  tex/latex/oberdiek/x-cp850.def
x-cp852.def             →  tex/latex/oberdiek/x-cp852.def
x-cp858.def             →  tex/latex/oberdiek/x-cp858.def
x-cp865.def             →  tex/latex/oberdiek/x-cp865.def
x-cp1250.def            →  tex/latex/oberdiek/x-cp1250.def
x-cp1252.def            →  tex/latex/oberdiek/x-cp1252.def
x-cp1257.def            →  tex/latex/oberdiek/x-cp1257.def
x-mac-roman.def         →  tex/latex/oberdiek/x-mac-roman.def
x-mac-ce.def            →  tex/latex/oberdiek/x-mac-ce.def
x-nextstep.def          →  tex/latex/oberdiek/x-nextstep.def
x-dec-mcs.def           →  tex/latex/oberdiek/x-dec-mcs.def
inputenx.pdf            →  doc/latex/oberdiek/inputenx.pdf
inputenx-licrcmds.txt   →  doc/latex/oberdiek/inputenx-licrcmds.txt
inputenx-utf8enc.txt    →  doc/latex/oberdiek/inputenx-utf8enc.txt
inputenx.dtx            →  source/latex/oberdiek/inputenx.dtx
```

If you have a `docstrip.cfg` that configures and enables docstrip's TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

Refresh file databases. If your TEX distribution (teTEX, mikTEX, ...) rely on file databases, you must refresh these. For example, teTEX users run `texhash` or `mktexlsr`.

[1] ftp://ftp.ctan.org/tex-archive/

3.1 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is pdftk, e.g. unpack the file into the current directory:

```
pdftk inputenx.pdf unpack_files output .
```

Unpacking with LaTeX. The `.dtx` chooses its action depending on the format:

plain-TeX: Run docstrip and extract the files.

LaTeX: Generate the documentation.

If you insist on using LaTeX for docstrip (really, docstrip does not need LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{inputenx.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfLaTeX:

```
pdflatex inputenx.dtx
makeindex -s gind.ist inputenx.idx
pdflatex inputenx.dtx
makeindex -s gind.ist inputenx.idx
pdflatex inputenx.dtx
```

4 References

[1] Alan Jeffrey, Frank Mittelbach, *inputenc.sty*, 2006/05/05 v1.1b. CTAN:macros/latex/base/inputenc.dtx

[2] Frank Mittelbach, Michel Goossens, *The LaTeX Companion*, second edition, April 2004.

[3] Heiko Oberdiek *The pmboxdraw package*, 2006/05/03 v1.0. CTAN:macros/latex/contrib/oberdiek/pmboxdraw.pdf

4.1 Mappings to Unicode

[4] Ken Whistler, *ISO/IEC 8859-1:1998 to Unicode*, 27th July 1999. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-1.TXT

[5] Ken Whistler, *ISO/IEC 8859-2:1999 to Unicode*, 27th July 1999. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-2.TXT

[6] Ken Whistler, *ISO/IEC 8859-3:1999 to Unicode*, 27th July 1999. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-3.TXT

[7] Ken Whistler, *ISO/IEC 8859-4:1998 to Unicode*, 27th July 1999. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-4.TXT

[8] Ken Whistler, *ISO/IEC 8859-9:1999 to Unicode*, 27th July 1999. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-9.TXT

[9] Ken Whistler, *ISO/IEC 8859-15:1999 to Unicode*, 27th July 1999. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-15.TXT

[10] Ken Whistler, *ISO/IEC 8859-16:2001 to Unicode*, 26th July 2001. ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-16.TXT

[11] Apple Computer, *Map (external version) from MAC OS Central European character set to Unicode 2.1 and later*, 4th April 2005. ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/APPLE/CENTEURO.TXT

[12] Apple Computer, *Map (external version) from MAC OS Roman character set to Unicode 2.1 and later*, 5th April 2005. ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/APPLE/ROMAN.TXT

[13] Rick McGowan, *NextStep Encoding to Unicode*, 23rd September 1999. ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/NEXT/NEXTSTEP.TXT

5 History

[2006/03/05 v1.0]

- First version.

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\" 176, 265, 272, 276, 283, 289, 297, 304, 308, 315, 321, 324, 342, 392, 399, 410, 416, 424, 431, 442, 448, 463, 527, 534, 538, 544, 550, 557, 564, 568, 574, 580, 598, 657, 664, 675, 681, 689, 696, 707, 713, 725, 814, 821, 825, 832, 838, 846, 853, 857, 864, 870, 873, 925, 932, 936, 943, 949, 957, 964, 968, 975, 981, 1070, 1088, 1094, 1102, 1120, 1126, 1149, 1163, 1164, 1170, 1177, 1181, 1188, 1194, 1202, 1209, 1213, 1220, 1226, 1229, 1303, 1309, 1316, 1320, 1327, 1333, 1341, 1348, 1352, 1359, 1365, 1368, 1426, 1432, 1439, 1443, 1450, 1456, 1464, 1471, 1475, 1482, 1488, 1491, 1596, 1599, 1604, 1606, 1609, 1615, 1619, 1620, 1621, 1728, 1788, 1791, 1796, 1798, 1801, 1807, 1811, 1812, 1813, 1870, 1875, 1931, 1952, 1955, 1960, 1965, 1971, 1976, 1977, 2034, 2087, 2150, 2153, 2158, 2160, 2163, 2169, 2173, 2174, 2175, 2232, 2237, 2377, 2380, 2385, 2387, 2390, 2396, 2400, 2401, 2402, 2518, 2610, 2617, 2628, 2634, 2642, 2649, 2660, 2666, 2678, 2763, 2800, 2807, 2811, 2818, 2824, 2832, 2839, 2843, 2850, 2856, 2859, 2871, 2980, 2998, 3004, 3012, 3030, 3036, 3063, 3134, 3139, 3140, 3144, 3151, 3155, 3160, 3165, 3222, 3223, 3238, 3242, 3269, 3304, 3309, 3310, 3314, 3330, 3335, 3449, 3513, 3519, 3523, 3530, 3534, 3597, 3603, 3609, 3620, 3626, 3633, 3697, 3704, 3708, 3714, 3720, 3721, 3727, 3734, 3738, 3744, 3750, 3751, 3837, 3838, 4020

\’ 4021

\- 242, 369, 507, 634, 791, 903, 1047, 1147, 1286, 1409, 1899, 2063, 2261, 2587, 2777, 2957, 3763, 4022

\. 371, 387, 451, 503, 508, 523, 528, 543, 558, 573, 583, 665, 697, 716, 839, 933, 965, 1077, 1095, 1109, 1127, 1135, 1136, 1138, 1139, 1140, 1145, 1150, 1151, 1152, 1153, 1154, 1155, 1157, 1159, 1161, 1165, 1189, 1221, 1411, 1427, 2012, 2013, 2073, 2589, 2605, 2669, 2987, 3005, 3019, 3037, 3039, 3255, 3326, 3328, 3427, 3429, 3579, 3768,

3769, 3772, 3773, 3776, 3777, 3819, 3820, 3821, 3822, 3823, 3824, 3825, 3826, 3827, 3828, 3829, 3830, 3831, 3832, 3846, 4023
\= 4024
\@M 46, 52
\@depth . . 1518, 1734, 1934, 2093, 2302
\@ehc 36
\@empty 10, 20, 38, 39, 40, 76, 78, 87, 95
\@for 85
\@height . 1518, 1734, 1934, 2093, 2302
\@ifundefined 11
\@inpenc@test 167
\@notprerr 98
\@onelevel@sanitize 9, 57, 60
\@tabacckludge . 173, 179, 261, 262, 269, 270, 273, 274, 279, 280, 286, 287, 290, 293, 294, 301, 302, 305, 306, 311, 312, 318, 319, 322, 333, 362, 368, 378, 384, 388, 389, 393, 394, 397, 401, 405, 407, 414, 417, 420, 421, 425, 426, 429, 433, 437, 439, 446, 449, 457, 524, 525, 531, 532, 535, 536, 540, 541, 547, 548, 554, 555, 561, 562, 565, 566, 570, 571, 577, 578, 592, 601, 631, 647, 653, 654, 662, 666, 668, 671, 679, 683, 685, 686, 694, 698, 700, 703, 711, 715, 722, 728, 810, 811, 818, 819, 822, 823, 828, 829, 835, 836, 842, 843, 850, 851, 854, 855, 860, 861, 867, 868, 892, 894, 904, 908, 910, 919, 921, 922, 930, 934, 939, 940, 947, 950, 953, 954, 962, 966, 971, 972, 979, 982, 1068, 1069, 1073, 1075, 1076, 1080, 1083, 1085, 1086, 1092, 1093, 1100, 1101, 1105, 1107, 1108, 1112, 1115, 1117, 1118, 1124, 1125, 1142, 1144, 1146, 1158, 1160, 1162, 1166, 1167, 1174, 1175, 1178, 1179, 1184, 1185, 1191, 1192, 1195, 1198, 1199, 1206, 1207, 1210, 1211, 1216, 1217, 1223, 1224, 1227, 1235, 1305, 1306, 1313, 1314, 1317, 1318, 1323, 1324, 1330, 1331, 1334, 1337, 1338, 1345, 1346, 1349, 1350, 1355, 1356, 1362, 1363, 1366, 1408, 1410, 1428, 1429, 1433, 1436, 1437, 1440, 1441, 1445, 1446, 1447, 1451, 1453, 1454, 1460, 1461, 1465, 1468, 1469, 1472, 1473, 1477, 1478, 1479, 1483, 1485, 1486, 1597, 1600, 1605, 1608, 1611, 1616, 1618, 1627, 1628, 1629, 1630, 1725, 1731, 1789, 1792, 1797, 1800, 1803, 1808, 1810, 1819, 1820, 1821, 1822, 1840, 1842, 1871, 1873, 1881, 1883, 1886, 1892, 1894, 1895, 1896, 1922, 1953, 1957, 1964, 1966, 1967, 1968, 1969, 1974, 1975, 1983, 1984, 1985, 1986, 1994, 2004, 2037, 2047, 2050, 2051, 2055, 2056, 2057, 2059, 2060, 2084, 2090, 2151, 2154, 2159, 2162, 2165, 2170, 2172, 2181, 2182, 2183, 2184, 2202, 2204, 2233, 2235, 2243, 2245, 2248, 2254, 2256, 2257, 2258, 2378, 2381, 2386, 2389, 2392, 2397, 2399, 2408, 2409, 2410, 2411, 2509, 2556, 2559, 2570, 2573, 2606, 2607, 2611, 2612, 2615, 2619, 2623, 2625, 2632, 2635, 2638, 2639, 2643, 2644, 2647, 2651, 2655, 2657, 2664, 2667, 2675, 2681, 2796, 2797, 2804, 2805, 2808, 2809, 2814, 2815, 2821, 2822, 2825, 2828, 2829, 2836, 2837, 2840, 2841, 2846, 2847, 2853, 2854, 2857, 2865, 2874, 2978, 2979, 2983, 2985, 2986, 2990, 2993, 2995, 2996, 3002, 3003, 3010, 3011, 3015, 3017, 3018, 3022, 3025, 3027, 3028, 3034, 3035, 3054, 3066, 3137, 3141, 3142, 3148, 3149, 3152, 3153, 3157, 3158, 3162, 3163, 3209, 3237, 3239, 3240, 3243, 3244, 3246, 3247, 3249, 3305, 3306, 3307, 3311, 3316, 3317, 3318, 3319, 3320, 3322, 3324, 3325, 3327, 3332, 3353, 3356, 3365, 3366, 3369, 3372, 3383, 3392, 3393, 3394, 3405, 3406, 3407, 3410, 3413, 3414, 3416, 3418, 3424, 3425, 3440, 3452, 3455, 3509, 3510, 3516, 3517, 3520, 3521, 3526, 3527, 3531, 3532, 3535, 3593, 3594, 3600, 3601, 3604, 3606, 3616, 3617, 3622, 3623, 3627, 3693, 3694, 3701, 3702, 3705, 3706, 3710, 3711, 3717, 3718, 3723, 3724, 3731, 3732, 3735, 3736, 3740, 3741, 3747, 3748, 3764, 3765, 3770, 3771, 3786, 3787, 3799, 3800, 3809, 3810, 3833, 3834, 3835, 3836, 3839, 3840, 4013, 4025
\@width . . 1518, 1734, 1934, 2093, 2302
\^ 263, 271, 275, 281, 288, 295, 303, 307, 313, 320, 390, 402, 408, 422, 434, 440, 500, 506, 515, 521, 526, 529, 533, 537, 542, 546, 549, 552, 556, 559, 563, 567, 572, 576, 579, 582, 655, 667, 673, 680, 687, 699, 705, 712, 812, 820,

824, 830, 837, 844, 852, 856, 862, 869, 923, 935, 941, 948, 955, 967, 973, 980, 1168, 1176, 1180, 1182, 1186, 1193, 1196, 1200, 1208, 1212, 1214, 1218, 1225, 1228, 1307, 1315, 1319, 1325, 1332, 1339, 1347, 1351, 1357, 1364, 1430, 1438, 1442, 1448, 1455, 1462, 1470, 1474, 1480, 1487, 1598, 1603, 1607, 1614, 1617, 1790, 1795, 1799, 1806, 1809, 1841, 1869, 1874, 1885, 1893, 1954, 1963, 1970, 2005, 2038, 2049, 2152, 2157, 2161, 2168, 2171, 2203, 2231, 2236, 2247, 2255, 2379, 2384, 2388, 2395, 2398, 2608, 2620, 2626, 2640, 2652, 2658, 2798, 2806, 2810, 2816, 2823, 2830, 2838, 2842, 2848, 2855, 3143, 3150, 3154, 3159, 3164, 3235, 3236, 3241, 3245, 3248, 3329, 3415, 3511, 3518, 3522, 3528, 3533, 3595, 3602, 3608, 3618, 3624, 3695, 3703, 3707, 3712, 3719, 3725, 3733, 3737, 3742, 3749, 3766, 3767, 3774, 3775, 3780, 3781, 3790, 3791, 3803, 3804, 3815, 3816, 3817, 3818, 4037

\‘ 4038

\| 3948

\~ 264, 278, 282, 296, 310, 314, 539, 569, 626, 642, 656, 674, 682, 688, 706, 714, 813, 827, 831, 845, 859, 863, 895, 911, 924, 942, 944, 956, 974, 976, 1087, 1119, 1169, 1183, 1187, 1201, 1215, 1219, 1308, 1322, 1326, 1340, 1354, 1358, 1631, 1632, 1823, 1824, 1857, 1858, 1887, 1888, 2185, 2186, 2219, 2220, 2249, 2250, 2412, 2413, 2799, 2813, 2817, 2831, 2845, 2849, 2997, 3029, 3138, 3145, 3156, 3161, 3210, 3211, 3331, 3381, 3512, 3525, 3529, 3596, 3611, 3619, 3696, 3709, 3713, 3726, 3739, 3743, 3784, 3785, 3807, 3808, 4107

\␣ 253, 380, 517, 645, 802, 1905, 2070, 2267, 2598, 2788, 2934, 3257, 3583, 4019

A

\advance 46, 52

\AE 267, 659, 816, 927, 1049, 1172, 1311, 1434, 1613, 1805, 2167, 2394, 2802, 2959, 3180, 3605, 3699, 4026

\ae 299, 691, 848, 959, 1065, 1204, 1343, 1466, 1612, 1804, 2166, 2393, 2834, 2975, 3196, 3621, 3729, 4039

\alpha 1512, 2296, 3946

\approx 1515, 2299, 3051

\aprox 3947

B

\b 4040

\beta 3945

\bullet 3949

C

\c 253, 268, 300, 366, 380, 382, 395, 418, 427, 450, 504, 517, 519, 530, 560, 624, 627, 632, 640, 643, 645, 648, 670, 672, 702, 704, 802, 817, 840, 849, 872, 893, 896, 898, 909, 912, 914, 938, 970, 1044, 1060, 1078, 1079, 1081, 1084, 1110, 1111, 1113, 1116, 1173, 1205, 1312, 1344, 1435, 1467, 1595, 1602, 1787, 1794, 1905, 1951, 1958, 1996, 2007, 2044, 2061, 2070, 2149, 2156, 2267, 2376, 2383, 2584, 2598, 2600, 2613, 2636, 2645, 2668, 2788, 2803, 2835, 2934, 2954, 2970, 2988, 2989, 2991, 2994, 3020, 3021, 3023, 3026, 3136, 3147, 3257, 3350, 3357, 3361, 3362, 3367, 3368, 3399, 3400, 3426, 3430, 3515, 3583, 3599, 3700, 3730, 3778, 3779, 3792, 3793, 3795, 3796, 3797, 3798, 3801, 3802, 4041

\cap 1548, 2332, 3968

\check@mathfonts 1379

\circ . . 191, 348, 469, 607, 740, 882, 999, 1241, 1388, 1524, 1746, 1940, 2105, 2308, 2527, 2693, 2886, 3072, 3272, 3645, 3953, 3983

\crcr 1376

\csname 13, 18, 38, 63

\CurrentInputEncodingName 5, 8, 9, 11, 13, 14, 18, 22, 28, 33, 38, 39, 58, 63, 68, 103, 106

\CurrentInputEncodingOption 6, 10, 17, 20, 26, 29, 35, 40, 87, 89, 95, 97, 101, 103

\CurrentOption 79, 81, 85, 86

D

\d 4042

\dagger 3951

\ddagger 3952

\DeclareInputText 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274,

275, 276, 277, 278, 279, 280,
281, 282, 283, 284, 285, 286,
287, 288, 289, 290, 291, 292,
293, 294, 295, 296, 297, 298,
299, 300, 301, 302, 303, 304,
305, 306, 307, 308, 309, 310,
311, 312, 313, 314, 315, 316,
317, 318, 319, 320, 321, 322,
323, 324, 356, 357, 358, 359,
360, 361, 362, 363, 364, 365,
366, 367, 368, 369, 370, 371,
372, 373, 374, 375, 376, 377,
378, 379, 380, 381, 382, 383,
384, 385, 386, 387, 388, 389,
390, 391, 392, 393, 394, 395,
396, 397, 398, 399, 400, 401,
402, 403, 404, 405, 406, 407,
408, 409, 410, 411, 412, 413,
414, 415, 416, 417, 418, 419,
420, 421, 422, 423, 424, 425,
426, 427, 428, 429, 430, 431,
432, 433, 434, 435, 436, 437,
438, 439, 440, 441, 442, 443,
444, 445, 446, 447, 448, 449,
450, 451, 495, 496, 497, 498,
499, 500, 501, 502, 503, 504,
505, 506, 507, 508, 509, 510,
511, 512, 513, 514, 515, 516,
517, 518, 519, 520, 521, 522,
523, 524, 525, 526, 527, 528,
529, 530, 531, 532, 533, 534,
535, 536, 537, 538, 539, 540,
541, 542, 543, 544, 545, 546,
547, 548, 549, 550, 551, 552,
553, 554, 555, 556, 557, 558,
559, 560, 561, 562, 563, 564,
565, 566, 567, 568, 569, 570,
571, 572, 573, 574, 575, 576,
577, 578, 579, 580, 581, 582,
583, 621, 622, 623, 624, 625,
626, 627, 628, 629, 630, 631,
632, 633, 634, 635, 636, 637,
638, 639, 640, 641, 642, 643,
644, 645, 646, 647, 648, 649,
650, 651, 652, 653, 654, 655,
656, 657, 658, 659, 660, 661,
662, 663, 664, 665, 666, 667,
668, 669, 670, 671, 672, 673,
674, 675, 676, 677, 678, 679,
680, 681, 682, 683, 684, 685,
686, 687, 688, 689, 690, 691,
692, 693, 694, 695, 696, 697,
698, 699, 700, 701, 702, 703,
704, 705, 706, 707, 708, 709,
710, 711, 712, 713, 714, 715,
716, 778, 779, 780, 781, 782,
783, 784, 785, 786, 787, 788,
789, 790, 791, 792, 793, 794,
795, 796, 797, 798, 799, 800,
801, 802, 803, 804, 805, 806,
807, 808, 809, 810, 811, 812,
813, 814, 815, 816, 817, 818,
819, 820, 821, 822, 823, 824,
825, 826, 827, 828, 829, 830,
831, 832, 833, 834, 835, 836,
837, 838, 839, 840, 841, 842,
843, 844, 845, 846, 847, 848,
849, 850, 851, 852, 853, 854,
855, 856, 857, 858, 859, 860,
861, 862, 863, 864, 865, 866,
867, 868, 869, 870, 871, 872,
873, 890, 891, 892, 893, 894,
895, 896, 897, 898, 899, 900,
901, 902, 903, 904, 905, 906,
907, 908, 909, 910, 911, 912,
913, 914, 915, 916, 917, 918,
919, 920, 921, 922, 923, 924,
925, 926, 927, 928, 929, 930,
931, 932, 933, 934, 935, 936,
937, 938, 939, 940, 941, 942,
943, 944, 945, 946, 947, 948,
949, 950, 951, 952, 953, 954,
955, 956, 957, 958, 959, 960,
961, 962, 963, 964, 965, 966,
967, 968, 969, 970, 971, 972,
973, 974, 975, 976, 977, 978,
979, 980, 981, 982, 983, 984,
1034, 1035, 1036, 1037, 1038,
1039, 1040, 1041, 1042, 1043,
1044, 1045, 1046, 1047, 1048,
1049, 1050, 1051, 1052, 1053,
1054, 1055, 1056, 1057, 1058,
1059, 1060, 1061, 1062, 1063,
1064, 1065, 1066, 1067, 1068,
1069, 1070, 1071, 1072, 1073,
1074, 1075, 1076, 1077, 1078,
1079, 1080, 1081, 1082, 1083,
1084, 1085, 1086, 1087, 1088,
1089, 1090, 1091, 1092, 1093,
1094, 1095, 1096, 1097, 1098,
1099, 1100, 1101, 1102, 1103,
1104, 1105, 1106, 1107, 1108,
1109, 1110, 1111, 1112, 1113,
1114, 1115, 1116, 1117, 1118,
1119, 1120, 1121, 1122, 1123,
1124, 1125, 1126, 1127, 1128,
1129, 1134, 1135, 1136, 1137,
1138, 1139, 1140, 1141, 1142,
1143, 1144, 1145, 1146, 1147,
1148, 1149, 1150, 1151, 1152,
1153, 1154, 1155, 1156, 1157,
1158, 1159, 1160, 1161, 1162,
1163, 1164, 1165, 1166, 1167,
1168, 1169, 1170, 1171, 1172,
1173, 1174, 1175, 1176, 1177,
1178, 1179, 1180, 1181, 1182,
1183, 1184, 1185, 1186, 1187,
1188, 1189, 1190, 1191, 1192,
1193, 1194, 1195, 1196, 1197,
1198, 1199, 1200, 1201, 1202,
1203, 1204, 1205, 1206, 1207,
1208, 1209, 1210, 1211, 1212,
1213, 1214, 1215, 1216, 1217,
1218, 1219, 1220, 1221, 1222,

1223, 1224, 1225, 1226, 1227,
1228, 1229, 1273, 1274, 1275,
1276, 1277, 1278, 1279, 1280,
1281, 1282, 1283, 1284, 1285,
1286, 1287, 1288, 1289, 1290,
1291, 1292, 1293, 1294, 1295,
1296, 1297, 1298, 1299, 1300,
1301, 1302, 1303, 1304, 1305,
1306, 1307, 1308, 1309, 1310,
1311, 1312, 1313, 1314, 1315,
1316, 1317, 1318, 1319, 1320,
1321, 1322, 1323, 1324, 1325,
1326, 1327, 1328, 1329, 1330,
1331, 1332, 1333, 1334, 1335,
1336, 1337, 1338, 1339, 1340,
1341, 1342, 1343, 1344, 1345,
1346, 1347, 1348, 1349, 1350,
1351, 1352, 1353, 1354, 1355,
1356, 1357, 1358, 1359, 1360,
1361, 1362, 1363, 1364, 1365,
1366, 1367, 1368, 1396, 1397,
1398, 1399, 1400, 1401, 1402,
1403, 1404, 1405, 1406, 1407,
1408, 1409, 1410, 1411, 1412,
1413, 1414, 1415, 1416, 1417,
1418, 1419, 1420, 1421, 1422,
1423, 1424, 1425, 1426, 1427,
1428, 1429, 1430, 1431, 1432,
1433, 1434, 1435, 1436, 1437,
1438, 1439, 1440, 1441, 1442,
1443, 1444, 1445, 1446, 1447,
1448, 1449, 1450, 1451, 1452,
1453, 1454, 1455, 1456, 1457,
1458, 1459, 1460, 1461, 1462,
1463, 1464, 1465, 1466, 1467,
1468, 1469, 1470, 1471, 1472,
1473, 1474, 1475, 1476, 1477,
1478, 1479, 1480, 1481, 1482,
1483, 1484, 1485, 1486, 1487,
1488, 1489, 1490, 1491, 1595,
1596, 1597, 1598, 1599, 1600,
1601, 1602, 1603, 1604, 1605,
1606, 1607, 1608, 1609, 1610,
1611, 1612, 1613, 1614, 1615,
1616, 1617, 1618, 1619, 1620,
1621, 1622, 1623, 1624, 1625,
1626, 1627, 1628, 1629, 1630,
1631, 1632, 1633, 1634, 1635,
1636, 1637, 1638, 1639, 1640,
1641, 1642, 1643, 1644, 1645,
1646, 1647, 1648, 1649, 1650,
1651, 1652, 1653, 1654, 1655,
1656, 1657, 1658, 1659, 1660,
1661, 1662, 1663, 1664, 1665,
1666, 1667, 1668, 1669, 1670,
1671, 1672, 1673, 1674, 1675,
1676, 1677, 1678, 1679, 1680,
1681, 1682, 1683, 1684, 1685,
1686, 1687, 1688, 1689, 1690,
1691, 1692, 1693, 1694, 1695,
1696, 1697, 1698, 1699, 1700,
1701, 1702, 1703, 1704, 1705,
1706, 1707, 1708, 1709, 1710,
1711, 1712, 1713, 1714, 1715,
1716, 1717, 1718, 1719, 1787,
1788, 1789, 1790, 1791, 1792,
1793, 1794, 1795, 1796, 1797,
1798, 1799, 1800, 1801, 1802,
1803, 1804, 1805, 1806, 1807,
1808, 1809, 1810, 1811, 1812,
1813, 1814, 1815, 1816, 1817,
1818, 1819, 1820, 1821, 1822,
1823, 1824, 1825, 1826, 1827,
1828, 1829, 1830, 1831, 1832,
1833, 1834, 1835, 1836, 1837,
1838, 1839, 1840, 1841, 1842,
1843, 1844, 1845, 1846, 1847,
1848, 1849, 1850, 1851, 1852,
1853, 1854, 1855, 1856, 1857,
1858, 1859, 1860, 1861, 1862,
1863, 1864, 1865, 1866, 1867,
1868, 1869, 1870, 1871, 1872,
1873, 1874, 1875, 1876, 1877,
1878, 1879, 1880, 1881, 1882,
1883, 1884, 1885, 1886, 1887,
1888, 1889, 1890, 1891, 1892,
1893, 1894, 1895, 1896, 1897,
1898, 1899, 1900, 1901, 1902,
1903, 1904, 1905, 1906, 1907,
1908, 1909, 1910, 1911, 1912,
1913, 1951, 1952, 1953, 1954,
1955, 1956, 1957, 1958, 1959,
1960, 1961, 1962, 1963, 1964,
1965, 1966, 1967, 1968, 1969,
1970, 1971, 1972, 1973, 1974,
1975, 1976, 1977, 1978, 1979,
1980, 1981, 1982, 1983, 1984,
1985, 1986, 1987, 1988, 1989,
1990, 1991, 1992, 1993, 1994,
1995, 1996, 1997, 1998, 1999,
2000, 2001, 2002, 2003, 2004,
2005, 2006, 2007, 2008, 2009,
2010, 2011, 2012, 2013, 2014,
2015, 2016, 2017, 2018, 2019,
2020, 2021, 2022, 2023, 2024,
2025, 2026, 2027, 2028, 2029,
2030, 2031, 2032, 2033, 2034,
2035, 2036, 2037, 2038, 2039,
2040, 2041, 2042, 2043, 2044,
2045, 2046, 2047, 2048, 2049,
2050, 2051, 2052, 2053, 2054,
2055, 2056, 2057, 2058, 2059,
2060, 2061, 2062, 2063, 2064,
2065, 2066, 2067, 2068, 2069,
2070, 2071, 2072, 2073, 2074,
2075, 2076, 2077, 2078, 2149,
2150, 2151, 2152, 2153, 2154,
2155, 2156, 2157, 2158, 2159,
2160, 2161, 2162, 2163, 2164,
2165, 2166, 2167, 2168, 2169,
2170, 2171, 2172, 2173, 2174,
2175, 2176, 2177, 2178, 2179,
2180, 2181, 2182, 2183, 2184,
2185, 2186, 2187, 2188, 2189,

2190, 2191, 2192, 2193, 2194,
2195, 2196, 2197, 2198, 2199,
2200, 2201, 2202, 2203, 2204,
2205, 2206, 2207, 2208, 2209,
2210, 2211, 2212, 2213, 2214,
2215, 2216, 2217, 2218, 2219,
2220, 2221, 2222, 2223, 2224,
2225, 2226, 2227, 2228, 2229,
2230, 2231, 2232, 2233, 2234,
2235, 2236, 2237, 2238, 2239,
2240, 2241, 2242, 2243, 2244,
2245, 2246, 2247, 2248, 2249,
2250, 2251, 2252, 2253, 2254,
2255, 2256, 2257, 2258, 2259,
2260, 2261, 2262, 2263, 2264,
2265, 2266, 2267, 2268, 2269,
2270, 2271, 2272, 2273, 2274,
2275, 2376, 2377, 2378, 2379,
2380, 2381, 2382, 2383, 2384,
2385, 2386, 2387, 2388, 2389,
2390, 2391, 2392, 2393, 2394,
2395, 2396, 2397, 2398, 2399,
2400, 2401, 2402, 2403, 2404,
2405, 2406, 2407, 2408, 2409,
2410, 2411, 2412, 2413, 2414,
2415, 2416, 2417, 2418, 2419,
2420, 2421, 2422, 2423, 2424,
2425, 2426, 2427, 2428, 2429,
2430, 2431, 2432, 2433, 2434,
2435, 2436, 2437, 2438, 2439,
2440, 2441, 2442, 2443, 2444,
2445, 2446, 2447, 2448, 2449,
2450, 2451, 2452, 2453, 2454,
2455, 2456, 2457, 2458, 2459,
2460, 2461, 2462, 2463, 2464,
2465, 2466, 2467, 2468, 2469,
2470, 2471, 2472, 2473, 2474,
2475, 2476, 2477, 2478, 2479,
2480, 2481, 2482, 2483, 2484,
2485, 2486, 2487, 2488, 2489,
2490, 2491, 2492, 2493, 2494,
2495, 2496, 2497, 2498, 2499,
2500, 2547, 2548, 2549, 2550,
2551, 2552, 2553, 2554, 2555,
2556, 2557, 2558, 2559, 2560,
2561, 2562, 2563, 2564, 2565,
2566, 2567, 2568, 2569, 2570,
2571, 2572, 2573, 2574, 2575,
2576, 2577, 2578, 2579, 2580,
2581, 2582, 2583, 2584, 2585,
2586, 2587, 2588, 2589, 2590,
2591, 2592, 2593, 2594, 2595,
2596, 2597, 2598, 2599, 2600,
2601, 2602, 2603, 2604, 2605,
2606, 2607, 2608, 2609, 2610,
2611, 2612, 2613, 2614, 2615,
2616, 2617, 2618, 2619, 2620,
2621, 2622, 2623, 2624, 2625,
2626, 2627, 2628, 2629, 2630,
2631, 2632, 2633, 2634, 2635,
2636, 2637, 2638, 2639, 2640,
2641, 2642, 2643, 2644, 2645,
2646, 2647, 2648, 2649, 2650,
2651, 2652, 2653, 2654, 2655,
2656, 2657, 2658, 2659, 2660,
2661, 2662, 2663, 2664, 2665,
2666, 2667, 2668, 2669, 2737,
2738, 2739, 2740, 2741, 2742,
2743, 2744, 2745, 2746, 2747,
2748, 2749, 2750, 2751, 2752,
2753, 2754, 2755, 2756, 2757,
2758, 2759, 2760, 2761, 2762,
2763, 2764, 2765, 2766, 2767,
2768, 2769, 2770, 2771, 2772,
2773, 2774, 2775, 2776, 2777,
2778, 2779, 2780, 2781, 2782,
2783, 2784, 2785, 2786, 2787,
2788, 2789, 2790, 2791, 2792,
2793, 2794, 2795, 2796, 2797,
2798, 2799, 2800, 2801, 2802,
2803, 2804, 2805, 2806, 2807,
2808, 2809, 2810, 2811, 2812,
2813, 2814, 2815, 2816, 2817,
2818, 2819, 2820, 2821, 2822,
2823, 2824, 2825, 2826, 2827,
2828, 2829, 2830, 2831, 2832,
2833, 2834, 2835, 2836, 2837,
2838, 2839, 2840, 2841, 2842,
2843, 2844, 2845, 2846, 2847,
2848, 2849, 2850, 2851, 2852,
2853, 2854, 2855, 2856, 2857,
2858, 2859, 2924, 2925, 2926,
2927, 2928, 2929, 2930, 2931,
2932, 2933, 2934, 2935, 2936,
2937, 2938, 2939, 2940, 2941,
2942, 2943, 2944, 2945, 2946,
2947, 2948, 2949, 2950, 2951,
2952, 2953, 2954, 2955, 2956,
2957, 2958, 2959, 2960, 2961,
2962, 2963, 2964, 2965, 2966,
2967, 2968, 2969, 2970, 2971,
2972, 2973, 2974, 2975, 2976,
2977, 2978, 2979, 2980, 2981,
2982, 2983, 2984, 2985, 2986,
2987, 2988, 2989, 2990, 2991,
2992, 2993, 2994, 2995, 2996,
2997, 2998, 2999, 3000, 3001,
3002, 3003, 3004, 3005, 3006,
3007, 3008, 3009, 3010, 3011,
3012, 3013, 3014, 3015, 3016,
3017, 3018, 3019, 3020, 3021,
3022, 3023, 3024, 3025, 3026,
3027, 3028, 3029, 3030, 3031,
3032, 3033, 3034, 3035, 3036,
3037, 3038, 3039, 3134, 3135,
3136, 3137, 3138, 3139, 3140,
3141, 3142, 3143, 3144, 3145,
3146, 3147, 3148, 3149, 3150,
3151, 3152, 3153, 3154, 3155,
3156, 3157, 3158, 3159, 3160,
3161, 3162, 3163, 3164, 3165,
3166, 3167, 3168, 3169, 3170,
3171, 3172, 3173, 3174, 3175,
3176, 3177, 3178, 3179, 3180,

3181, 3182, 3183, 3184, 3185, 3186, 3187, 3188, 3189, 3190, 3191, 3192, 3193, 3194, 3195, 3196, 3197, 3198, 3199, 3200, 3201, 3202, 3203, 3204, 3205, 3206, 3207, 3208, 3209, 3210, 3211, 3212, 3213, 3214, 3215, 3216, 3217, 3218, 3219, 3220, 3221, 3222, 3223, 3224, 3225, 3226, 3227, 3228, 3229, 3230, 3231, 3232, 3233, 3234, 3235, 3236, 3237, 3238, 3239, 3240, 3241, 3242, 3243, 3244, 3245, 3246, 3247, 3248, 3249, 3250, 3251, 3252, 3253, 3254, 3255, 3256, 3257, 3258, 3259, 3260, 3304, 3305, 3306, 3307, 3308, 3309, 3310, 3311, 3312, 3313, 3314, 3315, 3316, 3317, 3318, 3319, 3320, 3321, 3322, 3323, 3324, 3325, 3326, 3327, 3328, 3329, 3330, 3331, 3332, 3333, 3334, 3335, 3336, 3337, 3338, 3339, 3340, 3341, 3342, 3343, 3344, 3345, 3346, 3347, 3348, 3349, 3350, 3351, 3352, 3353, 3354, 3355, 3356, 3357, 3358, 3359, 3360, 3361, 3362, 3363, 3364, 3365, 3366, 3367, 3368, 3369, 3370, 3371, 3372, 3373, 3374, 3375, 3376, 3377, 3378, 3379, 3380, 3381, 3382, 3383, 3384, 3385, 3386, 3387, 3388, 3389, 3390, 3391, 3392, 3393, 3394, 3395, 3396, 3397, 3398, 3399, 3400, 3401, 3402, 3403, 3404, 3405, 3406, 3407, 3408, 3409, 3410, 3411, 3412, 3413, 3414, 3415, 3416, 3417, 3418, 3419, 3420, 3421, 3422, 3423, 3424, 3425, 3426, 3427, 3428, 3429, 3430, 3431, 3508, 3509, 3510, 3511, 3512, 3513, 3514, 3515, 3516, 3517, 3518, 3519, 3520, 3521, 3522, 3523, 3524, 3525, 3526, 3527, 3528, 3529, 3530, 3531, 3532, 3533, 3534, 3535, 3536, 3537, 3538, 3539, 3540, 3541, 3542, 3543, 3544, 3545, 3546, 3547, 3548, 3549, 3550, 3551, 3552, 3553, 3554, 3555, 3556, 3557, 3558, 3559, 3560, 3561, 3562, 3563, 3564, 3565, 3566, 3567, 3568, 3569, 3570, 3571, 3572, 3573, 3574, 3575, 3576, 3577, 3578, 3579, 3580, 3581, 3582, 3583, 3584, 3585, 3586, 3587, 3588, 3589, 3590, 3591, 3592, 3593, 3594, 3595, 3596, 3597, 3598, 3599, 3600, 3601, 3602, 3603, 3604, 3605, 3606, 3607, 3608, 3609, 3610, 3611, 3612, 3613, 3614, 3615, 3616, 3617, 3618, 3619, 3620, 3621, 3622, 3623, 3624, 3625, 3626, 3627, 3628, 3629, 3630, 3631, 3632, 3633, 3671, 3672, 3673, 3674, 3675, 3676, 3677, 3678, 3679, 3680, 3681, 3682, 3683, 3684, 3685, 3686, 3687, 3688, 3689, 3690, 3691, 3692, 3693, 3694, 3695, 3696, 3697, 3698, 3699, 3700, 3701, 3702, 3703, 3704, 3705, 3706, 3707, 3708, 3709, 3710, 3711, 3712, 3713, 3714, 3715, 3716, 3717, 3718, 3719, 3720, 3721, 3722, 3723, 3724, 3725, 3726, 3727, 3728, 3729, 3730, 3731, 3732, 3733, 3734, 3735, 3736, 3737, 3738, 3739, 3740, 3741, 3742, 3743, 3744, 3745, 3746, 3747, 3748, 3749, 3750, 3751, 3757

\DeclareMathMeaning 3945, 3946, 3947, 3948, 3949, 3950, 3951, 3952, 3953, 3954, 3955, 3956, 3957, 3958, 3959, 3960, 3961, 3962, 3963, 3964, 3965, 3966, 3967, 3968, 3969, 3970, 3971, 3972, 3973, 3974, 3975, 3976, 3977, 3978, 3979, 3980, 3981, 3982, 3983, 3984, 3985, 3986, 3987, 3988, 3989, 3990, 3991, 3992, 3993, 3994, 3995, 3996, 3997, 3998, 3999, 4000, 4001, 4002, 4003

\DeclareOption 75, 77

\DeclareTextAccentDefault 4010

\DeclareTextCommandDefault 4011

\DeclareTextSymbolDefault 4012

\DeclareUnicodeCharacter . . . 3762, 3763, 3764, 3765, 3766, 3767, 3768, 3769, 3770, 3771, 3772, 3773, 3774, 3775, 3776, 3777, 3778, 3779, 3780, 3781, 3782, 3783, 3784, 3785, 3786, 3787, 3788, 3789, 3790, 3791, 3792, 3793, 3794, 3795, 3796, 3797, 3798, 3799, 3800, 3801, 3802, 3803, 3804, 3805, 3806, 3807, 3808, 3809, 3810, 3811, 3812, 3813, 3814, 3815, 3816, 3817, 3818, 3819, 3820, 3821, 3822, 3823, 3824, 3825, 3826, 3827, 3828, 3829, 3830, 3831, 3832, 3833, 3834, 3835, 3836, 3837, 3838, 3839, 3840, 3841, 3842, 3843, 3844, 3845, 3846, 3847, 3848, 3849, 3850, 3851, 3852, 3853, 3854, 3855, 3856, 3857, 3858, 3859, 3860, 3861, 3862, 3863, 3864, 3865, 3866, 3867, 3868, 3869, 3870, 3871, 3872, 3873, 3874, 3875, 3876, 3877,

3878, 3879, 3880, 3881, 3882, 3883, 3884, 3885, 3886, 3887, 3888, 3889, 3890, 3891, 3892, 3893, 3894, 3895, 3896, 3897, 3898, 3899, 3900, 3901, 3902, 3903, 3904, 3905, 3906, 3907, 3908, 3909, 3910, 3911, 3912, 3913, 3914, 3915, 3916, 3917, 3918, 3919, 3920, 3921, 3922, 3923, 3924, 3925, 3926, 3927, 3928
\Delta 3090, 3281, 3965
\delta 1527, 2311, 3954
\DH 277, 937, 1321, 1868, 2230, 2812, 3524, 4027
\dh 309, 969, 1353, 1867, 2229, 2844, 3610, 4043
\diamond 3105, 3290, 3974
\div 3960
\DJ 404, 669, 899, 1444, 2032, 2622, 4028
\dj 436, 701, 915, 1476, 2031, 2654, 4044
\do 85
\downarrow 3961

E

\endcsname 13, 18, 38, 63
\endinput 64
\endlinechar 46, 52
\ensuremath 191, 197, 200, 203, 206, 209, 212, 215, 218, 221, 224, 348, 354, 469, 481, 484, 487, 490, 493, 607, 616, 740, 746, 749, 752, 755, 758, 761, 764, 767, 770, 773, 882, 999, 1005, 1008, 1011, 1014, 1017, 1020, 1023, 1026, 1029, 1032, 1241, 1250, 1253, 1256, 1259, 1262, 1265, 1268, 1388, 1394, 1497, 1500, 1503, 1506, 1509, 1512, 1515, 1524, 1527, 1533, 1536, 1542, 1545, 1548, 1551, 1554, 1557, 1560, 1563, 1566, 1572, 1575, 1578, 1581, 1584, 1587, 1590, 1746, 1755, 1758, 1761, 1764, 1767, 1770, 1773, 1776, 1779, 1782, 1940, 1946, 1949, 2105, 2117, 2120, 2123, 2126, 2129, 2132, 2135, 2138, 2141, 2144, 2281, 2284, 2287, 2290, 2293, 2296, 2299, 2308, 2311, 2317, 2320, 2326, 2329, 2332, 2335, 2338, 2341, 2344, 2347, 2350, 2356, 2359, 2362, 2365, 2368, 2371, 2374, 2527, 2536, 2539, 2542, 2545, 2693, 2705, 2708, 2711, 2714, 2717, 2720, 2723, 2726, 2729, 2732, 2886, 2895, 2898, 2901, 2904, 2907, 2910, 2913, 2916, 2919, 2922, 3045, 3051, 3072, 3087, 3090, 3093, 3096, 3099, 3102, 3105, 3108, 3111, 3114, 3117, 3120, 3123, 3126, 3129, 3272, 3278, 3281, 3284, 3287, 3290, 3293, 3296, 3299, 3302, 3476, 3479, 3482, 3485, 3488, 3491, 3494, 3497, 3500, 3503, 3645, 3648, 3651, 3654, 3657, 3660, 3663, 3666
\equiv 1536, 2320, 3957

F

\fontsize 1380
\frac 203, 206, 215, 484, 752, 755, 764, 1011, 1014, 1023, 1563, 1566, 1761, 1764, 1773, 2123, 2126, 2135, 2347, 2350, 2711, 2714, 2723, 2901, 2904, 2913, 3482, 3485, 3494, 3651, 3654, 3980, 3981, 4000

G

\Gamma 1497, 2281, 3963
\geq 1542, 2326, 3087, 3278, 3964
\guillemotleft 240, 789, 1045, 1284, 1407, 1640, 1833, 1997, 2195, 2421, 2585, 2775, 2955, 3205, 3375, 3551, 3679, 4045
\guillemotright 256, 805, 1061, 1300, 1423, 1641, 1834, 1998, 2196, 2601, 2791, 2971, 3206, 3376, 3567, 3689, 4046
\guilsinglleft 2555, 2747, 2931, 3226, 3396, 3552, 4047
\guilsinglright 2569, 2760, 2943, 3227, 3397, 3553, 4048

H

\H 330, 409, 415, 441, 447, 1449, 1452, 1481, 1484, 1919, 1961, 1962, 2058, 2074, 2506, 2627, 2633, 2659, 2665, 3048, 3380, 3382, 3420, 3421, 3437, 4029
\hbox 1378
\hidewidth 1377, 1383
\hmode@bgroup 1374

I

\i 305, 306, 307, 308, 433, 434, 518, 565, 566, 567, 568, 642, 698, 699, 700, 854, 855, 856, 857, 871, 910, 911, 966, 967, 968, 1112, 1210, 1211, 1212, 1213, 1349, 1350, 1351, 1352, 1472, 1473, 1474, 1475, 1606, 1607, 1608, 1628, 1798, 1799, 1800, 1820, 1872, 1963, 1984, 2160, 2161, 2162, 2182, 2387, 2388, 2389, 2409, 2651, 2652, 2840, 2841, 2842, 2843, 3022, 3152, 3153, 3154, 3155, 3250, 3322, 3356, 3604, 3606, 3608, 3609, 3625, 3735, 3736, 3737, 3738, 3785, 3787, 4049
\IEX@DoLookup 15, 44
\IEX@enclist 76, 78, 79, 81, 85
\IEX@LookupEncoding 7, 86, 94
\IEX@mathtrue 75

\IEX@temp . 56, 57, 58, 59, 60, 61, 63, 67
\IfFileExists 26, 47, 61, 114
\ifIEX@math 74, 112
\ifx 20, 58, 78, 87, 95, 98, 103
\IJ 4030
\ij 4050
\infty 1545, 2329, 3093, 3966
\input 48, 50, 115, 117
\InputEncoding 93
\inputencoding 97
\InputenxAlias .. 55, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162
\int 3096, 3967

J

\j 4051

K

\k 357, 373, 374, 398, 430, 622, 638, 639, 660, 663, 678, 692, 695, 710, 891, 907, 928, 931, 946, 960, 963, 978, 1066, 1067, 1072, 1090, 1098, 1099, 1104, 1122, 1397, 1398, 1457, 1489, 1987, 1988, 1991, 1992, 2065, 2579, 2592, 2599, 2616, 2648, 2945, 2976, 2977, 2982, 3000, 3008, 3009, 3014, 3032, 3259, 3308, 3312, 3338, 3347, 3351, 3352, 3422, 3423, 3586, 3788, 3789, 3813, 3814, 3848, 4052

L

\L 359, 1091, 1399, 1980, 2577, 3001, 3428, 3612, 4031
\l 375, 1123, 1415, 1959, 2593, 3033, 3360, 3628, 4053
\langle 3969
\lbrace 3958
\leftarrow 3970
\leq 1551, 2335, 3099, 3284, 3971
\LICRcmd .. 4008, 4019, 4020, 4021, 4022, 4023, 4024, 4025, 4026, 4027, 4028, 4029, 4030, 4031, 4032, 4033, 4034, 4035, 4036, 4037, 4038, 4039, 4040, 4041, 4042, 4043, 4044, 4045, 4046, 4047, 4048, 4049, 4050, 4051, 4052, 4053, 4054, 4055, 4056, 4057, 4058, 4059, 4060, 4061, 4062, 4063, 4064, 4065, 4066, 4067, 4068, 4069, 4070, 4071, 4072, 4073, 4074, 4075, 4076, 4077, 4078, 4079, 4080, 4081, 4082, 4083, 4084, 4085, 4086, 4087, 4088, 4089, 4090, 4091, 4092, 4093, 4094, 4095, 4096, 4097, 4098, 4099, 4100, 4101, 4102, 4103, 4104, 4105, 4106, 4107
\lnot 197, 746, 1005, 1250, 1554, 1755, 1946, 2117, 2338, 2536, 2705, 2895, 3102, 3287, 3476, 3972, 3973

M

\math@fontsfalse 1381
\mathdollar 3955
\mathellipsis 3962
\mathparagraph 3984
\mathsection 3992
\mathsterling 3995
\MessageBreak 22, 28, 29, 33, 34, 67, 68
\mu 200, 481, 749, 1008, 1253, 1557, 1758, 2120, 2341, 2539, 2708, 2898, 3108, 3479, 3648, 3975

N

\NeedsTeXFormat 2
\neq 3111, 3293, 3976
\newcommand 93
\newif 74
\nfss@text 3950
\NG 650, 905, 4032
\ng 652, 920, 4054
\nobreakspace 229, 356, 495, 621, 778, 890, 1034, 1134, 1273, 1396, 1719, 1913, 2078, 2275, 2500, 2574, 2764, 2946, 3208, 3378, 3508, 3762, 4055
\null 1376

O

\O 285, 677, 834, 945, 1042, 1190, 1329, 1816, 2178, 2405, 2820, 2952, 3181, 3613, 3716, 4033
\o 317, 709, 866, 977, 1058, 1222, 1361, 1814, 2176, 2403, 2852, 2968, 3197, 3629, 3746, 4056
\OE 1301, 1424, 2748, 3212, 3614, 3715, 4034
\oe 1302, 1425, 2761, 3213, 3630, 3745, 4057
\Omega ... 1500, 2284, 3045, 3978, 3979
\ooalign 1375

P

\PackageError 32
\PackageInfo 27
\PackageWarning 21, 66
\partial 3114, 3296, 3985
\PassOptionsToPackage 89, 98, 100, 105
\Phi 1503, 2287, 3986
\phi 1572, 2356, 3987
\Pi 3123
\pi 1575, 2359, 3117, 3988
\pm 212, 761, 1020, 1259, 1394, 1578, 1770, 2132, 2362, 2542, 2720, 2910, 3120, 3491, 3660
\ProcessOptions 84
\prod 3989
\providecommand 5, 6

\ProvidesFile 122, 165, 170, 327, 454, 586, 719, 876, 987, 1132, 1232, 1371, 1494, 1722, 1916, 2081, 2278, 2503, 2672, 2862, 3042, 3263, 3434, 3636, 3760, 3931, 3935, 3939, 3943
\ProvidesPackage 3
\ProvideTextCommandDefault . 172, 175, 178, 181, 184, 187, 190, 193, 196, 199, 202, 205, 208, 211, 214, 217, 220, 223, 226, 329, 332, 335, 338, 341, 344, 347, 350, 353, 456, 459, 462, 465, 468, 471, 474, 477, 480, 483, 486, 489, 492, 588, 591, 594, 597, 600, 603, 606, 609, 612, 615, 618, 721, 724, 727, 730, 733, 736, 739, 742, 745, 748, 751, 754, 757, 760, 763, 766, 769, 772, 775, 878, 881, 884, 887, 989, 992, 995, 998, 1001, 1004, 1007, 1010, 1013, 1016, 1019, 1022, 1025, 1028, 1031, 1234, 1237, 1240, 1243, 1246, 1249, 1252, 1255, 1258, 1261, 1264, 1267, 1270, 1373, 1387, 1390, 1393, 1496, 1499, 1502, 1505, 1508, 1511, 1514, 1517, 1520, 1523, 1526, 1529, 1532, 1535, 1538, 1541, 1544, 1547, 1550, 1553, 1556, 1559, 1562, 1565, 1568, 1571, 1574, 1577, 1580, 1583, 1586, 1589, 1592, 1724, 1727, 1730, 1733, 1736, 1739, 1742, 1745, 1748, 1751, 1754, 1757, 1760, 1763, 1766, 1769, 1772, 1775, 1778, 1781, 1784, 1918, 1921, 1924, 1927, 1930, 1933, 1936, 1939, 1942, 1945, 1948, 2083, 2086, 2089, 2092, 2095, 2098, 2101, 2104, 2107, 2110, 2113, 2116, 2119, 2122, 2125, 2128, 2131, 2134, 2137, 2140, 2143, 2146, 2280, 2283, 2286, 2289, 2292, 2295, 2298, 2301, 2304, 2307, 2310, 2313, 2316, 2319, 2322, 2325, 2328, 2331, 2334, 2337, 2340, 2343, 2346, 2349, 2352, 2355, 2358, 2361, 2364, 2367, 2370, 2373, 2505, 2508, 2511, 2514, 2517, 2520, 2523, 2526, 2529, 2532, 2535, 2538, 2541, 2544, 2674, 2677, 2680, 2683, 2686, 2689, 2692, 2695, 2698, 2701, 2704, 2707, 2710, 2713, 2716, 2719, 2722, 2725, 2728, 2731, 2734, 2864, 2867, 2870, 2873, 2876, 2879, 2882, 2885, 2888, 2891, 2894, 2897, 2900, 2903, 2906, 2909, 2912, 2915, 2918, 2921, 3044, 3047, 3050, 3053, 3056, 3059, 3062, 3065, 3068, 3071, 3074, 3077, 3080, 3083, 3086, 3089, 3092, 3095, 3098, 3101, 3104, 3107, 3110, 3113, 3116, 3119, 3122, 3125, 3128, 3131, 3265, 3268, 3271, 3274, 3277, 3280, 3283, 3286, 3289, 3292, 3295, 3298, 3301, 3436, 3439, 3442, 3445, 3448, 3451, 3454, 3457, 3460, 3463, 3466, 3469, 3472, 3475, 3478, 3481, 3484, 3487, 3490, 3493, 3496, 3499, 3502, 3505, 3638, 3641, 3644, 3647, 3650, 3653, 3656, 3659, 3662, 3665, 3668, 3754

Q

\quotedblbase . . . 1039, 1401, 2549, 2740, 2926, 3233, 3403, 3565, 4058
\quotesinglbase 2548, 2738, 2925, 3232, 3402, 3564, 4059

R

\r 266, 298, 413, 445, 658, 690, 815, 847, 926, 958, 1071, 1103, 1171, 1203, 1310, 1342, 1601, 1610, 1793, 1802, 1956, 2045, 2155, 2164, 2382, 2391, 2631, 2663, 2801, 2833, 2981, 3013, 3135, 3146, 3256, 3417, 3419, 3514, 3582, 3598, 3698, 3728, 3847, 4060
\raise 1378
\rangle 3990
\rbrace 3959
\RequirePackage 92, 113
\rightarrow 3991

S

\selectfont 1381
\Sigma . . . 1506, 2290, 3126, 3299, 3993
\sigma 1581, 2365, 3994
\SS 4035
\ss 292, 419, 553, 684, 841, 952, 1097, 1197, 1336, 1459, 1691, 1884, 2048, 2246, 2472, 2637, 2827, 3007, 3173, 3343, 3631, 3722, 3945, 4061
\ssf@size 1380
\sum 3996
\surd 1584, 2368, 3129, 3302, 3997

T

\t 4062
\tau 1587, 2371, 3998
\textacutedbl 329, 385, 1918, 2064, 2505, 2603, 3047, 3258, 3436, 3585
\textalpha 1511, 1690, 2295, 2471, 3854, 3946
\textapplelogo 3754, 3755, 3757
\textapproxequal 1514, 1711, 2298, 2492, 3050, 3203, 3872, 3947
\textasciiacute 172, 249, 332, 376, 456, 513, 591, 641, 721, 798,

1724, 1898, 1921, 2062, 2083, 2260, 2508, 2594, 2674, 2784, 2864, 2964, 3053, 3177, 3439, 3574
\textasciibreve 335, 358, 459, 497, 1924, 2067, 2511, 2576, 3056, 3254, 3442, 3578
\textasciicaron 338, 379, 594, 644, 1927, 2066, 2514, 2575, 2867, 2933, 3059, 3260, 3265, 3431, 3445, 3587
\textasciicircum 2744, 3251, 3575, 4063
\textasciidieresis 175, 237, 341, 364, 462, 502, 597, 629, 724, 786, 1727, 1907, 1930, 2072, 2086, 2269, 2517, 2582, 2677, 2772, 2870, 2932, 3062, 3178, 3268, 3348, 3448, 3580
\textasciigrave 3451, 3573, 3845
\textasciimacron . . 178, 244, 600, 636, 727, 793, 1234, 1288, 1730, 1897, 2089, 2259, 2680, 2779, 2873, 2944, 3065, 3253, 3454, 3577
\textasciitilde 2757, 3252, 3576, 4064
\textasteriskcentered 4065
\textbackslash 4066
\textbar 4067
\textbardbl 3948, 4068
\textbigcircle 4069
\textblacksquare 1517, 1718, 1733, 1912, 1933, 2077, 2092, 2274, 2301, 2499, 3877
\textblock 1685, 1878, 2042, 2240, 2466, 3923
\textbraceleft 3958, 4070
\textbraceright 3959, 4071
\textbrokenbar 181, 182, 235, 730, 731, 784, 989, 990, 1040, 1736, 1737, 1880, 2095, 2096, 2242, 2520, 2521, 2580, 2683, 2684, 2770, 2876, 2877, 2950, 3457, 3458, 3561
\textbullet 1713, 2494, 2564, 2754, 2939, 3171, 3341, 3563, 3867, 3949, 4072
\textcent 184, 185, 231, 733, 734, 780, 992, 993, 1036, 1237, 1238, 1275, 1520, 1521, 1622, 1739, 1740, 1848, 2098, 2099, 2210, 2686, 2687, 2766, 2879, 2880, 2947, 3068, 3069, 3168, 3460, 3461, 3542, 3638, 3639, 3672
\textcircled 4073
\textcommabelow . 1373, 1406, 1422, 1458, 1490, 3841, 3842, 3843, 3844
\textcompwordmark 4074
\textcopyright 238, 787, 1043, 1143, 1282, 1405, 1843, 2205, 2583, 2773, 2953, 3175, 3345, 3540, 3677, 3950, 4075
\textcurrency 187, 188, 233, 344, 345, 360, 465, 466, 499, 603, 604, 625, 736, 737, 782, 995, 996, 1038, 1742, 1743, 1866, 1936, 1937, 2030, 2101, 2102, 2228, 2304, 2305, 2422, 2523, 2524, 2578, 2689, 2690, 2768, 2882, 2883, 2949, 3463, 3464, 3548, 3641, 3642, 3676
\textdagger 2551, 2742, 2928, 3166, 3336, 3558, 3951, 4076
\textdaggerdbl 2552, 2743, 2929, 3230, 3559, 3952, 4077
\textdegree 190, 245, 347, 372, 468, 509, 606, 637, 739, 794, 881, 906, 998, 1050, 1240, 1289, 1387, 1412, 1523, 1712, 1745, 1906, 1939, 2071, 2104, 2268, 2307, 2493, 2526, 2590, 2692, 2780, 2885, 2960, 3071, 3167, 3271, 3337, 3644, 3680, 3953
\textdelta 1526, 1701, 2310, 2482, 3855, 3954
\textdiv 193, 194, 316, 350, 351, 443, 471, 472, 575, 609, 610, 708, 742, 743, 865, 1001, 1002, 1121, 1243, 1244, 1360, 1529, 1530, 1710, 1748, 1749, 1904, 1942, 1943, 2069, 2107, 2108, 2266, 2313, 2314, 2491, 2529, 2530, 2661, 2695, 2696, 2851, 2888, 2889, 3031, 3074, 3075, 3220, 3274, 3275, 3390, 3466, 3467, 3539, 3960
\textdkshade 1644, 1837, 2001, 2199, 2425, 3928
\textdnblock 1686, 1879, 2043, 2241, 2467, 3922
\textdollar 3955, 4078
\textdownarrow 3961
\textellipsis 2550, 2741, 2927, 3207, 3377, 3568, 3962, 4079
\textemdash 2566, 2756, 2941, 3215, 3385, 3588, 4080
\textendash 2565, 2755, 2940, 3214, 3384, 3557, 4081
\textepsilon 1532, 1704, 2316, 2485, 3856, 3956
\textequivalence 1535, 1706, 2319, 2487, 3874, 3957
\texteuro 1246, 1247, 1277, 1390, 1391, 1400, 2110, 2111, 2234, 2532, 2533, 2547, 2698, 2699, 2737, 2891, 2892, 2924, 3077, 3078, 3225
\textexclamdown 230, 779, 1274, 1639, 1832, 2194, 2420, 2765, 3199, 3541, 3671, 4082
\textflorin 1538, 1626, 1751, 1818, 2113, 2180, 2322, 2407, 2701, 2739, 3080, 3202, 3469, 3546
\textfractionsolidus 3083, 3224, 3472, 3544
\textGamma 1496, 1692, 2280, 2473, 3849, 3963

\textgreater 4083
\textgreaterequal 1541, 1708, 2325, 2489, 3086, 3185, 3277, 3355, 3876, 3964
\textincrement 3089, 3204, 3280, 3374, 3864, 3965
\textinfinity 1544, 1702, 2328, 2483, 3092, 3182, 3869, 3966
\textintegral . . 3095, 3192, 3871, 3967
\textintersection 1547, 1705, 2331, 2486, 3870, 3968
\textit 1539, 1752, 2114, 2323, 2702, 3081, 3470
\textkra 612, 613, 623, 884, 885, 984, 3794
\textlangle 3969
\textleftarrow 3970
\textless 4084
\textlessequal 1550, 1709, 2334, 2490, 3098, 3184, 3283, 3354, 3875, 3971
\textlfblock 1687, 2468, 3924
\textlnot 196, 241, 745, 790, 1004, 1046, 1249, 1285, 1553, 1636, 1754, 1829, 1945, 1993, 2116, 2191, 2337, 2417, 2535, 2586, 2704, 2776, 2894, 2956, 3101, 3200, 3286, 3370, 3475, 3570, 3972
\textlogicalnot 3973
\textlozenge 3104, 3221, 3289, 3391, 3878, 3974
\textltshade 1642, 1835, 1999, 2197, 2423, 3926
\textmalteseH 474, 475, 496, 3782
\textmalteseh 477, 478, 510, 3783
\textmu . . . 199, 250, 480, 514, 748, 799, 1007, 1055, 1252, 1294, 1556, 1696, 1757, 1889, 2119, 2251, 2340, 2477, 2538, 2595, 2707, 2785, 2897, 2965, 3107, 3187, 3478, 3537, 3647, 3684, 3975
\textnotequal 3110, 3179, 3292, 3349, 3873, 3976
\textnsuperior 1559, 1716, 2343, 2497, 3861, 3977
\textogonekcentered 4085
\textohm 3978
\textOmega 1499, 1700, 2283, 2481, 3044, 3195, 3853, 3979
\textonehalf 202, 258, 483, 522, 751, 807, 1010, 1063, 1562, 1637, 1760, 1830, 2122, 2192, 2346, 2418, 2710, 2793, 2900, 2973, 3481, 3591, 3650, 3691, 3980
\textonequarter 205, 257, 754, 806, 1013, 1062, 1565, 1638, 1763, 1831, 2125, 2193, 2349, 2419, 2713, 2792, 2903, 2972, 3484, 3590, 3653, 3690, 3981
\textonesuperior 208, 254, 757, 803, 1016, 1059, 1255, 1298, 1766, 1909, 2128, 2271, 2716, 2789, 2906, 2969, 3487, 3572, 3656, 3687, 3982
\textopenbullet 3983
\textordfeminine 239, 788, 1283, 1633, 1825, 2187, 2414, 2774, 3193, 3607, 3678, 4086
\textordmasculine 255, 804, 1299, 1634, 1826, 2188, 2415, 2790, 3194, 3615, 3688, 4087
\textparagraph 251, 800, 1056, 1156, 1295, 1418, 1902, 2264, 2596, 2786, 2966, 3172, 3342, 3562, 3685, 3984, 4088
\textpartial 3113, 3188, 3295, 3358, 3863, 3985
\textperiodcentered 252, 516, 801, 913, 1057, 1296, 1419, 1714, 1908, 2270, 2495, 2597, 2787, 2967, 3231, 3560, 3686, 4089
\textpertenthousand 4090
\textperthousand 2553, 2745, 2930, 3234, 3569, 4091
\textpeseta 1568, 1625, 2352, 2406, 3862
\textPhi 1502, 1698, 2286, 2479, 3852, 3986
\textphi 1571, 1703, 2355, 2484, 3860, 3987
\textpi 1574, 1693, 2358, 2474, 3116, 3191, 3857, 3988
\textpm 211, 246, 760, 795, 1019, 1051, 1258, 1290, 1393, 1413, 1577, 1707, 1769, 1900, 2131, 2262, 2361, 2488, 2541, 2591, 2719, 2781, 2909, 2961, 3119, 3183, 3490, 3589, 3659, 3681
\textproduct . . . 3122, 3190, 3865, 3989
\textquestiondown 260, 809, 1304, 1635, 1827, 2189, 2416, 2795, 3198, 3571, 3692, 4092
\textquotedbl 4093
\textquotedblleft . . . 1054, 2562, 2752, 2937, 3216, 3386, 3550, 4094
\textquotedblright 1035, 1417, 2563, 2753, 2938, 3217, 3387, 3566, 4095
\textquoteleft 2560, 2750, 2935, 3218, 3388, 4096
\textquoteright 1129, 2561, 2751, 2936, 3219, 3389, 3549, 4097
\textrangle 3990
\textregistered . . 243, 792, 1048, 1148, 1287, 1828, 2190, 2588, 2778, 2958, 3174, 3344, 3556, 4098
\textrightarrow 3991
\textrtblock 1688, 2469, 3925
\textsection 236, 363, 501, 628, 785, 897, 1041, 1141, 1280, 1403, 1903, 2068, 2265, 2581, 2771, 2951, 3170, 3340, 3547, 3675, 3992, 4099
\textSFi 1684, 1877, 2041, 2239, 2465, 3883

\textSFii 1658, 1851, 2015, 2213, 2439, 3885
\textSFiii 1657, 1850, 2014, 2212, 2438, 3884
\textSFiv 1683, 1876, 2040, 2238, 2464, 3886
\textSFix 1646, 1839, 2003, 2201, 2427, 3888
\textSFl 1678, 2459, 3900
\textSFli 1679, 2460, 3894
\textSFlii 1680, 2461, 3895
\textSFliii 1681, 2462, 3919
\textSFliv 1682, 2463, 3918
\textSFv 1663, 1856, 2020, 2218, 2444, 3891
\textSFvi 1660, 1853, 2017, 2215, 2441, 3889
\textSFvii 1659, 1852, 2016, 2214, 2440, 3890
\textSFviii 1661, 1854, 2018, 2216, 2442, 3887
\textSFx 1662, 1855, 2019, 2217, 2443, 3881
\textSFxi 1645, 1838, 2002, 2200, 2426, 3882
\textSFxix 1647, 2428, 3909
\textSFxl 1668, 1861, 2025, 2223, 2449, 3917
\textSFxli 1669, 1862, 2026, 2224, 2450, 3914
\textSFxlii 1670, 1863, 2027, 2225, 2451, 3908
\textSFxliii 1671, 1864, 2028, 2226, 2452, 3892
\textSFxliv 1672, 1865, 2029, 2227, 2453, 3920
\textSFxlix 1677, 2458, 3901
\textSFxlv 1673, 2454, 3915
\textSFxlvi 1674, 2455, 3916
\textSFxlvii 1675, 2456, 3912
\textSFxlviii 1676, 2457, 3913
\textSFxx 1648, 2429, 3910
\textSFxxi 1649, 2430, 3898
\textSFxxii 1650, 2431, 3897
\textSFxxiii 1651, 1844, 2008, 2206, 2432, 3911
\textSFxxiv 1652, 1845, 2009, 2207, 2433, 3893
\textSFxxv 1653, 1846, 2010, 2208, 2434, 3899
\textSFxxvi 1654, 1847, 2011, 2209, 2435, 3905
\textSFxxvii 1655, 2436, 3904
\textSFxxviii 1656, 2437, 3903
\textSFxxxix 1667, 1860, 2024, 2222, 2448, 3896
\textSFxxxvi 1664, 2445, 3906
\textSFxxxvii 1665, 2446, 3907
\textSFxxxviii 1666, 1859, 2023, 2221, 2447, 3902
\textshade 1643, 1836, 2000, 2198, 2424, 3927
\textSigma 1505, 1694, 2289, 2475, 3851, 3993
\textsigma 1580, 1695, 2364, 2476, 3858, 3994
\textsterling 232, 498, 781, 1037, 1137, 1276, 1623, 1815, 2177, 2404, 2767, 2948, 3169, 3339, 3543, 3673, 3995, 4100
\textsummation 3125, 3189, 3298, 3359, 3866, 3996
\textsurd . 1583, 1715, 2367, 2496, 3128, 3201, 3301, 3371, 3868, 3997
\TextSymbolUnavailable 182, 185, 188, 194, 227, 345, 351, 466, 472, 475, 478, 589, 604, 610, 613, 619, 731, 734, 737, 743, 776, 879, 885, 888, 990, 993, 996, 1002, 1238, 1244, 1247, 1271, 1391, 1521, 1530, 1593, 1737, 1740, 1743, 1749, 1785, 1937, 1943, 2096, 2099, 2102, 2108, 2111, 2147, 2305, 2314, 2521, 2524, 2530, 2533, 2684, 2687, 2690, 2696, 2699, 2735, 2877, 2880, 2883, 2889, 2892, 3069, 3075, 3078, 3132, 3275, 3458, 3461, 3464, 3467, 3506, 3639, 3642, 3669, 3755
\texttau 1586, 1697, 2370, 2478, 3859, 3998
\textTheta 1508, 1699, 2292, 2480, 3850, 3999
\textthreequarters 214, 259, 763, 808, 1022, 1064, 1772, 1901, 2134, 2263, 2722, 2794, 2912, 2974, 3493, 3592, 4000
\textthreesuperior 217, 248, 486, 512, 766, 797, 1025, 1053, 1261, 1292, 1775, 1910, 2137, 2272, 2725, 2783, 2915, 2963, 3496, 3584, 3662, 3683, 4001
\texttimes 220, 284, 353, 411, 489, 545, 615, 676, 769, 833, 1028, 1089, 1264, 1328, 1778, 1817, 1948, 1981, 2140, 2179, 2544, 2629, 2728, 2819, 2918, 2999, 3499, 3538
\texttrademark 2567, 2758, 2942, 3176, 3346, 4101
\textTstroke 588, 589, 633, 878, 879, 901, 3805
\texttstroke 618, 619, 649, 887, 888, 917, 3806
\texttwosuperior 223, 247, 492, 511, 772, 796, 1031, 1052, 1267, 1291, 1589, 1717, 1781, 1911, 2143, 2273, 2373, 2498, 2731, 2782, 2921, 2962, 3502, 3581, 3665, 3682, 4002
\textunderscore 4102
\textuparrow 4003

\textupblock 1689, 1882, 2046, 2244, 2470, 3921
\textvisiblespace 4103
\textyen 226, 227, 234, 775, 776, 783, 1270, 1271, 1278, 1592, 1593, 1624, 1784, 1785, 1849, 2146, 2147, 2211, 2734, 2735, 2769, 3131, 3132, 3186, 3505, 3506, 3545, 3668, 3669, 3674
\TH 291, 951, 1335, 1891, 2253, 2826, 3536, 4036
\th 323, 983, 1367, 1890, 2252, 2858, 3632, 4104
\Theta 1509, 2293, 3999
\times 221, 354, 490, 616, 770, 1029, 1265, 1779, 1949, 2141, 2545, 2729, 2919, 3500

U

\u 336, 391, 423, 460, 505, 520, 551, 581, 826, 858, 1431, 1463, 1925, 2021, 2022, 2512, 2609, 2641, 3057, 3443, 3811, 3812, 4105
\uparrow 4003

V

\v 339, 361, 365, 367, 370, 377, 381, 383, 386, 396, 400, 403, 406, 412, 428, 432, 435, 438, 444, 595, 630, 635, 646, 651, 661, 693, 900, 902, 916, 918, 929, 961, 1074, 1082, 1096, 1106, 1114, 1128, 1279, 1281, 1293, 1297, 1402, 1404, 1414, 1416, 1420, 1421, 1928, 1972, 1973, 1978, 1979, 1982, 1989, 1990, 1995, 2006, 2033, 2035, 2036, 2039, 2052, 2053, 2054, 2075, 2076, 2515, 2554, 2557, 2558, 2568, 2571, 2572, 2602, 2604, 2614, 2618, 2621, 2624, 2630, 2646, 2650, 2653, 2656, 2662, 2746, 2749, 2759, 2762, 2868, 2984, 2992, 3006, 3016, 3024, 3038, 3060, 3266, 3313, 3315, 3321, 3323, 3333, 3334, 3363, 3364, 3373, 3379, 3395, 3398, 3401, 3404, 3408, 3409, 3411, 3412, 3446, 4106
\varepsilon 1533, 2317, 3956
\Vert 3948
\vrule . . . 1518, 1734, 1934, 2093, 2302

Z

\z@ 1380