The dottex package*

Lars Kotthoff metalhead.ws

April 2, 2006

1 Introduction

This package allows you to include dot and neato graphs in your LaTeX documents. The dot/neato code is extracted from the document and written to .dot/.neato files. Then, if shell escape is used, the graph files are automatically processed and converted to PostScript files, which will then be included. If shell escape isn't used, the user will have to manually convert the files.

Shell escape is available in the web2c TEX compiler, it allows the execution of shell code during the compilation of a TEX document. It's disabled by default, you'll have to edit your configuration files or give the -shell-escape option to latex. A check is performed whether shell escape really works, so you might get warnings that the .dot/.neato files need to be converted manually although you enabled shell escape.

2 Requirements

To use dottex, you'll need the graphicx, keyval and moreverb packages, ps2epsi and epstopdf if you want to use the pdf option, and of course, dot / neato.

3 Usage

To load the package, simply \usepackage{dottex} in your document preamble. Options that can be passed to the package are

 $[\langle shell \rangle]$ Use shell escape to automatically generate the graphs from the dot source files. This is the default.

 $[\langle noshell \rangle]$ Don't use shell escape, graphs must be generated manually.

 $[\langle miktex \rangle]$ We're using mikTeX.

 $[\langle pdf \rangle]$ PDF output, generate .pdf files of the graphs out of .ps.

The following environments can be used to include graphs: Within this environment, you can specify arbitrary dot code, for example

dotpic

^{*}This document corresponds to dottex v0.5, dated 2006/04/02.

```
a -> b;
b -> a;.
The digraph preamble and the surrounding braces are inserted automatically.

Within this environment, you can specify arbitrary neato code, for example a -- b;
b -- a;.
```

The graph preamble and the surrounding braces are inserted automatically. For both environments, you may specify width or height of the picture using $[\text{width}=\langle width \rangle]$ or $[\text{height}=\langle height \rangle]$ as in the includegraphics command.

4 Implementation

4.1 Initialization

```
1 \newif\ifShellEscape
 2 \newif\ifmiktex \miktexfalse
 3 \newif\ifpdf \pdffalse
5 \DeclareOption{shell}{\ShellEscapetrue}
 6 \DeclareOption{noshell}{\ShellEscapefalse}
 7 \DeclareOption{miktex}{\global\miktextrue}
 8 \DeclareOption{pdf}{\pdftrue}
10 \ExecuteOptions{shell}
11 \ProcessOptions\relax
12 %% test if shell escape really works
13 \ifShellEscape
14
      \label{tmpfile} $$ \def\tmpfile{\tmp/w18-test-\theta\vear\theta\north\the\day\theta\the\time} $$
15
       \ifmiktex
           \immediate\write18{rem >"\tmpfile"}
16
17
           \immediate\write18{touch \tmpfile}
18
19
20
       \ifmiktex
           \IfFileExists{\tmpfile.}{\ShellEscapetrue}{\ShellEscapefalse}
21
22
           \IfFileExists{\tmpfile}{\ShellEscapetrue}{\ShellEscapefalse}
23
24
       \fi
25 \fi
26
27 \ifShellEscape
       \PackageInfo{dottex}
28
       {Automatically converting dot/neato files}
29
30 \else
       \PackageWarningNoLine{dottex}
31
           {Shell escape not enabled.\MessageBreak
           You'll need to convert the graphs yourself.}
33
34 \fi
35 \newcounter{fignum}
```

4.2 .dot/.neato write out

36 \def\figname{\jobname-dottex-fig\thefignum}

```
37
38 \def\dotverbatimwrite#1{%
      \def\BeforeStream
39
      {\message{Opening Dot stream=\figname.dot}%
40
          \immediate\write\verbatim@out{\string digraph\space G\space {/*}*/}
41
42
      \@bsphack
43
      \immediate\openout \verbatim@out #1
44
45
      \BeforeStream%
      \let\do\@makeother\dospecials
46
      \catcode'\^^M\active
47
      \def\verbatim@processline{%
48
          \immediate\write\verbatim@out
49
50
          {\the\verbatim@line}}%
      \verbatim@start}
51
52 \def\enddotverbatimwrite{%
      \immediate\write\verbatim@out{/*{*/}}
53
      \immediate\closeout\verbatim@out
55
      \@esphack}
56
57 \def\neatoverbatimwrite#1{%
      \def\BeforeStream
58
      {\message{Opening Neato stream=\figname.neato}%
59
          \immediate\write\verbatim@out{\string graph\space G\space {/*}*/}
60
61
      \@bsphack
62
      \immediate\openout \verbatim@out #1
63
      \BeforeStream%
      \let\do\@makeother\dospecials
65
      \catcode'\^^M\active
66
      \def\verbatim@processline{%
67
          \immediate\write\verbatim@out
68
          {\the\verbatim@line}}%
69
      \verbatim@start}
70
71 \def\endneatoverbatimwrite{%
      \immediate\write\verbatim@out{/*{*/}}
73
      \immediate\closeout\verbatim@out
      \@esphack}
```

The spurious braces (commented out in the .dot/.neato file) are necessary because LATEX gets confused with only one brace.

4.3 Environment definition

```
75 \define@key{pic}{width}{\def\dotwidth{#1}}
76 \define@key{pic}{height}{\def\dotheight{#1}}
77 \newenvironment{dotpic}[1][]{\stepcounter{fignum}%
78 \let\dotwidth\undefined
79 \let\dotheight\undefined
80 \setkeys{pic}{#1}
      \xdef\dotCutFile{\figname.dot}
81
      \dotverbatimwrite{\dotCutFile}}
82
      {\enddotverbatimwrite%
83
      \dotgraphicsinclude}
84
85
86 \newenvironment{neatopic}[1][]{\stepcounter{fignum}%
```

```
87 \let\dotwidth\undefined
 88 \let\dotheight\undefined
 89 \text{ } \text{gpic} \text{ } \text{#1}
                 \xdef\neatoCutFile{\figname.neato}
                 \neatoverbatimwrite{\neatoCutFile}}
                 {\endneatoverbatimwrite%
 92
                 \neatographicsinclude}
 93
                  .dot/.neato file processing
 94 \normalfont{\normalfont 94 \normalfont{\normalfont 94 \normalfont 94 \normalfont{\normalfont 94 \normalfont 94 \normalfont 94 \normalfont{\normalfont 94 \normalfont 94 \normalfont{\normalfont 94 \normalfont 94 \normalfont 94 \normalfont{\normalfont 94 \normalfont 94 \normalfont 94 \normalfont 94 \normalfont{\normalfont 94 \normalfont 94 \normal
                \ifShellEscape
 96 \IfFileExists{\figname.dot}{%
 97 \immediate\write18{dot -Tps -o \figname.ps \figname.dot}
 98 \IfFileExists{\figname.ps}{%
 99 \ifpdf
100 \immediate\write18{ps2epsi \figname.ps \figname.eps}
101 \immediate\write18{epstopdf \figname.eps}
102 \IfFileExists{\figname.pdf}{%
103 \PackageInfo{dottex}
104 {\figname.dot converted}}
105~{\tt \{\PackageWarningNoLine\{dottex\}}}
106 {Conversion of \figname.dot failed.}}
107 \else
108 \PackageInfo{dottex}
109 {\figname.dot converted}
110 \fi}
111 {\PackageWarningNoLine{dottex}
112 {Conversion of \figname.dot failed.}}}{}
113 \fi}
114
115 \long\gdef\neatographicsprocess{%
116
                 \ifShellEscape
                          \IfFileExists{\figname.neato}{%
117
                                   \immediate\write18{neato -Tps -o \figname.ps \figname.neato}
118
119
                                   \IfFileExists{\figname.ps}{%
120 \ifpdf
121 \immediate\write18{ps2epsi \figname.ps \figname.eps}
122 \immediate\write18{epstopdf \figname.eps}
123 \IfFileExists{\figname.pdf}{%
124 \PackageInfo{dottex}
125 {\figname.dot converted}}
126 {\PackageWarningNoLine{dottex}
127 {Conversion of \figname.dot failed.}}
128 \else
129 \PackageInfo{dottex}
130 {\figname.neato converted}
131 \fi}
132
                                             {\PackageWarningNoLine{dottex}
133
                                                       {Conversion of \figname.neato failed.}}}{}
134 \fi}
                 Graph inclusion
135 \long\gdef\dotgraphicsinclude{\dotgraphicsprocess%
136 \ifpdf
```

```
137 \IfFileExists{\figname.pdf}{%
138 \ifx\dotwidth\undefined
139 \ifx\dotheight\undefined
140 \includegraphics{\figname}
141 \else
142 \includegraphics [height=\dotheight] {\figname}
143 \fi
144 \else
145 \ifx\dotheight\undefined
146 \includegraphics [width=\dotwidth] {\figname}
148 \verb|\cludegraphics[width=\dotwidth,height=\dotheight]{\figname}
149 \fi
150 \fi
151 }
152 {\PackageWarningNoLine{dottex}
153 {Please convert \figname.dot manually}}
154 \ensuremath{\setminus} else
155 \IfFileExists{\figname.ps}{%
156 \ifx\dotwidth\undefined
157 \ifx\dotheight\undefined
158 \includegraphics{\figname}
159 \ensuremath{\setminus} \texttt{else}
160 \includegraphics[height=\dotheight]{\figname}
161 \fi
162 \ensuremath{\setminus} \texttt{else}
163 \ifx\dotheight\undefined
164 \includegraphics [width=\dotwidth] {\figname}
166 \includegraphics[width=\dotwidth,height=\dotheight]{\figname}
167 \fi
168 \fi
169 }
170 {\PackageWarningNoLine{dottex}
171 {Please convert \figname.dot manually}}
172 \fi
173 }
175 \long\gdef\neatographicsinclude{\neatographicsprocess%
176 \ifpdf
177 \IfFileExists{\figname.pdf}{%
178 \ifx\dotwidth\undefined
179 \ifx\dotheight\undefined
180 \verb|\cludegraphics{\figname}|
181 \else
182 \includegraphics [height=\dotheight] {\figname}
183 \fi
184 \ensuremath{\setminus} \mathtt{else}
185 \ifx\dotheight\undefined
186 \includegraphics [width=\dotwidth] {\figname}
188 \includegraphics[width=\dotwidth,height=\dotheight]{\figname}
189 \fi
190 \fi
```

```
191 }
192 {\PackageWarningNoLine{dottex}
193 {Please convert \figname.neato manually}}
194 \ensuremath{\setminus} else
195 \IfFileExists{\figname.ps}{%
196 \ifx\dotwidth\undefined
197 \ifx\dotheight\undefined
198 \verb|\includegraphics{\figname}|
199 \ensuremath{\setminus} \texttt{else}
200 \verb|\cludegraphics[height=\dotheight]{\figname}|
201 \fi
202 \else
203 \verb|\dotheight| undefined
204 \verb|\cludegraphics[width=\dotwidth]{\figname}|
206 \verb|\cluster= dotheight| {\tt figname}| \\
207\fi
208 \fi
209 }
210~{\tt \{\PackageWarningNoLine\{dottex\}}
211 {Please convert \figname.neato manually}}
212 \fi
213 }
```