Name	: DUMMY		
Lab No.	: 177372535	Age	: 29 Years
Ref By	: Self	Gender	: Male
Collected	: 9/10/2024 12:00:00AM	Reported	: 14/10/2024 5:02:57PM
A/c Status	: P	Report Status	: Final
Collected at	: LPL-ROHINI (NATIONAL REFERENCE LAB) National Reference laboratory, Block E, Sector 18, ROHINI DELHI 110085	Processed at	: LPL-NATIONAL REFERENCE LAB National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085

Test Report

Test Name	Results	Units	Ref. Interval
RESPIRATORY PANEL 3 (Real Time PCR)			
Type of Specimen	Nasal Swab		
Coronavirus NL63	Negative		
Coronavirus 229E	Negative		
Coronavirus OC43	Negative		
Coronavirus HKU1	Negative		

Interpretation

RESULT	REMARKS
Positive	Sample provided contains the specified organism /s
Indeterminate	Presence of inhibitors in the sample. Repeat testing on a new specimen is recommended
Nagative	Sample provided does not contain the specified organism /s OR number of Nucleic acid copies are below the detection limit of the assay

Note

PCR is a highly sensitive technique but paradoxical results can be due to specimen contamination during collection, inappropriate specimen and presence of inherent PCR inhibitors.

Comment

The **Human Coronaviruses** (HCoV-NL63, HCoV-229E, HCoV-OC43 & HCoV-HKU1) are associated with a range of respiratory ailments, including Bronchiolitis and Pneumonia. HCoV-NL63 is associated with Croup in children and may cause Common cold in healthy adults. HCoV-229E is a proven Common cold virus in healthy adults. HCoV-OC43 is generally characterized by sore throats. HCoV-HKU1 causes mild upper respiratory diseases, Common cold, Bronchiolitis, and Pneumonia, with symptoms such as rhinorrhoea, fever, cough, febrile seizure, and wheezing. Infection occurs through the air by coughing and sneezing, and close personal contact, such as touching or shaking hands with an incubation period of approximately 4 days.

Sample Report

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.
Tel: 011-4988-5050, Fax: +91-11-2788-2134, E-mail: customer.care@lalpathlabs.com

Name	: DUMMY		
Lab No.	: 177372535	Age	: 29 Years
Ref By	: Self	Gender	: Male
Collected	: 9/10/2024 12:00:00AM	Reported	: 14/10/2024 5:02:57PM
A/c Status	: P	Report Status	: Final
Collected at	: LPL-ROHINI (NATIONAL REFERENCE LAB) National Reference laboratory, Block E, Sector 18, ROHINI DELHI 110085	Processed at	: LPL-NATIONAL REFERENCE LAB National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -11008

Test Report

Test Name	Results	Units	Ref. Interval

DMC NO. 16715

Dr Shalabh Malik
MD, Microbiology
Technical Director - Microbiology, Infectious Disease Molecular & Serology, Clinical Pathology
NRL - Dr Lal PathLabs Ltd

Dr.Anirudh Bharat Kumar Gupta
MD, Microbiology
Senior Consultant Microbiologist
NRL - Dr Lal PathLabs Ltd

Dr Shailender Kumar
Ph.D. Biotechnology
Research Scientist

----------End of report----------

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted.•All test results are dependent on the quality of the sample received by the Laboratory.•Laboratory investigations are only a tool to assist in arriving at a diagnosis and should be clinically correlated by the Referring Physician.•Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.•Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit report within 72 hours post reporting.•Test results may show interlaboratory variations.•The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).•Test results are not valid for medico legal purposes.•This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor.•The report does not bear a physical signature.
(#) Sample drawn from outside service.
If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.
Tel: +91-11-4988-5050, Fax: +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com
National Reference Lab, Delhi, NABL CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.

Sample Report