





Home

Stop Cassandra

Firefox Web Browser

intellij idea

Chromium Web Browser

labs

Restart Cassandra

Connected (unencrypted) to wk-caas-5b6ef993958646b9ad09162e53acf12a-64ef7b08d2459f65c0e299:1 ()

Darcula

Light

```
guest@localhost [console_2]
select distinct actor.actor_id,
    first_name,
    last_name,
    actor.last_update
from actor
join film_actor fa on actor.actor_id = fa.actor_id
join film f on fa.film_id = f.film_id
where fa.actor_id < 73;
```

Database Console: guest@localhost 10beta2 [co

Output guest.public.actor

actor_id	first_name
1	PENELOPE
2	NICK
3	ED
4	JENNIFER

```
guest@localhost [console_2]
select distinct actor.actor_id,
    first_name,
    last_name,
    actor.last_update
from actor
join film_actor fa on actor.actor_id = fa.actor_id
join film f on fa.film_id = f.film_id
where fa.actor_id < 73;
```

Database Console: guest@localhost 10beta2 [co

Output guest.public.actor

actor_id	first_name
1	PENELOPE
2	NICK
3	ED
4	JENNIFER

You can change the UI theme later in Settings | Appearance & Behavior | Appearance. Additional themes are available in Settings | Plugins.

Skip Remaining and Set Defaults

Next: Database Options

Home

Stop Cassandra

Firefox Web Browser

intellij idea

Chromium Web Browser

labs

Restart Cassandra

Connected (unencrypted) to wk-caas-5b6ef993958646b9ad09162e53acf12a-64ef7b08d2459f65c0e299:1 ()

Generic SQL

Amazon Redshift

Apache Cassandra

Apache Derby

Apache Hive

Apache Spark

ClickHouse

Exasol

Greenplum

H2

HSQLDB

IBM Db2 LUW

IBM Db2 iSeries

IBM Db2 z/OS

MariaDB

Microsoft SQL Server

MySQL

Oracle

Oracle SQL*Plus

PostgreSQL

SQLite

Snowflake

Sybase ASE

Vertica

Configuring a suitable dialect for a file will give you full SQL editing support like navigation, completion and refactorings. SQL dialect can be set for a single file, a directory or a project. If a file dialect is not set the default one is used.

Default dialect can be changed later in Settings | Database | SQL Dialects

Directory:

Attaching a directory to a project will add all its files and subdirectories to Files tool window and also will give you full index support like text search, usages search, navigation by name, file scopes and more.

More directories can be attached later using File | Attach Directory action

Skip Remaining and Set Defaults

Back to UI Themes

Start using DataGrip







