BMW
PRODUCT INTELLIGENCE

From customer evidence to a PM decision

Source-linked proposals. A visible rubric. A live PM review step.

The G60 / US evidence

The pilot can explain its sample before asking for a decision.



4,365 rows

Imported G60 / US feedback from selected files



72.74%

Of unique feedback IDs in the file are Source B



Priority

A deterministic score with visible heuristic factors



Evidence grade

Source strength shown separately from priority

ROWS AND UNIQUE IDS ARE NOT MARKET SHARE

Priority and proof stay separate

Priority 71.26	A deterministic rubric with heuristic and PM-assumed factors
Evidence grade C	Source quality stays separate from the priority score
264 linked records	Exact workbook rows form a source trail, not full proposal proof

The PM owns the decision

REQ-G60-US-001

Charging

G60 / i5 M60 / US

01 **Reference proposal**

Deterministic, source-linked analysis to inspect

02 **PM assumption**

The 80% target and combined journey need validation

03 **PM decision**

Review and decide live; the prototype records the version

Only affected proposals return

After the live decision, a synthetic record tests the update loop.

01

Simulated record

A synthetic item enters the evidence pipeline

02

Charging returns

Only this proposal reopens; the prior version stays frozen

03

PM review

The PM sees the delta and decides whether to update

Evidence linked. The PM decides.

The charging proposal stays traceable to exact workbook rows.



2023 BMW i5 M60 by Nazh Design / Sketchfab · CC BY 4.0